

2355 Northside Drive, Suite 250 San Diego, CA 92108 PH 858.674.6559 www.geosyntec.com

09 September 2022

#### VIA E-MAIL

Mr. Joshua Cox
Hillwood Enterprises, L.P
Vice President
36 Discovery, Suite 130
Irvine, CA 922618
Atta: Josh Cox @billwood.com

Attn: Josh.Cox@hillwood.com

**Subject:** Phase I Environmental Site Assessment

Site: Gateway South Building 9 Assemblage, San Bernardino, CA 92408

Dear Mr. Staunton:

In accordance with your authorization of Geosyntec Consultants, Inc.'s (Geosyntec's) proposal dated 13 April 2022 and updated proposal dated 27 July 2022, Geosyntec has prepared the enclosed Phase I Environmental Site Assessment report for Hillwood Enterprises, L.P. for the above-referenced property. Enclosed is an electronic copy of the report.

Should you have questions regarding this submittal or need additional information, please do not hesitate to contact us. We appreciate the opportunity to be of service to you.

Sincerely,

#### **DRAFT**

Veryl Wittig Senior Principal

Encl.



engineers | scientists | innovators

# PHASE I ENVIRONMENTAL SITE ASSESSMENT

Site: Gateway South Building 9 Assemblage, San Bernardino, California 92408

Prepared for

Hillwood Enterprises, L.P 36 Discovery, Suite 130 Irvine, CA 92618

Prepared by

Geosyntec Consultants, Inc. 2355 Northside Drive, Suite 250 San Diego, CA 92108

Project SC1256

09 September 2022



#### **EXECUTIVE SUMMARY**

This Executive Summary presents the results of the Phase I Environmental Site Assessment (ESA) conducted by Geosyntec Consultants, Inc. (Geosyntec) for a 14.69 acre property located between East Norman Road and East Orange Show Road in San Bernardino, California ("Site"). This Phase I ESA was prepared in accordance with the scope of work, terms, and conditions described in Geosyntec's proposal dated 13 April 2022 and updated proposal dated 27 July 2022. This Phase I ESA was conducted in accordance with ASTM International (ASTM) Standard E1527-13<sup>1</sup> to identify, to the extent feasible, "recognized environmental conditions" (RECs) at the Site as the term REC is defined by ASTM E1527-13.

The Site comprises 31 contiguous parcels identified by the following addresses: 695, 706, 707, 715, 755, 787, 807, 823, and 867 East Norman Road; 648, 652, 668, 684, and 788 East Orange Show Road; and 24432 and 24512 Pioneer Avenue. The following fifteen parcels are not associated with numerical addresses: 0280-172-04, 0280-172-11, 0280-172-17, 0280-172-20, 0280-172-21, 0280-172-22, 0280-192-01, 0280-192-04, 0280-192-05, 0280-192-08, 0280-192-09, 0280-192-11, 0280-192-12, 0280-192-16, and 0280-202-08. The Site is owned by various individuals and entities including Assets Corp of America Inc., DHA Opportunity I LP, Dwayne A. Gleason, Ernesto Quintero, Espiridion Gonzalez, Felipe J. Donis, Fernando Hernandez, Francisco Gonzalez, Geerlings Equipment Rental Inc., Jovita Morga, Lauro Properties LLC, Maria T. Mejia Navarro, Michael Lee Johnston, Mohammed Ali Ahmed Ali, Norman Road Investments LLC, Oscar Patino, Payton B. and Latonia Living Trust 12, Rubi Do, Steven D. Arrietta, Swazey Quintero, Thomas Williams, and William Spencer Carey.

The Site is accessible from its northern Site boundary via East Norman Road, the western Site boundary via Lena Road and the southern Site boundary along East Orange Show Road. At the time of Geosyntec's Site reconnaissance, ten residential properties were located in the west portion of the Site and one residence was located in the northeast portion of the Site. Commercial operations at the Site include a towing company; heavy equipment rental company; roofing contractor, vehicle maintenance, and truck/trailer, heavy equipment (i.e., excavators, backhoes, and front end loaders) storage yards; and miscellaneous storage yards (i.e., lumber, pipes, pipe fittings, and empty drums). A cellular tower is located within a vacant lot in the southeast portion of the Site. Numerous partially-filled unlabeled containers and drums containing petroleum products, paints, and household cleaning supplies were primarily observed in the east area of the Site. Aggregate piles were observed in the southeast portion of the Site. Vacant lots are located in the central and southwest portions of the Site.

<sup>&</sup>lt;sup>1</sup> ASTM Standard E-1527-13, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process"



Based on the information set forth in this Phase I ESA, Geosyntec has concluded the following:

# **Recognized Environmental Conditions (RECs)**

• No RECs were identified during this Phase I ESA.

# **Controlled Recognized Environmental Conditions (CRECs)**

• No CRECs were identified during this Phase I ESA.

# **Historical Recognized Environmental Conditions (HRECs)**

• No HRECs were identified during this Phase I ESA.

#### **De Minimis Conditions**

• Current Vehicle and Equipment Storage: Areas of the Site are currently used for truck/trailer, vehicle, and construction-related equipment storage. Periodic maintenance of vehicles and equipment are performed in three areas of the Site, including Geerlings Equipment Rental at 867 Norman Road and two vehicle maintenance/storage yards. Small quantities of hazardous materials were used in these areas. Staining observed on unpaved surfaces at multiple locations, evidence of mis-handling of hazardous materials containers, ASTs and abandoned fuel tanks from trucks, and general poor housekeeping indicates the potential for discharge of hazardous materials to the ground and subsurface. The improper hazardous materials use and storage was identified as a potential source of subsurface impacts to soil and/or soil vapor at the Site.

Geosyntec performed a limited Phase II ESA at the Site on 08 July 2022 and 05 August 2022 to evaluate the potential impacts at the Site due to improper hazardous materials use and storage and undocumented fill dirt. Soil vapor samples were collected throughout equipment storage and hazardous materials storage areas. Soil vapor concentrations did not exceed DTSC Screening Levels for commercial/industrial ambient air.

Two soil samples collected at APN: 0280-172-17 (HA-4-220805) and 867 Norman Road (HA-3) exceeded the commercial screening level for total petroleum hydrocarbons in the diesel range. The soil samples contained TPH diesel at 2,300 milligrams per kilogram (mg/kg, HA-4-220805) and 13,000 mg/kg (HA-3), which exceeded the commercial ESL of 1,200 mg/kg.

For evaluating commercial worker exposures, a  $1 \times 10^{-5}$  risk level is commonly used for managing commercial/industrial sites in California. The adjusted  $1 \times 10^{-5}$  risk level for TPH diesel would be 12,000 mg/kg. The concentration of TPH diesel in the soil sample collected



at APN: 0280-172-17 (HA-4-220805) is below the adjusted risk level. Based on the elevated concentrations of TPH diesel at 867 Norman Road, a hot spot removal was performed on 05 August 2022. Confirmation soil samples collected following the excavation detected TPH diesel below the commercial screening level.

- Undocumented Fill Dirt: During the initial Site reconnaissance in May 2022, Geosyntec observed aggregate piles of fill dirt and broken concrete located in a heavy equipment storage yard in the eastern portion of the Site. The source of the fill was unknown. Based on the lack of data regarding the fill composition and the potential for the fill to contain contaminants, this finding was identified as a potential environmental concern.
  - Soil samples collected from the undocumented fill on 08 July 2022 detected various metals, and TPH in the diesel and motor oil range above laboratory reporting limits; however, all concentrations were below their respective commercial RSLs for soil. PCBs and organochlorine pesticides were not detected above laboratory reporting limits.
- Solid Waste/Debris: Solid waste was observed in numerous areas throughout the Site during the Site reconnaissance. Vehicle parts, tires, piping, ASTs, lumber, furniture, compressors, building materials, and other miscellaneous debris was observed, particularly in the central portion of the Site (755 and 787 Norman Road and APNs: 0280-192-06 and 0280-192-07). In addition, numerous containers of petroleum products (ranging in size from 1 to 5 gallons) were discarded on the ground. No major staining or releases were observed from the solid waste/debris; therefore, this finding is considered to be a de minimis condition.



# **Data Gaps**

Our assessment revealed the following data gaps, as defined by ASTM:

- During the Site reconnaissance, Geosyntec did not have access to the property identified by the APN: 0280-192-04, occupied by a roofing contractor and 0280-192-01 containing numerous truck trailers. Geosyntec was able to observe these properties from adjoining fence lines. In addition, Geosyntec was not provided access to the interior of residential houses or offices at the Site.
- ASTM E1527-13 states that "interviews with past owners, operators, and occupants of the property who are likely to have material information regarding the potential for contamination at the property shall be conducted to the extent that they have been identified." Geosyntec was not provided with and did not identify owner contact information prior to the current Site owner. However, since relevant historical documents were obtained, this limitation is not considered to be significant.

The above data gaps are not considered to be significant with respect to identifying RECs for the Site.



# TABLE OF CONTENTS

EXE	CUTIV	E SUMMARY	ES-1
1.	INT	RODUCTION	1
	1.1	Objective	1
	1.2	Scope of Services	1
	1.3	Significant Assumptions	3
	1.4	Limitations, Deviations, and Exceptions	3
	1.5	Special Terms and Conditions	3
	1.6	User Reliance	3
2.	SITI	E DESCRIPTION	5
	2.1	Site Location and General Characteristics	5
	2.2	Current and Former Uses of the Site	6
	2.3	Description of Structures, Roads, Other Improvements on the Site	7
	2.4	Current and Prior Use of Adjoining Properties	8
	2.5	Physical Setting.	9
3.	USE	R-PROVIDED INFORMATION	12
	3.1	Title Records	12
	3.2	Environmental Liens or Activity and Use Limitations	12
	3.3	Specialized Knowledge	12
	3.4	Knowledge of Hazardous Substances or Petroleum Products	12
	3.5	Commonly Known or Reasonably Ascertainable Information	12
	3.6	Valuation Reduction for Environmental Issues	12
	3.7	Degree of Obviousness	12
	3.8	Litigation, Administrative Proceedings, and Notices	13
	3.9	Reason for Performing This Phase I ESA	13
	3.10	Pertinent Documents	13
4.	REC	CORDS REVIEW	14
	4.1	Standard Environmental Records Sources	14
		4.1.1 Database Search Approach	14
		4.1.2 Database Search Results – Site	14
		4.1.3 Database Search Results – Vicinity Properties	15
		4.1.4 Unplottable Sites	
		•	
	4.2	Historical Use Information	16



# **TABLE OF CONTENTS** (Continued)

		4.2.2 Historical Topographic Maps	16
		4.2.3 City Directories	16
		4.2.4 Fire Insurance Maps	16
		4.2.5 Property Tax Files	
	4.3	Local, County, State, and Federal Files	20
		4.3.1 Local Fire Department Records	
		4.3.2 City or County Records	20
		4.3.3 State Records	21
		4.3.4 Federal Records	22
	4.4	Other Documents Reviewed	23
5.	SIT	E RECONNAISSANCE	24
	5.1	Utility Service and Materials Management Provider Information	24
	5.2	Interior and Exterior Observations	
	5.3	Adjoining Property Reconnaissance	24
6.		IITED PHASE II ENVIRONMENTAL SITE ASSESSMENT	
	6.1	Soil Sampling	
	6.2	Soil Vapor Sampling	
	6.3	Soil Sampling Results	30
	6.4	Soil Vapor Sampling Results	
	6.5	Hot Spot Excavation	31
7.	INT	ERVIEWS	33
	7.1	Interview with Current Owner/Occupant	33
	7.2	Interview with Previous Owner/Occupant	33
	7.3	Interview with User	33
	7.4	Interview with Local Agencies	33
8.	FIN	DINGS AND CONCLUSIONS	34
	8.1	Findings and Opinions	34
	8.2	Data Gaps	36
	8.3	Conclusions	37
9.	REI	FERENCES	38
10.	EN	VIRONMENTAL PROFESSIONAL STATEMENT	39



# TABLE OF CONTENTS (Continued)

11. OUALIFICATIONS OF STAFF
-----------------------------

# LIST OF TABLES

Table 1: Scope of Services Details

Table 2: Parcel Information

Table 3: Site Vicinity Land Use

Table 4: Physical Setting

Table 5: Historical Records Review

Table 6: Site Utilities and Materials Management

Table 7: Interior and Exterior Observations

# LIST OF FIGURES

Figure 1: Site Location Map
Figure 2: Site Vicinity Map
Figure 3: Site Layout Map

Figure 4: Phase II Sample Locations

# LIST OF APPENDICES

Appendix A: Tax and Parcel Information

Appendix B: Historical Source Records and Database Reports

Appendix C: User-Provided Documents (empty)

Appendix D: Regulatory or Agency Files

Appendix E: Site Visit Photographs

Appendix F: Soil Sample Analytical Data

Appendix G: Soil Vapor Sample Analytical Data



#### 1. INTRODUCTION

Geosyntec Consultants, Inc. (Geosyntec) was retained by Hillwood Enterprises, L.P. to conduct a Phase I Environmental Site Assessment (ESA) for a 14.69 acre property located between East Norman Road and East Orange Show Road in San Bernardino, California ("Site"). The Site comprises 31 contiguous parcels identified by the following addresses: 695, 706, 707, 715, 755, 787, 807, 823, and 867 East Norman Road; 648, 652, 668, 684, and 788 East Orange Show Road; and 24432 and 24512 Pioneer Avenue. The following fifteen parcels are not associated with numerical addresses: 0280-172-04, 0280-172-11, 0280-172-17, 0280-172-20, 0280-172-21, 0280-172-22, 0280-192-01, 0280-192-04, 0280-192-05, 0280-192-08, 0280-192-09, 0280-192-11, 0280-192-12, 0280-192-16, and 0280-202-08. The Site location is shown on **Figure 1** (Site Location Map). A recent site vicinity property layout is depicted on **Figure 2** (Site Vicinity Map) and a recent site layout is depicted on **Figure 3** (Site Layout Map).

# 1.1 Objective

This Phase I ESA was conducted in general accordance with the scope and limitations of the guidance contained within the ASTM International (ASTM) Practice E1527-13. The objective of performing this Phase I ESA in accordance with ASTM Standard E1527-13 was to identify, to the extent feasible, "recognized environmental conditions" <sup>2</sup> (RECs) at the Site as the term REC is defined by ASTM E1527-13. Deviations or exceptions to the guidance contained in the ASTM E1527-13 standard of practice are described in Section 1.4.

Geosyntec's effort is to provide the User with a Phase I ESA that includes a search for the existence of potential or known surface or subsurface environmental impacts at the Site. For the purposes of this Phase I ESA report, HRP is the "User," defined as "the party seeking to use Practice E 1527-13 to complete an environmental site assessment of the property..." in partial fulfillment of the requirements of the All Appropriate Inquiry Rule under 40 CFR 312.

# 1.2 Scope of Services

The Phase I ESA scope of work included the following:

- Review of pertinent information/documents
- Review of environmental databases regarding the Site and properties in the vicinity of the Site pursuant to the ASTM E1527-13 Practice

1

<sup>&</sup>lt;sup>2</sup> As defined by ASTM E1527-13, a Recognized Environmental Condition is: "the presence or likely presence of any hazardous substances or petroleum products in, on or at a property (1) due to [a] release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment." The definition further states that "[d]e minimis conditions are not recognized environmental conditions."



- Review of historical land usage via historical aerial photographs, fire insurance maps, city directories, property tax files, and topographic maps, as available
- Visit to the Site for a visual reconnaissance of the major interior and exterior Site features and use of adjoining properties
- Preparation of a Phase I ESA report

In accordance with Geosyntec's scope of work for this project, "non-scope considerations", as defined in ASTM E1527-13, were not evaluated as part of this Phase I ESA.

Geosyntec's authorization and conduct to complete the scope of work are as follows:

**Table 1. Scope of Services Details** 

Scope Item	Detailed Information
Site Name or Reference	Hillwood Enterprises, L.P.
Site Addresses	695, 706, 707, 715, 755, 787, 807, 823, and 867 East Norman Road; 648, 652, 668, 684, and 788 East Orange Show Road; and 24432 and 24512 Pioneer Avenue.
City, State, and Zip Code	San Bernardino, California 92408
San Bernardino County Assessor Parcel Numbers (APNs)	0280-172-01, 0280-172-02, 0280-172-04, 0280-172-11, 0280-172-17, 0280-172-19, 0280-172-20, 0280-172-21, 0280-172-22, 0280-192-01, 0280-192-02, 0280-192-04, 0280-192-05, 0280-192-06, 0280-192-07, 0280-192-08, 0280-192-09, 0280-192-10, 0280-192-11, 0280-192-12, 0280-192-13, 0280-192-16, 0280-192-18, 0280-192-19, 0280-192-20, 0280-192-21, 0280-192-22, 0280-202-07, 0280-202-08, 0280-202-09, and 0280-202-11.
<b>Proposal Dates</b>	13 April 2022 and 27 July 2022
Authorization Date	22 April 2022 and 01 August 2022
<b>Database Report Date</b>	28 April 2022
Site Visit Date	09 May 2021 and 05 August 2022
<b>Geosyntec Site Personnel</b>	Ms. Jackie Hyman and Mr. Youcef Boutammine
<b>Facility Personnel and Role</b>	Various property tenants
Report Preparer(s)	Ms. Emily Glensky and Ms. Jackie Hyman
Report Reviewer(s)	Mr. Veryl Wittig
Environmental Professional <sup>1</sup>	Mr. Wittig

Note 1: The Environmental Professional meets the requirements as stated in ASTM Practice E1527-13.

The professional qualifications of the senior reviewers, including the signatory Environmental Professional are presented in Section 10.



# 1.3 Significant Assumptions

Geosyntec took no significant assumptions into account as part of this project, except as noted in the proposal.

### 1.4 Limitations, Deviations, and Exceptions

This Phase I ESA was conducted according to the agreed upon scope of work consistent with the ASTM Practice E1527-13, except as follows:

• ASTM E1527-13 states that "interviews with past owners, operators, and occupants of the property who are likely to have material information regarding the potential for contamination at the property shall be conducted to the extent that they have been identified." Geosyntec was not provided with and did not identify owner contact information prior to the current Site owner. However, since relevant historical documents were obtained, this limitation is not considered to be significant.

This Phase I ESA contains a property description and history, an environmental database review, a summary of observations made during the site reconnaissance, and descriptions of information obtained during interview(s) of person(s) knowledgeable about the Site. This Phase I ESA did not include sampling rock, soil, groundwater, surface water, soil vapor, air, or on-site substances or materials. Therefore, it is not possible to confirm the presence or absence of hazardous substances or petroleum products in the environments associated with the property.

The findings and conclusions presented in this Phase I ESA are the result of professional interpretation of the information collected at the time of this study. Specified information contained in this report has been obtained from publicly available sources and other secondary sources of information. Although care has been taken in compiling this information, Geosyntec has not independently validated this information and provides no warranty as to its accuracy or completeness. The Phase I ESA does not necessarily include an exhaustive search of all available records, nor does it include detailed assessment of all Phase I ESA findings. Therefore, Geosyntec cannot "certify" or guarantee that any property is free of environmental impairment; no warranties regarding the environmental quality of the property are expressed or implied.

#### 1.5 Special Terms and Conditions

No special contractual terms or conditions were taken into account as part of this project, except as noted in the proposal.

#### 1.6 User Reliance

This Phase I ESA report has been prepared solely for the benefit of Hillwood Enterprises.



Geosyntec has issued the Phase I ESA report to Hillwood Enterprises and grants Hillwood Enterprises the right to rely on the report contents. Except as specifically set forth in Geosyntec's proposal to Hillwood Enterprises to perform this work, no third party shall have the right to rely on Geosyntec opinions rendered in connection with the Services without Geosyntec's written consent which may be conditioned on the third party's agreement to be bound to acceptable conditions and limitations similar to those agreed to by Hillwood Enterprises. Please note that Geosyntec's consent to provide a right-to-rely on the Phase I ESA report is subject to Hillwood Enterprises approval and to agreement to Geosyntec's terms and conditions associated with Geosyntec's performance of this specific Phase I ESA.



# 2. SITE DESCRIPTION

The Site description presented herein is derived from information provided by the User, Hillwood Enterprises, and information gathered during the research of historical records and the reconnaissance unless referenced otherwise.

#### 2.1 Site Location and General Characteristics

The Site is a 14.69 acre property located between East Norman Road and East Orange Show Road in San Bernardino, California and is surrounded by a mix of residential, commercial, and light industrial properties. The Site comprises 31 contiguous parcels (**Table 2**). The location of the Site is shown on **Figure 1**. A recent vicinity property layout is depicted on **Figure 2** and a recent site layout is depicted on **Figure 3**. Ownership information, where available, is provided in **Appendix A**.

**Table 2. Parcel Information** 

Parcel ID	Address	Zoning	Approximate Area (Acres)	Land Use/Description
0280-172-01	668 Orange Show Road	Commercial	0.59	Residential on Commercial
0280-172-02	652 Orange Show Road	Residential	0.59	Single Family Residential
0280-172-04	N/A	Industrial	0.17	Vacant
0280-172-11	N/A	Industrial	0.17	Vacant
0280-172-17	N/A	Commercial	0.92	Vacant
0280-172-19	24432 Pioneer Avenue	Residential	0.36	Single Family Residential
0280-172-20	N/A	Industrial	0.24	Vacant
0280-172-21	N/A	Commercial	0.59	Vacant
0280-172-22	N/A	Commercial	0.27	Vacant
0280-192-01	N/A	Commercial	0.59	Vacant
0280-192-02	695 Norman Road	Industrial	0.59	Industrial (SFR 3)
0280-192-04	N/A	Industrial	0.59	Vacant
0280-192-05	N/A	Commercial	0.59	Vacant
0280-192-06	755 Norman Road	Industrial	0.59	Residential on Commercial
0280-192-07	787 Norman Road	Commercial	0.61	Commercial (SFR 3)



0280-192-08	N/A	Industrial	0.34	Vacant
0280-192-09	N/A	Industrial	1.39	Vacant
0280-192-10	788 Orange Show Road	Industrial	0.54	Vacant
0280-192-11	N/A	Residential	0.57	Vacant
0280-192-12	N/A	Industrial	0.59	Vacant
0280-192-13	24512 Pioneer Avenue	Commercial	0.60	Vacant
0280-192-16	N/A	Industrial	0.61	Vacant
0280-192-18	684 Orange Show Road	Industrial	0.49	Residential on Commercial
0280-192-19	715 Norman Road	Industrial	0.30	Commercial
0280-192-20	707 Norman Road	Industrial	0.30	Commercial
0280-192-21	706 Orange Show Road	Residential	0.61	Residential on Commercial
0280-192-22	648 Orange Show Road	Industrial	0.12	Vacant
0280-202-07	807 Norman Road	Industrial	0.92	Commercial
0280-202-08	N/A	Residential	1.8	Vacant
0280-202-09	867 Norman Road	Industrial	0.94	Commercial
0280-202-11	823 Norman Road	Industrial	0.89	Vacant

Source: <a href="https://arcpropertyinfo.sbcounty.gov/">https://arcpropertyinfo.sbcounty.gov/</a>

#### 2.2 Current and Former Uses of the Site

The Site is presently owned by various individuals and entities including Assetts Corp of America Inc., DHA Opportunity I LP, Dwyne A. Gleason, Ernesto Quintero, Espiridion Gonzalez, Felipe J. Donis, Fernando Hernandez, Francisco Gonzalez, Geerlings Equipment Rental Inc., Jovita Morga, Lauro Properties LLC, Maria T. Mejia Navarro, Michael Lee Johnston, Mohammed Ali Ahmed Ali, Norman Road Investments LLC, Oscar Patino, Payton B. and Latonia Living Trust 12, Rubi Do, Steven D. Arrietta, Swazey Quintero, Thomas Williams, and William Spencer Carey.

At the time of Geosyntec's Site reconnaissance, ten residential properties were located in the west portion of the Site and one residence was located in the northeast portion of the Site. Commercial operations at the Site include a towing company; heavy equipment rental company; roofing contractor, vehicle maintenance, and truck/trailer, heavy equipment (i.e., excavators, backhoes, and front end loaders) storage yards; and miscellaneous storage yards (i.e., lumber, pipes, pipe



fittings, and empty drums). A cellular tower is located within a vacant lot in the southeast portion of the Site. Numerous partially-filled unlabeled containers and drums containing petroleum products, paints, and household cleaning supplies were primarily observed in the east portion of the Site. Aggregate piles were observed in the southeast portion of the Site. Vacant lots are located in the central and southwest portions of the Site.

During the early 1930s, the Site appeared to be either fallow agricultural land or undeveloped. A single dwelling was developed in the northwest portion of the Site. By the late 1930s, row crops/orchards were visible surrounding the dwelling in the northwest portion of the Site. New development appeared to occur in the late 1940s, which included construction of residential housing in the western half of the Site and in the northeast portion of the Site along East Norman Road. The remainder of the Site appeared to be vacant land. Between the early 1950s and the 1980s, various residential structures were demolished and redeveloped. By the mid-1980s, truck and/or storage yards were visible in the central, northern portion of the Site at mixed use commercial/residential properties. By the mid-1990s, structures in the northwest portion of the Site were demolished. During the 2000s, increased trailer parking and storage areas were visible throughout the Site. No significant changes were visible at the Site through the present.

# 2.3 Description of Structures, Roads, Other Improvements on the Site

Five parcels developed with seven residences are located along East Norman Road at the north Site boundary and are identified by the addresses 685 to 787 East Norman Road. The yards on the southern portion of these residences were used for residential purposes and no hazardous materials use or storage was observed. An aboveground and underground septic tank were observed on the residential properties.

East of the residences is a roofing contractor (APN: 0280-192-04). Geosyntec did not have access to this property during the Site reconnaissance, however, areas of the property could be viewed from adjoining fence lines. The property was largely used for storage of roofing tiles, panelling, roof vents and miscellaneous roofing materials. Small quantities of roofing maintenance supplies were visible on storage racks in the south portion of the property.

East of the roofing contractor are two vehicle maintenance and storage yards (APNs: 0280-192-05, 0280-192-06 and 755 Norman Road). Two small canopies located on the northern portion of the property are used for periodic maintenance activities. No aboveground or subsurface hoists were observed at the property. Small quantities of hazardous materials including transmission fluid and diesel engine oil were stored in 5-gallon containers beneath the canopy at the property identified by APN: 0280-192-05. Minor oil staining on concrete surrounding the containers was addressed by using absorbent. The south portion of the yards was used for vehicle and trailer parking, and miscellaneous storage. Numerous partially filled containers and drums containing petroleum products, paints, household cleaning supplies and unlabelled containers were observed throughout these properties.



The central portion of the Site (APNs: 0280-192-08 and 0280-192-09) is utilized as a truck yard. No vehicle maintenance or hazardous materials use/storage were observed at the truck yard. A vacant lot with a cellular tower is located in the eastern portion of the Site (APNs: 0280-202-08). American Tow Group occupies the property at 807 Norman Road, east of the vacant lot. An office is located on the northern portion of the property. The southern portion of the property is used for vehicle storage. A small wash pad connected to a drain was observed in the southern end of the vehicle storage lot. A representative from the American Tow Group indicated the wash pad has not been their company.

This property was inaccessible during the Site reconnaissance. Several aggregate piles of fill dirt and broken concrete (extending approximately 10 to 20 feet) were observed in the southeast portion of the property. The eastern-most property at 867 Norman Road is developed with a residence, modular office, and larger manufactured office building. The southern portion of the property is occupied by Geerlings Heavy Equipment Rental. Minor maintenance operations are performed in the yard. Two 55-gallon drums of diesel engine oil and small quantities of petroleum products (containers smaller than 5-gallons) are stored within the yard.

Five residential properties are located in the southwest portion of the Site (648, 652, 668, 684 and 706 East Orange Show Road and 24432 Pioneer Avenue). At the time of the Site reconnaissance, the residence at 684 East Orange Show Road appeared to be vacant. Small quantities (less than 5 gallons) of new engine oil were stored at the residential property at 24432 Pioneer Avenue. The yard at 706 East Orange Show Road contains several conex boxes, a mobile office, and various piping equipment. The yard at 24432 Pioneer contained several portable concrete mixers.

A large storage yard is located in the northwest corner of the Site (APNs: 0280-172-17, 0280-172-22, and 0280-172-21). The yard is used for storage of numerous industrial-scale pipes, shoring, a portable concrete aboveground storage tank (AST), heavy equipment and heavy equipment parts. Approximately five drums are stored in the yard, including one drum labelled as concrete remover.

Vacant lots are located at the west boundary of the Site (APNs: 0280-172-11, 0280-172-04, and 0280-172-20) and south, central areas of the Site (APNs: 0280-192-11, 0280-192-12 and 24512 Pioneer Avenue).

Current Site features observed during the site reconnaissance are presented on Figure 3.

# 2.4 Current and Prior Use of Adjoining Properties

Since 2013, the vicinity surrounding the Site has consisted primarily of commercial and industrial properties. The land use immediately surrounding the Site is noted in **Table 3** below.

8



**Table 3. Site Vicinity Land Use** 

Direction	Current Geosyntec-Observed Use <sup>1</sup>	Identified Prior Use	Considered to be More Likely to Result in Surface/Subsurface Quality Impacts to the Site (Yes/No)
North	East Norman Road followed by a single-family residences, two vacant lots, a residence/commercial office, pallet supply business, and Kohl's Department Store distribution center	Agricultural, Residential, Industrial/Commercial	No
South	East Orange Show Road and the Santa Ana River, followed by vacant lots, a truck yard, a residence/commercial office, and an Amazon distribution warehouse	Agricultural, Residential, Industrial/Commercial	No
East	Truck yard to the northeast and the Santa Ana River to the southeast	Agricultural, Residential, Industrial/Commercial	No
West	Lena Road followed by Lean Supply Solutions logistics warehouse	Agricultural, Residential, Industrial/Commercial	No

Note 1: Observations from Geosyntec's site visit.

The adjoining properties were briefly inspected during the site reconnaissance (from vantage point of the Site or public rights-of-way) to observe the associated land use practices (e.g., condition, housekeeping, evidence of chemical usage/spills). Observations made for the adjoining sites are described later in this report (Section 5).

# 2.5 Physical Setting

A summary of the physical setting of the Site and vicinity including topography, geology/hydrogeology, and water resources is presented in **Table 4**. Environmental Data Resources (EDR) provided Geosyntec with a Summary Radius Map Report (RMR) for the area including the Site which serves as a source of certain information. Other sources of information in **Table 4** are noted accordingly.



**Table 4. Physical Setting** 

Topic	Information	Source				
Topography						
USGS 7.5-Minute Quadrangle Map	San Bernardino South, CA	U.S. Geological Survey (USGS)				
Elevation	1,037 feet above mean sea level (ft MSL)	EDR RMR				
General Topographic Gradient	There is a slight topographic slope to the southwest.	USGS Quadrangle Map and Site Reconnaissance				
	Soils & Geology					
Site Soils	The Site is underlain by excessively drained sands and gravels with gravelly loamy sand and high infiltration rates.	EDR RMR				
Area Geology	The Site vicinity is underlain by Cenozoic-aged deposits of axial valley floors.	EDR RMR; Geologic Map of the San Bernardino and Santa Ana Quadrangles, Morton, 2006				
	Water Resources					
Nearest Water Body	The Santa Ana River adjoins the southeast portion of the Site.	US Fish & Wildlife Wetland Map, EDR RMR and USGS Quadrangle Map				
Estimated Groundwater Flow Direction <sup>3</sup>	Geosyntec projects the shallow groundwater flow in proximity to the Site to be to the southwest along the path of the Santa Ana River, generally following the slope of the ground surface.	EDR RMR				
Depth of Groundwater	Based on data available from May 2022 at a USGS well located within 1/2-mile to the northeast of the Site, depth to groundwater is approximately 193.24 ft below ground surface (bgs).	USGS, 2022				
Wetlands (on- site)	No wetlands were identified on the Site. Wetlands associated with riverine habitat along the Santa Ana River were identified approximately 820 ft south of the Site	NWI, US Fish & Wildlife Wetland Map. EDR RMR				
Wells (on-site)	No wells were identified on the Site.	EDR RMR & Site Reconnaissance (see Section 5)				

<sup>&</sup>lt;sup>3</sup> Local groundwater flow direction may vary depending on area groundwater pumping, surface water bodies, land use and development, localized topography, and other macro and micro features.



**Table 4. Physical Setting** 

Topic	Information	Source
Nearby <sup>4</sup> Groundwater Supply and Monitoring Wells	<ul> <li>23 wells were identified in the federal USGS well database within ½ mile of the Site.</li> <li>57 wells were identified in the state well database within ½ mile of the Site.</li> <li>Trichloroethylene, 1,1,2-Trichloro-1,2,2 Trifluoroethane, 1,1-Dichloroethylene, Nnitrosodimethylamine (NDMA), and uranium were detected at City of Riverside municipal wells over 0.5-mile southwest, hydraulically downgradient from the Site between 2012 and 2018.</li> </ul>	EDR RMR

<sup>&</sup>lt;sup>4</sup> EDR searched federal and state water well databases within one mile of the Site boundary.



#### 3. USER-PROVIDED INFORMATION

This section describes the information provided to Geosyntec by Hillwood Enterprises (the User of this Phase I ESA). This includes information that was provided in the User Questionnaire (**Appendix C**).

#### 3.1 Title Records

Geosyntec was not provided with and did not review title records for the Site. A property title search was not included in the scope of Geosyntec's services.

# 3.2 Environmental Liens or Activity and Use Limitations

The User did not supply Geosyntec with information regarding environmental liens or activity and land use limitations associated with the Site property.

# 3.3 Specialized Knowledge

The User indicated that it does not have specialized knowledge of environmental conditions at the Site.

# 3.4 Knowledge of Hazardous Substances or Petroleum Products

The User is not aware of any hazardous substances or petroleum products in, on, or under the Site.

# 3.5 Commonly Known or Reasonably Ascertainable Information

The User is not aware of any commonly known or reasonably ascertainable information within the local community about the Site that is material to RECs in connection with the Site.

#### 3.6 Valuation Reduction for Environmental Issues

The User has not informed Geosyntec regarding whether or not the valuation of the Site has been reduced or otherwise impacted by environmental issues (as defined in AAI<sup>5</sup>), at the Site.

# 3.7 Degree of Obviousness

The User has considered the degree of obviousness of the presence or likely presence of releases or threatened releases at the Site and the ability to detect releases or threatened releases by appropriate investigation. The User has not observed any conditions indicating the presence or likely presence of releases or threatened releases at the Site.

Sep 2022

<sup>&</sup>lt;sup>5</sup> The "All Appropriate Inquiry Rule", enacted under the 2002 Brownfields Amendments to the Comprehensive Environmental Response, Compensation, and Liability Act; 40 CFR 312



# 3.8 Litigation, Administrative Proceedings, and Notices

The User is not aware of (i) any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the Site; (ii) any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the Site; or (iii) any notices from any governmental entity regarding any possible violations of environmental laws or possible liability relating to hazardous substances or petroleum products.

# 3.9 Reason for Performing This Phase I ESA

Geosyntec understands that Hillwood Enterprises engaged Geosyntec to perform this Phase I ESA for the Site to identify RECs (as defined in ASTM E1527-13) in order to help identify potential environmental liabilities associated with the Site.

#### 3.10 Pertinent Documents

The User did not provide additional documents.



#### 4. RECORDS REVIEW

Geosyntec reviewed the following records, to the extent we found these to be available and reasonably ascertainable:

- Federal, state, and local environmental databases
- Historical aerial photographs
- Historical topographic maps
- Fire insurance maps
- City directories
- Local authority permits and records
- Available property tax information

In addition to the standard sources above, Geosyntec reviewed environmental files obtained from regulatory agencies.

#### 4.1 Standard Environmental Records Sources

# 4.1.1 Database Search Approach

Geosyntec contracted EDR to provide the records reviewed as described below. EDR conducted the environmental database search in an attempt to ascertain whether the Site or neighboring properties were suspected of having environmental conditions that could have impacted the surface or subsurface at the Site. EDR reported specific records and search distances (from the approximate Site boundaries) for the environmental databases to be consistent with ASTM Practice E 1527-13 and are discussed in the EDR Database Report (EDR, 2022) presented in **Appendix B**. Database descriptions are included in the EDR report.

The following sections discuss listings that are projected to be located upgradient of the Site and have reported (or suspected) contamination or that have the potential for significant contamination that could have impacted the Site (such as National Priorities List [NPL] or Resource Conservation and Recovery Act [RCRA] Corrective Action sites). The locations of these listed sites are shown on the Overview Map and Detail Map in the EDR Database Report (**Appendix B**).

#### 4.1.2 Database Search Results – Site

EDR identified two database listings for the Site. These databases and associated listing are as follows:



- The Site address 787 Norman Road was listed in the Clandestine Drug Lab (CDL) database in 2003 for an operational illegal drug lab where drug equipment and materials were stored. No other information was available.
- Bernell Payton Truck was listed at 745 E Norman Road in the Facility Index System/Facility Registry System (FINDS), Enforcement & Compliance History Information (ECHO) and Resource Conservation and Recovery Act Non Generators / No Longer Regulated (RCRA NonGen/NLR) databases as an active RCRA site for hazardous waste activities under the NAIC code for petroleum lubricating oil and grease manufacturing. No violations were reported.

# 4.1.3 Database Search Results – Vicinity Properties

The search of environmental databases identified 40 site listings for properties within 1-mile of the Site, some of which were in databases indicative of releases, solid waste disposal, or land use concerns. Pertinent listings are discussed below:

- North San Bernardino Area, Bunker Hill Groundwater Basin located approximately 2,005 feet north-northwest (hydraulically up to cross-gradient) in the City of San Bernardino, was listed in DTSC's EnviroStor and State Response Sites (RESPONSE) databases. In 1986, the DTSC and City of San Bernardino entered into an agreement which included use of groundwater treatment systems for treatment of a PCE and TCE groundwater contaminant plume. Groundwater flow within the Bunker Hill Area is variable and affected by local faults. This property is further discussed in Section 4.3.4.
- USAF Norton AFB located approximately 0.75 miles north at 305 South Tippecanoe Avenue is listed on the National Priorities List (NPL), Superfund Enterprise Management System (SEMS), Corrective Action Report (CORRACTS), RCRA-SQG, RCRA Treatment, Storage and Disposal (RCRA-TSDF), Engineering Controls Sites List (US ENG CONTROLS), Institutional Controls Sites List (US INST CONTROLS), and Records Of Decision (ROD) databases. Groundwater flow within the area of the AFB is toward the southwest, based on groundwater monitoring well data collected in 2017. The boundary of the former NAFB covers 2,036 acres. Operations at the NAFB began in 1942 and included aircraft maintenance and repair, and later expanded to include maintenance, storage, and logistics support of missiles. This property is further discussed in Section 4.3.4.

Details of the sites are summarized in the EDR Database Report (Appendix B).

#### 4.1.4 Unplottable Sites

EDR did not identify any "unplottable" sites.



#### 4.2 Historical Use Information

Geosyntec contracted EDR to provide standard historical records, including aerial photographs, topographic maps, city directories, and fire insurance maps (EDR, 2021a-e). The sections below identify and summarize the historical information sources reviewed for the Site and vicinity. A summary of the findings from the review of the historical sources is provided in **Table 5**. Copies of the historical records reports are included in **Appendix B**.

# 4.2.1 Historic Aerial Photographs

EDR provided aerial photographs from 1930, 1938, 1949, 1953, 1959, 1966, 1968, 1975, 1985, 1989, 1994, 2002, 2006, 2009, 2012, and 2016.

Geosyntec reviewed aerial photographs available on Google Earth from 1985, 1994, 2002, 2003, 2004, 2005, 2006, 2007, 2009, 2011, 2012, 2013, 2014, 2016, 2018, 2019, 2020, and 2021.

# 4.2.2 Historical Topographic Maps

EDR supplied portions of USGS topographical maps of the Site and vicinity for 1896, 1898, 1899, 1901, 1938, 1942, 1943, 1954, 1967, 1973, 1975, 1980, 2012, 2015, and 2018.

# 4.2.3 City Directories

Available business directories, including cross reference and telephone directories, were reviewed for 634-867 and 24478 of East Norman Road and 520-788 East Orange Show Road for 1955, 1975, 1981, 1991, 1994, 1996, 1999, 2003, 2004, 2008, 2009, 2014, and 2017.

## 4.2.4 Fire Insurance Maps

Based on EDR's search of fire insurance maps, there was no coverage for the Site.

#### 4.2.5 Property Tax Files

Geosyntec researched publicly available online tax records through San Bernardino County Assessor records. The information retrieved included property boundary information, property owner, and property size. The Site is presently owned by various individuals and entities including Assetts Corp of America Inc., DHA Opportunity I LP, Dwyne A. Gleason, Ernesto Quintero, Espiridion Gonzalez, Felipe J. Donis, Fernando Hernandez, Francisco Gonzalez, Geerlings Equipment Rental Inc., Jovita Morga, Lauro Properties LLC, Maria T. Mejia Navarro, Michael Lee Johnston, Mohammed Ali Ahmed Ali, Norman Road Investments LLC, Oscar Patino, Payton B. and Latonia Living Trust 12, Rubi Do, Steven D. Arrietta, Swazey Quintero, Thomas Williams, and William Spencer Carey. The retrieved tax map parcel information is provided in **Appendix A.** 



**Table 5. Historical Records Review** 

Aerial Photographs	City Directory (CD)	Fire Insurance	
	Topographic Maps		Maps
Site: In 1930, the Site appeared to be fallow	,		According to
agricultural land or vacant land. A single dwelling	1		EDR, no fire
was developed in the northwest portion of the			insurance maps
Site. By 1938, row crops/orchards were visible		addresses on Pioneer Avenue were	were available for
surrounding the dwelling in the northwest portion	1954, multiple structures were	not listed.	the Site or
of the Site. By 1949, residential development was	developed along Norman Road	652 E Orange Show Road:	adjoining
visible throughout the Site, particularly along East	throughout the north portion of the Site	Residential/property owner listings	properties.
Norman Road, and in the central, southern portion	and along Orange Show Road in the	(1999 to 2017).	
of the Site. The remainder of the Site appeared to	south, central portion of the Site. A road	(1999 to 2017).	
be vacant land. Between 1953 and 1994, various	was developed through the center of the	668 E Orange Show Road:	
residential structures were demolished and	Site running north-south. By 1967,	Residential/property owner listings	
redeveloped. In 1989, truck and/or storage yards	increased development was depicted in	(2003 to 2004), and Payton Brothers	
were visible in the backyard of several residential	the southwest corner of the Site. The	Equipment Rental (2004).	
properties, particularly in the central portion of		684 E Orange Show Road:	
the Site. Additional storage and trailer parking	unchanged from 1973 through 1980.	Residential/property owner listings	
yards were visible throughout the Site during the	Between 2012 and 2018, no roads or	(2003 to 2004), and Caddel	
early 2000s. Residential properties remained in	structures were depicted at the Site.	Engineering (2003-2008).	
the northeast, southwest and central, northern	Viginity: From 1806 to 1001 adjaining		
portions of the Site. No significant changes were	Vicinity: From 1896 to 1901, adjoining	695 E Norman Road:	
visible at the Site through the present.	properties were depicted as vacant land. The Santa Ana River flows northeast to	Residential/property owner listings	
Wiginity, Erom 1020 to 1029 the Site vicinity was		(1999 to 2014).	
Vicinity: From 1930 to 1938 the Site vicinity was primarily undeveloped land to the south and	*	706 E Orange Show Road:	
agricultural land to the north, east and west. The	-		
Santa Ana River was present to the southeast of	_	1 1	
the Site. By 1938, dirt roads were visible in the	* * * * * * * * * * * * * * * * * * * *	,	
approximate position of East Norman Road and		707 E Norman Road.	
**	running adjacent to the northern and	Residential/property owner listings	
East Orange Show Road to the north and south, respectively. In 1949, areas to the north, west,		(1999 to 2017).	
southwest, and northeast of the Site were		715 E Norman Road:	
developed for residential use. Between 1949 and	_		
1		(2000	
1989, the vicinity appeared to transition to a mix	vegetation areas along the Santa Ana	(2000 to 2017).	



**Table 5. Historical Records Review** 

Aerial Photographs	Topographic Maps	City Directory (CD)	Fire Insurance Maps
of residential and commercial use. By 2002, adjoining properties to the northeast were developed as commercial storage yards. In 2009, two industrial warehouses were constructed north of the Site. Between 2016 and 2018, industrial warehouses were developed to the southwest and west of the Site. The Site vicinity remained unchanged through 2021.	southeast. By 1954, numerous small structures were developed at adjoining properties and the Norton Air Force Base/San Bernardino Airport was constructed approximately 1 mile	Residential/property owner listings (1955, 2014 to 2017).  787 E Norman Road: Residential/property owner listings (1975 to 2017), and a sports bar & grill (2004).  807 E Norman Road: Residential/property owner listings (1975 to 2008).  867 E Norman Road: Residential/property owner listings (1975 to 1981, 2008).	

18



#### **Table 5. Historical Records Review**

Aerial Photographs	Topographic Maps	City Directory (CD)	Fire Insurance Maps

In summary, the review of aerial photographs, topographic maps, and city directories revealed usages (including agricultural, commercial, and railroad tracks) that could be indicative of hazardous materials or chemical storage, management, usage, or disposal at the Site or in the vicinity that could pose a threat to the surface or subsurface quality at the Site. However, in this review, Geosyntec noted no definitive features showing chemical management, chemical spills, or evidence of waste disposal on or into the ground at the Site. Our opinions on the nature of the historical features of the Site and the surrounding area are included in Section 7 of this report.



# 4.3 Local, County, State, and Federal Files

Geosyntec contracted with Environmental Support Services (ESS) to submit record requests to the following agencies: San Bernardino County Fire Department, City of San Bernardino Fire Department, Cal Fire – Office of the State Fire Marshall, Department of Toxic Substances Control (DTSC) – Cypress Office, DTSC – Chatsworth Office, City of San Bernardino Department of Public Works, City of San Bernardino Building Department, South Coast Air Quality Management District (SCAQMD), and the Regional Water Quality Control Board (RWQCB) – Santa Ana Region.

Relevant information is summarized below. Excerpts of relevant regulatory agency documents are presented in **Appendix D**.

## 4.3.1 Local Fire Department Records

ESS submitted a request for records to the City of San Bernardino Fire Department, who informed ESS that the San Bernardino County Fire Department is the lead agency for sites in the City of San Bernardino.

ESS submitted a request for records to the San Bernardino County Fire Department; no records were on-file for the Site.

# 4.3.2 City or County Records

ESS requested building permits and certificates of occupancy issued by the City of San Bernardino Building Department. Pertinent records identified for the Site addresses 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 648, 652, 668, 706 and 788 East Orange Show Road. Numerous permits for tenant improvements at residential houses and utility services were on-file. The following information was obtained:

- Installation of a repair garage canopy at 24656 Norman Road in 1976. The 24656 Norman Road address appears to be a historical address for the Site, however, the address plots at the corner of Norman Road and Leana Road on Google Maps.
- In 1988, the dwelling at 823 Norman Road was demolished.
- Several records were on-file associated an auto repair/junk yard at the east adjoining property (895 East Norman, historical address identified as 878 Norman Road).

ESS requested records for industrial waste discharge permits or violations from the City of San Bernardino Department of Public Works. The Public Works Department requested an extension to fulfill the record request. If records become available that change the conclusions to this report, Geosyntec will submit an addendum. No records were identified for the addresses 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino.



ESS requested records from the SCAQMD; no records were on-file for the addresses 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24432 and 24512 Pioneer Avenue and 648, 652, 668, 706, and 788 East Orange Show Road. The SCAQMD provided an Equipment List Report for Pacwest Engineering Company. The Equipment List Report reported the address at "various locations in SCAQMD, San Bernardino". Geosyntec reviewed online records for Pacwest Engineering Company which identified the address at 684 East Orange Show Road. A violation was issued in 2017 for failure to label registered equipment for a milling machine.

#### **State Records** 4.3.3

Geosyntec reviewed the California Geologic Energy Management Division's (CalGEM) online mapping system<sup>6</sup> for information pertaining to oil and gas wells on the Site or vicinity. No wells were identified on the Site or within a 1-mile radius of the Site.

ESS requested records from the DTSC Cypress and Chatsworth offices. No records were identified for the Site at the Cypress office. The DTSC Chatsworth office indicated that the DTSC responded to a drug lab cleanup at 787 Norman Road in 2003. Hazardous waste removed from the Site included 10 ounces of base solid, 1 gallon of acid, 2 gallons of flammable liquids, and one 55gallon drum of laboratory trash. No soil contamination was observed by the DTSC. No records were identified for the remaining Site addresses.

ESS requested records from Cal Fire regarding hazardous materials use, investigations, underground tanks, pipelines, releases and/or violations related to the Site. Records were identified for the 2003 drug lab cleanup at 787 Norman Road, which indicated hazardous materials were removed by a cleanup crew. No records were identified for the remaining Site addresses.

ESS requested records from the RWQCB - Santa Ana Region. No records were identified for the Site.

Geosyntec searched the GeoTracker<sup>7</sup> and EnviroStor<sup>8</sup> online databases for information relevant to the environmental condition of the Site and vicinity properties.

The Norton Air Force Base Building S-21 was identified within \( \frac{1}{4}\)-mile west of the Site as having soil potentially contaminated with heating and fuel oil. The case was closed as of 7 February 1991. Frank's Fence was identified within ½-mile west of the Site. The aquifer used for drinking water supply at the property was potentially contaminated with gasoline. The case was closed as of 20 November 1998. Valley Gas and Auto Repair was identified within ½-mile west of the Site for soil potentially contaminated with gasoline. The case was closed as of 4 January 2001. Orbit Stations, Inc. was identified within ½-mile northeast of the Site for soil potentially contaminated

<sup>&</sup>lt;sup>6</sup> https://maps.conservation.ca.gov/doggr/wellfinder/#openModal/-118.94276/37.12009/6

<sup>&</sup>lt;sup>7</sup> https://geotracker.waterboards.ca.gov/

<sup>8</sup> https://www.envirostor.dtsc.ca.gov/public/



with gasoline. The case was closed as of 20 February 1990. Based on the nature of these listings, it is believed to be unlikely that activities at these properties adversely affect the Site.

#### 4.3.4 Federal Records

The Site was identified in the USEPA Enforcement and Compliance History Online (ECHO)<sup>9</sup> database as Bernell Payton Trucking at 745 East Norman Road, where it is currently registered as a RCRA site (#CAL000289584) for petroleum lubricating oil and grease manufacturing. No violations have been reported. No records were identified for the remaining Site addresses. The adjoining property to the southwest, Goldenstate FC LLC SNA7 at 555 East Orange Show Road, was reported for a terminated stormwater permit.

Geosyntec reviewed the USEPA NPL<sup>10</sup> database. The Norton Air Force Base (NAFB) is located approximately 0.75 miles north of the Site and is included in the NPL database. The NAFB operated from 1942 to 1994 and comprised the airfield, residential, recreational, light industrial, maintenance facilities, warehouses, and administrative centers. The airfield runways and various support facilities are currently operated by the San Bernardino International Airport Authority. Operations at the former NAFB included aircraft and missile maintenance and repair services. Within the former NAFB, 73 environmental areas of concern (AOCs), 21 Installation Restoration Program (IRP) sites, and various remediation sites have been documented. The IRP sites and AOCs have been issued a No Further Action designation under the Basewide OU Record of Decision (ROD), with the exception of seven areas under investigation including IRP sites, AOCs, and a small arms range. The closest area under investigation is IRP Site 17, located approximately 0.9 miles northwest of the Site. IRP Site 17 comprises two sumps used in 1960 to 1961 for the purpose of burning waste fuel and solvent and by 1961 was used exclusively as holding tanks for the Industrial Waste Treatment Plant and as an oil/water separator. Solvent and plating waste drum storage was located within Site 17. The sumps were removed in 2003. Multiple investigations and two remedial excavation events were performed to remove VOC-impacted soil through 2017. Due to residual soil vapor intrusion risk, deed restrictions were implemented for Site 17. Based on the distance of the closest open investigation area to the Site, lack of groundwater contamination, and ongoing remediation and assessment under oversight by the EPA, this property is considered unlikely to have impacted the Site.

North San Bernardino Area / Newmark Groundwater Contamination Superfund Site encompasses 23 square miles within the Bunker Hill Basin in San Bernardino. Three Operable Units (OUs) have been identified to address groundwater contamination: Source, Newark and Muscoy. Two OUs (Newark and Muscoy) were issued a Final Record of Decision in 2015 and operations and maintenance of extraction wells, monitoring wells, and institutional controls have been ongoing since 2005. Primary groundwater contaminants include tetrachloroethylene (PCE) and

<sup>&</sup>lt;sup>9</sup> Enforcement and Compliance History Online | US EPA

 $<sup>^{10}\ \</sup>underline{\text{https://epa.maps.arcgis.com/apps/webappviewer/index.html?id=33cebcdfdd1b4c3a8b51d416956c41f1}$ 



trichloroethylene (TCE). According to the recent Five-Year Review Report prepared in 2018, investigation of the Source OU is ongoing. Contaminant plume maps for PCE in the shallow aquifer indicate that the isoconcentration for PCE at 0.5 micrograms/liter ( $\mu$ g/L) is located approximately 2.5 miles northwest of the Site and the isoconcentration line of 5.0  $\mu$ g/L (equal to the PCE Maximum Contaminant Level) is located approximately 3.75 miles northwest of the Site. Based on the distance of the contaminant plume from the Site and ongoing remediation and assessment under oversight by the EPA, this property is considered unlikely to have impacted the Site.

Geosyntec reviewed the Air Force Civil Engineer Center website<sup>11</sup> and Base Realignment and Closure Site website<sup>12</sup>. Site inspections, monitoring plans and reports, and closure documents were identified for NAFB. The Site met EPA Sitewide Ready for Anticipated Use criteria in 2007. Most of the former base is in active reuse and is currently managed by the San Bernardino International Airport Authority and Inland Valley Development Agency.

#### 4.4 Other Documents Reviewed

The user did not provide environmental reports for the Site.

<sup>11</sup> https://ar.afcec-cloud.af.mil/Search.aspx

<sup>12</sup> https://www.epa.gov/fedfac/base-realignment-and-closure-brac-sites-state



#### 5. SITE RECONNAISSANCE

A reconnaissance of the Site was conducted on 09 May 2022 and 05 August 2022 in accordance to the information provided in **Table 1**. Geosyntec conducted the site reconnaissance at the majority of the Site properties unescorted. Photographs taken during the reconnaissance are included in **Appendix E**. Adjoining properties were observed from their perimeters.

As part of the reconnaissance, Geosyntec looked for evidence of hazardous substances used, stored, or discarded and inspected the Site for areas of disturbed or discolored soil, suspect equipment, and building materials that may contain hazardous substances; areas of distressed vegetation; wastewater discharge areas; storage tanks/septic systems; waste management and disposal areas; lagoons; pits; sumps; surface water management areas; and stained surfaces.

# 5.1 Utility Service and Materials Management Provider Information

The utility service and materials management providers and practices at the Site are summarized (**Table 6**) from information supplied during Geosyntec's site reconnaissance.

#### 5.2 Interior and Exterior Observations

Observations made during the site reconnaissance for the Site are documented in **Table 7**.

# 5.3 Adjoining Property Reconnaissance

During the site reconnaissance, Geosyntec observed the adjoining properties from the Site or public vantage points in an attempt to identify possible sources of obvious environmental impairment that could affect soil and groundwater quality at or result in vapor migration into the Site as a result of surface water runoff, groundwater transport, or similar pathways. Geosyntec saw no obvious evidence of chemical storage or releases to the ground at adjoining properties.



**Table 6. Site Utilities and Materials Management** 

Utility Service/Materials Management	Service Provider
Electricity	Southern California Edison
Natural Gas	Southern California Gas Company
Sanitary wastewater disposal	Septic systems were observed at four residential properties during the Site reconnaissance
Industrial wastewater disposal	None identified
Drinking water supply	City of San Bernardino / East Valley Water District
Irrigation water supply	City of San Bernardino / East Valley Water District
Stormwater disposal	Stormwater flows to unpaved, low-lying areas on-site. No stormwater management system was observed.
Solid (non-hazardous) waste disposal	Waste Management
Hazardous waste disposal	Burrtec Waste Industries
Universal waste	Not identified



**Table 7. Interior and Exterior Observations** 

ASTM Section	Feature or Condition	Description
Interior and Exterior Observations		
9.4.2.3	General Usage of Hazardous Substances and Petroleum Products	Three areas of the Site were used for periodic vehicle maintenance activities, including: Geerlings Equipment Rental at 867 Norman Road and two vehicle maintenance/storage yards (788 Orange Show Road and APN: 0280-192-205). Hazardous materials storage throughout the Site are not properly managed and containers were largely stored and/or discarded in unsurfaced areas throughout the Site.  • Hazardous materials used at the Geerlings Equipment Rental facility included diesel engine oil, hydraulic fluid, mineral spirits, and tractor fluid.
		<ul> <li>Transmission fluid and diesel engine oil were used at the vehicle maintenance yard at the APN: 0280-192-05 property.</li> <li>Used oil was observed at the vehicle maintenance yard at 788 Orange Show Road.</li> </ul>
		<ul> <li>New motor oil were stored in the residential yard at 24432 Pioneer Avenue.</li> </ul>
		• Five empty drums were stored at the APN: 0280-172-17 and 0280-172-21 properties.
9.4.2.4	Aboveground Storage Tanks (ASTs)	One AST stored on a trailer was observed in the northwestern portion of the Site. The AST was unlabeled, and it was not ascertainable whether residual product remained in the tank.
		A concrete storage tank stored on a trailer is located on the east portion of the APN: 0280-172-21 property.
9.4.2.4	Underground Storage Tanks (USTs)	No evidence of USTs was observed during Geosyntec's Site visit.
9.4.2.5	Odors	No notable odors were identified during the site visit.



**Table 7. Interior and Exterior Observations** 

ASTM Section	Feature or Condition	Description
9.4.2.6	Pools of Liquids	No pools of liquids were observed at the Site.
9.4.2.7	Drums ≥ 5 Gallons	Two 55-gallon drums of diesel engine oil are stored at the Geerlings Equipment Rental facility. Several drums labeled as containing fruit filling were observed at the Site.
9.4.2.8	Hazardous Substances and Petroleum Products Containers	<ul> <li>Hazardous materials use/storage at the Geerlings Equipment Rental facility included several 5-gallon containers of diesel motor oil, hydraulic oil, mineral spirits, and tractor fluid, and two 55-gallon drums of diesel engine oil. These materials were observed near heavy equipment and were not stored on secondary containment.</li> <li>Four five-gallon containers of transmission fluid and diesel engine oil were observed</li> </ul>
		<ul> <li>beneath a canopy in the vehicle maintenance yard at the APN: 0280-192-05 property.</li> <li>A 5-gallon used oil can was observed at the vehicle maintenance yard at 788 Orange</li> </ul>
		<ul> <li>Numerous containers of petroleum products were observed to be stored or discarded at three adjoining properties in the central portion of the Site (755 and 787 Norman Road and APN: 0280-192-05). Gasoline, oil, antifreeze, transmission fluid, diesel exhaust fluid, gas cylinders, paint, paint thinner, cement additives, roof coating, and racing fuel containers ranged in size from 1 to 5 gallons.</li> </ul>
		<ul> <li>Two one-gallon containers of new motor oil were stored in the residential yard at 24432 Pioneer Avenue.</li> </ul>



**Table 7. Interior and Exterior Observations** 

ASTM Section	Feature or Condition	Description	
		• Approximately seven unlabeled drums and four discarded ASTs (approximately 50 to 100-gallons in size) were stored in the central area of the Site.	
9.4.2.9	Unidentified Substances/Containers	• Two unlabeled and empty drums in fair condition were stored at the APN: 0280-172-21 property.	
		• Three empty drums were stored at the APN: 0280-172-17 property. One drum was labeled in handwriting as concrete remover.	
9.4.2.10	Indication of PCBs	Pole-mounted utility-owned transformers were observed along the overhead electrical distribution lines at East Norman Road. The age and PCB content (if any) of the transformer were not reported, and PCB labels were not observed on the transformers. No indications of spills or releases were observed in the area of the transformers.	
Interior Obs	ervations		
9.4.3.1	Heating and Cooling Systems	Air conditioning units were observed at the modular office and manufactured office building at 867 Norman Road.	
9.4.3.2	Stains/Corrosion	Geosyntec was not provided access to the interior of residential structures or office buildings at 807 and 867 Norman Road.	
9.4.3.3	Drains and Sumps	No drains or sumps were during Geosyntec's Site visit.	
Exterior Obs	servations		
9.4.4.1	Pits, Ponds, or Lagoons	No pits, ponds, or lagoons were observed.	
9.4.4.2	Stained Soil or Pavement	Minor to moderate petroleum-stains were observed on gravel or asphalt surfaces throughout the Site.	



**Table 7. Interior and Exterior Observations** 

ASTM Section	Feature or Condition	Description
9.4.4.3	Stressed Vegetation	No obviously stressed vegetation indicative of a chemical discharge or application was observed at the Site.
	Vehicle parts, tires, piping, ASTs, lumber, furniture, compressors, building mater other miscellaneous debris was observed, particularly in the central portion of the and 787 Norman Road and APN: 0280-192-05).	
9.4.4.4	Solid Waste	Piles of tree branches and tree trunks were observed in the yard at 707 Norman Road and in the north portion of vacant yards in the southwest portion of the Site (24512 Pioneer and APNs: 0280-192-12 and 0280-192-13).
		Several aggregate piles of fill dirt and broken concrete were observed in a vacant lot at 823 Norman Road, in the southeast of the Site.
		General refuse and debris were identified in numerous areas across the Site.
9.4.4.5	Wastewater and Stormwater Discharge	Stormwater appears to run off-site via overland flow or infiltrate through unpaved areas of the Site.
9.4.4.6	Wells	No supply or groundwater monitoring wells were observed on-site.
9.4.4.7	Septic Systems	Geosyntec observed an aboveground septic tank located on the 707 Norman Road residential property. In addition, manhole covers associated with an underground septic tank were observed at the 755 Norman Road residential property.



#### 6. LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT

#### 6.1 Soil Sampling

On 08 July 2022 and 05 August 2022, Geosyntec conducted an investigation to evaluate the presence of COCs in soil. Geosyntec collected a total of five soil samples using hand auger methods from areas at the property with visibly impacted soil (HA-1 through HA-4 and HA-4-220805) (Figure 4). Composite soil samples were collected from the surface to 2 feet bgs.

On 08 July 2022, Geosyntec collected four composite soil samples (SP1-S, SP2-E, SP3-N, and SP4-W) from aggregate piles of fill dirt stored at the 823 Norman Road facility. Soil samples were collected from a depth of approximately 0.5 to 1.0 feet from the top of the fill dirt pile using hand tools.

Hand tools were decontaminated between samples using a three-bucket rinse method. The soil samples were stored in a cooler with ice and released under standard chain of custody protocol to Enthalpy Analytical (Enthalpy) of Orange, California. Soil samples collected at areas of visibly impacted soil were analyzed for total petroleum hydrocarbons (TPH) by EPA Method 8015M and volatile organic compounds (VOCs) by EPA Method 8260. Analytical analysis of fill dirt samples included TPH by EPA Method 8015M, Title 22 Metals by EPA Method 6010B/7174A, polychlorinated biphenyls (PCBs) by EPA Method 8082A, and organochlorine pesticides by EPA Method 8081.

#### 6.2 Soil Vapor Sampling

On 08 July 2022, Optimal Technology (Optimal) installed 13 temporary soil vapor probes (SV-1 through SV-13) by hydraulically driving a 1-inch diameter soil vapor probe with a vapor tip to a depth of approximately 5 feet bgs (Figure 4). Soil vapor probes were purged prior to sample collection. Vapor samples were collected using an electric vacuum pump at a rate of 0.2 liters per minute (L/min), obtained within gas-tight syringes, and injected into the gas chromatograph immediately after collection. All samples were analyzed on-Site using Optimal's mobile laboratory for volatile organic compounds (VOCs) by EPA Method 8260.

## 6.3 Soil Sampling Results

Laboratory analytical reports are provided in Appendix E. Analytical results were compared to the California Department of Toxic Substance Control (DTSC), Human and Ecological Risk Office Note 3 Screening Levels (SLs) and Environmental Protection Agency (EPA) Regional Screening Levels (RSLs), where applicable. The results for TPH were compared to San Francisco Regional Water Quality Control Board (SF-RWQCB) Environmental Screening Levels (ESLs). The following summarizes the results of the field sample detections compared to applicable screening levels:



Soil samples collected from visibly impacted soil (HA-1 through HA-5 and HA4-220805) detected TPH above laboratory reporting limits in the diesel range ( $C_{10}$ - $C_{28}$ ) and motor oil range ( $C_{28}$ - $C_{44}$ ). The detected concentrations were below the commercial ESLs for TPH motor oil of 180,000 milligrams per kilogram (mg/kg). Two soil samples (HA-4-220805 and HA-3) contained TPH diesel at 2,300 mg/kg and 13,000 mg/kg, which exceeded the commercial ESL of 1,200 mg/kg. VOCs were not detected above laboratory reporting limits.

Soil samples collected from undocumented fill detected various metals, and TPH in the diesel and motor oil range above laboratory reporting limits; however, all concentrations were below their respective commercial RSLs for soil. PCBs and organochlorine pesticides were not detected above laboratory reporting limits.

#### 6.4 Soil Vapor Sampling Results

Laboratory analytical reports are provided in Appendix F. In accordance with current regulatory guidelines, a conservative attenuation factor of 0.03 was applied to the maximum detected VOC concentrations in soil vapor at the Site to develop a theoretical indoor air concentration. The attenuated concentration was then compared to the DTSC-modified screening levels (DTSC-SL) for commercial/industrial indoor air (DTSC, 2020). One sample contained an adjusted soil vapor concentration of 1.62 micrograms per cubic meter ( $\mu g/m^3$ ) of PCE using the 0.03 attenuation factor. The adjusted soil vapor concentration of PCE did not exceed the DTSC-SL of 2.0  $\mu g/m^3$ . No other VOCs were detected above the laboratory reporting limit.

#### 6.5 Hot Spot Excavation

On 05 August 2022, NRC (a US Ecology company) performed an excavation of documented TPH diesel-impacted soil at the 867 East Norman Road facility near soil sample HA-3. Excavation activities were performed by NRC using a backhoe. The approximate dimensions of the excavation were 10 ft x 10 ft x 3 ft deep (approximately 11 cubic yards). Geosyntec screened the soil for organic vapors using a photoionization detector (PID) during excavation per SCAQMD Rule 1166. Geosyntec submitted the appropriate notification to the SCAQMD. Results from the PID field screening confirmed concentrations of total VOCs (TVOCs) were less than 50 parts per million (ppm), below the concentration that the SCAQMD would consider soils to be "VOCcontaminated."

Following completion of the excavation, soil samples were collected from approximately 1.5 feet bgs from the north (EX-N-220805), south (EX-S-220805), east (EX-E-220805), and western (EX-W-220805) walls of the excavation, as well as a composite sample (EX-220805) from the bottom of the excavation. The soil samples were submitted to Enthalpy lab for diesel-range organics (DRO) analysis.



TPH was detected in confirmation samples above laboratory reporting limits in the diesel range. The detected concentrations were below the commercial ESLs for TPH diesel of 1,200 mg/kg. The analytical data from the confirmation samples supports that diesel-impacted soil was sufficiently removed.



#### 7. INTERVIEWS

#### 7.1 Interview with Current Owner/Occupant

During the 09 May 2022 reconnaissance of the Site, Geosyntec conducted verbal interviews with the managers of the Geerlings Heavy Equipment Rental and American Tow Group. Information obtained from this interview is included in this report.

#### 7.2 Interview with Previous Owner/Occupant

Geosyntec requested but was not provided with contact information for previous owners/operators of the Site Interviews with prior owners and occupants were not conducted as part of this assessment. This is considered a data gap (see Section 8.2).

#### 7.3 Interview with User

Geosyntec requested the User complete a User Questionnaire, however, the questionnaire was not returned as of the publication date of this report.

#### 7.4 Interview with Local Agencies

Geosyntec contacted local, county, and state agencies via telephone or electronic mail inquiring whether they possessed relevant records regarding the Site, as discussed in Section 4.3.



#### 8. FINDINGS AND CONCLUSIONS

Geosyntec has conducted a Phase I ESA in conformance with the scope and limitations of ASTM Practice E1527-13 of the Site located between East Norman Road and East Orange Show Road in San Bernardino, California. Any exceptions to, or deletions from, this practice are described in Section 1.4 of this report.

Following the Findings and Opinions section (Section 7.1), we present identified data gaps and conclusions (Sections 7.2 and 7.3) regarding any identified RECs, Controlled (CRECs), Historical RECs (HRECs), or de *minimis conditions* associated with the Site.

#### 8.1 Findings and Opinions

This assessment has revealed no evidence of RECs, CRECs or HRECs in connection with the Site. This assessment has revealed evidence of *de minimis* conditions in connection with the Site. Each identified condition is described below.

#### **Recognized Environmental Conditions (RECs)**

As defined by ASTM E1527-13, a recognized environmental condition is: "the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions."

• No RECs were identified during this Phase I ESA.

#### **Controlled Recognized Environmental Conditions**

A CREC is "a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (for example, as evidenced by the issuance of a no further action letter or equivalent, or meeting risk-based criteria established by regulatory authority), with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls)."

• No CRECs were identified during this Phase I ESA.



#### **Historical Recognized Environmental Conditions**

An HREC is "a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls)."

• No HRECs were identified during this Phase I ESA.

#### **De Minimis Conditions**

A de minimis condition is a condition that "generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies".

Based on the information Geosyntec obtained, Geosyntec has concluded that the following findings do not meet the definition of a REC, CREC or HREC and are therefore *de minimis* conditions:

• Current Vehicle and Equipment Storage: Areas of the Site are currently used for truck/trailer, vehicle, and construction-related equipment storage. Periodic maintenance of vehicles and equipment are performed in three areas of the Site, including Geerlings Equipment Rental at 867 Norman Road and two vehicle maintenance/storage yards. Small quantities of hazardous materials were used in these areas. Staining observed on unpaved surfaces at multiple locations, evidence of mis-handling of hazardous materials containers, ASTs and abandoned fuel tanks from trucks, and general poor housekeeping indicates the potential for discharge of hazardous materials to the ground and subsurface. The improper hazardous materials use and storage was identified as a potential source of subsurface impacts to soil and/or soil vapor at the Site.

Geosyntec performed a limited Phase II ESA at the Site on 08 July 2022 and 05 August 2022 to evaluate the potential impacts at the Site due to improper hazardous materials use and storage and undocumented fill dirt. Soil vapor samples were collected throughout equipment storage and hazardous materials storage areas. Soil vapor concentrations did not exceed DTSC Screening Levels for commercial/industrial ambient air.

Two soil samples collected at APN: 0280-172-17 (HA-4-220805) and 867 Norman Road (HA-3) exceeded the commercial screening level for total petroleum hydrocarbons in the diesel range. The soil samples contained TPH diesel at 2,300 mg/kg (HA-4-220805) and 13,000 mg/kg (HA-3), which exceeded the commercial ESL of 1,200 mg/kg.



For evaluating commercial worker exposures, a 1×10-5 risk level is commonly used for managing commercial/industrial sites in California. The adjusted 1×10-5 risk level for TPH diesel would be 12,000 mg/kg. The concentration of TPH diesel in the soil sample collected at APN: 0280-172-17 (HA-4-220805) is below the adjusted risk level. Based on the elevated concentrations of TPH diesel at 867 Norman Road, a hot spot removal was performed on 05 August 2022. Confirmation soil samples collected following the excavation detected TPH diesel below the commercial screening level.

- Undocumented Fill Dirt: During the initial Site reconnaissance in May 2022, Geosyntec observed aggregate piles of fill dirt and broken concrete located in a heavy equipment storage yard in the eastern portion of the Site. The source of the fill was unknown. Based on the lack of data regarding the fill composition and the potential for the fill to contain contaminants, this finding was identified as a potential source of subsurface impact.
  - Soil samples collected from undocumented fill on 08 July 2022 detected various metals, and TPH in the diesel and motor oil range above laboratory reporting limits; however, all concentrations were below their respective commercial RSLs for soil. PCBs and organochlorine pesticides were not detected above laboratory reporting limits.
- Solid Waste/Debris: Solid waste was observed in numerous areas throughout the Site during the Site reconnaissance. Vehicle parts, tires, piping, ASTs, lumber, furniture, compressors, building materials, and other miscellaneous debris was observed, particularly in the central portion of the Site (755 and 787 Norman Road and APN: 0280-19-205). In addition, numerous containers of petroleum products (ranging in size from 1 to 5 gallons) were discarded on the ground. No major staining or releases were observed from the solid waste/debris; therefore, this finding is considered to be a de minimis condition.

#### 8.2 Data Gaps

In accordance with ASTM E1527-13, this section documents data gaps in the information obtained and reviewed as part of this Phase I ESA and discusses the associated significance. A data gap is defined as being "a lack of or inability to obtain information required by this practice [ASTM E1527-13] despite good faith efforts by the environmental professional to gather such information".

Identified data gaps are presented below:

• During the Site reconnaissance, Geosyntec did not have access to the property identified by the APN: 0280-192-04, occupied by a roofing contractor and 0280-172-01 containing numerous truck trailers. Geosyntec was able to observe these properties from adjoining fence lines. In addition, Geosyntec was not provided access to the interior of residential houses or offices at the Site.



• ASTM E1527-13 states that "interviews with past owners, operators, and occupants of the property who are likely to have material information regarding the potential for contamination at the property shall be conducted to the extent that they have been identified." Geosyntec was not provided with and did not identify owner contact information prior to the current Site owner. However, since relevant historical documents were obtained, this limitation is not considered to be significant.

Collectively, these data gaps are not considered to be significant to the Findings or the identification of RECs given the fact that information was identified related to the Site from alternative sources.

#### 8.3 Conclusions

Geosyntec has conducted a Phase I ESA in conformance with the scope and limitations of ASTM Practice E1527-13 of the Site located between East Norman Road and East Orange Show Road in San Bernardino, California. Any exceptions to, or deviations from, this practice are described in Section 1.4 of this report. This assessment has revealed evidence of RECs in connection with the Site. No *significant* data gaps were identified.



#### 9. REFERENCES

ASTM. 2013. Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment. ASTM International.

Environmental Data Resources (EDR). 2022a. Fire Insurance Map Research Results. 28 April 2022.

EDR. 2022b. Topographic Map Research Results. 28 April 2022.

EDR. 2022c. Historical Aerial Report. 28 April 2022.

EDR. 2022d. Physical Setting Report. 28 April 2022.

EDR. 2022e. City Directory Report. 28 April 2022.

EDR. 2022f. Database Report. 28 April 2022.

Morton, Douglas; Fred Miller. 2006. Geologic Map of the San Bernardino and Santa Ana 30' x 60' Quadrangles, California.



#### 10. ENVIRONMENTAL PROFESSIONAL STATEMENT


I declare that, to the best of my professional knowledge and belief, I meet the definition of an Environmental professional as defined in §312.10 of 40 CFR Part 312. I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Site. I have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.


DRAFT	
Signed by Veryl Wittig - Geosyntec Consultants	
The qualifications of the above-signed professional are included in Section 11.	

#### 11. QUALIFICATIONS OF STAFF

#### Veryl Wittig

Mr. Wittig is a Senior Principal Hydrogeologist with more than 30 years of diverse experience in planning, conducting, and managing multi-disciplinary due diligence projects involving Phase I Environmental Site Assessments (ESAs), contaminant investigations, vapor intrusion studies, human health risk assessments, engineering feasibility studies, environmental liability evaluations, mitigation of environmentally impaired properties, regulatory coordination, and litigation support for a variety of private and public sector clients. Mr. Wittig has conducted and/or managed more than 300 Phase I ESAs throughout the USA and northern Mexico between 1992 and the present in accordance with ASTM standards to evaluate the presence of Recognized Environmental Conditions (RECs) associated with the subject properties. The Phase I ESAs have involved a variety of complexities and property usages ranging from rural native land to highly-impacted industrial properties with more than a century of historical activity. Mr. Wittig earned a Bachelor's degree in Geological Sciences (Hydrogeology Emphasis) from San Diego State University in 1991.














# APPENDIX A Tax and Parcel Information

Ptn. Tract No. 2228, Valley Truck Farms No. 4 M.B. 31/95

City of San Bernardino 0280 - 17 Tax Rate Area 7028






Ptn. N.1/2, Sec. 14 T.1S., R.4W. Assessor's Map Book 0280 Page 17 San Bernardino County

Ptn. Tract No. 2228, Valley Truck Farms No. 4 M.B. 31/95


City of San Bernardino 0280 - 19 Tax Rate Area 7005 7205 7208





THIS MAP IS FOR THE PURPOSE OF AD VALOREM TAXATION ONLY. Ptn. Tract No. 2228, Valley Truck Farms No. 4 M.B. 31/95 City of San Bernardino 0280 — 20 Tax Rate Area 7005 7205





San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-02-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address PATINO, OSCAR

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/03/2018

Parcel 0280192020000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code SFR 3

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### Property Address for Single Family Residence Characteristic (Seq # 002)

Protected per CA. Govt. Code Sect.

6254.21

Protected per CA. Govt. Code Sect.

6254.21

#### **Current Owners**

#### Name PATINO, OSCAR

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 09/29/2017

**Document Date** 09/29/2017

**Inactive Date NONE** 

#### **Document Numbers**

20170403740

#### **Legal Parcel Map**

|--|

0280192020000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 54

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-04-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address JOHNSTON, MICHAEL LEE

JOHNSTON, MICHAEL LEE

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 05/11/2022

Parcel 0280192040000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

**ACRES** 

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

20220032481

USE

#### **Current Owners**

#### Name JOHNSTON, MICHAEL LEE

**R/I** SOLE OWNER

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 07/12/2012

**Document Date** 01/26/2022

**Inactive Date NONE** 

Name JOHNSTON, MICHAEL LEE

R/I SOLE OWNER

% Int 50.0000000

Type OTHER OWNER

Acquisition Date 01/26/2022

**Document Date 01/26/2022** 

**Inactive Date NONE** 

**Document Numbers** 

**Document Numbers** 

20220032481

#### **Legal Parcel Map**

Parcel Map	Parcel Nbr	Unit	Book	Page	

0280192040000

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-05-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address PAYTON, B & LATONIA LIVING

TRUST 12-4-04

C/O BERNELL & LATONIA PAYTON TRUSTEES

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 03/14/2005

Parcel 0280192050000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code VACANT

Land Access CHECK

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

Name PAYTON, B & LATONIA LIVING TRUST 12-4-

04

R/I TRUST REVOCABLE

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 12/13/2004

Document Date 12/13/2004

Inactive Date NONE

**Document Numbers** 

20040915550

#### **Legal Parcel Map**

Parcel Map	Parcel Nbr	Unit	Book	Page	

0280192050000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 51

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-06-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address GONZALEZ, FRANCISCO

GONZALEZ, AURORA P

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 10/26/1983

Parcel 0280192060000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

8322948200000

USE

#### **Current Owners**

Name GONZALEZ, FRANCISCO

R/I SPOUSAL

% Int 50.0000000

Type BILLED OWNER

**Acquisition Date NONE** 

**Document Date** 09/30/1983

**Inactive Date NONE** 

Name GONZALEZ, AURORA P

R/I SPOUSAL

% Int 50.0000000

Type JOINT MAIL OWNER

**Acquisition Date NONE** 

**Document Date** 09/30/1983

**Inactive Date NONE** 

## **Document Numbers**

**Document Numbers** 

8322948200000

#### **Legal Parcel Map**

Parcel Map	Parcel Nbr	Unit	Book	Page	

0280192060000



#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 50

#### No Legal Reason for Change Found

#### Active Homeowner's Exemption as of 06/01/2022

Status	GRANTED

Effective Date 03/01/1993 Returned Date 03/01/1993
Through Date NONE Acquired Date 03/01/1993
Occupied Date 03/01/1993

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-07-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NAVARRO, MARIA T MEJIA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/17/2006

Parcel 0280192070000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code SFR

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

#### Name NAVARRO, MARIA T MEJIA

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 06/19/2006

**Document Date** 06/19/2006

**Inactive Date NONE** 

#### **Document Numbers**

20060414989

#### **Legal Parcel Map**

|--|

0280192070000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 49

No Legal Reason for Change Found

No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-08-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NUNEZ, RUBEN

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/09/2020

Parcel 0280192080000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access DUAL

**Size** 10,500 TO 19,999 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name NUNEZ, RUBEN

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 02/27/2020

**Document Date 02/27/2020** 

**Inactive Date NONE** 

#### **Document Numbers**

20200070837

#### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280192080000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 W 30 FT LOT 48 EX ST \*\*\*\*\* 04-02-97 #97-113704 STREET \*\*\*\*\*

No Legal Reason for Change Found

No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-09-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NUNEZ, RUBEN

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/09/2020

Parcel 0280192090000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access DUAL

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name NUNEZ, RUBEN

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 02/27/2020

**Document Date 02/27/2020** 

**Inactive Date NONE** 

#### **Document Numbers**

20200070837

#### **Legal Parcel Map**

Tract	Lot	Block	Unit	Book	Page
2228	48				

#### **Legal Description**

TRACT 2228 LOT 48 TR NO 2228 VALLEY TRUCK FARMS NO 4 LOT 48 EX W 30 FT EX ST \*\*\*\*\* 04-02-97 #97-113704 STREET \*\*\*\*\*



San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-10-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address RODRIGUEZ, RUBEN LOPEZ

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/24/2019

Parcel 0280192100000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name RODRIGUEZ, RUBEN LOPEZ

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 07/11/2019

**Document Date 07/11/2019** 

**Inactive Date NONE** 

#### **Document Numbers**

20190230820

#### **Legal Parcel Map**

age	Page	Book	Unit	Parcel Nbr	Parcel Map
-----	------	------	------	------------	------------

0280192100000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 49 EX ST \*\*\*\*\* 9-26-97 #97-354215 ST \*\*\*\*\*

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-11-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address CAREY, WILLIAM S & MARY C

TR 4-19-99 ETAL

C/O WILLIAM & MARY CAREY,

TRS

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/02/2019

Parcel 0280192110000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type SINGLE FAMILY

RESIDENTIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit RES ZONE(MAX 14

UTS)&USE EX HPC/MHM(1-

14 UTS, CHURC

#### **Current Owners**

Name CAREY, MICHAEL R

R/I TENANCY IN COMMON

% Int 25.0000000

Type OTHER OWNER

Acquisition Date 07/05/1977

**Document Date** 07/05/1977

**Inactive Date NONE** 

Name CAREY, WILLIAM S & MARY C TR 4-19-99

R/I TENANCY IN COMMON

% Int 25.0000000

Type OTHER OWNER

Acquisition Date 10/15/2003

**Document Date 10/15/2003** 

Inactive Date NONE

**Document Numbers** 

9212000000101

**Document Numbers** 

20030778393



#### Name CAREY, WILLIAM S & MARY C TR 4-19-99

**Document Numbers** 

**R/I** TENANCY IN COMMON

20030778393

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 10/15/2003

Document Date 10/15/2003

Inactive Date NONE

### **Legal Parcel Map**

cel Map Parcel Nbr Unit Book Page
-----------------------------------

0280192110000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 50 EX ST

### **Legal Reason for Change**

Legal Reason for Change	Document Number	Date
STREET DEED	20020024896	01/17/2002

No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-12-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address FTS EXPRESS INC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 09/22/2021

Parcel 0280192120000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name FTS EXPRESS INC

R/I CORPORATION

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 05/11/2021

**Document Date 05/11/2021** 

**Inactive Date NONE** 

#### **Document Numbers**

20210217949

#### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book	Page
---------------------------------	------

0280192120000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 51 EX ST \*\*\*\*\* 9-26-97 #97-354215 ST \*\*\*\*\*



San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-13-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address FLEUR DE LIS INVESTMENT

PROPERTIES LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 10/15/2021

Parcel 0280192130000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

## Name FLEUR DE LIS INVESTMENT PROPERTIES LLC

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 06/08/2021

Document Date 06/08/2021

Inactive Date NONE

**Document Numbers** 

20210259212

#### **Legal Parcel Map**

0280192130000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 52 EX ST \*\*\*\*\* 12-16-96 #96-459805 ST \*\*\*\*\*

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-19-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address MORGA, JOVITA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/24/2008

Parcel 0280192190000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 10,500 TO 19,999 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name MORGA, JOVITA

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

**Acquisition Date NONE** 

**Document Date 08/06/1998** 

**Inactive Date NONE** 

#### **Document Numbers**

9831330100000

#### **Legal Parcel Map**

Parcel Nbr Unit Book Page
---------------------------

0280192190000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 E 50 FT N 1/2 LOT 53



#### Active Homeowner's Exemption as of 06/01/2022

Status GRANTED

Effective Date 12/31/2007 Returned Date 07/22/2008
Through Date NONE Acquired Date 08/06/1998

**Occupied Date** 08/06/1998

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-20-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address DONIS, JUDITH

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 02/08/2022

Parcel 0280192200000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 10,500 TO 19,999 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name DONIS, JUDITH

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 07/03/2020

**Document Date** 09/16/2021

**Inactive Date NONE** 

#### **Document Numbers**

20210424243

#### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280192200000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 W 50 FT N 1/2 LOT 53



#### Active Homeowner's Exemption as of 06/01/2022

Status GRANTED

Effective Date 07/03/2020 Returned Date 02/14/2022
Through Date NONE Acquired Date 07/03/2020

**Occupied Date** 10/28/1999

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-202-07-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address WILLIAMS, THOMAS

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 11/30/2005

Parcel 0280202070000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name WILLIAMS, THOMAS

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 10/14/2005

Document Date 10/14/2005

**Inactive Date NONE** 

#### **Document Numbers**

20050769183

#### **Legal Parcel Map**

|--|

0280202070000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 W 1/2 LOT 46 EX ST

#### **Legal Reason for Change**

Legal Reason for Change	Document Number	Date
STREET DEED	19960459308	12/16/1996



#### Active Homeowner's Exemption as of 06/01/2022

Status GRANTED

Effective Date 12/31/2009 Returned Date 12/29/2009
Through Date NONE Acquired Date 10/14/2005

**Occupied Date** 10/14/2005

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-202-08-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address GLEASON, DWAYNE A TR

GLEASON, OTHA L TR

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 08/28/1995

Parcel 0280202080000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access DUAL

**Size** 1.501 TO 3.500 ACRES

Land Type SINGLE FAMILY

RESIDENTIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit RES ZONE(MAX 14

UTS)&USE EX HPC/MHM(1-

14 UTS, CHURC

9526104500000

#### **Current Owners**

#### Name GLEASON, DWAYNE A TR

**R/I** TRUST REVOCABLE

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 11/05/1990

Document Date 07/28/1995
Inactive Date NONE

Name GLEASON, OTHA L TR

**R/I** TRUST REVOCABLE

% Int 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 11/05/1990

**Document Date** 07/28/1995

**Inactive Date NONE** 

**Document Numbers** 

#### **Document Numbers**

9526104500000

#### Legal Parcel Map

Tract	Lot	Block	Unit	Book	Page
2228	47				

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-202-09-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Owner and Mailing Address** GEERLINGS EQUIPMENT

**RENTAL INC** 

BELL, ALEXANDER MARCEL

FAMILY TRUST 9/19

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 11/19/2015

Parcel 0280202090000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20.000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name GEERLINGS EQUIPMENT RENTAL INC

**Document Numbers** 

R/I TENANCY IN COMMON 20150471312

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 10/30/2015 **Document Date** 10/30/2015

**Inactive Date NONE** 

Name BELL, ALEXANDER MARCEL FAMILY TRUST

9/19

R/I TENANCY IN COMMON

**Document Numbers** 

20190383072

% Int 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 10/24/2019 **Document Date** 10/24/2019

**Inactive Date NONE** 

#### **Legal Parcel Map**

Tract	Lot	Block	Unit	Book	Page
2228	45				

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-202-11-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address PEREZ, ROBERTO

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 03/09/2021

Parcel 0280202110000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name PEREZ, ROBERTO

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 12/14/2020

Document Date 12/14/2020

**Inactive Date NONE** 

#### **Document Numbers**

20200506667

#### **Legal Parcel Map**

)	Book Page	Book	Unit	Parcel Nbr	Parcel Map
---	-----------	------	------	------------	------------

0280202110000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 E 1/2 LOT 46 EX PTN TO FLOOD CONTROL AND EX ST \*\*\*\*\* 12/16/96 #96-459309 ST \*\*\*\*\*

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-01-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address HERNANDEZ, FERNANDO

HERNANDEZ, ANA CELINA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 04/14/2022

Parcel 0280172010000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

20210563553

USE

#### **Current Owners**

### Name HERNANDEZ, FERNANDO

R/I SPOUSAL

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 12/16/2021

**Document Date 12/16/2021** 

**Inactive Date NONE** 

Name HERNANDEZ, ANA CELINA

R/I SPOUSAL

% Int 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 12/16/2021

**Document Date 12/16/2021** 

**Inactive Date NONE** 

#### **Document Numbers**

**Document Numbers** 

20210563553

#### **Legal Parcel Map**

Tract	Lot	Block	Unit	Book	Page
2228	56				



#### **Legal Description**

TRACT 2228 LOT 56 TR NO 2228 VALLEY TRUCK FARMS S 1/2 LOT 56 EX ST \*\*\*\*\* 2-4-97 #97-039521 ST \*\*\*\*\*

No Legal Reason for Change Found

No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-02-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address DHA OPPORTUNITY I LP

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 08/24/2011

Parcel 0280172020000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code SFR

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type SINGLE FAMILY

RESIDENTIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit RES ZONE(MAX 14

UTS)&USE EX HPC/MHM(1-

14 UTS, CHURC

#### **Current Owners**

#### Name DHA OPPORTUNITY I LP

**R/I** PARTNERSHIP

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 08/08/2011

**Document Date 08/18/2011** 

**Inactive Date NONE** 

#### **Document Numbers**

20110349999

#### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280172020000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 57 EX ST \*\*\*\*\* 1-10-97 #97-009210 ST \*\*\*\*\*



No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-11-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NORMAN ROAD INVESTMENTS

LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/08/2022

Parcel 0280172110000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

USE

#### **Current Owners**

#### Name NORMAN ROAD INVESTMENTS LLC

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 03/30/2022

Document Date 03/30/2022

**Inactive Date NONE** 

#### **Document Numbers**

20220119641

#### Legal Parcel Map

	Page	Book	Unit	Parcel Nbr	Parcel Map
--	------	------	------	------------	------------

0280172110000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 59 EX ST

#### **Legal Reason for Change**

Legal Reason for Change	Document Number	Date
OTHER	2013-0506965	11/20/2013
STREET DEED	2009-0397355	09/09/2009



No Active Homeowner's Exemptions Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-17-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NORMAN ROAD INVESTMENTS

LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/20/2006

Parcel 0280172170000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

### Name NORMAN ROAD INVESTMENTS LLC

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 04/07/2006

**Document Date** 04/07/2006

**Inactive Date NONE** 

### **Document Numbers**

20060238232

### **Legal Parcel Map**

el Map Parcel Nbr Unit Book Page
----------------------------------

0280172170000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 58 AND W 55 FT N 1/2 LOT 57

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-19-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address GONZALEZ, ESPIRIDION

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 12/05/2000

Parcel 0280172190000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code SFR

Land Access PUBLIC PAVED

**Size** 10,500 TO 19,999 SQ. FEET

Land Type SINGLE FAMILY

RESIDENTIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit RES ZONE(MAX 14

UTS)&USE EX HPC/MHM(1-

14 UTS, CHURC

#### **Current Owners**

### Name GONZALEZ, ESPIRIDION

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 08/01/2000

**Document Date 08/01/2000** 

**Inactive Date NONE** 

### **Document Numbers**

20000274333

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280172190000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 E 60 FT S 1/2 LOT 58 EX ST \*\*\*\*\* 12-23-96 #96-468840 ST \*\*\*\*\*\*

No Legal Reason for Change Found



San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-20-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address ALI, MOHAMMED ALI AHMED

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 01/26/2022

Parcel 0280172200000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 7,200 TO 10,499 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR USE

### **Current Owners**

### Name ALI, MOHAMMED ALI AHMED

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 09/01/2021

**Document Date** 09/01/2021

**Inactive Date NONE** 

### **Document Numbers**

20210396901

### **Legal Parcel Map**

Parcel Map	Parcel Nbr	Unit	Book	Page	

0280172200000

#### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 58 EX E 60 FT THEREOF AND EX ST \*\*\*\*\* 12-23-96 #96-468840 ST \*\*\*\*\*

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-21-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NORMAN ROAD INVESTMENTS

LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/20/2006

Parcel 0280172210000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

### Name NORMAN ROAD INVESTMENTS LLC

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 04/07/2006

Document Date 04/07/2006

Inactive Date NONE

**Document Numbers** 

20060238232

### **Legal Parcel Map**

|--|

0280172210000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 56

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-172-22-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address NORMAN ROAD INVESTMENTS

LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 04/20/2006

Parcel 0280172220000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code VACANT

Land Access CHECK

**Size** 10,500 TO 19,999 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

### **Current Owners**

### Name NORMAN ROAD INVESTMENTS LLC

**R/I** SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 04/07/2006

**Document Date** 04/07/2006

**Inactive Date NONE** 

### **Document Numbers**

20060238232

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit	Book	Page
----------------------------	------	------

0280172220000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 E 45 FT N 1/2 LOT 57

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-01-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address ASSETTS CORP OF AMERICA

INC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Effective Date 07/10/2015

Parcel 0280192010000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit COMMERCIAL ZONE OR

USE

#### **Current Owners**

### Name ASSETTS CORP OF AMERICA INC

R/I CORPORATION

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 05/15/2015

**Document Date** 06/26/2015

**Inactive Date NONE** 

### **Document Numbers**

20150269419

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280192010000

### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 N 1/2 LOT 55

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-16-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address HERNANDEZ, FERNANDO

HERNANDEZ, ANA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 12/20/2019

Parcel 0280192160000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

Size 20,000 SQ. FEET TO 1.500

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR USE

20190450545

**Document Numbers** 

### **Current Owners**

### Name HERNANDEZ, FERNANDO

R/I COMMUNITY PROPERTY SURVIVORSHIP

**RIGHTS** 

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 12/05/2019

Document Date 12/05/2019
Inactive Date NONE

Name HERNANDEZ, ANA

R/I COMMUNITY PROPERTY SURVIVORSHIP

**RIGHTS** 

% Int 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 12/05/2019

**Document Date** 12/05/2019

**Inactive Date NONE** 

#### **Document Numbers**

20190450545

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book Page
--------------------------------------

0280192160000



### **Legal Description**

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 55 EX ST \*\*\*\*\* 03/28/97 #108748 ST \*\*\*\*\*

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-18-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address HERNANDEZ, FERNANDO

HERNANDEZ, ANA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 12/20/2019

Parcel 0280192180000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

**Document Numbers** 

**Document Numbers** 

20190450545

ACRES

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

20190450545

USE

#### **Current Owners**

### Name HERNANDEZ, FERNANDO

R/I COMMUNITY PROPERTY SURVIVORSHIP

**RIGHTS** 

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 12/05/2019

Document Date 12/05/2019

**Inactive Date NONE** 

Name HERNANDEZ, ANA

R/I COMMUNITY PROPERTY SURVIVORSHIP

RIGHTS

**% Int** 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 12/05/2019

Document Date 12/05/2019

**Inactive Date NONE** 

### **Legal Parcel Map**

Tract	Lot	Block	Unit	Book	Page
2228	54				



### **Legal Description**

TRACT 2228 LOT 54 TR NO 2228 W 80 FT OF S 1/2 OF LOT 54 EX ST \*\*\*\*\* 12/23/96 #96-468841 ST \*\*\*\*\*\*

No Legal Reason for Change Found

San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-21-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address LAURO PROPERTIES LLC

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 02/22/2022

Parcel 0280192210000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

Use Code RES ON COM

Land Access PUBLIC PAVED

**Size** 20,000 SQ. FEET TO 1.500

ACRES

Land Type SINGLE FAMILY

RESIDENTIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit RES ZONE(MAX 14

UTS)&USE EX HPC/MHM(1-

14 UTS, CHURC

#### **Current Owners**

### Name LAURO PROPERTIES LLC

R/I SOLE OWNER

% Int 100.0000000

Type BILLED OWNER

Acquisition Date 09/29/2021

**Document Date 09/29/2021** 

**Inactive Date NONE** 

### **Document Numbers**

20210445334

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit Book	Page
---------------------------------	------

0280192210000

### **Legal Description**

TRACT NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 53 EX ST \*\*\*\*\* 1-10-97 #97-009207 ST \*\*\*\*\*

No Legal Reason for Change Found



San Bernardino County
Office of the Assessor



PROPERTY INFORMATION REPORT FOR PARCEL 0280-192-22-0000



Property Address (Main Situs) Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

Owner and Mailing Address HERNANDEZ, FERNANDO

HERNANDEZ, ANA

Protected per CA. Govt. Code

Sect. 6254.21

Protected per CA. Govt. Code

Sect. 6254.21

**Effective Date** 12/20/2019

Parcel 0280192220000

Parcel Status ACTIVE

Parcel Type REAL PROPERTY

**Property ID** 

Tax Status ASSESSED BY COUNTY

**Use Code VACANT** 

Land Access PUBLIC PAVED

**Size** 5,000 TO 7,199 SQ. FEET

Land Type INDUSTRIAL

**District SAN BERNARDINO** 

Resp Group REAL PROPERTY

Resp Unit INDUSTRIAL ZONE OR

20190450545

USE

### **Current Owners**

### Name HERNANDEZ, FERNANDO

R/I COMMUNITY PROPERTY SURVIVORSHIP

**RIGHTS** 

% Int 50.0000000

Type BILLED OWNER

Acquisition Date 12/05/2019

Document Date 12/05/2019

Inactive Date NONE

Name HERNANDEZ, ANA

R/I COMMUNITY PROPERTY SURVIVORSHIP

**RIGHTS** 

% Int 50.0000000

Type JOINT MAIL OWNER

Acquisition Date 12/05/2019

Document Date 12/05/2019

**Inactive Date NONE** 

## Document Numbers

**Document Numbers** 

20190450545

### **Legal Parcel Map**

Parcel Map Parcel Nbr Unit	Book Page	
----------------------------	-----------	--

0280192220000



### **Legal Description**

TRACT NO 2228 VALLEY TRUCK FARMS NO 4 E 20 FT S 1/2 LOT 54 EX ST \*\*\*\*\* 12/23/96 #96-468841 ST \*\*\*\*\*\*

No Legal Reason for Change Found

# APPENDIX B Historical Source Records and Database Reports

## **Gateway South Building 9 Assemblage**

707 East Norman Road San Bernardino, CA 92408

Inquiry Number: 6958905.8

April 28, 2022

# The EDR Aerial Photo Decade Package



### **EDR Aerial Photo Decade Package**

04/28/22

Site Name: Client Name:

Gateway South Building 9 Asse 707 East Norman Road San Bernardino, CA 92408

EDR Inquiry # 6958905.8

GeoSyntec Consultants 16644 West Bernardo Drive SUITE 301 SAN DIEGO, CA 92127

Contact: Jackie Hyman



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

### Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
2002	1"=500'	Acquisition Date: January 01, 2002	USGS/DOQQ
1994	1"=500'	Acquisition Date: June 01, 1994	USGS/DOQQ
1989	1"=500'	Flight Date: August 15, 1989	USDA
1985	1"=500'	Flight Date: July 28, 1985	USDA
1975	1"=500'	Flight Date: August 01, 1975	USGS
1968	1"=500'	Flight Date: August 21, 1968	USDA
1966	1"=500'	Flight Date: April 16, 1966	USGS
1959	1"=500'	Flight Date: October 15, 1959	USDA
1953	1"=500'	Flight Date: January 23, 1953	USDA
1949	1"=500'	Flight Date: May 06, 1949	USDA
1938	1"=500'	Flight Date: July 04, 1938	USDA
1930	1"=500'	Flight Date: March 25, 1930	FAIR


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.






































# **Gateway South Building 9 Assemblage**

707 East Norman Road San Bernardino, CA 92408

Inquiry Number: 6958905.5

April 28, 2022

# **The EDR-City Directory Abstract**



#### **TABLE OF CONTENTS**

### **SECTION**

**Executive Summary** 

**Findings** 

**City Directory Images** 

Thank you for your business.

Please contact EDR at 1-800-352-0050 with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

### **DESCRIPTION**

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

As ummary of the information obtained is provided in the text of this report.

#### **RECORD SOURCES**

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Brad street. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



#### RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
2017	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	Χ	-
2014	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	X	-
2009	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	X	-
2008	Haines Company, Inc.	-	Χ	X	-
	Haines Company, Inc.	Χ	Χ	X	-
2004	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	X	-

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
2003	Haines & Co Publishers	-	Χ	X	-
	Haines & Co Publishers	Χ	Χ	Χ	-
2002	Cole Information Services	-	-	-	-
1999	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	X	-
1996	GTE Street Address Directory	-	Χ	X	-
1995	GTE Directories	-	-	-	-
1994	Cole Information Services	-	Χ	Χ	-
	Cole Information Services	Χ	Χ	X	-
1991	GTE California Incorporated	-	Χ	X	-
	GTE California Incorporated	X	Χ	X	-
1990	GTE California Incorporated	-	-	-	-
1985	GTE	-	-	-	-
1981	General Telephone Company of California	-	Х	X	-
	General Telephone Company of California	Χ	Х	X	-
1980	GTE	-	-	-	-
1975	General Telephone Company of California	-	Х	X	-
	General Telephone Company of California	Χ	X	X	-
	Pacific Telephone Co	-	Χ	Χ	-
	Pacific Telephone Co	X	Χ	X	-
1970	General Telephone Company of California	-	-	-	-
1965	GTE	-	-	-	-
1964	Luskey Brothers & Co	-	-	-	-
1961	Luskey Brothers & Co Publishers	-	-	-	-
1960	Luskey Brothers & Co Publishers	-	-	-	-
1956	General Telephone Company Publishers	-	-	-	-
1955	Luskey Brothers & Co Publishers	-	Χ	X	-
	Luskey Brothers & Co Publishers	X	Χ	X	-
1951	Los Angeles Directory Co Publishers	-	-	-	-
1950	The Pacific Telephone and Telegraph Co	-	-	-	-
1949	San Bernardino Directory Co. Publishers	-	-	-	-
1946	Los Angeles Directory Company Publishers	-	-	-	-
1945	Southern Califronia Telephone Company	-	-	-	-
1942	San Bernardino Directory Co Publisher	-	-	-	-
1941	Associated Telephone Company Limited	-	-	-	-

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
1940	Los Angeles Directory Co.	-	-	-	-
1938	Los Angeles Directory Co.	-	-	-	-
1936	San Bernardino Directory Co Publisher	-	-	-	-
1934	Los Angeles Directory Co.	-	-	-	-
1931	Los Angeles Directory Co.	-	-	-	-
1930	San Bernardino Directory Co Publisher	-	-	-	-
1926	Los Angeles Directory Co.	-	-	-	-
1923	Los Angeles Directory Company	-	-	-	-
1922	R.L. Polk & Co Publishers	-	-	_	_

# **SELECTED ADDRESSES**

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
695 East Norman Road	Client Entered	X
715 East Norman Road	Client Entered	X
755 East Norman Road	Client Entered	X
787 East Norman Road	Client Entered	X
807 East Norman Road	Client Entered	X
823 East Norman Road	Client Entered	
867 East Norman Road	Client Entered	X
788 East Orange Show Road	Client Entered	
24512 Pioneer Avenue	Client Entered	

### TARGET PROPERTY INFORMATION

### **ADDRESS**

707 East Norman Road San Bernardino, CA 92408

# **FINDINGS DETAIL**

Target Property research detail.

# **E NORMAN RD**

#### 695 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	JUAN MEDINA GARCIA	Cole Information Services
2009	JORGE RAMIREZ	Cole Information Services
2008	xxxx	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	JORGE RAMIREZ	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	STEPHENS, E	Cole Information Services

#### 707 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	BRYAN DONIS	Cole Information Services
2014	FELIPE DONIS	Cole Information Services
2009	FELIPE DONIS	Cole Information Services
2008	xxxx	Haines Company, Inc.
2004	FELIPE DONIS	Cole Information Services
1999	FELIPE DONIS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

#### 715 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JUAN MORGA	Cole Information Services
2014	JOVITA MORGA	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services

<u>Year</u> <u>Uses</u> <u>Source</u>

2008 XXXX Haines Company, Inc.

#### 755 ENORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2017 FRANCISCO GONZALEZ Cole Information Services
 2014 FRANCISCO GONZALEZ Cole Information Services

#### 787 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MARIA NAVARRO	Cole Information Services
2014	ERNEST TAPIA	Cole Information Services
2009	MARIA MEJIA	Cole Information Services
2008	MEJIA Maria	Haines Company, Inc.
	NAVARRO Maria	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	THE END ZONE SPRT BAR & GRILL	Cole Information Services
1999	MARIA MEJIA	Cole Information Services

#### **East Norman Road**

#### 695 East Norman Road

YearUsesSource2008XXXXHaines Company, Inc.2003XXXXHaines & Co Publishers

#### 715 East Norman Road

<u>Year</u> <u>Uses</u> <u>Source</u>

2008 XXXX Haines Company, Inc.

#### 755 East Norman Road

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Stewart J Luskey Brothers & Co Publishers

### 787 East Norman Road

<u>Year</u> <u>Uses</u> <u>Source</u>

2008 MEJIA Maria Haines Company, Inc.

NAVARRO Maria Haines Company, Inc.

<u>Year</u>	<u>Uses</u>	Source
2003	MURRAY Darlo L	Haines & Co Publishers
	RAMIREZ Denise	Haines & Co Publishers
1981	MCDOWELL OLA	General Telephone Company of California
1975	MCDOWELL OLA	General Telephone Company of California

#### 807 East Norman Road

-	<u>Year</u>	<u>Uses</u>	Source
:	2008	WILLIAMS Thomas	Haines Company, Inc.
:	2003	WINE Martha	Haines & Co Publishers
	1991	Cooper Johnson	GTE California Incorporated
	1981	COOPER JOHNSON	General Telephone Company of California
	1975	COOPER JOHNSON	General Telephone Company of California

#### 823 East Norman Road

<u>Year</u>	<u>Uses</u>	<u>Source</u>
-------------	-------------	---------------

#### 867 East Norman Road

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	CAVALLO Daniel	Haines Company, Inc.
	LOPEZ Blanca	Haines Company, Inc.
	MUNOZ Teresa	Haines Company, Inc.
	PABON R	Haines Company, Inc.
1981	MCDA DE NINNIE	General Telephone Company of California
1975	MCDA DE ROBT	General Telephone Company of California

# **East Orange Show Road**

# 788 East Orange Show Road

<u>Year</u>	<u>Uses</u>	<u>Source</u>

# **NORMAN RD**

#### 787 NORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1981	MCDOWELL OLA	General Telephone Company of California

<u>Year</u> <u>Uses</u> <u>Source</u>

1975 MCDOWELL OLA General Telephone Company of California

**NORMAN RD E** 

695 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

707 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

787 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 MURRAY Darlo L Haines & Co Publishers

RAMIREZ Denise Haines & Co Publishers

Pioneer Avenue

24512 Pioneer Avenue

<u>Year</u> <u>Uses</u> <u>Source</u>

### ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

# **685 695 NORMAN RD**

#### 685 685 695 NORMAN RD

<u>Year Uses</u>	<u>Source</u>
------------------	---------------

2004 RITA PATINO Cole Information Services

### **E NORMAN RD**

#### 605 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>

2008 MEDINA Salvador Haines Company, Inc.

### 614 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	LUISA RAMIREZ	Cole Information Services
2009	RAMON RAMIREZ	Cole Information Services
1999	RAMON RAMIREZ	Cole Information Services
1994	BRIONES, OLGA	Cole Information Services

#### 620 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2004	HUGO CASILLAS	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

#### 634 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LOURDES TORRESDEWARTINEZ	Cole Information Services
2014	DEWARTINEZ TORRES	Cole Information Services
2009	DIONISIO MARTINEZ	Cole Information Services
2008	TSAI Chin	Haines Company, Inc.
1999	DIONISIO MARTINEZ	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	SWANSON, ANDREW	Cole Information Services

#### 648 E NORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

#### 664 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RODRIGO MENDEZ	Cole Information Services
2014	RODRIGO MENDEZ	Cole Information Services
2009	ALVARO HERNANDEZ	Cole Information Services
2004	CHRISTIAN DESANTIAGO	Cole Information Services
	MARIA SANTIAGO	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	ALVARO HERNANDEZ	Cole Information Services

### 670 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	YESSICA RODRIGUEZ	Cole Information Services
2014	MARIA CESENA	Cole Information Services
2009	MARIA CESENA	Cole Information Services
2008	xxxx	Haines Company, Inc.
2004	MARCELLA FRANCO	Cole Information Services
1999	MARIA CESENA	Cole Information Services

#### 678 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	B URIBE	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	LORENZO ALONZO	Cole Information Services
2004	CHRISTINA DANIELS	Cole Information Services
1999	LORENZO ALONZO	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

#### 682 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services

### 685 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MARTINA MARTINEZ	Cole Information Services
	OLGA ROMERO	Cole Information Services
2014	OLGA ROMERO	Cole Information Services
	MARTINA MARTINEZ	Cole Information Services
2009	OLGA ROMERO	Cole Information Services
	T GUTIERREZ	Cole Information Services
2008	ROMERO Olga	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	MARGARITA ESCOBAR	Cole Information Services
1999	OLGA ROMERO	Cole Information Services
	T GUTIERREZ	Cole Information Services
1994	GLADDEN, IRMA	Cole Information Services

### 694 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MIGUEL GALINDO	Cole Information Services
2014	MIGUEL GALINDO	Cole Information Services
2009	MIGUEL GALINDO	Cole Information Services
2008	GALINDO Guadalupe	Haines Company, Inc.
2004	ROSE CURTIS	Cole Information Services
1999	MIGUEL GALINDO	Cole Information Services

#### 738 ENORMAN RD

3	<u>rear</u>	<u>Uses</u>	<u>Source</u>
2	2014	RANDALL COOLEY	Cole Information Services
2	2009	BARRY WALLACE	Cole Information Services
2	2004	OCCUPANT UNKNOWN	Cole Information Services
1	999	BARRY WALLACE	Cole Information Services

#### 762 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	BEATRICE WILCOTS	Cole Information Services
2009	BEATRICE WILCOTS	Cole Information Services
2004	BEATRICE WILCOTS	Cole Information Services
1999	BEATRICE WILCOTS	Cole Information Services
1996	Wilcots Beatrice	GTE Street Address Directory
1994	WILCOTS, B	Cole Information Services

#### 770 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	MULLIGAN JAMES	Haines Company, Inc.
2004	JAMES MILLIGAN	Cole Information Services

#### 807 ENORMAN RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	THOMAS WILLIAMS	Cole Information Services
	THOMAS WILLIAMS	Cole Information Services
2014	THOMAS WILLIAMS	Cole Information Services
	THOMAS WILLIAMS	Cole Information Services
2009	CURTIS CONNER	Cole Information Services
	CURTIS CONNER	Cole Information Services
2008	WILLIAMS Thomas	Haines Company, Inc.
2004	MARTHA WINE	Cole Information Services
	MARTHA WINE	Cole Information Services
1999	CURTIS CONNER	Cole Information Services
	CURTIS CONNER	Cole Information Services
1994	COOPER, JOHNSON	Cole Information Services
	COOPER, JOHNSON	Cole Information Services
1991	Cooper Johnson	GTE California Incorporated

### 867 ENORMAN RD

Yea	<u>ar</u>	<u>Uses</u>	<u>Source</u>
201	4	HOLLY MUNOZ	Cole Information Services
200	4	W BROWN	Cole Information Services

# **E ORANGE SHOW RD**

#### 646 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ESPIRIDION GONZALEZ	Cole Information Services
2014	ESPIRIDION GONZALEZ	Cole Information Services
2009	ESPIRIDION GONZALEZ	Cole Information Services
2004	ESPIRIDION GONZALEZ	Cole Information Services
1999	ESPIRIDION GONZALEZ	Cole Information Services

#### 652 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOHN DURAN	Cole Information Services
2014	JUAN DURAN	Cole Information Services
2009	JOHN DURAN	Cole Information Services
2008	DURAN Silvia	Haines Company, Inc.
2004	JOHN DURAN	Cole Information Services
1999	JOHN DURAN	Cole Information Services

#### 667 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2009	WENDELL PAYTON	Cole Information Services
1999	WENDELL PAYTON	Cole Information Services

#### 668 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	xxxx	Haines Company, Inc.
2004	WENDELL PAYTON	Cole Information Services
	PAYTON BROTHERS EQPMNT RNTL	Cole Information Services

### 684 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	CADDEL ENGINEERING	Haines Company, Inc.
2004	CLARENCE MCZEAL	Cole Information Services
	CADDEL GENERAL ENGINEERING INC	Cole Information Services

#### 706 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LUIS LOZOYA	Cole Information Services
2014	LUIS LOZOYA	Cole Information Services
2009	LUIS LOZOYA	Cole Information Services
2008	REYES Maria	Haines Company, Inc.
2004	CYNTHIA CERVANTES	Cole Information Services
1999	LUIS LOZOYA	Cole Information Services

#### 755 E ORANGE SHOW RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MARGARETA HERMAN	Cole Information Services
2014	DANNY VALDEZ	Cole Information Services
2009	DANNY VALDEZ	Cole Information Services
2008	REYES Michelle	Haines Company, Inc.
	VALDEZ Jeannette	Haines Company, Inc.
1999	DANNY VALDEZ	Cole Information Services

# **E PIONEER RD**

### 624 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1996	Tobler Susan	GTE Street Address Directory

#### 652 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services

#### 668 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	PAYTON Wendell	Haines Company, Inc.

#### 684 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	XXXX	Haines Company, Inc.
1999	WEBB SHARON D	Cole Information Services
	SHARONS LOVING CARE SERVICE	Cole Information Services

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services
1996	SHARON S LOVING CARE	GTE Street Address Directory
1994	SHARONS LOVING CARE SVC	Cole Information Services
	WEBB, SHARON D	Cole Information Services

#### 706 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	LOZOYA Mucio	Haines Company, Inc.
1996	Reyes Maria	GTE Street Address Directory
1994	CARTER, CHARLES	Cole Information Services

#### 715 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	RIVERSIDE DESIGN & CONSTRUCTION	Cole Information Services
1994	RIVERSIDE DESIGN & CONSTR	Cole Information Services

### 717 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services

#### 753 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1994	ADAMS, EDNA B	Cole Information Services

#### 755 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	xxxx	Haines Company, Inc.
1996	Line John E	GTE Street Address Directory
	Armstead Audrey	GTE Street Address Directory
1994	ARMSTEAD, AUDREY	Cole Information Services

#### 787 E PIONEER RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	XXXX	Haines Company, Inc.

### **N ORMAN RD**

787 NORMANRD

<u>Year</u> <u>Uses</u> <u>Source</u>

1975 Mc Dow ell Ola Pacific Telephone Co

807 NORMANRD

<u>Year</u> <u>Uses</u> <u>Source</u>

1975 Cooper Johnson Pacific Telephone Co

**NORMAN RD** 

602 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Roberts John Luskey Brothers & Co Publishers

609 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Jones Roy Luskey Brothers & Co Publishers

Write Sally Luskey Brothers & Co Publishers

611 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Lilvery Walter Luskey Brothers & Co Publishers

616 NORMAN RD

Year Uses Source

1955 Saterflelfd C T Jr fanner Luskey Brothers& Co Publishers

625 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Washington Mary Mrs Luskey Brothers & Co Publishers

626 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Vacant Luskey Brothers & Co Publishers

627 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Green Herbert Luskey Brothers & Co Publishers

634 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Sate fld C T Luskey Brothers & Co Publishers

652 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Haynes Henry Luskey Brothers & Co Publishers

668 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 DeCair P P Luskey Brothers & Co Publishers

676 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Edw ads Jim rbibshal a t Bg Luskey Brothers & Co Publishers

696 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 UMurray W m Luskey Brothers & Co Publishers

697 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Mc Dow ell W R Luskey Brothers & Co Publishers

703 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Grigley Cora Mrs Luskey Brothers & Co Publishers

726 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Wheeler Ida Mrs Luskey Brothers & Co Publishers

Furlough John B Luskey Brothers& Co Publishers

#### 734 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Furlough Geo Luskey Brothers & Co Publishers

Fow ler Carl Luskey Brothers & Co Publishers

744 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Hinchen Garield B Luskey Brothers & Co Publishers

755 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Stewart J Luskey Brothers & Co Publishers

758 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Fow ler J C Luskey Brothers & Co Publishers

760 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Fow ler L O Luskey Brothers & Co Publishers

761 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 McDeade Robt Luskey Brothers & Co Publishers

762 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Furlough John B Luskey Brothers & Co Publishers

Johnson Preious Mrs Luskey Brothers & Co Publishers

767 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 McDade Jeff Luskey Brothers & Co Publishers

768 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Harris Louis Luskey Brothers & Co Publishers

Harris EL Luskey Brothers& Co Publishers

772 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Harris J M farmer Luskey Brothers & Co Publishers

783 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 No return Luskey Brothers & Co Publishers

790 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Bradley Lawrence Luskey Brothers & Co Publishers

796 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 City Garbage Disposal Luskey Brothers & Co Publishers

Simental H R Luskey Brothers & Co Publishers

807 NORMAN RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1981 COOPER JOHNSON General Telephone Company of California
 1975 COOPER JOHNSON General Telephone Company of California

Haines & Co Publishers

**NORMAN RD E** 

604 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 SILVA Francisco Haines & Co Publishers

605 NORMAN RD E

RAMIREZ Alejo

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 MARSHALL Wilbert Haines & Co Publishers

614 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

620 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 CASILLAS Hugo Haines & Co Publishers

634 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 TSAI Chin Haines & Co Publishers

664 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 KIMS Metha Haines & Co Publishers

762 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 WILCOTS Beatrice Haines & Co Publishers

770 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 JORDAN Julia Haines & Co Publishers

807 NORMAN RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 WINE Martha Haines & Co Publishers

**ORANGE SHOW RD** 

668 ORANGE SHOW RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 PAYTON Wendell Haines & Co Publishers

684 ORANGE SHOW RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 CADDEL ENGINEERING Haines & Co Publishers

MCZEAL Sharon Haines & Co Publishers

MCZEAL Clarence Haines & Co Publishers

CADDEL Joseph Haines & Co Publishers

706 ORANGE SHOW RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 CERVANTES Cynthia Haines & Co Publishers

755 ORANGE SHOW RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 ARMSTEAD Audrey Haines & Co Publishers

**PIONEER RD** 

650 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Harris Ray Luskey Brothers & Co Publishers

663 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Dixon C D Luskey Brothers & Co Publishers

664 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Feigans Mary Mrs Luskey Brothers & Co Publishers

665 PIONEER RD

<u>Year Uses</u> <u>Source</u>

1955 Jourdan Harold Luskey Brothers & Co Publishers

668 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Booth Lehomer Luskey Brothers & Co Publishers

671 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Adams Marcellus Luskey Brothers & Co Publishers

672 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 White Willie Luskey Brothers & Co Publishers

Shaw Jos Luskey Brothers & Co Publishers

683 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Sims J G Luskey Brothers & Co Publishers

688 PIONEER RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1955 Steward John Luskey Brothers & Co Publishers

PIONEER RD E

624 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

632 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

652 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 DURAN John Haines & Co Publishers

668 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 PAYTON Wendell Haines & Co Publishers

684 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

706 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 LOZOYA Mucio Haines & Co Publishers

715 PIONEER RD E

<u>Year</u> <u>Uses</u> <u>Source</u>

2003 XXXX Haines & Co Publishers

# **PIONEER ST**

#### 715 PIONEER ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1981	MIMS REV CLAUDE	General Telephone Company of California
1975	MIMS REV CLAUDE	General Telephone Company of California

### 717 PIONEER ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1981	MOORE FLOYD J	General Telephone Company of California

# ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
602 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
604 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
605 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
605 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
609 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
611 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
614 E NORMAN RD	2017, 2008, 2004, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
614 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
616 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
620 E NORMAN RD	2017, 2014, 2009, 2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
620 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
624 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
624 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
625 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
626 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
627 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
632 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
634 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
634 E NORMAN RD	2008, 2004, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
634 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
634 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
646 E ORANGE SHOW RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
648 E NORMAN RD	2017, 2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
650 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
652 E ORANGE SHOW RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
652 E ORANGE SHOW RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
652 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
652 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
652 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
663 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
664 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
664 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
664 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
665 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
667 E ORANGE SHOW RD	2017, 2014, 2008, 2004, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 E ORANGE SHOW RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 E ORANGE SHOW RD	2017, 2014, 2009, 2008, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 E PIONEER RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 ORANGE SHOW RD	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
668 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
670 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
670 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
671 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
672 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
676 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
678 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
682 E NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
683 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 E ORANGE SHOW RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 E ORANGE SHOW RD	2017, 2014, 2009, 2008, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 E PIONEER RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 ORANGE SHOW RD	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
684 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
685 685 695 NORMAN RD	2017, 2014, 2009, 2008, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
685 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
685 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
688 PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
694 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
694 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
696 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
697 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
703 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 E ORANGE SHOW RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 E ORANGE SHOW RD	2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 E PIONEER RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 ORANGE SHOW RD	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
706 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
715 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
715 PIONEER RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
715 PIONEER ST	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1980, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
717 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
717 PIONEER ST	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
726 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
734 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
738 E NORMAN RD	2017, 2008, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
744 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
753 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 E ORANGE SHOW RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 E ORANGE SHOW RD	2008, 2004, 2003, 2002, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 E PIONEER RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 E PIONEER RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
755 ORANGE SHOW RD	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
758 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
760 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
761 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
762 E NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
762 E NORMAN RD	2017, 2008, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
762 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
762 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
767 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
768 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
770 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
770 E NORMAN RD	2017, 2014, 2009, 2008, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
770 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
772 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
783 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
787 E PIONEER RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
787 N ORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
790 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
796 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
807 E NORMAN RD	2017, 2014, 2009, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
807 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
807 E NORMAN RD	2008, 2003, 2002, 1996, 1995, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
807 N ORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
807 NORMAN RD	2017, 2014, 2009, 2008, 2004, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1980, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

Address Researched	Address Not Identified in Research Source
807 NORMAN RD E	2017, 2014, 2009, 2008, 2004, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922
867 E NORMAN RD	2017, 2009, 2008, 2003, 2002, 1999, 1996, 1995, 1994, 1991, 1990, 1985, 1981, 1980, 1975, 1970, 1965, 1964, 1961, 1960, 1956, 1955, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

### TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

### Address Researched

### **Address Not Identified in Research Source**

707 East Norman Road

2002, 1996, 1995, 1990, 1985, 1980, 1970, 1965, 1964, 1961, 1960, 1956, 1951, 1950, 1949, 1946, 1945, 1942, 1941, 1940, 1938, 1936, 1934, 1931, 1930, 1926, 1923, 1922

## **Gateway South Building 9 Assemblage**

707 East Norman Road San Bernardino, CA 92408

Inquiry Number: 6958905.2s

April 28, 2022

# The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

### **TABLE OF CONTENTS**

SECTION	PAGE
Executive Summary	ES1
Overview Map.	<b>2</b>
Detail Map.	
Map Findings Summary.	<b>4</b>
Map Findings.	9
Orphan Summary	<b>281</b>
Government Records Searched/Data Currency Tracking.	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	<b>A-1</b>
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map.	A-5
Physical Setting Source Map	A-15
Physical Setting Source Map Findings.	A-17
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527-21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

#### TARGET PROPERTY INFORMATION

#### **ADDRESS**

707 EAST NORMAN ROAD SAN BERNARDINO, CA 92408

#### **COORDINATES**

Latitude (North): 34.0805810 - 34<sup>2</sup> 4' 50.09" Longitude (West): 117.2679970 - 117<sup>2</sup> 16' 4.78"

Universal Tranverse Mercator: Zone 11 UTM X (Meters): 475273.9 UTM Y (Meters): 3770928.5

Elevation: 1037 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 12016021 SAN BERNARDINO SOUTH, CA

Version Date: 2018

East Map: 12014994 REDLANDS, CA

Version Date: 2018

#### **AERIAL PHOTOGRAPHY IN THIS REPORT**

Portions of Photo from: 20140603 Source: USDA

### MAPPED SITES SUMMARY

### Target Property Address: 707 EAST NORMAN ROAD SAN BERNARDINO, CA 92408

Click on Map ID to see full detail.

May   May	MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A2         BERNELL PAYTON TRUCK         74 E NORMAN RD         FINDS, ECHO         Higher         1 ft.           A3         BERNELL PAYTON TRUCK         74 E NORMAN RD         RCRA NonGen / NR         Higher         1 ft.           B4         GREENMASTE SAN BERNA         365 E ORANGE SHOW RD         AST, San BERN. CO, Permit, WDS         Lower         774, 0.147, WSW           B6         AMAZON COM SERVICES.         555 EAST ORANGE SHOW RD         RCRA-LOG         Lower         774, 0.147, WSW           B6         AMAZON COM SERVICES.         976 HOPE ST         CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS         Higher         966, 0.181, NE           B9         ORANGE OIL COMPANY         506 ORANGE SHOW RD         SWEEPS UST. CA FID UST         Lower         1087, 0.206, WSW           D10         TEXACO SERVICES STATI         505 ORANGE SHOW RD         NCRA-SOG, LUST, HIST UST, CERS         Lower         1087, 0.206, WSW           D12         HOME LUMBER COMPANY         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1200, 0.229, West           D13         RAUB WELL 4R         PFAS         HIGHER         1611, 0.305, SW           E15         GERGE WELL 29-1         PFAS         HIGHER         1611, 0.305, SW           E16         RAUB WELL 5R         HIGHER	_	USAF NORTON AFB				
A3         BERNELL PAYTON TRUCK         7.5 E NORMAN RD         RCRA NonGen / NLR         Higher         1 ft.           B4         GREENWASTE SAN BERNA         505E ORANGE SHOW RD         AST, San Bern. Co. Permit, WDS         Lower         553, 0.105, WSW           B6         AMAZON COM SERVICES         555 E ORANGE SHOW RD         CRS HAZ WASTE, HAZNET, NPDES, San Bern. Co         Lower         774, 0.147, WSW           C7         MYNOR AUTO SALES         976 HOPE ST         RCRA NonGen / NLR         Higher         956, 0.181, NE           C8         MYNOR AUTO SALES         976 HOPE ST         CER SHAZ WASTE, San Bern. Co. Permit, CERS. HWTS         Higher         956, 0.181, NE           D10         TEXACO SERVICE STATI         505 ORANGE SHOW RD         SCERP SUST, CA FID UST         Lower         1087, 0.206, WSW           D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1087, 0.206, WSW           13         RAUB WELL 4R         24345 PIONEER STREET         HIST UST         Lower         1309, 0.223, wsw           141         GAGE WELL 3H         24345 PIONEER STREET         HIST UST         Lower         1610, 0.205, ksw           15         TIPPECANOE WELL         455 PIONEER STREET         HIST UST         1600, 0.229, ksw           16 <td></td> <td></td> <td>787 NORMAN RD</td> <td></td> <td>•</td> <td>1 ft.</td>			787 NORMAN RD		•	1 ft.
B4         GREENWASTE SAN BERNA         595 E CARNGE SHOW RD         AST, San Bern. Co. Permit, WDS         Lower         \$55,0,105, WSW           B5         AMAZON COM SERVICES         555 E AST ORANGE SHOW         CERS HAZ WASTE, HAZNET, NPDES, San Bern. Co         Lower         774,0,147, WSW           C7         MYNOR AUTO SALES         976 HOPE ST         RCRA HONGEN/HUR         Higher         966,0181, NE           C8         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS         Higher         966,0181, NE           C8         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS         Higher         966,0181, NE           C9         ORANGE OIL COMPANY         505 ORANGE SHOWD         SWEEPS UST, CA FID UST         Lower         1087,0206, WSW           D10         TEXACO SERVICE STATI         505 ORANGE SHOWD         RCRA-SOG, LUST, HIST UST         Lower         1090,0229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1090,0229, West           E14         GAGE WELL 98-1         PFAS         Higher         1655,0295, SE           E15         TIPPECANDE WELL         PFAS         Higher         1611,0305, SW           F18         BAST VA	A2	BERNELL PAYTON TRUCK	745 E NORMAN RD	FINDS, ECHO	Higher	1 ft.
B5         AMAZON COM SERVICES         555 EAST ORANGE SHOW RD         CERS HAZ WASTE, HAZNET, NPDES, San Bern. Co.         Lower         774, 0.147, WSW           66         AMAZON COM SERVICES         556 E ORANGE SHOW RD         RCRA NORGEN / NLR         Lower         774, 0.147, WSW           C7         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS         Higher         956, 0.181, NE           D9         ORANGE OIL COMPANY         505 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1087, 0.206, WSW           D10         TEXACO SERVICE STATI         505 ORANGE SHOW RD         RCRA-SOG, LUST, HIST UST, CERS         Lower         1087, 0.206, WSW           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           13         RAUB WELL 4R         PFAS         Lower         1209, 0.233, SW           E14         GAGE WELL BB-1         PFAS         Higher         1611, 0.305, SW           16         RAUB WELL AR         PFAS         Higher         1611, 0.305, SW           17         GAGE WELL 1-1         PFAS         Higher         1611, 0.305, SW           18         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWEEP, CERS         Higher	A3	BERNELL PAYTON TRUCK	745 E NORMAN RD	RCRA NonGen / NLR	Higher	1 ft.
B6         AMAZON.COM SERVICES.         555 E ORANGE SHOW RD         RCRA-LQG         Lower         774, 0147, WSW           C7         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern, Co. Permit, CERS, HWTS         Higher         956, 0181, NE           C8         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern, Co. Permit, CERS, HWTS         Higher         956, 0181, NE           D9         ORANGE OIL COMPANY         596 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1087, 0206, WSW           D10         TEXACO SERVICE STATI         505 ORANGE SHOW RD         RCRA-SQG, LUST, HIST UST, CERS         Lower         1208, 0229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1203, 0233, SW           E14         GAGE WELL 48-1         PFAS         Lower         1619, 0305, SW           E15         TIPPECANDE WELL         PFAS         Higher         1698, 0322, SE           F18         BAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         PFAS         Higher         1698, 0327, ESE           21         GAGE WELL 29-1         BYAS	B4	GREENWASTE SAN BERNA	595 E ORANGE SHOW RD	AST, San Bern. Co. Permit, WDS	Lower	553, 0.105, WSW
C7         MYNOR AUTO SALES         976 HOPE ST         RCRA NonGen / NLR         Higher         956, 0.181, NE           C8         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern, Co. Permit, CERS, HWTS         Higher         956, 0.181, NE           D9         ORANGE OIL COMPANY         505 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1087, 0.206, WSW           D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1209, 0.229, West           E14         GAGE WELL 48         PFAS         Lower         1611, 0.305, SW         Higher         1656, 0.296, SE           E15         TIPPECANOE WELL         PFAS         Lower         1611, 0.305, SW         Higher         1611, 0.305, SW           E16         RAJU WELL 67         PFAS         Lower         1621, 0.336, Esst         Higher         1938, 0.337, SSE	B5	AMAZON COM SERVICES	555 EAST ORANGE SHOW	CERS HAZ WASTE, HAZNET, NPDES, San Bern. Co	Lower	774, 0.147, WSW
CB         MYNOR AUTO SALES         976 HOPE ST         CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS         Higher         956, 0.181, NE           D9         ORANGE OIL COMPANY         505 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1087, 0.206, WSW           D10         TEXACO SERVICE STATI         505 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1096, 0.229, West           D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST ST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST ST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST ST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST ST         Lower         1209, 0.229, West           D13         RAUB WELL AR         24345 PIONEER STREET         HIST ST         LOWER         1509, 0.229, West           E14         GAGE WELL 28-1         PFAS         Higher         1555, 0.298, SE         1616         RAUB WELL AR         PFAS         Higher         1611, 0.305, SE         1616         RAUB WELL 28-1         PFAS         Higher         1776, 0.336, East <t< td=""><td>B6</td><td>AMAZON.COM SERVICES,</td><td>555 E ORANGE SHOW RD</td><td>RCRA-LQG</td><td>Lower</td><td>774, 0.147, WSW</td></t<>	B6	AMAZON.COM SERVICES,	555 E ORANGE SHOW RD	RCRA-LQG	Lower	774, 0.147, WSW
D9         ORANGE OIL COMPANY         505 ORANGE SHOW RD         SWEEPS UST, CA FID UST         Lower         1087, 0.206, WSW           D10         TEXACO SERVICE STATI         505 ORANGE SHOW         RCRA-SAG, LUST, HIST UST, CERS         Lower         1087, 0.206, WSW           D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           13         RAUB WELL 4R         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1209, 0.229, West           14         GAGE WELL 98-1         PFAS         Lower         1209, 0.229, West           15         TIPPECANOE WELL         PFAS         Higher         1611, 0.305, SE           16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SE           16         RAUB WELL 50-1         PFAS         Lower         1619, der         1611, 0.305, SE           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.327, SE         1619         1938, 0.371, East         1969         1938, 0.375, ESE         1938, 0.371, East         1969         1938, 0.371, East         1969         1938, 0.375, ESE         1969         1938, 0.375, ESE         1969         1938, 0.375, ESE         1969         1938, 0.375, ESE         1969	C7	MYNOR AUTO SALES	976 HOPE ST	RCRA NonGen / NLR	Higher	956, 0.181, NE
D10         TEXACO SERVICE STATI         505 ORANGE SHOW         RCRA-SQG, LUST, HIST UST, CERS         Lower         1087, 0.206, WSW           D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1209, 0.229, West           E14         GAGE WELL 98-1         PFAS         Higher         1555, 0.295, SE           E15         TIPPECANOE WELL         PFAS         Higher         1655, 0.295, SE           E16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1696, 0.322, SE           F19         GAGE WELL 26-1         PFAS         Higher         1938, 0.327, SE         F1           F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1938, 0.371, East           F21         GAGE WELL 29-2         PFAS         LOWER         2207, 0.331, NWD           F22         RAUB WELL 5R         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         LOWER         2230, 0.421, WSW           F24         CS	C8	MYNOR AUTO SALES	976 HOPE ST	CERS HAZ WASTE, San Bern. Co. Permit, CERS, HWTS	Higher	956, 0.181, NE
D11         HOME LUMBER COMPANY         24345 PIONEER STREET         HIST UST         Lower         1209, 0.229, West           D12         HOME LUMBER COMPANY,         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1209, 0.229, West           13         RAUB WELL 4R         PFAS         Lower         1230, 0.233, SW           E14         GAGE WELL 98-1         PFAS         Higher         1655, 0.295, SE           16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           17         GAGE WELL 51-1         PFAS         Lower         1611, 0.305, SW           18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PPCAS         Higher         1670, 0.36, East           19         GAGE WELL 26-1         PFAS         Higher         1978, 0.367, SEE         1988, 0.371, East           20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1998, 0.371, East           21         GAGE WELL 29-2         PFAS         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           24         CSCO SCRW COMPANY         775 UNIT 6-7 S. GIFF	D9	ORANGE OIL COMPANY	505 ORANGE SHOW RD	SWEEPS UST, CA FID UST	Lower	1087, 0.206, WSW
D12         HOME LUMBER COMPANY,         24345 PIONEER ST         SWEEPS UST, CA FID UST         Lower         1209, 0.229, West           13         RAUB WELL 4R         PFAS         Lower         1230, 0.233, SW           E14         GAGE WELL 98-1         PFAS         Higher         1505, 0.295, SE           E15         TIPPECANOE WELL         PFAS         Higher         16511, 0.305, SE           E16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           17         GAGE WELL 51-1         PFAS         Higher         1698, 0.322, SE           F18         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         PFAS         Higher         1958, 0.371, East           19         GAGE WELL 26-1         PFAS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1958, 0.371, East           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           25         RAUB WELL 08         PFAS         Lower         2223, 0.424, West           26<	D10	TEXACO SERVICE STATI	505 ORANGE SHOW	RCRA-SQG, LUST, HIST UST, CERS	Lower	1087, 0.206, WSW
13         RAUB WELL 4R         PFAS         Lower         1230, 0.233, SW           E14         GAGE WELL 98-1         PFAS         Higher         1555, 0.295, SE           E16         TIPPECANDE WELL         PFAS         Higher         1555, 0.295, SE           16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SE           16         RAUB WELL 16-1         PFAS         Lower         1611, 0.305, SE           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1976, 0.336, East           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1982, 0.375, ESE           22         NORTH SAN BERNARDN         BUNKER HILL GROUNDW         RESPONSE, ENVIROSTOR         Lower         2010, 0.331, MSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           625         RAUB WELL 08         PFAS         Lower         2223, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2230, 0.424, West           127         SAND G ROOFING SUPP         1444 TIPPECA	D11	HOME LUMBER COMPANY	24345 PIONEER STREET	HIST UST	Lower	1209, 0.229, West
E14         GAGE WELL 98-1         PFAS         Higher         1555, 0.295, SE           E15         TIPPECANOE WELL         PFAS         Higher         1611, 0.305, SE           16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           17         GAGE WELL 51-1         PFAS         Higher         1698, 0.322, SE           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1776, 0.336, East           19         GAGE WELL 26-1         PFAS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1958, 0.371, EaSt           22         RAJB WELL 5R         PFAS         Higher         1958, 0.371, EaSt           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Lower         2070, 0.391, WSW           25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           265         RAUB WELL 08         PFAS	D12	HOME LUMBER COMPANY,	24345 PIONEER ST	SWEEPS UST, CA FID UST	Lower	1209, 0.229, West
E15         TIPPECANOE WELL         PFAS         Higher         1611, 0.305, SE           16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           17         GAGE WELL 51-1         PFAS         Higher         1698, 0.322, SE           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1776, 0.336, East           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1958, 0.371, East           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           625         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2230, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2356, 0.446, ESE           128         GAGE WELL 29-1         PFAS	13	RAUB WELL 4R		PFAS	Lower	1230, 0.233, SW
16         RAUB WELL 07         PFAS         Lower         1611, 0.305, SW           17         GAGE WELL 51-1         PFAS         Higher         1698, 0.322, SE           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1776, 0.336, East           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.367, SSE           F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1962, 0.375, ESE           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NWW           23         RAUB WELL 56         PFAS         Lower         2010, 0.381, NWW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           625         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           127         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher	E14	GAGE WELL 98-1		PFAS	Higher	1555, 0.295, SE
17         GAGE WELL 51-1         PFAS         Higher         1698, 0.322, SE           F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1776, 0.336, East           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.367, SSE           F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1958, 0.371, East           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           625         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2223, 0.421, WSW           626         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           127         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher	E15	TIPPECANOE WELL		PFAS	Higher	1611, 0.305, SE
F18         EAST VALLEY RECYCLIN         1150 S TIPPECANOE AV         PROC         Higher         1776, 0.336, East and 1996, 0.367, SSE           19         GAGE WELL 26-1         PFAS         Higher         1938, 0.367, SSE           F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1982, 0.375, ESE           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         24510, 0.464, SSE           128         GAGE WELL 29-1         PFAS         Higher         24510, 0.464, SSE           130         GAGE WELL 29-3         PFAS	16	RAUB WELL 07		PFAS	Lower	1611, 0.305, SW
19         GAGE WELL 26-1         PFAS         Higher         1938, 0.367, SSE           F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1982, 0.375, ESE           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         22240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2451, 0.464, SSE           128         GAGE WELL 29-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2451, 0.464, SSE           131         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE	17	GAGE WELL 51-1		PFAS	Higher	1698, 0.322, SE
F20         EAST VALLEY RECYCLIN         1150 & 1250 SOUTH TI         SWF/LF, CERS         Higher         1958, 0.371, East           21         GAGE WELL 29-2         PFAS         Higher         1982, 0.375, ESE           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 29-1         PFAS         Higher         2401, 0.455, East           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           131         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           132         FRANK'S FENCE         114	F18	EAST VALLEY RECYCLIN	1150 S TIPPECANOE AV	PROC	Higher	1776, 0.336, East
21         GAGE WELL 29-2         PFAS         Higher         1982, 0.375, ESE           22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 29-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 29-3         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           131         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, Ortese, CERS <td< td=""><td>19</td><td>GAGE WELL 26-1</td><td></td><td>PFAS</td><td>Higher</td><td>1938, 0.367, SSE</td></td<>	19	GAGE WELL 26-1		PFAS	Higher	1938, 0.367, SSE
22         NORTH SAN BERNARDINO         BUNKER HILL GROUNDWA         RESPONSE, ENVIROSTOR         Lower         2010, 0.381, NNW           23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2451, 0.464, SSE           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, Cortese, CERS         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE </td <td>F20</td> <td>EAST VALLEY RECYCLIN</td> <td>1150 &amp; 1250 SOUTH TI</td> <td>SWF/LF, CERS</td> <td>Higher</td> <td>1958, 0.371, East</td>	F20	EAST VALLEY RECYCLIN	1150 & 1250 SOUTH TI	SWF/LF, CERS	Higher	1958, 0.371, East
23         RAUB WELL 5R         PFAS         Lower         2067, 0.391, WSW           24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, Cortese, CERS         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2521, 0.479, West           J34         NTI FUELING STATION	21	GAGE WELL 29-2		PFAS	Higher	1982, 0.375, ESE
24         CSCO SCREW COMPANY         775 UNIT 6-7 S. GIFF         ENVIROSTOR         Higher         2113, 0.400, North           G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           <	22	NORTH SAN BERNARDINO	BUNKER HILL GROUNDWA	RESPONSE, ENVIROSTOR	Lower	2010, 0.381, NNW
G25         RAUB WELL 06         PFAS         Lower         2223, 0.421, WSW           G26         RAUB WELL 08         PFAS         Lower         2223, 0.421, WSW           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           I28         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           I30         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, HIST CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, CORTESE         LOWER         2531, 0.479, West           36 <td>23</td> <td>RAUB WELL 5R</td> <td></td> <td>PFAS</td> <td>Lower</td> <td>2067, 0.391, WSW</td>	23	RAUB WELL 5R		PFAS	Lower	2067, 0.391, WSW
G26         RAUB WELL 08         PFAS         Lower         2240, 0.424, West           H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, HIST CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           J36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         4486, 0	24	CSCO SCREW COMPANY	775 UNIT 6-7 S. GIFF	ENVIROSTOR	Higher	2113, 0.400, North
H27         S AND G ROOFING SUPP         1444 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2356, 0.446, ESE           128         GAGE WELL 92-1         PFAS         Higher         2401, 0.455, East           29         GAGE WELL 27-1         PFAS         Higher         2451, 0.464, SSE           130         GAGE WELL 29-3         PFAS         Higher         2468, 0.467, East           H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, HIST CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         HIGH         44	G25	RAUB WELL 06		PFAS	Lower	2223, 0.421, WSW
128       GAGE WELL 92-1       PFAS       Higher       2401, 0.455, East         29       GAGE WELL 27-1       PFAS       Higher       2451, 0.464, SSE         130       GAGE WELL 29-3       PFAS       Higher       2468, 0.467, East         H31       SUPPORT SERVICES BUI       1333 TIPPECANOE AVE       LUST, Cortese, HIST CORTESE, CERS       Higher       2492, 0.472, ESE         J32       FRANK'S FENCE       1145       LUST, HIST CORTESE       Lower       2521, 0.477, West         J33       FRANK'S FENCE       1145 S WATERMAN AVE       LUST, Cortese, CERS       Lower       2521, 0.477, West         J34       NTI FUELING STATION       1195 SOUTH WATERMAN       LUST, Cortese, HAZNET, NPDES, San Bern. Co       Lower       2531, 0.479, West         J35       VALLEY GAS / AUTO RE       1195       LUST, HIST CORTESE       Lower       2531, 0.479, West         36       FOAMEX INTERNATIONAL       1400 E VICTORIA AVE       HWP       Higher       3921, 0.743, ESE         K37       NORTON AIR FORCE BAS       FUDS       Higher       4486, 0.850, NE	G26	RAUB WELL 08		PFAS	Lower	2240, 0.424, West
29       GAGE WELL 27-1       PFAS       Higher       2451, 0.464, SSE         I30       GAGE WELL 29-3       PFAS       Higher       2468, 0.467, East         H31       SUPPORT SERVICES BUI       1333 TIPPECANOE AVE       LUST, Cortese, HIST CORTESE, CERS       Higher       2492, 0.472, ESE         J32       FRANK'S FENCE       1145       LUST, HIST CORTESE       Lower       2521, 0.477, West         J33       FRANK'S FENCE       1145 S WATERMAN AVE       LUST, Cortese, CERS       Lower       2521, 0.477, West         J34       NTI FUELING STATION       1195 SOUTH WATERMAN       LUST, Cortese, HAZNET, NPDES, San Bern. Co       Lower       2531, 0.479, West         J35       VALLEY GAS / AUTO RE       1195       LUST, HIST CORTESE       Lower       2531, 0.479, West         36       FOAMEX INTERNATIONAL       1400 E VICTORIA AVE       HWP       Higher       3921, 0.743, ESE         K37       NORTON AIR FORCE BAS       FUDS       Higher       4486, 0.850, NE	H27	S AND G ROOFING SUPP	1444 TIPPECANOE AVE	LUST, Cortese, HIST CORTESE, CERS	Higher	2356, 0.446, ESE
I30       GAGE WELL 29-3       PFAS       Higher       2468, 0.467, East         H31       SUPPORT SERVICES BUI       1333 TIPPECANOE AVE       LUST, Cortese, HIST CORTESE, CERS       Higher       2492, 0.472, ESE         J32       FRANK'S FENCE       1145       LUST, HIST CORTESE       Lower       2521, 0.477, West         J33       FRANK'S FENCE       1145 S WATERMAN AVE       LUST, Cortese, CERS       Lower       2521, 0.477, West         J34       NTI FUELING STATION       1195 SOUTH WATERMAN       LUST, Cortese, HAZNET, NPDES, San Bern. Co       Lower       2531, 0.479, West         J35       VALLEY GAS / AUTO RE       1195       LUST, HIST CORTESE       Lower       2531, 0.479, West         36       FOAMEX INTERNATIONAL       1400 E VICTORIA AVE       HWP       Higher       3921, 0.743, ESE         K37       NORTON AIR FORCE BAS       FUDS       Higher       4486, 0.850, NE	128	GAGE WELL 92-1		PFAS	Higher	2401, 0.455, East
H31         SUPPORT SERVICES BUI         1333 TIPPECANOE AVE         LUST, Cortese, HIST CORTESE, CERS         Higher         2492, 0.472, ESE           J32         FRANK'S FENCE         1145         LUST, HIST CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         Higher         4486, 0.850, NE	29	GAGE WELL 27-1		PFAS	Higher	2451, 0.464, SSE
J32         FRANK'S FENCE         1145         LUST, HIST CORTESE         Lower         2521, 0.477, West           J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         Higher         4486, 0.850, NE	I30	GAGE WELL 29-3		PFAS	Higher	2468, 0.467, East
J33         FRANK'S FENCE         1145 S WATERMAN AVE         LUST, Cortese, CERS         Lower         2521, 0.477, West           J34         NTI FUELING STATION         1195 SOUTH WATERMAN         LUST, Cortese, HAZNET, NPDES, San Bern. Co         Lower         2531, 0.479, West           J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         Higher         4486, 0.850, NE	H31	SUPPORT SERVICES BUI	1333 TIPPECANOE AVE	LUST, Cortese, HIST CORTESE, CERS	Higher	2492, 0.472, ESE
J34NTI FUELING STATION1195 SOUTH WATERMANLUST, Cortese, HAZNET, NPDES, San Bern. CoLower2531, 0.479, WestJ35VALLEY GAS / AUTO RE1195LUST, HIST CORTESELower2531, 0.479, West36FOAMEX INTERNATIONAL1400 E VICTORIA AVEHWPHigher3921, 0.743, ESEK37NORTON AIR FORCE BASFUDSHigher4486, 0.850, NE	J32	FRANK'S FENCE	1145	LUST, HIST CORTESE	Lower	2521, 0.477, West
J35         VALLEY GAS / AUTO RE         1195         LUST, HIST CORTESE         Lower         2531, 0.479, West           36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         Higher         4486, 0.850, NE	J33	FRANK'S FENCE	1145 S WATERMAN AVE	LUST, Cortese, CERS	Lower	2521, 0.477, West
36         FOAMEX INTERNATIONAL         1400 E VICTORIA AVE         HWP         Higher         3921, 0.743, ESE           K37         NORTON AIR FORCE BAS         FUDS         Higher         4486, 0.850, NE	J34	NTI FUELING STATION	1195 SOUTH WATERMAN	LUST, Cortese, HAZNET, NPDES, San Bern. Co	Lower	2531, 0.479, West
K37 NORTON AIR FORCE BAS FUDS Higher 4486, 0.850, NE	J35	VALLEY GAS / AUTO RE	1195	LUST, HIST CORTESE	Lower	2531, 0.479, West
·	36	FOAMEX INTERNATIONAL	1400 E VICTORIA AVE	HWP	Higher	3921, 0.743, ESE
	K37	NORTON AIR FORCE BAS		FUDS	Higher	4486, 0.850, NE
	K38	SAN BERNARDINO AAF		ENVIROSTOR	Higher	4489, 0.850, NE

### MAPPED SITES SUMMARY

Target Property Address: 707 EAST NORMAN ROAD SAN BERNARDINO, CA 92408

Click on Map ID to see full detail.

MAP				RELATIVE	DIST (ft. & mi.)
ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	<b>ELEVATION</b>	DIRECTION
K39	NORTON AFB - FUDS		ENVIROSTOR	Higher	4489, 0.850, NE
40	EOD FACILITY		UXO	Higher	5041, 0.955, North
41	BENEDICT PROPERTIES	101 BENEDICT ROAD	ENVIROSTOR	Lower	5211, 0.987, WNW

### TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

#### **DATABASES WITH NO MAPPED SITES**

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

### STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfu	und) sites
Proposed NPL INPL LIENS INPL LIENS	Proposed National Priority List Sites Federal Superfund Liens
Lists of Federal Delisted NPL	. sites
Delisted NPL	National Priority List Deletions
Lists of Federal sites subject	to CERCLA removals and CERCLA orders
	Federal Facility Site Information listing Superfund Enterprise Management System
Lists of Federal CERCLA site	es with NFRAP
SEMS-ARCHIVE	Superfund Enterprise Management System Archive
Lists of Federal RCRA TSD fa	acilities
RCRA-TSDF	RCRA - Treatment, Storage and Disposal
Lists of Federal RCRA genera	ators
	RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

#### Federal institutional controls / engineering controls registries

LUCIS	Land Use Control Information System
US ENG CONTROLS	Engineering Controls Sites List
	Institutional Controls Sites List

### Federal ERNS list

ERNS..... Emergency Response Notification System

### Lists of state and tribal leaking storage tanks

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

CPS-SLIC..... Statewide SLIC Cases

#### Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing

UST...... Active UST Facilities

INDIAN UST...... Underground Storage Tanks on Indian Land

#### Lists of state and tribal voluntary cleanup sites

INDIAN VCP...... Voluntary Cleanup Priority Listing VCP...... Voluntary Cleanup Program Properties

### Lists of state and tribal brownfield sites

BROWNFIELDS..... Considered Brownfieds Sites Listing

#### ADDITIONAL ENVIRONMENTAL RECORDS

#### Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

#### Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT...... Waste Management Unit Database

SWRCY..... Recycler Database

HAULERS...... Registered Waste Tire Haulers Listing

INDIAN ODI\_\_\_\_\_ Report on the Status of Open Dumps on Indian Lands

ODI..... Open Dump Inventory

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

IHS OPEN DUMPS..... Open Dumps on Indian Land

#### Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

HIST Cal-Sites..... Historical Calsites Database

SCH......School Property Evaluation Program

Toxic Pits Cleanup Act Sites

US CDL...... National Clandestine Laboratory Register

AQUEOUS FOAM..... Former Fire Training Facility Assessments Listing

### Local Lists of Registered Storage Tanks

CERS TANKS...... California Environmental Reporting System (CERS) Tanks

### **Local Land Records**

LIENS...... Environmental Liens Listing
LIENS 2...... CERCLA Lien Information
DEED....... Deed Restriction Listing

#### Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

CHMIRS..... California Hazardous Material Incident Report System

LDS....... Land Disposal Sites Listing
MCS...... Military Cleanup Sites Listing
SPILLS 90...... SPILLS 90 data from FirstSearch

#### Other Ascertainable Records

DOD...... Department of Defense Sites

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

US FIN ASSUR..... Financial Assurance Information

EPA WATCH LIST..... EPA WATCH LIST

2020 COR ACTION........... 2020 Corrective Action Program List

TSCA..... Toxic Substances Control Act

TRIS...... Toxic Chemical Release Inventory System

RAATS......RCRA Administrative Action Tracking System

ICIS...... Integrated Compliance Information System

FTTS\_\_\_\_\_\_FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide

Act)/TSCA (Toxic Substances Control Act)

COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List

PCB TRANSFORMER...... PCB Transformer Registration Database

RADINFO...... Radiation Information Database

HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing

DOT OPS..... Incident and Accident Data

CONSENT..... Superfund (CERCLA) Consent Decrees

INDIAN RESERV.....Indian Reservations

FUSRAP..... Formerly Utilized Sites Remedial Action Program

UMTRA..... Uranium Mill Tailings Sites

LEAD SMELTERS..... Lead Smelter Sites

US AIRS..... Aerometric Information Retrieval System Facility Subsystem

US MINES..... Mines Master Index File

ABANDONED MINES..... Abandoned Mines

DOCKET HWC..... Hazardous Waste Compliance Docket Listing

FUELS PROGRAM..... EPA Fuels Program Registered Listing

Financial Assurance Information Listing

HAZNET..... Facility and Manifest Data

ICE.....ICE

HWT\_\_\_\_\_ Registered Hazardous Waste Transporter Database

MINES..... Mines Site Location Listing

MWMP..... Medical Waste Management Program Listing

NPDES Permits Listing

PEST LIC..... Pesticide Regulation Licenses Listing

Notify 65..... Proposition 65 Records

UIC\_\_\_\_\_UIC Listing

UIC GEO...... UIC GEO (GEOTRACKER)

WASTEWATER PITS..... Oil Wastewater Pits Listing
WDS..... Waste Discharge System
WIP..... Well Investigation Program Case List

MILITARY PRIV SITES...... MILITARY PRIV SITES (GEOTRACKER)

PROJECT.....PROJECT (GEOTRACKER)

WDR\_\_\_\_\_\_ Waste Discharge Requirements Listing CIWQS\_\_\_\_\_ California Integrated Water Quality System

CERS..... CERS

MINES MRDS..... Mineral Resources Data System

#### **EDR HIGH RISK HISTORICAL RECORDS**

#### **EDR Exclusive Records**

EDR MGP	<b>EDR Proprietary Manufactured Gas Plants</b>
	EDR Exclusive Historical Auto Stations
EDR Hist Cleaner	EDR Exclusive Historical Cleaners

#### **EDR RECOVERED GOVERNMENT ARCHIVES**

#### Exclusive Recovered Govt. Archives

RGA LF	Recovered Government Archive Solid Waste Facilities List
RGA LUST	Recovered Government Archive Leaking Underground Storage Tank

#### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

#### STANDARD ENVIRONMENTAL RECORDS

#### Lists of Federal NPL (Superfund) sites

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 01/25/2022 has revealed that there is 1 NPL

site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
USAF NORTON AFB	305 S TIPPECANOE AVE	N 1/2 - 1 (0.763 mi.)	0	9
Cerclis ID:: 902760				

#### Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 02/28/2022 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
USAF NORTON AFB	305 S TIPPECANOE AVE	N 1/2 - 1 (0.763 mi.)	0	9
EPA ID:: CA4570024345				

### Lists of Federal RCRA generators

EPA Id: CA4570024345

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 02/28/2022 has revealed that there is 1 RCRA-LQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
AMAZON.COM SERVICES,	555 E ORANGE SHOW RD	WSW 1/8 - 1/4 (0.147 mi.)	B6	116
EPA ID:: CAR000262626				

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/28/2022 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
TEXACO SERVICE STATI	505 ORANGE SHOW	WSW 1/8 - 1/4 (0.206 mi.)	D10	133

EPA ID:: CAR000116194

#### Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NORTH SAN BERNARDINO	BUNKER HILL GROUNDWA	NNW 1/4 - 1/2 (0.381 mi.)	22	203

Database: RESPONSE, Date of Government Version: 01/24/2022

Status: Refer: Other Agency Facility Id: 36990001

#### Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 01/24/2022 has revealed that there are 5 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSCO SCREW COMPANY Facility Id: 36340067 Status: Refer: 1248 Local Agency	775 UNIT 6-7 S. GIFF	N 1/4 - 1/2 (0.400 mi.)	24	215
SAN BERNARDINO AAF Facility Id: 80000729 Status: Inactive - Needs Evaluation		NE 1/2 - 1 (0.850 mi.)	K38	277
NORTON AFB - FUDS Facility Id: 80000333 Status: Inactive - Needs Evaluation		NE 1/2 - 1 (0.850 mi.)	K39	278
Lower Elevation	Address	Direction / Distance	Map ID	Page
NORTH SAN BERNARDINO Facility Id: 36990001 Status: Refer: Other Agency	BUNKER HILL GROUNDWA	NNW 1/4 - 1/2 (0.381 mi.)	22	203
BENEDICT PROPERTIES	101 BENEDICT ROAD	WNW 1/2 - 1 (0.987 mi.)	41	279

Facility Id: 36000013

Status: Refer: 1248 Local Agency

### Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the Integrated Waste Management Board's Solid Waste Information System (SWIS) database.

A review of the SWF/LF list, as provided by EDR, has revealed that there is 1 SWF/LF site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID F20	Page
EAST VALLEY RECYCLIN	1150 & 1250 SOUTH TI	E 1/4 - 1/2 (0.371 mi.)	F20	192
Database: SWF/LF (SWIS), Date o	f Government Version: 11/08/2021	, ,		
Facility ID: 36-AA-0453				
Operational Status: Active				
Regulation Status: Permitted				

### Lists of state and tribal leaking storage tanks

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 7 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
S AND G ROOFING SUPP  Database: LUST REG 8, Date of Government Facility Status: Case Closed Global Id: T0607100204  Status: Completed - Case Closed Global ID: T0607100204		ESE 1/4 - 1/2 (0.446 mi.)	H27	233
SUPPORT SERVICES BUI  Database: LUST REG 8, Date of Governmen Facility Status: Case Closed Global Id: T0607100085 Status: Completed - Case Closed Global ID: T0607100085		ESE 1/4 - 1/2 (0.472 mi.)	Н31	260
Lower Elevation	Address	Direction / Distance	Map ID	Page
TEXACO SERVICE STATI Database: LUST, Date of Governmen	<b>505 ORANGE SHOW</b> t Version: 12/06/2021	WSW 1/8 - 1/4 (0.206 mi.)	D10	133

Global Id: T0607195783 Global Id: T0607100097

Status: Completed - Case Closed				
FRANK'S FENCE Database: LUST REG 8, Date of Governmer Facility Status: Case Closed Global ID: T0607100126	<b>1145</b> nent Version: 02/14/2005	W 1/4 - 1/2 (0.477 mi.)	J32	264
FRANK'S FENCE Database: LUST, Date of Government Ver Global Id: T0607100126 Status: Completed - Case Closed	<b>1145 S WATERMAN AVE</b> rsion: 12/06/2021	W 1/4 - 1/2 (0.477 mi.)	J33	265
NTI FUELING STATION  Database: LUST, Date of Government Ver Global Id: T0607100624  Status: Completed - Case Closed	<b>1195 SOUTH WATERMAN</b> rsion: 12/06/2021	W 1/4 - 1/2 (0.479 mi.)	J34	268

W 1/4 - 1/2 (0.479 mi.)

J35

274

Database: LUST REG 8, Date of Government Version: 02/14/2005

Facility Status: Case Closed Global ID: T0607100624

**VALLEY GAS / AUTO RE** 

#### Lists of state and tribal registered storage tanks

AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the AST list, as provided by EDR, has revealed that there is 1 AST site within approximately 0.25 miles of the target property.

1195

Lower Elevation	Address	Direction / Distance	Map ID	Page
GREENWASTE SAN BERNA	595 E ORANGE SHOW RD	WSW 0 - 1/8 (0.105 mi.)	B4	96
Database: AST, Date of Government Ve	rsion: 07/06/2016			

### ADDITIONAL ENVIRONMENTAL RECORDS

#### Local Lists of Hazardous waste / Contaminated Sites

CDL: A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

A review of the CDL list, as provided by EDR, and dated 12/31/2019 has revealed that there is 1 CDL site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported Facility Id: 2003-05-039	787 NORMAN RD	0 - 1/8 (0.000 mi.)	A1	93

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 01/18/2022 has revealed that there are 2 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

<b>Equal/Higher Elevation</b>	Address	Direction / Distance	Map ID	Page
MYNOR AUTO SALES	976 HOPE ST	NE 1/8 - 1/4 (0.181 mi.)	C8	126
Lower Elevation	Address	Direction / Distance	Map ID	Page
AMAZON COM SERVICES	555 EAST ORANGE SHOW	WSW 1/8 - 1/4 (0.147 mi.)	B5	98

PFAS: A listing of PFAS contaminated sites included in the GeoTracker database.

A review of the PFAS list, as provided by EDR, and dated 12/06/2021 has revealed that there are 13 PFAS sites within approximately 0.5 miles of the target property.

<b>Equal/Higher Elevation</b>	Address	Direction / Distance	Map ID	Page
GAGE WELL 98-1		SE 1/4 - 1/2 (0.295 mi.)	E14	151
TIPPECANOE WELL		SE 1/4 - 1/2 (0.305 mi.)	E15	159
GAGE WELL 51-1		SE 1/4 - 1/2 (0.322 mi.)	17	175
GAGE WELL 26-1		SSE 1/4 - 1/2 (0.367 mi.)	19	183
GAGE WELL 29-2		ESE 1/4 - 1/2 (0.375 mi.)	21	195
GAGE WELL 92-1		E 1/4 - 1/2 (0.455 mi.)	128	236
GAGE WELL 27-1		SSE 1/4 - 1/2 (0.464 mi.)	29	244
GAGE WELL 29-3		E 1/4 - 1/2 (0.467 mi.)	130	252
Lower Elevation	Address	Direction / Distance	Map ID	Page
RAUB WELL 4R		SW 1/8 - 1/4 (0.233 mi.)	13	143
RAUB WELL 07		SW 1/4 - 1/2 (0.305 mi.)	16	167
RAUB WELL 5R		WSW 1/4 - 1/2 (0.391 mi.)	23	207
RAUB WELL 06		WSW 1/4 - 1/2 (0.421 mi.)	G25	216
RAUB WELL 08		W 1/4 - 1/2 (0.424 mi.)	G26	225

#### Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 2 SWEEPS UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ORANGE OIL COMPANY	505 ORANGE SHOW RD	WSW 1/8 - 1/4 (0.206 mi.)	D9	131
Status: A Tank Status: A				

Comp Number: 18451

HOME LUMBER COMPANY, 24345 PIONEER ST W 1/8 - 1/4 (0.229 mi.) D12 141

Status: A Tank Status: A Comp Number: 44864

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 2 HIST UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
TEXACO SERVICE STATI	505 ORANGE SHOW	WSW 1/8 - 1/4 (0.206 mi.)	D10	133
HOME LUMBER COMPANY	24345 PIONEER STREET	W 1/8 - 1/4 (0.229 mi.)	D11	141
Facility Id: 00000044864				

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 2 CA FID UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ORANGE OIL COMPANY Facility Id: 36001148 Status: A	505 ORANGE SHOW RD	WSW 1/8 - 1/4 (0.206 mi.)	D9	131
HOME LUMBER COMPANY, Facility ld: 36009024 Status: A	24345 PIONEER ST	W 1/8 - 1/4 (0.229 mi.)	D12	141

#### Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/28/2022 has revealed that there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BERNELL PAYTON TRUCK EPA ID:: CAL000289584	745 E NORMAN RD	0 - 1/8 (0.000 mi.)	A3	94
MYNOR AUTO SALES EPA ID:: CAL000267915	976 HOPE ST	NE 1/8 - 1/4 (0.181 mi.)	C7	123

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 10/26/2021 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NORTON AIR FORCE BAS		NE 1/2 - 1 (0.850 mi.)	K37	276

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 01/25/2022 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page
USAF NORTON AFB	305 S TIPPECANOE AVE	N 1/2 - 1 (0.763 mi.)	0	9
EPA ID:: CA4570024345				

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 11/04/2021 has revealed that there is 1 FINDS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BERNELL PAYTON TRUCK	745 E NORMAN RD	0 - 1/8 (0.000 mi.)	A2	93
Registry ID:: 110070456066				

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 01/01/2022 has revealed that there is 1 ECHO site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BERNELL PAYTON TRUCK	745 E NORMAN RD	0 - 1/8 (0.000 mi.)	A2	93
Registry ID: 110070456066				

UXO: A listing of unexploded ordnance site locations

A review of the UXO list, as provided by EDR, and dated 12/31/2020 has revealed that there is 1 UXO site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EOD FACILITY		N 1/2 - 1 (0.955 mi.)	40	279

Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the Cortese list, as provided by EDR, and dated 12/16/2021 has revealed that there are 4 Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
S AND G ROOFING SUPP Cleanup Status: COMPLETED - Co	1444 TIPPECANOE AVE ASE CLOSED	ESE 1/4 - 1/2 (0.446 mi.)	H27	233
SUPPORT SERVICES BUI Cleanup Status: COMPLETED - Co	<b>1333 TIPPECANOE AVE</b> ASE CLOSED	ESE 1/4 - 1/2 (0.472 mi.)	H31	260
Lower Elevation	Address	Direction / Distance	Map ID	Page
FRANK'S FENCE Cleanup Status: COMPLETED - Co	 1145 S WATERMAN AVE ASE CLOSED	W 1/4 - 1/2 (0.477 mi.)	J33	265

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 4 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
S AND G ROOFING SUPP Reg ld: 083601727T	1444 TIPPECANOE AVE	ESE 1/4 - 1/2 (0.446 mi.)	H27	233
SUPPORT SERVICES BUI Reg ld: 083600802T	1333 TIPPECANOE AVE	ESE 1/4 - 1/2 (0.472 mi.)	H31	260
Lower Elevation	Address	Direction / Distance	Map ID	Page
FRANK'S FENCE Reg ld: 083601117T	1145	W 1/4 - 1/2 (0.477 mi.)	J32	264
VALLEY GAS / AUTO RE Reg Id: 083603599T	1195	W 1/4 - 1/2 (0.479 mi.)	J35	274

HWP: Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

A review of the HWP list, as provided by EDR, and dated 11/15/2021 has revealed that there is 1 HWP site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page
FOAMEX INTERNATIONAL	1400 E VICTORIA AVE	ESE 1/2 - 1 (0.743 mi.)	36	275
EPA ID: CAT000646190				
Cleanup Status: PROTECTIVE FILER				

San Bern. Co. Permit: San Bernardino County Fire Department Hazardous Materials Division.

A review of the San Bern. Co. Permit list, as provided by EDR, and dated 12/01/2021 has revealed that there are 3 San Bern. Co. Permit sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page	
MYNOR AUTO SALES Facility Status: ACTIVE Facility Id: FA0013396	976 HOPE ST	NE 1/8 - 1/4 (0.181 mi.)	C8	126	
Lower Elevation	Address	Direction / Distance	Map ID	Page	
GREENWASTE SAN BERNA Facility Status: INACTIVE Facility Id: FA0003852	595 E ORANGE SHOW RD	WSW 0 - 1/8 (0.105 mi.)	B4	96	
AMAZON COM SERVICES Facility Status: ACTIVE Facility Status: FEE EXEMPT Facility Id: FA0017218	555 EAST ORANGE SHOW	WSW 1/8 - 1/4 (0.147 mi.)	B5	98	


PROC: A listing of certified processors.

A review of the PROC list, as provided by EDR, and dated 11/29/2021 has revealed that there is 1 PROC site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EAST VALLEY RECYCLIN Cert Id: PR160638.001 Reg Id: 160638	1150 S TIPPECANOE AV	E 1/4 - 1/2 (0.336 mi.)	F18	183

There were no unmapped sites in this report.

### **OVERVIEW MAP - 6958905.2S**




SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road San Bernardino CA 92408 LAT/LONG: 34.080581 / 117.267997 CLIENT: GeoSyntec Consultants CONTACT: Jackie Hyman

INQUIRY #: 6958905.2s

DATE: April 28, 2022 8:54 am

### **DETAIL MAP - 6958905.2S**



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino CA 92408 LAT/LONG: 34.080581 / 117.267997 CLIENT: GeoSyntec Consultants CONTACT: Jackie Hyman

INQUIRY#: 6958905.2s

DATE: April 28, 2022 8:55 am

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted	
STANDARD ENVIRONMENTAL RECORDS									
Lists of Federal NPL (Su	perfund) site	s							
NPL Proposed NPL NPL LIENS	1.000 1.000 1.000		0 0 0	0 0 0	0 0 0	1 0 0	NR NR NR	1 0 0	
Lists of Federal Delisted	NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0	
Lists of Federal sites sur CERCLA removals and C		rs							
FEDERAL FACILITY SEMS	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0	
Lists of Federal CERCLA	A sites with N	FRAP							
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0	
Lists of Federal RCRA facilities undergoing Corrective Action									
CORRACTS	1.000		0	0	0	1	NR	1	
Lists of Federal RCRA T	SD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0	
Lists of Federal RCRA g	enerators								
RCRA-LQG RCRA-SQG RCRA-VSQG	0.250 0.250 0.250		0 0 0	1 1 0	NR NR NR	NR NR NR	NR NR NR	1 1 0	
Federal institutional con engineering controls reg									
LUCIS US ENG CONTROLS US INST CONTROLS	0.500 0.500 0.500		0 0 0	0 0 0	0 0 0	NR NR NR	NR NR NR	0 0 0	
Federal ERNS list									
ERNS	0.001		0	NR	NR	NR	NR	0	
Lists of state- and tribal (Superfund) equivalent s	sites								
RESPONSE	1.000		0	0	1	0	NR	1	
Lists of state- and tribal hazardous waste facilitie	es								
ENVIROSTOR	1.000		0	0	2	3	NR	5	
Lists of state and tribal l and solid waste disposa									
SWF/LF	0.500		0	0	1	NR	NR	1	

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted		
Lists of state and tribal leaking storage tanks										
LUST INDIAN LUST CPS-SLIC	0.500 0.500 0.500		0 0 0	1 0 0	6 0 0	NR NR NR	NR NR NR	7 0 0		
Lists of state and tribal r	registered sto	rage tanks								
FEMA UST UST AST INDIAN UST	0.250 0.250 0.250 0.250		0 0 1 0	0 0 0 0	NR NR NR NR	NR NR NR NR	NR NR NR NR	0 0 1 0		
Lists of state and tribal v	oluntary clea	anup sites								
INDIAN VCP VCP	0.500 0.500		0	0	0	NR NR	NR NR	0		
Lists of state and tribal k		tes								
BROWNFIELDS	0.500		0	0	0	NR	NR	0		
ADDITIONAL ENVIRONMEN	ITAL RECORD	<u>s</u>								
Local Brownfield lists										
US BROWNFIELDS	0.500		0	0	0	NR	NR	0		
Local Lists of Landfill / S Waste Disposal Sites	Solid									
WMUDS/SWAT SWRCY HAULERS INDIAN ODI ODI DEBRIS REGION 9 IHS OPEN DUMPS	0.500 0.500 0.001 0.500 0.500 0.500 0.500		0 0 0 0 0	0 0 NR 0 0 0	0 0 NR 0 0 0	NR NR NR NR NR NR	NR NR NR NR NR NR	0 0 0 0 0 0		
Local Lists of Hazardous Contaminated Sites	s waste /									
US HIST CDL HIST Cal-Sites SCH CDL Toxic Pits CERS HAZ WASTE US CDL PFAS AQUEOUS FOAM	0.001 1.000 0.250 0.001 1.000 0.250 0.001 0.500 TP		0 0 0 1 0 0 0 0 NR	NR 0 0 NR 0 2 NR 1 NR	NR 0 NR NR 0 NR NR NR	NR 0 NR NR 0 NR NR NR	NR NR NR NR NR NR NR	0 0 0 1 0 2 0 13 0		
Local Lists of Registered	d Storage Tar	ıks								
SWEEPS UST HIST UST CA FID UST	0.250 0.250 0.250		0 0 0	2 2 2	NR NR NR	NR NR NR	NR NR NR	2 2 2		

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CERS TANKS	0.250		0	0	NR	NR	NR	0
Local Land Records								
LIENS LIENS 2 DEED	0.001 0.001 0.500		0 0 0	NR NR 0	NR NR 0	NR NR NR	NR NR NR	0 0 0
Records of Emergency Release Reports								
HMIRS CHMIRS LDS MCS SPILLS 90	0.001 0.001 0.001 0.001 0.001		0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0
Other Ascertainable Rec								
RCRA NonGen / NLR FUDS DOD SCRD DRYCLEANERS US FIN ASSUR EPA WATCH LIST 2020 COR ACTION TSCA TRIS SSTS ROD RMP RAATS PRP PADS ICIS FTTS MLTS COAL ASH DOE COAL ASH EPA PCB TRANSFORMER RADINFO HIST FTTS DOT OPS CONSENT INDIAN RESERV FUSRAP	0.250 1.000 1.000 1.000 0.500 0.001 0.001 0.001 0.001 1.000 0.001		100000000000000000000000000000000000000	1 0 0 0 RR OR NO	NR O O O R R R R R R O R R R R R R N N O R R R R	NR 1 0 RR RR RR RR NR NR NR NR NR NR NR NR NR	NR	2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
UMTRA LEAD SMELTERS US AIRS US MINES ABANDONED MINES FINDS ECHO UXO DOCKET HWC	0.500 0.001 0.001 0.250 0.250 0.001 0.001 1.000 0.001		0 0 0 0 1 1 0	0 NR NR 0 0 NR NR NR	0 NR NR NR NR NR NR NR	NR NR NR NR NR NR NR	NR NR NR NR NR NR NR	0 0 0 0 1 1 1

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUELS PROGRAM CA BOND EXP. PLAN Cortese CUPA Listings DRYCLEANERS EMI ENF Financial Assurance HAZNET ICE HIST CORTESE HWP HWT MINES MWMP NPDES San Bern. Co. Permit PEST LIC PROC Notify 65 UIC UIC GEO WASTEWATER PITS WDS WIP MILITARY PRIV SITES PROJECT WDR CIWQS CERS NON-CASE INFO OTHER OIL GAS PROD WATER PONDS	0.250 1.000 0.500 0.250 0.0250 0.001 0.001 0.001 0.500 1.000 0.250 0.250 0.250 0.250 0.001 0.500 1.000 1.000 1.000 1.000 1.0001 0.500 0.001 0.500 0.001 0.500 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	<u> </u>		0 0 0 0 0 0 NR NR NR 0 0 0 0 0 NR 2 R 0 0 R 0 R NR N	NO 4 NR NR NR 4 0 R R NR NR 1 0 R R O R R R R R R R R R R R R R R R R	NORRER NEW TERMS OF SERVICE SE		0 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SAMPLING POINT WELL STIM PROJ HWTS MINES MRDS	0.001 0.001 TP 0.001		0 0 NR 0	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	0 0 0 0
EDR HIGH RISK HISTORICA	EDR HIGH RISK HISTORICAL RECORDS							
EDR Exclusive Records								
EDR MGP EDR Hist Auto EDR Hist Cleaner	1.000 0.125 0.125		0 0 0	0 NR NR	0 NR NR	0 NR NR	NR NR NR	0 0 0
EDR RECOVERED GOVERN	MENT ARCHIV	<u>/ES</u>						
Exclusive Recovered Go	vt. Archives							
RGA LF	0.001		0	NR	NR	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
RGA LUST	0.001		0	NR	NR	NR	NR	0
- Totals		0	6	15	31	9	0	61

### NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID MAP FINDINGS

Direction Distance

Elevation Site Database(s) EPA ID Number

 NPL
 USAF NORTON AFB
 NPL
 1000417274

 Region
 305 S TIPPECANOE AVE
 SEMS
 CA4570024345

 North
 SAN BERNARDINO, CA 92408
 CORRACTS

1/2-1
4027 ft.

RCRA-TSDF
RCRA-SQG
US ENG CONTROLS
US INST CONTROLS
ROD

NPL:

EPA Region:

EPA ID: CA4570024345 Site ID: 902760

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB
City,State,Zip: SAN BERNARDINO, CA 92408

Federal: Y

Final Date: 1987-07-22 00:00:00

Latitude: 34.098061 Longitude: -117.2372

NAI: Not reported Native American Entity: Not reported

NPL:

NPL Status: Currently on the Final NPL

Substance ID: Not reported CAS Number: Not reported Substance: Not reported Pathway: Not reported Scoring: Not reported

NPL Status: Currently on the Final NPL

Substance ID: U211 CAS Number: 56-23-5

Substance: CARBON TETRACHLORIDE Pathway: GROUND WATER PATHWAY

Scoring: 3

NPL Status: Currently on the Final NPL

Substance ID: U228 CAS Number: 79-01-6

Substance: TRICHLOROETHYLENE (TCE)
Pathway: GROUND WATER PATHWAY

Scoring: 2

Summary Details:

Conditions at proposal October 15, 1984): Norton Air Force Base covers approximately 2,036 acres 58 miles east of Los Angeles near the City of San Bernardino, San Bernardino County, California. It is in a low-lying alluvial plain surroundedon the north and east by the San Bernardino Mountain Range. The base began operations in 1942 and has served as a major overhaul center for jet engines and the general repair of aircraft. Since 1962, the facility has served as a Military Airlift Command Base. In addition, Norton formerly had the responsibility for providing maintenance and logistics for liquid-fuel intercontinental ballistic missiles. Past ha ardous waste management practices may have contributed to existing contamination problems throughout the base. The practices include burial of drums and other unspecified materials; disposal of waste oils, solvents, and paint residues

**EDR ID Number** 

Map ID MAP FINDINGS
Direction

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

#### **USAF NORTON AFB (Continued)**

1000417274

into landfills, unlined pits, ponds, and drying beds; storage in leaking underground tanks; and spills of AVGAS, oils, solvents, PCBs, and acidic plating solutions. Industrial solvents have been used extensively on the base. Unknown quantities of spent solvents were disposed of in several base landfills. A well on the base has been contaminated with trichloroethylene TCE). The well water is currently being used in a blended system and is sampled quarterly to ensure that TCE is below the California State action level. The water is used by approximately II,000 people who live and/or work on the base. Norton Air Force Base is participating in the Installation Restoration Program IRP), established in 1978. Under this program, the Department of Defense seeks to identify, investigate, and clean up contamination from ha ardous materials. The Air Force has completed Phase I records search). Phase II remedial investigation) is underway. Status July 22, 1987): In November 1986, the California Regional Water Quality Control Board issued a Cleanup and Abatement Order requiring Norton to clean up one on-base area, the Industrial Waste Water Treatment Plant Sludge Drying Beds. Phase II-Stage 2 of the IRP was completed in December 1986. It focusedon characteri ation of the contamination at 18 on-base areas. More than 22 areas have been identified to date. Additional areas will be studied in Stage 3, scheduled to begin in the fall of 1987. Within the boundaries of this Federal facility, there are areas subject to the Subtitle C corrective action authorities of the Resource Conservation and Recovery Act RCRA). However, no such areas were included in scoring this specific site. Therefore, this Federal facility site isbeing placed on the Federal section of the NPL under the NPL/RCRA policy announced on September 8, 1983 48 FR 40662).

NPL:

NPL Status: Currently on the Final NPL

Category Description: Depth To Aquifer-> 50 And <= 100 Feet

Category Value: 80

NPL Status: Currently on the Final NPL

Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile

Category Value: 10

NPL:

NPL Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL:

 EPA Region:
 09

 Site ID:
 0902760

 Site Status:
 F

 Federal Site:
 Y

Date Deleted: Not reported
Date Finalized: 07/22/87
Date Proposed: 10/15/84

NPL:

Proposed Date: 10/15/1984
Final Date: 07/22/1987
Deleted Date: Not reported
NPL Status: Final

Map ID MAP FINDINGS

Direction Distance

Elevation Site Database(s) EPA ID Number

#### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

SEMS:

 Site ID:
 0902760

 EPA ID:
 CA4570024345

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB

Address 2: Not reported

City, State, Zip: SAN BERNARDINO, CA 92408

 Cong District:
 31,40

 FIPS Code:
 06071

 Latitude:
 34.098061

 Longitude:
 -117.237200

 FF:
 Y

NPL: Currently on the Final NPL

Non NPL Status: Not reported

SEMS Detail:

 Region:
 09

 Site ID:
 0902760

 EPA ID:
 CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

 NPL:
 F

 FF:
 Y

 OU:
 00

 Action Code:
 MA

 Action Name:
 ST COOP

SEQ:

Start Date: 1989-04-30 04:00:00 Finish Date: 6/30/1994 4:00:00 AM

Qual: Not reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0902760

 EPA ID:
 CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

 NPL:
 F

 FF:
 Y

 OU:
 00

 Action Code:
 AR

Action Name: ADMIN REC

SEQ:

Start Date: 2000-07-24 04:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0902760

 EPA ID:
 CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

 NPL:
 F

 FF:
 Y

 OU:
 00

 Action Code:
 HR

 Action Name:
 HAZRANK

SEQ:

Start Date: 1988-06-01 04:00:00

Map ID MAP FINDINGS

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

6/1/1988 4:00:00 AM Finish Date: Not reported Qual: **Current Action Lead:** EPA Perf

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: Υ FF: 00 OU: Action Code: CM Action Name: **PCOR** SEQ:

Start Date: 2006-05-16 04:00:00 5/16/2006 4:00:00 AM Finish Date:

Qual: Not reported **Current Action Lead: EPA Perf** 

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: OU: 00 Action Code: CR Action Name: CI SEQ:

1987-09-30 04:00:00 Start Date: Finish Date: Not reported Qual: Not reported **Current Action Lead: EPA Perf** 

09 Region: Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: OU: 01 Action Code: RO Action Name: ROD SEQ:

Start Date: 1993-11-24 05:00:00 Finish Date: 11/24/1993 5:00:00 AM

Qual: Not reported Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 CA4570024345 EPA ID:

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: Υ OU: 02 Action Code: ΕE Map ID MAP FINDINGS

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

Action Name: EE/CA

SEQ:

Start Date: 1996-03-29 05:00:00 Finish Date: 3/29/1996 5:00:00 AM

Qual: Not reported **Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: OU: 02 Action Code: OM Action Name: OM SEQ:

Start Date: 1999-11-28 05:00:00 Finish Date: Not reported Not reported Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: Υ OU: 01 Action Code: LW Action Name: FF RI/FS SEQ:

Start Date: 1989-06-29 04:00:00 Finish Date: 11/24/1993 5:00:00 AM

Not reported Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: F FF: Υ OU: 01 Action Code: LX Action Name: FF RD

SEQ: 1993-11-24 05:00:00 Start Date: 9/16/1994 4:00:00 AM

Finish Date: Qual: Not reported **Current Action Lead:** Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

FF: Υ OU: 00 Action Code: NΡ

Action Name: **PROPOSED** 

SEQ:

Start Date: 1984-10-15 05:00:00 Finish Date: 10/15/1984 5:00:00 AM

Not reported Qual: Current Action Lead: Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: OU: 02 Action Code: RO Action Name: ROD SEQ:

Start Date: 2005-09-29 04:00:00 Finish Date: 9/29/2005 4:00:00 AM

**Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: OU: 00 Action Code: SI Action Name: SI SEQ:

Start Date: 1984-04-01 06:00:00 Finish Date: 4/1/1984 6:00:00 AM

Qual: Н Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: LW Action Name: FF RI/FS SEQ:

Start Date: 1998-10-01 04:00:00 6/10/2003 4:00:00 AM Finish Date:

Not reported Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: OU: 02 Action Code: LV Action Name: FF RV SEQ:

Start Date: 1996-03-25 05:00:00 Finish Date: 4/22/1997 4:00:00 AM

Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 CA4570024345 EPA ID:

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: OU: 02 Action Code: LV Action Name: FF RV

SEQ:

Start Date: 1996-04-25 04:00:00 9/30/1999 4:00:00 AM Finish Date:

Qual: **Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: OU: 02 Action Code: LV Action Name: FF RV SEQ:

Start Date: 1996-04-18 04:00:00 12/19/1997 5:00:00 AM Finish Date:

Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: LV Action Name: FF RV SEQ:

Start Date: 1997-06-30 04:00:00 12/8/1998 5:00:00 AM Finish Date:

Qual: Not reported **Current Action Lead:** Fed Fac

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **USAF NORTON AFB (Continued)**

1000417274

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: F FF: OU: 02 Action Code: LV Action Name: FF RV SEQ:

Start Date: 1997-06-25 04:00:00 Finish Date: 12/8/1998 5:00:00 AM

Qual: Not reported **Current Action Lead:** Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: Υ OU: 02 Action Code: LV Action Name: FF RV SEQ: 12

1996-04-15 04:00:00 Start Date: Finish Date: 7/22/1997 4:00:00 AM

Qual: Not reported **Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: Υ OU: 01 Action Code: OM Action Name: OM SEQ:

Start Date: 1996-07-26 04:00:00 Finish Date: 12/21/2005 5:00:00 AM

Qual: Not reported **Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: FF: Υ OU: 00 Action Code: LV FF RV Action Name: SEQ:

Start Date: 1991-01-04 05:00:00 Finish Date: 4/8/1992 4:00:00 AM

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

Qual: С

Current Action Lead: Fed Fac Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: RO Action Name: ROD SEQ:

Start Date: 1997-06-25 04:00:00 6/25/1997 4:00:00 AM Finish Date:

Qual: Not reported Fed Fac **Current Action Lead:** 

Region: 09

0902760 Site ID: EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 00 Action Code: NF Action Name: **NPL FINL** 

SEQ:

Start Date: 1987-07-22 04:00:00 7/22/1987 4:00:00 AM Finish Date:

Qual: Not reported **Current Action Lead:** Fed Fac

Region: 09 0902760 Site ID: EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: F FF: Υ OU: 00 Action Code: РΑ Action Name: PΑ SEQ:

Start Date: 1984-04-01 06:00:00 Finish Date: 4/1/1984 6:00:00 AM

Qual:

**Current Action Lead:** Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

NORTON AIR FORCE BASE (LNDFLL #2) Site Name:

NPL: F FF: Υ OU: 01 Action Code: LY Action Name: FF RA

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

SEQ:

1994-09-16 04:00:00 Start Date: Finish Date: 7/26/1996 4:00:00 AM

Qual: Not reported Current Action Lead: Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: LV FF RV Action Name: SEQ:

Start Date: 1995-12-21 05:00:00 Finish Date: 7/28/1999 4:00:00 AM

Qual: Not reported Current Action Lead: Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: LV Action Name: FF RV SEQ: 13

Start Date: 2004-02-02 05:00:00 Finish Date: 9/29/2005 4:00:00 AM

Qual: Not reported Fed Fac Current Action Lead:

Region: 09 0902760 Site ID: EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: F FF: OU: 02 Action Code: LV Action Name: FF RV SEQ:

2003-11-24 05:00:00 Start Date: 9/29/2005 4:00:00 AM Finish Date:

Qual: Not reported Fed Fac **Current Action Lead:** 

Region: 09 0902760 Site ID: EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: Υ FF:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

OU: 02 Action Code: LV Action Name: FF RV SEQ: 15

Start Date: 2003-12-17 05:00:00 Finish Date: 9/29/2005 4:00:00 AM

Not reported Qual: Current Action Lead: Fed Fac

Region: 09 Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: OU: 02 Action Code: LV Action Name: FF RV SEQ:

Start Date: 2003-12-11 05:00:00 Finish Date: 12/3/2004 5:00:00 AM

Not reported Qual: Current Action Lead: Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: FF: Υ OU: 02 Action Code: LV Action Name: FF RV SEQ:

1996-09-20 04:00:00 Start Date: Finish Date: 11/15/1996 5:00:00 AM

Qual: Not reported **Current Action Lead:** Fed Fac

09 Region: Site ID: 0902760 EPA ID: CA4570024345

Site Name: NORTON AIR FORCE BASE (LNDFLL #2)

NPL: F FF: Υ OU: 00 Action Code: DS **DISCVRY** Action Name: SEQ:

1980-08-01 04:00:00 Start Date: Finish Date: 8/1/1980 4:00:00 AM Qual: Not reported

Current Action Lead: Fed Fac

CORRACTS:

**USAF NORTON AFB** Name:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **USAF NORTON AFB (Continued)**

1000417274

Address: 305 S TIPPECANOE AVE

Address 2: Not reported EPA ID: CA4570024345

CENTRAL BASE AREA OU Area Name: Corrective Action: INVESTIGATION WORKPLAN APPROVED

19930205 Actual Date: Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Not reported Soil Release Indicator: Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: 305 S TIPPECANOE AVE Address:

Address 2: Not reported CA4570024345 EPA ID:

CENTRAL BASE AREA OU Area Name:

Corrective Action: INVESTIGATION COMPLETE

Actual Date: 19930205 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

Name: **USAF NORTON AFB** 305 S TIPPECANOE AVE Address:

Address 2: Not reported EPA ID: CA4570024345

Area Name: CENTRAL BASE AREA OU CMS WORKPLAN APPROVED Corrective Action:

19930205 Actual Date: Not reported Air Release Indicator: Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: Address: 305 S TIPPECANOE AVE

Address 2: Not reported CA4570024345 EPA ID:

CENTRAL BASE AREA OU Area Name:

Corrective Action: **CMS COMPLETE** Actual Date: 19930205 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: 305 S TIPPECANOE AVE Address:

Address 2: Not reported CA4570024345 EPA ID:

Area Name: CENTRAL BASE AREA OU CMI WORKPLAN APPROVED Corrective Action:

Actual Date: 19941007 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: 305 S TIPPECANOE AVE Address:

Address 2: Not reported CA4570024345 EPA ID:

CENTRAL BASE AREA OU Area Name:

STABILIZATION/INTERIM MEASURES DECISION-GROUNDWATER EXTRACTION and Corrective Action:

**TREATMENT** 

Actual Date: 19890713 Air Release Indicator: Not reported Not reported Groundwater Release Indicator: Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

USAF NORTON AFB Name: 305 S TIPPECANOE AVE Address:

Address 2: Not reported EPA ID: CA4570024345 **ENTIRE FACILITY** Area Name:

Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS

DATE

Actual Date: 20000522 Air Release Indicator: Not reported Not reported Groundwater Release Indicator: Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: 305 S TIPPECANOE AVE Address:

Address 2: Not reported EPA ID: CA4570024345 Area Name: **ENTIRE FACILITY** 

Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-FACILITY DOES NOT MEET

**DEFINITION** 

20000522 Actual Date: Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

**USAF NORTON AFB** Name: Address: 305 S TIPPECANOE AVE

Address 2: Not reported EPA ID: CA4570024345 **ENTIRE FACILITY** Area Name:

Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE

Actual Date: 19980618 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

Name: **USAF NORTON AFB** 305 S TIPPECANOE AVE Address:

Address 2: Not reported EPA ID: CA4570024345 1000417274

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **USAF NORTON AFB (Continued)**

1000417274

Area Name: **ENTIRE FACILITY** REMEDY DECISION Corrective Action: Actual Date: 19931124 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Not reported Surface Water Release Indicator:

Name: **USAF NORTON AFB** Address: 305 S TIPPECANOE AVE

Address 2: Not reported EPA ID: CA4570024345 **ENTIRE FACILITY** Area Name:

Corrective Action: REMEDY CONSTRUCTION-REMEDY CONSTRUCTED

Actual Date: 19950601 Air Release Indicator: Not reported Groundwater Release Indicator: Not reported Soil Release Indicator: Not reported Surface Water Release Indicator: Not reported

> Click this hyperlink while viewing on your computer to access 1 additional CORRACTS: record(s) in the EDR Site Report.

RCRA-SQG:

Date Form Received by Agency: 19960901

Handler Name: **USAF NORTON AFB** 

Handler Address: 305 S TIPPECANOE AVE Handler City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345 Contact Name: Not reported Contact Address: Not reported Contact City, State, Zip: Not reported Contact Telephone: Not reported Contact Fax: Not reported Contact Email: Not reported Not reported Contact Title: EPA Region: Land Type: Federal

Small Quantity Generator Federal Waste Generator Description:

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported

Active Site Indicator: Handler Activities, Corrective Action Activities

State District Owner: CA State District:

63RD CIV ENG SQU/DEEV Mailing Address: Mailing City, State, Zip: NORTON AFB, CA 92409

Owner Name: Not reported Owner Type: Not reported

MULTIPLE OPS - USAF & DPDO Operator Name:

Operator Type: Federal Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: Yes Transfer Facility Activity: No Recycler Activity with Storage: No

Distance
Elevation Site

# **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

**EPA ID Number** 

Database(s)

 Small Quantity On-Site Burner Exemption:
 No

 Smelting Melting and Refining Furnace Exemption:
 No

 Underground Injection Control:
 No

 Off-Site Waste Receipt:
 No

 Universal Waste Indicator:
 No

 Universal Waste Destination Facility:
 No

 Federal Universal Waste:
 No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler: -

Federal Facility Indicator: The land is federally-owned, The site is federally-operated

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Storage, Treatment 2018 GPRA Permit Baseline: Not Accomplished Not on the Baseline 2018 GPRA Renewals Baseline: Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Storage, Treatment Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

Yes

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

Groundwater Controls Indicator:

No

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: MULTIPLE OPS - USAF & DPDO

Legal Status:FederalDate Became Current:Not reportedDate Ended Current:Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Owner/Operator Address: US DEPT OF AIR FORCE NORTON Owner/Operator City, State, Zip: US DEPT OF AIR FORCE NORTON CITY NOT REPORTED, CA 99999

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: MULTIPLE OPS - USAF & DPDO

Legal Status: Federal
Date Became Current: Not reported
Date Ended Current: Not reported

Owner/Operator Address: US DEPT OF AIR FORCE NORTON Owner/Operator City, State, Zip: US DEPT OF AIR FORCE NORTON CITY NOT REPORTED, CA 99999

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name:

Legal Status:

Date Became Current:

Date Ended Current:

Owner/Operator Address:

US AIR FORCE
Federal
Not reported
Not reported
NORTON AFB

Owner/Operator City, State, Zip: SAN BERNARDINO, CA 92409

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19960901

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner:

Large Quantity Handler of Universal Waste:

No
Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960901

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Small Quantity Generator

State District Owner:

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Distance

Elevation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Receive Date: 19800818

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner:

CA

Large Quantity Handler of Universal Waste:

No

Recognized Trader Importer:

No

Recognized Trader Exporter:

No

Spent Lead Acid Battery Importer:

No

Spent Lead Acid Battery Exporter:

No

Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19900417

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19920228

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity:

Electronic Manifest Broker:

Not reported

Not reported

Receive Date: 19940328

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960311

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 1000417274

Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 2349

NAICS Description: OTHER HEAVY CONSTRUCTION

NAICS Code: 23552

NAICS Description: FLOOR LAYING AND OTHER FLOOR CONTRACTORS

NAICS Code:

ELECTROPLATING, PLATING, POLISHING, ANODIZING, AND COLORING NAICS Description:

NAICS Code:

AIRCRAFT MANUFACTURING NAICS Description:

NAICS Code: 48811

NAICS Description: AIRPORT OPERATIONS

NAICS Code:

NAICS Description: **FACILITIES SUPPORT SERVICES** 

NAICS Code: 811111

NAICS Description: GENERAL AUTOMOTIVE REPAIR

NAICS Code: 81292

NAICS Description: **PHOTOFINISHING** 

NAICS Code: 92411

NAICS Description: ADMINISTRATION OF AIR AND WATER RESOURCE AND SOLID WASTE MANAGEMENT

**PROGRAMS** 

NAICS Code: 92811

NATIONAL SECURITY NAICS Description:

Facility Has Received Notices of Violation:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported

Distance Elevation

Site Database(s) **EPA ID Number** 

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: **EPA** 

Violation Short Description: TSD - General Date Violation was Determined: 19870820 Actual Return to Compliance Date: 19880726 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** 

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

Not reported

SEP Sequence Number:

Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Map ID MAP FINDINGS Direction

Distance Elevation Site EDR ID Number Database(s) EPA ID Number

Not reported

Not reported

Not reported

Not reported

# **USAF NORTON AFB (Continued)**

**Enforcement Docket Number:** 

Corrective Action Component:

Enforcement Attorney:

Appeal Initiated Date:

1000417274

,	
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	Hot reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
SEF TYPE DESCRIPTION.	Not reported
	Not reported
Proposed Amount:	Not reported
Proposed Amount: Final Monetary Amount:	Not reported
Proposed Amount: Final Monetary Amount: Paid Amount:	Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count:	Not reported Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount:	Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount:	Not reported Not reported Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation:	Not reported Not reported Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation:	Not reported Not reported Not reported Not reported No Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description:	Not reported Not reported Not reported Not reported No Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined:	Not reported Not reported Not reported Not reported No Not reported Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date:	Not reported Not reported Not reported Not reported No Not reported Not reported Not reported Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount:  Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date: Return to Compliance Qualifier:	Not reported Not reported Not reported Not reported No Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date: Return to Compliance Qualifier: Violation Responsible Agency:	Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date: Return to Compliance Qualifier: Violation Responsible Agency: Scheduled Compliance Date:	Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date: Return to Compliance Qualifier: Violation Responsible Agency: Scheduled Compliance Date: Enforcement Identifier:	Not reported
Proposed Amount: Final Monetary Amount: Paid Amount: Final Count: Final Amount: Found Violation: Agency Which Determined Violation: Violation Short Description: Date Violation was Determined: Actual Return to Compliance Date: Return to Compliance Qualifier: Violation Responsible Agency: Scheduled Compliance Date:	Not reported

Map ID MAP FINDINGS Direction

Distance Elevation Site EDR ID Number Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

Final Monetary Amount:

1000417274

o	
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported SEP Expenditure Amount:	Natura antari
SEP Experiorure Amount. SEP Scheduled Completion Date:	Not reported Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported Not reported
Disposition Status Date: Disposition Status:	Not reported
Disposition Status.  Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	Hotropolica
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported

Not reported

Distance Elevation

Site Database(s) **EPA ID Number** 

Not reported

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Not reported Date Violation was Determined: Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

TSD - General Violation Short Description: Date Violation was Determined: 19870623 Actual Return to Compliance Date: 19870806 Return to Compliance Qualifier: Observed Violation Responsible Agency: State

Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported

**EDR ID Number** Distance Elevation Site Database(s) **EPA ID Number** 

TSD - General

**USAF NORTON AFB (Continued)** 

1000417274

Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Date Violation was Determined: 19891030 Actual Return to Compliance Date: 19900314 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19900314 Enforcement Identifier: 004 Date of Enforcement Action: 19891211 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Distance Elevation Site

Database(s)

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

**EPA ID Number** 

Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

TSD - General Violation Short Description: Date Violation was Determined: 19920515 Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported Enforcement Attorney: Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization: Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported

Map ID MAP FINDINGS Direction

Distance Elevation Site

Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: **EPA** 

Violation Short Description: TSD - General Date Violation was Determined: 19880726 Actual Return to Compliance Date: 19891030 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount:

Final Count:

Not reported

Not reported

Not reported

Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined: 19870820 Actual Return to Compliance Date: 19880726 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Not reported

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Not reported Enforcement Responsible Sub-Organization:

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description:TSD - GeneralDate Violation was Determined:19920515Actual Return to Compliance Date:19920619Return to Compliance Qualifier:ObservedViolation Responsible Agency:StateScheduled Compliance Date:Not reportedEnforcement Identifier:Not reported

Scheduled Compliance Date:

Enforcement Identifier:

Not reported
Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Enforcement Attorney:

Not reported
Enforcement Attorney:

Not reported
Corrective Action Component:

Appeal Initiated Date:

Not reported
Not reported
Not reported

Distance Elevation Site

Database(s) **EPA ID Number** 

Not reported

Not reported

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation:

Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Disposition Status Description:

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

## **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Not reported Violation Short Description: Not reported Date Violation was Determined: Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported Enforcement Attorney: Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person:

Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

TSD - General Violation Short Description: 19930422 Date Violation was Determined: Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component:

Appeal Initiated Date: Not reported Map ID MAP FINDINGS Direction

Distance Elevation

**EDR ID Number** Site Database(s) **EPA ID Number** 

### **USAF NORTON AFB (Continued)**

1000417274

Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported Not reported
Enforcement Type: WRITTEN INFOR	•
Enforcement Responsible Person:	R9STA
Enforcement Responsible Sub-Organization:	Not reported
,	Not reported
SEP Sequence Number: Not reported SEP Expenditure Amount:	Not reported
•	Not reported
SEP Scheduled Completion Date: SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	•
Date Violation was Determined:	Not reported
	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Not reported

Not reported

Not reported

Not reported

**Enforcement Type:** 

Disposition Status Description:

Disposition Status Date:

Disposition Status:

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number:

Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

Not reported

**USAF NORTON AFB (Continued)** 

Paid Amount:

1000417274

**EDR ID Number** 

Final Count: Not reported Final Amount: Not reported

Found Violation: No

Not reported Agency Which Determined Violation: Violation Short Description: Not reported Not reported Date Violation was Determined: Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person:

Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined: 20030422 Actual Return to Compliance Date: 20050727 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 200 Date of Enforcement Action: 20050316 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component:

Appeal Initiated Date: Not reported Map ID MAP FINDINGS
Direction

Distance Elevation Site

Site Database(s) EPA ID Number

Not reported

Not reported

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Appeal Resolution Date:

Disposition Status Date:

Not reported
Disposition Status:

Not reported
Disposition Status:

Not reported
Not reported
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation:

Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Disposition Status Description:

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Distance Elevation

Site Database(s) EPA ID Number

## **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount:

Final Count:

Not reported

Not reported

Not reported

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

TSD - General Violation Short Description: Date Violation was Determined: 19920515 Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19920515
Actual Return to Compliance Date: 19920619
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State

Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined: 20030422 Actual Return to Compliance Date: 20050727 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 500 Date of Enforcement Action: 20050317 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

Final Monetary Amount:

SEP Expenditure Amount:

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

SEP Type:

Not reported

SEP Type Description:

Not reported

Distance Elevation

on Site Database(s) EPA ID Number

#### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount:

Final Count:

Not reported

Not reported

Not reported

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

TSD - General Violation Short Description: Date Violation was Determined: 19910227 Actual Return to Compliance Date: 19910516 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19910712 Enforcement Identifier: 005 Date of Enforcement Action: 19910412 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Not reported Enforcement Attorney:

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

TSD - General Violation Short Description: 19870623 Date Violation was Determined: Actual Return to Compliance Date: 19870806 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 002 Date of Enforcement Action: 19870806 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported

Map ID MAP FINDINGS
Direction

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

SEP Type:

SEP Type Description:

Final Monetary Amount:

Proposed Amount:

1000417274

Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description: Consent/Final Order Sequence Number:Not reported Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported Found Violation: No Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported **Enforcement Type:** Not reported Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

ion Site Database(s) EPA ID Number

#### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA

Violation Short Description: TSD - Closure/Post-Closure

Date Violation was Determined: 19870820 Actual Return to Compliance Date: 19880726 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Not reported Enforcement Attorney: Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Generators - General Violation Short Description:

Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Not reported Disposition Status Date: **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported Not reported

SEP Sequence Number:

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Distance Elevation Site Database(s)

> **USAF NORTON AFB (Continued)** 1000417274

Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

**Evaluation Action Summary:** 

19930308 **Evaluation Date:** State Evaluation Responsible Agency: Found Violation: Yes

**Evaluation Type Description:** COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19870820 Evaluation Responsible Agency: **EPA** Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19880726 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 20080619 Evaluation Responsible Agency: State Found Violation:

No

**Evaluation Type Description:** COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Not reported Evaluation Responsible Sub-Organization: Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19870730 Evaluation Responsible Agency: State Found Violation: No

**Evaluation Type Description:** FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**EDR ID Number** 

**EPA ID Number** 

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

USAF NORTON AFB (Continued) 1000417274

Evaluation Date: 19870623
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Not reported Evaluation Responsible Sub-Organization: Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20160419
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870623
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: NON-FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870806 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19891030
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900314 Scheduled Compliance Date: 19900314 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: KMORI

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

USAF NORTON AFB (Continued) 1000417274

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Evaluation Date: 20170413
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19880726
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

R9EPA Evaluation Responsible Person Identifier: **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19891030 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870820
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19880726 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: KMORI
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19920619
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20070411
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20050622
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19930308
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870730
Evaluation Responsible Agency: EPA
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19940126 Evaluation Responsible Agency: State

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20030422
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: GROUNDWATER MONITORING EVALUATION

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 20050727 Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20150429
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **KMORI** Evaluation Responsible Sub-Organization: Not reported 19920619 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: KMORI
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19920619

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 20030422
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: GROUNDWATER MONITORING EVALUATION

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 20050727 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19910227
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19910516 Scheduled Compliance Date: 19910712 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870623
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: NON-FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9STA **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19870806 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20060425
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

**Evaluation Date:** 19870820 Evaluation Responsible Agency: **EPA** Found Violation: Yes

**Evaluation Type Description:** COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19880726 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19930308 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19930308 **Evaluation Responsible Agency:** State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

RCRA-SQG:

Date Form Received by Agency: 19960901

**USAF NORTON AFB** Handler Name:

Handler Address: 305 S TIPPECANOE AVE Handler City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345 Contact Name: Not reported Contact Address: Not reported Contact City, State, Zip: Not reported Contact Telephone: Not reported Contact Fax: Not reported Contact Email: Not reported Contact Title: Not reported EPA Region: 09 Land Type: Federal

Federal Waste Generator Description: **Small Quantity Generator** 

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported

Active Site Indicator: Handler Activities, Corrective Action Activities

State District Owner: CA State District:

Mailing Address: 63RD CIV ENG SQU/DEEV Mailing City, State, Zip: NORTON AFB, CA 92409

Owner Name: Not reported Owner Type: Not reported

Operator Name: MULTIPLE OPS - USAF & DPDO Operator Type: Federal

Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: Yes Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: Nο **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No

Federal Universal Waste: No Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Universal Waste Destination Facility:

Federal Facility Indicator: The land is federally-owned, The site is federally-operated

No

Hazardous Secondary Material Indicator: NN Sub-Part K Indicator:

Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Storage, Treatment 2018 GPRA Permit Baseline: Not Accomplished 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Storage, Treatment Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

Distance Elevation Site

on Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

Non-TSDFs Where RCRA CA has Been Imposed Universe:

No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No TSDFs Only Subject to CA under Discretionary Auth Universe:

Yes

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

Groundwater Controls Indicator:

No

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: MULTIPLE OPS - USAF & DPDO

Legal Status:FederalDate Became Current:Not reportedDate Ended Current:Not reported

Owner/Operator Address: US DEPT OF AIR FORCE NORTON Owner/Operator City, State, Zip: CITY NOT REPORTED, CA 99999

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: MULTIPLE OPS - USAF & DPDO

Legal Status: Federal
Date Became Current: Not reported
Date Ended Current: Not reported

Owner/Operator Address: US DEPT OF AIR FORCE NORTON Owner/Operator City, State, Zip: CITY NOT REPORTED, CA 99999

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name:
Legal Status:
Date Became Current:
US AIR FORCE
Federal
Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Date Ended Current:

Owner/Operator Address:

Not reported

NORTON AFB

Owner/Operator City, State, Zip: SAN BERNARDINO, CA 92409

Owner/Operator Telephone: 714-382-3909
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19960901

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner:

CA
Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960901

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Small Quantity Generator

State District Owner:

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19800818

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner:

CA
Large Quantity Handler of Universal Waste:

No
Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19900417

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No

Direction Distance

Elevation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19920228

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19940328

Handler Name: USAF NORTON AFB

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960311

Handler Name: NORTON AIR FORCE BASE

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 2349

NAICS Description: OTHER HEAVY CONSTRUCTION

NAICS Code: 23552

NAICS Description: FLOOR LAYING AND OTHER FLOOR CONTRACTORS

NAICS Code: 332813

NAICS Description: ELECTROPLATING, PLATING, POLISHING, ANODIZING, AND COLORING

NAICS Code: 336411

NAICS Description: AIRCRAFT MANUFACTURING

NAICS Code: 48811

Direction Distance

Elevation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

NAICS Description: AIRPORT OPERATIONS

NAICS Code: 56121

NAICS Description: FACILITIES SUPPORT SERVICES

NAICS Code: 811111

NAICS Description: GENERAL AUTOMOTIVE REPAIR

NAICS Code: 81292

NAICS Description: PHOTOFINISHING

NAICS Code: 92411

NAICS Description: ADMINISTRATION OF AIR AND WATER RESOURCE AND SOLID WASTE MANAGEMENT

**PROGRAMS** 

NAICS Code: 92811

NAICS Description: NATIONAL SECURITY

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 19930422 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported
Not reported
Disposition Status:
Not reported
Disposition Status Description:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

Not reported

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Found Violation: Yes
Agency Which Determined Violation: EPA

Violation Short Description: TSD - General Date Violation was Determined: 19870820 Actual Return to Compliance Date: 19880726 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported

Not reported Enforcement Responsible Agency: **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Not reported Disposition Status Date: Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported Not reported SEP Defaulted Date: SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

Found Violation: No

Final Amount:

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Map ID Direction MAP FINDINGS

Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number** 

Not reported

# **USAF NORTON AFB (Continued)**

Final Count: Final Amount: 1000417274

AF NORTON AFB (Continued)	
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date: Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	•
SEP Sequence Number: Not reported	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Distance Elevation

Site Database(s) EPA ID Number

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

`	i Nontroll Ai B (continued)		
	Found Violation:		No
	Agency Which Determined Violation	•	Not reported
	Violation Short Description:		Not reported
	Date Violation was Determined:		Not reported
	Actual Return to Compliance Date:		Not reported
	Return to Compliance Qualifier:		Not reported
	Violation Responsible Agency:		Not reported
	Scheduled Compliance Date:		Not reported
	Enforcement Identifier:		Not reported
	Date of Enforcement Action:		Not reported
	Enforcement Responsible Agency:		Not reported
	Enforcement Docket Number:		Not reported
	Enforcement Attorney:		Not reported
	Corrective Action Component:		Not reported
	Appeal Initiated Date:		Not reported
	Appeal Resolution Date:		Not reported
	Disposition Status Date:		Not reported
	Disposition Status:		Not reported
	Disposition Status Description:		Not reported
	Consent/Final Order Sequence Num	ber:Not reported	
	Consent/Final Order Respondent Na	ame:	Not reported
	Consent/Final Order Lead Agency:		Not reported
	Enforcement Type:	Not reported	

Enforcement Type:

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Not reported Agency Which Determined Violation: Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported Not reported Enforcement Attorney: Corrective Action Component: Not reported Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Distance Elevation

Site Database(s) EPA ID Number

Not reported

Not reported

Not reported

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Consent/Final Order S	Sequence	Number:Not	reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Not reported

Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported

Paid Amount:

Final Count:

Not reported

Not reported

Not reported

Not reported

Not reported

Found Violation:

Agency Which Determined Violation:

Violation Short Description:

Yes

State

TSD - General

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Not reported

Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported

Disposition Status Description: Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name:

Consent/Final Order Lead Agency:

Not reported

Not reported

Enforcement Type: Not reported

Disposition Status:

Final Amount:

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation Site Database(s)

**USAF NORTON AFB (Continued)** 

**Enforcement Attorney:** 

1000417274

**EDR ID Number** 

**EPA ID Number** 

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19891030 Actual Return to Compliance Date: 19900314 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19900314 Enforcement Identifier: 004 Date of Enforcement Action: 19891211 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported

Not reported

TSD - General

Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Not reported Disposition Status Date: Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Date Violation was Determined: 19920515 Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported

Disposition Status Description:

Map ID Direction MAP FINDINGS

Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number** 

# **USAF NORTON AFB (Continued)**

1000417274

AF NORTON AFB (Continued)	
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	. tot roportou
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	Hotroportou
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
That / thousand	Hotroportou
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: Yes Agency Which Determined Violation: EPA

Violation Short Description: TSD - General Date Violation was Determined: 19880726 Actual Return to Compliance Date: 19891030 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported

Enforcement Docket Number:

Enforcement Attorney:

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported Not reported SEP Defaulted Date: SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: EPA

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Enforcement Identifier:

Not reported

Not reported

Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

Not reported

Not reported

### **USAF NORTON AFB (Continued)**

Final Amount:

Final Amount:

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number: Not reported	Consent/Final Order
---	---------------------

Not reported Consent/Final Order Respondent Name: Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General 19920515 Date Violation was Determined: Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported

Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

Distance Elevation

Site Database(s) EPA ID Number

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

AT NONTON AT B (Continued)	
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported

SEP Scheduled Completion Date:

SEP Actual Date:

Not reported
SEP Defaulted Date:

Not reported
SEP Type:

Not reported
SEP Type Description:

Proposed Amount:

Not reported
Final Monetary Amount:

Not reported
Paid Amount:

Not reported

Found Violation: No Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported Enforcement Docket Number: Enforcement Attorney: Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Not reported Appeal Resolution Date: Not reported Disposition Status Date: Disposition Status: Not reported Disposition Status Description: Not reported

Distance Elevation

Site Database(s) EPA ID Number

#### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State Violation Short Description: TSD - General 19930422 Date Violation was Determined: Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Distance Elevation

Site Database(s) EPA ID Number

Not reported

### **USAF NORTON AFB (Continued)**

Final Amount:

1000417274

**EDR ID Number** 

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:Not reported	·
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type: Not reported	
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number: Not reported	
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
E'a al Assassati	Machine and a 1

Found Violation: No Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported Enforcement Docket Number: Enforcement Attorney: Not reported Corrective Action Component: Not reported Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Distance Elevation

Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Not reported

Enforcement Identifier: 200
Date of Enforcement Action: 20050316
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Actionney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: No Not reported Agency Which Determined Violation: Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Not reported Enforcement Responsible Agency: Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Not reported Disposition Status Date: Disposition Status: Not reported Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported Not reported SEP Defaulted Date: SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19920515 Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported

Not reported

Disposition Status Description:

Distance Elevation

Site Database(s) EPA ID Number

Not reported

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Not reported

Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

19920515 Date Violation was Determined: Actual Return to Compliance Date: 19920619 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported

Consent/Final Order Sequence Number:Not reported

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD IS-Ground-Water Monitoring

Date Violation was Determined: 20030422 Actual Return to Compliance Date: 20050727 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 500 Date of Enforcement Action: 20050317 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: Not reported Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19910227 Actual Return to Compliance Date: 19910516 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19910712 Enforcement Identifier: 005 Date of Enforcement Action: 19910412 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State Violation Short Description: TSD - General 19870623 Date Violation was Determined: Actual Return to Compliance Date: 19870806 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 002 Date of Enforcement Action: 19870806 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: No Not reported Agency Which Determined Violation: Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Not reported Return to Compliance Qualifier: Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Not reported Enforcement Responsible Agency: Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Not reported Disposition Status Date: Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported Not reported SEP Defaulted Date: SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: EPA

Violation Short Description: TSD - Closure/Post-Closure Date Violation was Determined: 19870820

Not reported

Not reported

Actual Return to Compliance Date: 19880726 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported

Disposition Status:

Disposition Status Description:

Distance Elevation

Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **USAF NORTON AFB (Continued)**

1000417274

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19930422 Actual Return to Compliance Date: 19940128 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19930513 Enforcement Identifier: 006 Date of Enforcement Action: 19930422 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

**Enforcement Type:** WRITTEN INFORMAL Enforcement Responsible Person: R9STA Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

**Evaluation Action Summary:** 

**Evaluation Date:** 19930308 Evaluation Responsible Agency: State Found Violation:

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19870820 **EPA** Evaluation Responsible Agency: Found Violation: Yes

**Evaluation Type Description:** COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9EPA

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

USAF NORTON AFB (Continued)

1000417274

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 20080619
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870730
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870623
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20160419
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier:

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Not reported

Not reported

Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870623
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: NON-FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870806 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19891030
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900314 Scheduled Compliance Date: 19900314 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **KMORI** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920619 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20170413
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19880726 Evaluation Responsible Agency: EPA

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19891030 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870820
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19880726 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **KMORI** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920619 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20070411
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20050622
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier:

Evaluation Responsible Sub-Organization:

Not reported
Not reported
Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Scheduled Compliance Date:

Date of Request:

Not reported

Date Response Received:

Request Agency:

Not reported

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19930308
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870730
Evaluation Responsible Agency: EPA
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940126
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 20030422
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: GROUNDWATER MONITORING EVALUATION

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 20050727 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance
Elevation Site

USAF NORTON AFB (Continued) 1000417274

Evaluation Date: 20150429
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **KMORI** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920619 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920330
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **KMORI** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920619 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20030422
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: GROUNDWATER MONITORING EVALUATION

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 20050727 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19910227
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: R9STA

**EDR ID Number** 

**EPA ID Number** 

Database(s)

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**USAF NORTON AFB (Continued)** 

1000417274

Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19910516 Scheduled Compliance Date: 19910712 Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

**Evaluation Date:** 19870623 Evaluation Responsible Agency: State Found Violation: Yes

NON-FINANCIAL RECORD REVIEW Evaluation Type Description:

Evaluation Responsible Person Identifier: R9STA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870806 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 20060425 Evaluation Responsible Agency: State

Found Violation:

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Not reported Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19870820 Evaluation Responsible Agency: **EPA** Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:** 

Evaluation Responsible Person Identifier: R9EPA Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19880726 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

**Evaluation Date:** 19930308 **Evaluation Responsible Agency:** State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:** 

Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940128 Scheduled Compliance Date: 19930513 Date of Request: Not reported Date Response Received: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19930308
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier:

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

R9STA

Not reported

19940128

19930513

Not reported

Not reported

Not reported

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

Not reported

#### **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

SIte:

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB

Address 2: Not reported

City,State,Zip: SAN BERNARDINO, CA 92408

Event Code: Not reported
Action Taken Date: 09/29/2005
EPA ID: CA4570024345
Action Name: Record of Decision

Action ID: 2
Operable Unit: 02
Contaminated Media: Soil
Contact Name: Not reported
Contact Telephone: Not reported

Federal Facility: Y
Fiscal Year: 2005

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

Media:

Event:

EPA ID: CA4570024345

Contaminated Media: Air Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N
Latitude: 34.098061
Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Debris
Action ID: 1
Operable Unit: 01

Action Name:
Record of Decision
Action Taken Date:
11/24/1993
Event Code:
Not reported
Contact Name:
Not reported
Contact Telephone:
Not reported
Event:
Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

Distance Elevation

ion Site Database(s) EPA ID Number

## **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

EPA ID: CA4570024345
Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345
Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Not reported

Not reported

Not reported

Not reported

Not reported

Y

Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement:

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345
Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name: Record of Decision Action Taken Date: 11/24/1993

Distance Elevation

on Site Database(s) EPA ID Number

# **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Event Code: Not reported Contact Name: Not reported Contact Telephone: Not reported Event: Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345 Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Event:

Not reported

Y

Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement:

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name: Record of Decision
Action Taken Date: 11/24/1993
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported

Federal Facility: Y
Fiscal Year: 1994

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

USAF NORTON AFB (Continued)

1000417274

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N
Latitude: 34.098061
Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345
Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N
Latitude: 34.098061
Longitude: -117.237200

EPA ID: CA4570024345 Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

11/24/1993

Event Code:

Contact Name:

Not reported

Contact Telephone:

Event:

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N
Latitude: 34.098061
Longitude: -117.237200

EPA ID: CA4570024345

Distance Elevation

on Site Database(s) EPA ID Number

# **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Action Taken Date:

11/24/1993

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name:
Record of Decision
Action Taken Date:
11/24/1993
Event Code:
Not reported
Contact Name:
Not reported
Contact Telephone:
Not reported
Event:
Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 1
Operable Unit: 01

Action Name: Record of Decision
Action Taken Date: 11/24/1993
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345 Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name: Record of Decision
Action Taken Date: 11/24/1993
Event Code: Not reported

Direction

Elevation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

**EDR ID Number** 

Contact Name: Not reported Contact Telephone: Not reported Event: Not reported

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345 Contaminated Media: Groundwater

Action ID: 1
Operable Unit: 01

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Not reported

Not reported

Not reported

Not reported

Not reported

Y

Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement:

 Latitude:
 34.098061

 Longitude:
 -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 2
Operable Unit: 02

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

09/29/2005

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 2005

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 2
Operable Unit: 02

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

09/29/2005

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 2005

NPL Status: Currently on the Final NPL

Distance Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil Action ID: 2
Operable Unit: 02

Action Name:

Action Taken Date:

Event Code:

Contact Name:

Contact Telephone:

Event:

Record of Decision

09/29/2005

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 2005

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345
Contaminated Media: Groundwater
Action ID: 3

Operable Unit: 02

Action Name:

Action Taken Date:

Contact Name:

Contact Telephone:

Description

Record of Decision

06/25/1997

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Federal Facility: Y
Fiscal Year: 1997

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

EPA ID: CA4570024345

Contaminated Media: Soil
Action ID: 3
Operable Unit: 02

Action Name:

Action Taken Date:

O6/25/1997

Event Code:

Contact Name:

Contact Telephone:

Event:

Not reported

Not reported

Not reported

Not reported

Y

Fiscal Year: 1997

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N
Latitude: 34.098061
Longitude: -117.237200

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **USAF NORTON AFB (Continued)**

1000417274

US INST CONTROLS:

NORTON AIR FORCE BASE (LNDFLL #2) Name: I-10/US 395 FORMER NORTON AFB Address:

Address 2: Not reported

City, State, Zip: SAN BERNARDINO, CA 92408

CA4570024345 EPA ID: Record of Decision Action Name:

Action ID: Operable Unit: 02 Actual Date: 06/25/1997 Contaminated Media: Soil Not reported **Event Code:** Not reported Contact Name: Contact Telephone: Not reported Not reported Event:

Federal Facility: Fiscal Year: 1997

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement:

34.098061 Latitude: -117.237200 Longitude:

Name: NORTON AIR FORCE BASE (LNDFLL #2) I-10/US 395 FORMER NORTON AFB Address:

Address 2: Not reported

SAN BERNARDINO, CA 92408 City,State,Zip:

EPA ID: CA4570024345 Action Name: Record of Decision

Action ID: Operable Unit: 01

Fiscal Year:

Actual Date: 11/24/1993 Contaminated Media: Groundwater **Event Code:** Not reported Contact Name: Not reported Not reported Contact Telephone: Not reported Event: Federal Facility:

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: 34.098061 Latitude: Longitude: -117.237200

NORTON AIR FORCE BASE (LNDFLL #2) Name: I-10/US 395 FORMER NORTON AFB Address:

1994

Address 2: Not reported

SAN BERNARDINO, CA 92408 City, State, Zip:

CA4570024345 EPA ID: Record of Decision Action Name:

Action ID: Operable Unit: 01 11/24/1993 Actual Date: Contaminated Media: Soil

**Event Code:** Not reported Contact Name: Not reported Contact Telephone: Not reported Event: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# **USAF NORTON AFB (Continued)**

1000417274

**EDR ID Number** 

Federal Facility: Y
Fiscal Year: 1994

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement: N

Latitude: 34.098061 Longitude: -117.237200

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB

Address 2: Not reported

City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345 Action Name: Record of Decision

Action ID: 2
Operable Unit: 02

Actual Date: 09/29/2005
Contaminated Media: Soil

Event Code:

Contact Name:

Not reported

Contact Telephone:

Event:

Federal Facility:

Not reported

Not reported

Y

Fiscal Year: 2005

NPL Status: Currently on the Final NPL

Superfund Alternative Agreement:

Latitude: 34.098061 Longitude: -117.237200

ROD:

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB
City,State,Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345

RG: 9

Site ID: 902760

Action: FF ROD (RCRA Statement of Basis/RTC)

Operable Unit Number: CENTRAL BASE AREA

SEQ ID:

Action Completion: 1993-11-24 00:00:00

NPL Status: Final
Non NPL Status: Not reported

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB
City,State,Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345

RG: 9 Site ID: 902760

Action: FF ROD (RCRA Statement of Basis/RTC)

Operable Unit Number: BASEWIDE

SEQ ID: 2

Action Completion: 2005-09-29 00:00:00

NPL Status: Final
Non NPL Status: Not reported

Name: NORTON AIR FORCE BASE (LNDFLL #2)
Address: I-10/US 395 FORMER NORTON AFB

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

**USAF NORTON AFB (Continued)** 

1000417274

City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CA4570024345

RG: 9 Site ID: 902760

Action: GOVT Decision Document (ROD)

Operable Unit Number: BASEWIDE

SEQ ID:

Action Completion: 1997-06-25 00:00:00

NPL Status: Final
Non NPL Status: Not reported

A1 CDL S107536354 787 NORMAN RD N/A

SAN BERNARDINO, CA 92415

< 1/8 1 ft.

Site 1 of 3 in cluster A

Relative: CDL:

HigherName:Not reportedActual:Address:787 NORMAN RD

1039 ft. City, State, Zip: SAN BERNARDINO, CA 92415

Facility ID: 2003-05-039
Date: 05/07/2003
Labtype: Illegal Drug lab

Lab Type: Illegal Drug Lab (L) - location where an illegal drug lab was operated

or drug lab equipment and/or materials were stored.

A2 BERNELL PAYTON TRUCKING FINDS 1024667672 745 E NORMAN RD ECHO N/A

< 1/8 SAN BERNARDINO, CA 92408

1 ft.

Site 2 of 3 in cluster A

Relative: FINDS:

Higher Registry ID: 110070456066

Actual:

1039 ft. Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1024667672 Registry ID: 110070456066

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110070456066

Name: BERNELL PAYTON TRUCKING

Address: 745 E NORMAN RD

City,State,Zip: SAN BERNARDINO, CA 92408

Direction Distance

**EDR ID Number** Elevation Site **EPA ID Number** Database(s)

**A3 BERNELL PAYTON TRUCKING** RCRA NonGen / NLR 1024810416 CAL000289584

745 E NORMAN RD

SAN BERNARDINO, CA 92408 < 1/8

1 ft.

Site 3 of 3 in cluster A

Relative: RCRA NonGen / NLR:

Higher Date Form Received by Agency: 20041222

Handler Name: BERNELL PAYTON TRUCKING Actual:

Handler Address: 745 E NORMAN RD 1039 ft.

SAN BERNARDINO, CA 92408-2405 Handler City, State, Zip:

EPA ID: CAL000289584 **BERNELL PAYTON** Contact Name: Contact Address: 2924 N RIVERSIDE AVE Contact City, State, Zip: **RIALTO, CA 92377** Contact Telephone: 951-315-2412 Contact Fax: 909-820-5906

Contact Email: LATONIA2924@GMAIL.COM

Contact Title: Not reported EPA Region: 09

Land Type: Not reported

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported

Mailing Address: 2924 N RIVERSIDE AVE Mailing City, State, Zip: RIALTO, CA 92377-1093 Owner Name: **BERNELL PAYTON** 

Owner Type: Other

Operator Name: **BERNELL PAYTON** 

Operator Type: Other Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: Yes Universal Waste Destination Facility: Yes Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: Ν

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported

Distance
Elevation Site Database(s)

**BERNELL PAYTON TRUCKING (Continued)** 

1024810416

**EDR ID Number** 

**EPA ID Number** 

Permit Workload Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported
Not reported
Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

N/A

Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required: Not reported Handler Date of Last Change: 20180905 Recognized Trader-Importer: No Recognized Trader-Exporter: No Importer of Spent Lead Acid Batteries: No Exporter of Spent Lead Acid Batteries: No Recycler Activity Without Storage: No Manifest Broker: No Sub-Part P Indicator: No

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: BERNELL PAYTON

Legal Status: Other

Date Became Current:

Date Ended Current:

Not reported

Not reported

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

2924 N RIVERSIDE AVE
RIALTO, CA 92377
951-315-2412
Not reported
Not reported
Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: BERNELL PAYTON

Legal Status:OtherDate Became Current:Not reportedDate Ended Current:Not reported

Owner/Operator Address: 2924 N RIVERSIDE AVE Owner/Operator City,State,Zip: RIALTO, CA 92377-1093

Owner/Operator Telephone: 909-820-5096
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Direction Distance

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

#### **BERNELL PAYTON TRUCKING (Continued)**

1024810416

Historic Generators:

Receive Date: 20041222

Handler Name: BERNELL PAYTON TRUCKING

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 324191

NAICS Description: PETROLEUM LUBRICATING OIL AND GREASE MANUFACTURING

Facility Has Received Notices of Violations:

Violations: No Violations Found

**Evaluation Action Summary:** 

Evaluations: No Evaluations Found

B4 GREENWASTE SAN BERNARDINO AST S105558013
WSW 595 E ORANGE SHOW RD San Bern. Co. Permit N/A
< 1/8 SAN BERNARDINO, CA 0 WDS

STOCK BUILDING SUPPLY

595 E ORANGE SHOW

SAN BERNARDINO,

Not reported

0.105 mi.

1029 ft.

553 ft. Site 1 of 3 in cluster B

Relative: AST:
Lower Name:
Actual: Address:

City/Zip:

Certified Unified Program Agencies: San Bernardino
Owner: STOCK BUILDING SUPPLY OF CAL,

Total Gallons: 3,570
CERSID: Not reported
Facility ID: Not reported
Business Name: Not reported

Not reported Phone: Fax: Not reported Mailing Address: Not reported Mailing Address City: Not reported Mailing Address State: Not reported Not reported Mailing Address Zip Code: Not reported Operator Name: Operator Phone: Not reported Owner Phone: Not reported Owner Mail Address: Not reported Owner State: Not reported Owner Zip Code: Not reported Owner Country: Not reported Property Owner Name: Not reported

Property Owner Phone:

Direction Distance

Elevation Site Database(s) EPA ID Number

# **GREENWASTE SAN BERNARDINO (Continued)**

S105558013

**EDR ID Number** 

Property Owner Mailing Address: Not reported Property Owner City: Not reported Property Owner Stat: Not reported Property Owner Zip Code: Not reported Property Owner Country: Not reported EPAID: Not reported

San Bern. Co. Permit:

Name: STOCK BUILDING SUPPLY
Address: 595 E ORANGE SHOW RD
City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0003852

Owner: STOCK BUILDING SUPPLY OF CAL,

Permit Number: PT0009491

Permit Category: SPECIAL GENERATOR

Facility Status: INACTIVE Expiration Date: 04/30/2008

Name: STOCK BUILDING SUPPLY Address: 595 E ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0003852

Owner: STOCK BUILDING SUPPLY OF CAL,

Permit Number: PT0009490

Permit Category: HAZMAT HANDLER 51-100 EMPLOYEES (W/GEN PRMT)

Facility Status: INACTIVE Expiration Date: 04/30/2008

Name: STOCK BUILDING SUPPLY
Address: 595 E ORANGE SHOW RD
City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0003852

Owner: STOCK BUILDING SUPPLY OF CAL,

Permit Number: PT0019930

Permit Category: APSA 1,320-10,000 GAL FAC CAPACITY

Facility Status: INACTIVE Expiration Date: 04/30/2008

WDS:

Name: GREENWASTE SAN BERNARDINO

Address: 595 E ORANGE SHOW RD

City: SAN BERNARDINO

Facility ID: Santa Ana River 362700001

Facility Type: Other - Does not fall into the category of Municipal/Domestic,

Industrial, Agricultural or Solid Waste (Class I, II or III)

Facility Status: Active - Any facility with a continuous or seasonal discharge that is

under Waste Discharge Requirements.

NPDES Number: Not reported

Subregion: 8

Facility Telephone: Not reported Facility Contact: CHUCK SMITH

Agency Name: CST

Agency Address: 223 LORETTA WAY

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **GREENWASTE SAN BERNARDINO (Continued)**

S105558013

Agency City, St, Zip: CALIMESA 92320 Agency Contact: CHUCK SMITH Agency Telephone: Not reported Agency Type: Private SIC Code: 0

SIC Code 2: Not reported Primary Waste Type: Not reported Primary Waste: Not reported Waste Type2: Not reported Waste2: Not reported Primary Waste Type: Not reported Secondary Waste: Not reported Secondary Waste Type: Not reported

Design Flow: Baseline Flow:

Reclamation: Not reported POTW: Not reported

Treat To Water: Minor Threat to Water Quality. A violation of a regional board order

> should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to

represent no threat to water quality.

Complexity: Category C - Facilities having no waste treatment systems, such as

cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as

dairy waste ponds.

**CERS HAZ WASTE** S119085298

**B5 AMAZON COM SERVICES INC LGB5** wsw 555 EAST ORANGE SHOW ROAD 1/8-1/4 SAN BERNARDINO, CA 92408

774 ft. Site 2 of 3 in cluster B

Relative: Lower

0.147 mi.

**CERS HAZ WASTE:** Actual:

AMAZON.COM SERVICES, LLC - LGB5 Name: 1027 ft.

Address: 555 E ORANGE SHOW RD City, State, Zip: SAN BERNARDINO, CA 92408

Site ID: 409709 CERS ID: 10709515

**CERS** Description: Hazardous Waste Generator

AMAZON.COM SERVICES, LLC - LGB5 Name:

555 E ORANGE SHOW RD Address: City,State,Zip: SAN BERNARDINO, CA 92408

409709 Site ID: CERS ID: 10709515

**CERS** Description: RCRA LQ HW Generator

HAZNET:

Name: AMAZON.COM SERVICES INC. - SNA7/8

Address: 555 E ORANGE SHOW RD

Address 2: Not reported **HAZNET** 

San Bern. Co. Permit

**NPDES** 

**CIWQS CERS** 

**HWTS** 

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

City, State, Zip: SAN BERNARDINO, CA 981080000

Contact: ERIC CHAPMAN
Telephone: 2064134526
Mailing Name: Not reported
Mailing Address: P.O. BOX 80842

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 NVD980895338

CA Waste Code: 122 - Alkaline solution without metals pH >= 12.5

Disposal Method: H070 - Tons: 0.52750

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 CAD008364432

CA Waste Code: 725 - Liquids with mercury >= 20 Mg./L

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 0.00150

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 NVD980895338

CA Waste Code: 791 - Liquids with pH <= 2

Disposal Method: H070 - Tons: 0.00350

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 CAD008364432

CA Waste Code: 791 - Liquids with pH <= 2

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 1.02550

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 CAD008364432

CA Waste Code: 352 - Other organic solids

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 0.26350

Year: 2019

 Gepaid:
 CAR000262626

 TSD EPA ID:
 AZR000515924

CA Waste Code:

Disposal Method:

331 - Off-specification, aged or surplus organics
H141 - Storage, Bulking, And/Or Transfer Off Site--No
Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 9.24550

Year: 2019

Gepaid: CAR000262626 TSD EPA ID: NVD980895338

CA Waste Code: 311 - Pharmaceutical waste

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

Treatment/Reovery (H010-H129) Or (H131-H135)

0.51050 Tons:

2019 Year:

Gepaid: CAR000262626 TSD EPA ID: CAD008364432

CA Waste Code: 122 - Alkaline solution without metals pH >= 12.5 Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 0.07700

Year: 2019

CAR000262626 Gepaid: TSD EPA ID: CAD008364432

CA Waste Code: 331 - Off-specification, aged or surplus organics H141 - Storage, Bulking, And/Or Transfer Off Site--No Disposal Method:

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 1.20550

2019 Year:

Gepaid: CAR000262626 TSD EPA ID: NVD980895338

CA Waste Code: 352 - Other organic solids

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 0.14550

> Click this hyperlink while viewing on your computer to access 44 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:

Year: 2017

Gen EPA ID: CAR000262626

Shipment Date: 20171204 Creation Date: Not reported Receipt Date: Not reported Manifest ID: 010798788FLE Trans EPA ID: MNS000110924

STERICYCLE SPECIALTY WASTE SOLUTIONS INC Trans Name:

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432 Trans Name: **RHO CHEM LLC** TSDF Alt EPA ID: Not reported TSDF Alt Name: Not reported

331 - Off-specification, aged, or surplus organics Waste Code Description:

RCRA Code: D001

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 0.161 322 Waste Quantity: Quantity Unit:

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

Additional Code 4: Not reported Additional Code 5: Not reported

Shipment Date: 20171204 Creation Date: Not reported Receipt Date: Not reported Manifest ID: 010798788FLE Trans EPA ID: MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432 **RHO CHEM LLC** Trans Name: TSDF Alt EPA ID: Not reported TSDF Alt Name: Not reported

352 - Other organic solids Waste Code Description:

Not reported RCRA Code:

H141 - Storage, Bulking, And/Or Transfer Off Site--No Meth Code:

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 0.076 Waste Quantity: 152 Quantity Unit: Ρ

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported Additional Code 4: Not reported Additional Code 5: Not reported

Shipment Date: 20171204

Creation Date: 7/19/2018 18:30:11

Receipt Date: 20171211 Manifest ID: 010798788FLE Trans EPA ID: MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

LA CHIQUITA TRUCKING Trans 2 Name:

TSDF EPA ID: CAD008364432 Trans Name: **RHO CHEM LLC** TSDF Alt EPA ID: Not reported TSDF Alt Name: Not reported

Waste Code Description: 311 - Pharmaceutical waste

RCRA Code: U205

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 0.338 Waste Quantity: 676 Quantity Unit: Additional Code 1: U129 Additional Code 2: D024 Additional Code 3: D010 Additional Code 4: D009

Additional Code 5: Not reported

Shipment Date: 20171204

Creation Date: 7/19/2018 18:30:11

Receipt Date: 20171211 Manifest ID: 010798788FLE

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

Trans EPA ID: MNS000110924

STERICYCLE SPECIALTY WASTE SOLUTIONS INC Trans Name:

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432 Trans Name: **RHO CHEM LLC** TSDF Alt EPA ID: Not reported TSDF Alt Name: Not reported

Waste Code Description: 181 - Other inorganic solid waste Organics

RCRA Code: Not reported

H141 - Storage, Bulking, And/Or Transfer Off Site--No Meth Code:

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 0.082 Waste Quantity: 164 Quantity Unit:

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported Additional Code 4: Not reported Additional Code 5: Not reported

Shipment Date: 20171204

Creation Date: 7/19/2018 18:30:11 Receipt Date: 20171211 Manifest ID: 010798788FLE Trans EPA ID: MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432 RHO CHEM LLC Trans Name: TSDF Alt EPA ID: Not reported TSDF Alt Name: Not reported

Waste Code Description: 122 - Alkaline solution without metals (pH > 12.5

D002 RCRA Code:

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 0.2875 Waste Quantity: 575 Quantity Unit:

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported Additional Code 4: Not reported Additional Code 5: Not reported

Shipment Date: 20171204

Creation Date: 7/19/2018 18:30:11 Receipt Date: 20171211 Manifest ID: 010798788FLE

Trans EPA ID: MNS000110924 Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432 **RHO CHEM LLC** Trans Name: TSDF Alt EPA ID: Not reported

Direction Distance Flevation

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

TSDF Alt Name: Not reported

Waste Code Description: 123 - Unspecified alkaline solution

RCRA Code: D002

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons:1.321Waste Quantity:2642Quantity Unit:P

Additional Code 1:
Additional Code 2:
Additional Code 3:
Additional Code 4:
Additional Code 4:
Additional Code 5:
Not reported
Not reported

 Shipment Date:
 20171204

 Creation Date:
 Not reported

 Receipt Date:
 Not reported

 Manifest ID:
 010798788FLE

 Trans EPA ID:
 MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported

Waste Code Description: 311 - Pharmaceutical waste

RCRA Code: P075

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons:0.004Waste Quantity:8Quantity Unit:P

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported Additional Code 4: Not reported Additional Code 5: Not reported

 Shipment Date:
 20171204

 Creation Date:
 Not reported

 Receipt Date:
 Not reported

 Manifest ID:
 010798788FLE

 Trans EPA ID:
 MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported

Waste Code Description: 331 - Off-specification, aged, or surplus organics

RCRA Code: Not reported

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons: 2.2475 Waste Quantity: 4495

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

Quantity Unit: P

Additional Code 1:

Additional Code 2:

Additional Code 3:

Additional Code 4:

Additional Code 4:

Additional Code 5:

Not reported

Not reported

 Shipment Date:
 20171204

 Creation Date:
 Not reported

 Receipt Date:
 Not reported

 Manifest ID:
 010798788FLE

 Trans EPA ID:
 MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported

Waste Code Description: 331 - Off-specification, aged, or surplus organics

RCRA Code: Not reported

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons:0.0175Waste Quantity:35Quantity Unit:P

Additional Code 1: Not reported Additional Code 2: Not reported Additional Code 3: Not reported Additional Code 4: Not reported Additional Code 5: Not reported

 Shipment Date:
 20171204

 Creation Date:
 Not reported

 Receipt Date:
 Not reported

 Manifest ID:
 010798788FLE

 Trans EPA ID:
 MNS000110924

Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC

Trans 2 EPA ID: CAR000217000

Trans 2 Name: LA CHIQUITA TRUCKING

TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported

Waste Code Description: 213 - Hydrocarbon solvents (benzene, hexane, Stoddard, etc.

RCRA Code: D018

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No

Treatment/Reovery (H010-H129) Or (H131-H135)

Quantity Tons:0.077Waste Quantity:154Quantity Unit:PAdditional Code 1:D001Additional Code 2:Not reportedAdditional Code 3:Not reportedAdditional Code 4:Not reportedAdditional Code 5:Not reported

Distance Elevation

tion Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

NPDES:

Name: AMAZON COM SERVICES INC LGB5
Address: 555 EAST ORANGE SHOW ROAD
City,State,Zip: SAN BERNARDINO, CA 92408

Facility Status: Active NPDES Number: CAS000001

Region: 8
Agency Number: 0
Regulatory Measure ID: 494608
Place ID: Not reported
Order Number: 97-03-DWQ
WDID: 8 36I027614
Regulatory Measure Type: Enrollee
Program Type: Industrial

Program Type: Industrial
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 02/15/2018
Termination Date Of Regulatory Measure: Not reported
Expiration Date Of Regulatory Measure: Not reported

Discharge Address: NA Environmental Dept
Discharge Name: Amazon com Services LLC

Discharge City: Seattle Discharge State: Washington Discharge Zip: 98108 Status: Not reported Status Date: Not reported Operator Name: Not reported Operator Address: Not reported Operator City: Not reported Operator State: Not reported Not reported Operator Zip:

NPDES as of 03/2018:

NPDES Number: CAS000001 Status: Active Agency Number: Region: Regulatory Measure ID: 494608 Order Number: 97-03-DWQ Regulatory Measure Type: Enrollee Place ID: Not reported WDID: 8 361027614 Industrial Program Type: Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: 02/15/2018 Expiration Date Of Regulatory Measure: Not reported

Termination Date Of Regulatory Measure:

Discharge Name: Golden State FC LLC
Discharge Address: NA Environmental Dept

Not reported

Discharge City: Seattle Discharge State: Washington Discharge Zip: 98108 Received Date: Not reported Not reported Processed Date: Status: Not reported Status Date: Not reported Place Size: Not reported Place Size Unit: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

#### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

**EDR ID Number** 

Contact: Not reported Not reported Contact Title: Not reported Contact Phone: Not reported Contact Phone Ext: Contact Email: Not reported Not reported Operator Name: Not reported Operator Address: Operator City: Not reported Operator State: Not reported Operator Zip: Not reported **Operator Contact:** Not reported Operator Contact Title: Not reported **Operator Contact Phone:** Not reported Operator Contact Phone Ext: Not reported Operator Contact Email: Not reported Operator Type: Not reported Developer: Not reported Developer Address: Not reported Developer City: Not reported Developer State: Not reported Developer Zip: Not reported **Developer Contact:** Not reported **Developer Contact Title:** Not reported Constype Linear Utility Ind: Not reported **Emergency Phone:** Not reported Emergency Phone Ext: Not reported Constype Above Ground Ind: Not reported Constype Below Ground Ind: Not reported Constype Cable Line Ind: Not reported Constype Comm Line Ind: Not reported Constype Commertial Ind: Not reported Constype Electrical Line Ind: Not reported Constype Gas Line Ind: Not reported Constype Industrial Ind: Not reported Constype Other Description: Not reported Constype Other Ind: Not reported Constype Recons Ind: Not reported Constype Residential Ind: Not reported Constype Transport Ind: Not reported Constype Utility Description: Not reported Constype Utility Ind: Not reported Constype Water Sewer Ind: Not reported Dir Discharge Uswater Ind: Not reported Receiving Water Name: Not reported Not reported Certifier: Certifier Title: Not reported Certification Date: Not reported Primary Sic: Not reported Secondary Sic: Not reported **Tertiary Sic:** Not reported

Name: GOLDENSTATE FC LLC SNA7
Address: 555 EAST ORANGE SHOW ROAD
City,State,Zip: SAN BERNARDINO, CA 92408

Facility Status: Not reported NPDES Number: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

#### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

**EDR ID Number** 

Region: Not reported Not reported Agency Number: Regulatory Measure ID: Not reported Place ID: Not reported Order Number: Not reported WDID: 8 36NEC002877 Regulatory Measure Type: Industrial Program Type: Not reported Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported Expiration Date Of Regulatory Measure: Not reported Discharge Address: Not reported Discharge Name: Not reported Discharge City: Not reported Discharge State: Not reported Discharge Zip: Not reported Status: **Terminated** Status Date: 03/28/2018

Operator Name: Amazon com Services LLC
Operator Address: NA Environmental Dept

Operator City: Seattle
Operator State: Washington
Operator Zip: 98108

NPDES as of 03/2018:

Region:

Contact:

NPDES Number: Not reported Status: Not reported Agency Number: Not reported

473726 Regulatory Measure ID: Order Number: Not reported Regulatory Measure Type: Industrial Place ID: Not reported WDID: 8 36NEC002877 Program Type: Not reported Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: Not reported Expiration Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported Discharge Name: Not reported Discharge Address: Not reported Discharge City: Not reported Discharge State: Not reported Discharge Zip: Not reported Received Date: 12/29/2016 01/04/2017 Processed Date: Status: Active 01/04/2017 Status Date: Place Size: 25.5 Place Size Unit: Acres

Contact Title: Environmental Manager

Lance Jones

Contact Phone: 206-435-2754
Contact Phone Ext: Not reported

Contact Email: lancejon@amazon.com
Operator Name: Golden State FC LLC
Operator Address: ATTN: Lance Jones

Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

Operator City: Seattle
Operator State: Washington
Operator Zip: 98109

Operator Contact: Cory Levengood

Operator Contact Title: Sr Manager Environmental

Operator Contact Phone: 206-435-9175
Operator Contact Phone Ext: Not reported

Operator Contact Email: levengoo@amazon.com Operator Type: Private Business Developer: Not reported Developer Address: Not reported Developer City: Not reported Developer State: Washington Developer Zip: Not reported **Developer Contact:** Not reported **Developer Contact Title:** Not reported Constype Linear Utility Ind: Not reported **Emergency Phone:** Not reported **Emergency Phone Ext:** Not reported Constype Above Ground Ind: Not reported Constype Below Ground Ind: Not reported Constype Cable Line Ind: Not reported Not reported Constype Comm Line Ind: Constype Commertial Ind: Not reported Constype Electrical Line Ind: Not reported Constype Gas Line Ind: Not reported Constype Industrial Ind: Not reported Constype Other Description: Not reported Constype Other Ind: Not reported Constype Recons Ind: Not reported Constype Residential Ind: Not reported Constype Transport Ind: Not reported Constype Utility Description: Not reported Constype Utility Ind: Not reported Not reported Constype Water Sewer Ind:

Dir Discharge Uswater Ind:

Receiving Water Name:

Certifier:

Not reported

Not reported

Kevin Winston

Certifier Title: Senior Manager Environmental

Certification Date: 12-MAY-17

Primary Sic: 4225-General Warehousing and Storage

Secondary Sic: Not reported Tertiary Sic: Not reported

NPDES Number: CAS000001 Status: Active Agency Number: Region: Regulatory Measure ID: 473726 Order Number: 97-03-DWQ Regulatory Measure Type: Enrollee Place ID: Not reported WDID: 8 36NEC002877 Program Type: Industrial Adoption Date Of Regulatory Measure: Not reported

Effective Date Of Regulatory Measure: 01/04/2017
Expiration Date Of Regulatory Measure: Not reported
Not reported
Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

#### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

Termination Date Of Regulatory Measure: Not reported

Discharge Name: Golden State FC LLC
Discharge Address: NA Environmental Dept

Discharge City: Seattle Discharge State: Washington Discharge Zip: 98108 Received Date: Not reported Processed Date: Not reported Not reported Status: Status Date: Not reported Place Size: Not reported Place Size Unit: Not reported Contact: Not reported Contact Title: Not reported Contact Phone: Not reported Contact Phone Ext: Not reported Not reported Contact Email: Operator Name: Not reported Operator Address: Not reported Operator City: Not reported Operator State: Not reported Operator Zip: Not reported **Operator Contact:** Not reported Operator Contact Title: Not reported Operator Contact Phone: Not reported Operator Contact Phone Ext: Not reported Operator Contact Email: Not reported Operator Type: Not reported Developer: Not reported Developer Address: Not reported Developer City: Not reported Developer State: Not reported Developer Zip: Not reported **Developer Contact:** Not reported Not reported **Developer Contact Title:** Constype Linear Utility Ind: Not reported Not reported **Emergency Phone:** Emergency Phone Ext: Not reported Constype Above Ground Ind: Not reported Constype Below Ground Ind: Not reported Constype Cable Line Ind: Not reported Not reported Constype Comm Line Ind: Constype Commertial Ind: Not reported Constype Electrical Line Ind: Not reported Constype Gas Line Ind: Not reported Constype Industrial Ind: Not reported Constype Other Description: Not reported Constype Other Ind: Not reported Constype Recons Ind: Not reported Constype Residential Ind: Not reported Constype Transport Ind: Not reported Constype Utility Description: Not reported Not reported Constype Utility Ind: Constype Water Sewer Ind: Not reported Dir Discharge Uswater Ind: Not reported Receiving Water Name: Not reported Certifier: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

Certifier Title: Not reported
Certification Date: Not reported
Primary Sic: Not reported
Secondary Sic: Not reported
Tertiary Sic: Not reported

Name:AMAZON COM SERVICES INC LGB5Address:555 EAST ORANGE SHOW ROADCity,State,Zip:SAN BERNARDINO, CA 92408

Facility Status: Not reported NPDES Number: Not reported Region: Not reported Agency Number: Not reported Regulatory Measure ID: Not reported Place ID: Not reported Order Number: Not reported 8 361027614 WDID: Regulatory Measure Type: Industrial Program Type: Not reported Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported **Expiration Date Of Regulatory Measure:** Not reported Not reported Discharge Address: Discharge Name: Not reported Discharge City: Not reported Discharge State: Not reported Discharge Zip: Not reported Status: Active 02/15/2018 Status Date:

Operator Name: Amazon com Services LLC
Operator Address: NA Environmental Dept

Operator City: Seattle
Operator State: Washington
Operator Zip: 98108

NPDES as of 03/2018:

NPDES Number: CAS000001 Status: Active Agency Number: O Region: Regulatory Measure ID: 494608 Order Number: 97-03-DWQ Regulatory Measure Type: Enrollee Place ID: Not reported WDID: 8 361027614 Program Type: Industrial Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: 02/15/2018 Expiration Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported

Discharge Name: Golden State FC LLC
Discharge Address: NA Environmental Dept

Discharge City: Seattle
Discharge State: Washington
Discharge Zip: 98108
Received Date: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

### AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

Processed Date: Not reported Not reported Status: Not reported Status Date: Place Size: Not reported Place Size Unit: Not reported Not reported Contact: Not reported Contact Title: Contact Phone: Not reported Contact Phone Ext: Not reported Contact Email: Not reported Operator Name: Not reported Operator Address: Not reported Operator City: Not reported Operator State: Not reported Operator Zip: Not reported **Operator Contact:** Not reported Operator Contact Title: Not reported **Operator Contact Phone:** Not reported Operator Contact Phone Ext: Not reported Operator Contact Email: Not reported Operator Type: Not reported Developer: Not reported Developer Address: Not reported Developer City: Not reported Developer State: Not reported Developer Zip: Not reported **Developer Contact:** Not reported **Developer Contact Title:** Not reported Constype Linear Utility Ind: Not reported **Emergency Phone:** Not reported Emergency Phone Ext: Not reported Constype Above Ground Ind: Not reported Constype Below Ground Ind: Not reported Constype Cable Line Ind: Not reported Not reported Constype Comm Line Ind: Constype Commertial Ind: Not reported Constype Electrical Line Ind: Not reported Constype Gas Line Ind: Not reported Constype Industrial Ind: Not reported Constype Other Description: Not reported Constype Other Ind: Not reported Not reported Constype Recons Ind: Constype Residential Ind: Not reported Constype Transport Ind: Not reported Constype Utility Description: Not reported Constype Utility Ind: Not reported Constype Water Sewer Ind: Not reported Dir Discharge Uswater Ind: Not reported Receiving Water Name: Not reported Certifier: Not reported Certifier Title: Not reported Certification Date: Not reported Primary Sic: Not reported Secondary Sic: Not reported Tertiary Sic: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

San Bern. Co. Permit:

Name: AMAZON.COM SERVICES, LLC-LGB5

Address: 555 E ORANGE SHOW RD
City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0017218

Owner: AMAZON.COM SERVICES, LLC.

Permit Number: PT0036689

Permit Category: HAZARDOUS MATERIALS 11-30 CHEMICALS

Facility Status: ACTIVE Expiration Date: 12/31/2021

Name: AMAZON.COM SERVICES, LLC-LGB5

Address: 555 E ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0017218

Owner: AMAZON.COM SERVICES, LLC.

Permit Number: PT0036690

Permit Category: RCRA LARGE QUANTITY GENERATOR

Facility Status: ACTIVE Expiration Date: 12/31/2021

Name: AMAZON.COM SERVICES, LLC-LGB5

Address: 555 E ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0017218

Owner: AMAZON.COM SERVICES, LLC.

Permit Number: PT0037665

Permit Category: RCRA LQG GENERAL ACTIVITY(NB)

Facility Status: FEE EXEMPT Expiration Date: 12/31/2017

CIWQS:

Name: AMAZON COM SERVICES INC LGB5
Address: 555 EAST ORANGE SHOW ROAD
City,State,Zip: SAN BERNARDINO, CA 92408
Agency: Amazon com Services LLC

Agency Address: NA Environmental Dept PO Box 80842, Seattle, WA 98108

Place/Project Type: Industrial - General Warehousing and Storage

 SIC/NAICS:
 4225

 Region:
 8

Program: INDSTW Regulatory Measure Status: Active

Regulatory Measure Type: Storm water industrial Order Number: 2014-0057-DWQ WDID: 8 361027614 NPDES Number: CAS000001 Adoption Date: Not reported Effective Date: 02/15/2018 Not reported Termination Date: Expiration/Review Date: Not reported Design Flow: Not reported Maior/Minor: Not reported Complexity: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

TTWQ: Not reported

Enforcement Actions within 5 years: 0
Violations within 5 years: 0

Latitude: 34.078157 Longitude: -117.27329

Name:GOLDENSTATE FC LLC SNA7Address:555 EAST ORANGE SHOW ROADCity,State,Zip:SAN BERNARDINO, CA 92408Agency:Amazon com Services LLC

Agency Address: NA Environmental Dept PO Box 80842, Seattle, WA 98108

Place/Project Type: Industrial - General Warehousing and Storage

SIC/NAICS: 4225
Region: 8
Program: INDSTW
Regulatory Measure Status: Terminated

Regulatory Measure Type: Storm water industrial Order Number: 2014-0057-DWQ WDID: 8 36NEC002877 NPDES Number: CAS000001 Adoption Date: Not reported Effective Date: 01/04/2017 Termination Date: 03/01/2018 Expiration/Review Date: Not reported Not reported Design Flow: Major/Minor: Not reported Complexity: Not reported TTWQ: Not reported

Enforcement Actions within 5 years: 0
Violations within 5 years: 0

Latitude: 34.079632 Longitude: -117.27148

CERS:

Name: AMAZON COM SERVICES INC LGB5
Address: 555 EAST ORANGE SHOW ROAD
City,State,Zip: SAN BERNARDINO, CA 92408

 Site ID:
 526027

 CERS ID:
 861579

CERS Description: Industrial Facility Storm Water

Affiliation:

Affiliation Type Desc: Owner/Operator

Entity Name: Amazon com Services LLC

Entity Title: Operator

Affiliation Address: NA Environmental DeptPO Box 80842

Affiliation City: Seattle
Affiliation State: WA

Affiliation Country: Not reported
Affiliation Zip: 98108
Affiliation Phone: ,

Name: AMAZON.COM SERVICES, LLC - LGB5

Address: 555 E ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

Site ID: 409709

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

CERS ID: 10709515

CERS Description: Chemical Storage Facilities

Evaluation:

Eval General Type: Compliance Evaluation Inspection

Eval Date: 01-29-2020

Violations Found: No

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: San Bernardino County Fire Department

Eval Program: HMRRP Eval Source: CERS,

Coordinates:

Site ID: 409709

Facility Name: Amazon.com Services, LLC - LGB5

Env Int Type Code: HMBP
Program ID: 10709515
Coord Name: Not reported

Ref Point Type Desc: Center of a facility or station.,

Latitude: 34.079620 Longitude: -117.274170

Affiliation:

Affiliation Type Desc: CUPA District

Entity Name: San Bernardino County Fire

Entity Title: Not reported
Affiliation Address: 620 South E Street
Affiliation City: San Bernardino

Affiliation State: CA

Affiliation Country: Not reported
Affiliation Zip: 92415-0153
Affiliation Phone: (909) 386-8401,

Affiliation Type Desc: Environmental Contact
Entity Name: Cameron McGovern
Entity Title: Not reported
Affiliation Address: PO Box 80842

Affiliation City:

Affiliation State:

Affiliation Country:

Affiliation Zip:

Affiliation Zip:

Affiliation Phone:

Affiliation Type Desc: Property Owner
Entity Name: Hillwood
Entity Title: Not reported

Affiliation Address: 901 Via Piemonte Suite 175

Affiliation City: Ontario
Affiliation State: CA

Affiliation Country: United States
Affiliation Zip: 91764

Affiliation Phone: (909) 256-5907,

Affiliation Type Desc: Parent Corporation
Entity Name: Amazon.com Services LLC

Entity Title: Not reported

Distance

Elevation Site Database(s) EPA ID Number

# AMAZON COM SERVICES INC LGB5 (Continued)

S119085298

**EDR ID Number** 

Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

Affiliation Phone:

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported

Affiliation Address: Attn: NA Environmental Team P.O. Box 80842

Affiliation City: Seatle
Affiliation State: WA
Affiliation Country: Not reported
Affiliation Zip: 98108
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer Entity Name: Cameron McGovern

Entity Title: Business Environmental Leader

Affiliation Address: Not reported Affiliation City: Not reported Affiliation State: Not reported Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone: ,

Affiliation Type Desc: Legal Owner

Entity Name: Amazon.com Services, LLC

Entity Title: Not reported
Affiliation Address: PO Box 80842
Affiliation City: Seattle
Affiliation State: WA
Affiliation Country: United States

Affiliation Country: United States
Affiliation Zip: 98108

Affiliation Phone: (206) 266-1036,

Affiliation Type Desc: Operator

Entity Name: Amazon.com Services, LLC - LGB5

Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (909) 501-3050,

HWTS:

Name: AMAZON.COM SERVICES LLC - LGB5

Address: 555 E ORANGE SHOW RD

Address 2: Not reported

City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CAR000262626
Inactive Date: Not reported
Create Date: 05/16/2016
Last Act Date: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **AMAZON COM SERVICES INC LGB5 (Continued)**

S119085298

Mailing Name: Not reported P.O. BOX 80842 Mailing Address: Mailing Address 2: Not reported

Mailing City, State, Zip: SEATTLE, WA 981080842 Owner Name: **GOLDEN STATE FC LLC** Owner Address: P.O. BOX 80842

Owner Address 2: Not reported

Owner City, State, Zip: SEATTLE, WA 981080842 Contact Name: JOS+e L+oPEZ-M+eNDEZ

Contact Address: P.O. BOX 80842 Contact Address 2: Not reported

City,State,Zip: SEATTLE, WA 98108

Facility Status: Active Facility Type: **PERMANENT** Category: STATE Latitude: 34.07959318 Longitude: -117.2741309

NAICS:

EPA ID: CAR000262626 Create Date: 2019-09-06 10:46:26.027

NAICS Code: 493110

NAICS Description: General Warehousing and Storage Issued EPA ID Date: 2016-05-16 14:40:49.70000

Inactive Date: Not reported

AMAZON.COM SERVICES, INC. - SNA7/8 Facility Name:

555 E ORANGE SHOW RD Facility Address:

Facility Address 2: Not reported Facility City: SAN BERNARDINO Facility County: Not reported

Facility State: CA Facility Zip: 92408

**AMAZON.COM SERVICES, LLC - LGB5 B6** RCRA-LQG 1018274042 CAR000262626

**WSW** 555 E ORANGE SHOW RD SAN BERNARDINO, CA 92408 1/8-1/4

0.147 mi.

774 ft. Site 3 of 3 in cluster B

Relative: RCRA-LQG:

Lower Date Form Received by Agency: 20200227 Handler Name: AMAZON.COM SERVICES, LLC - LGB5 Actual:

Handler Address: 555 E ORANGE SHOW RD 1027 ft.

Handler City, State, Zip: SAN BERNARDINO, CA 92408 EPA ID: CAR000262626

Contact Name: NATALIE WAID Contact Address: P.O. BOX 80842 Contact City, State, Zip: SEATTLE, WA 98108 Contact Telephone: 206-413-4526 Contact Fax: Not reported Contact Email: Not reported Contact Title: Not reported EPA Region: 09 Private Land Type:

Federal Waste Generator Description: Large Quantity Generator

Non-Notifier: Not reported 2019 Biennial Report Cycle:

Distance Elevation Site

Site Database(s) EPA ID Number

# AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

**EDR ID Number** 

Accessibility:

Active Site Indicator:

State District Owner:

State District:

Mot reported

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

P.O. BOX 80842

Mailing City,State,Zip:

SEATTLE, WA 98108

Owner Name:

ORS DEVELOPMENT, LLC

Owner Type: Private

Operator Name: AMAZON.COM SERVICES, LLC

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: Nο Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: N

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

Handler Date of Last Change: 20200923 Recognized Trader-Importer: No Recognized Trader-Exporter: No Importer of Spent Lead Acid Batteries: No Exporter of Spent Lead Acid Batteries: No Recycler Activity Without Storage: No Manifest Broker: No Sub-Part P Indicator: No

Biennial: List of Years

Year: 2019

Click Here for Biennial Reporting System Data:

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:

D001 Waste Code:

Waste Description: **IGNITABLE WASTE** 

Waste Code:

Waste Description: **CORROSIVE WASTE** 

Waste Code: D003

REACTIVE WASTE Waste Description:

Waste Code: D006 Waste Description: CADMIUM

Waste Code: D007

Waste Description: **CHROMIUM** 

Waste Code: D008 Waste Description: **LEAD** 

Waste Code: D009 **MERCURY** Waste Description:

Waste Code: D010 Waste Description: **SELENIUM** 

Waste Code: D011 Waste Description: SILVER

Waste Code:

2,4-D (2,4-DICHLOROPHENOXYACETIC ACID) Waste Description:

Waste Code: D018 Waste Description: **BENZENE** 

Waste Code: D024 Waste Description: M-CRESOL

Waste Code:

Waste Description: 1,4-DICHLOROBENZENE

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

**EDR ID Number** 

Waste Code: D035

Waste Description: METHYL ETHYL KETONE

Waste Code: P075

Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, &

SALTS

Waste Code: U129

Waste Description: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA,

5ALPHA, 6BETA)- (OR) LINDANE

Waste Code: U205

Waste Description: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Handler - Owner Operator:

Owner/Operator Fax:

Owner/Operator Indicator: Operator

Owner/Operator Name: GOLDEN STATE FC LLC

Legal Status: Private Date Became Current: 20160325 Date Ended Current: Not reported Owner/Operator Address: P.O. BOX 80842 Owner/Operator City, State, Zip: SEATTLE, WA 98108 Owner/Operator Telephone: 206-413-4526 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported

Owner/Operator Email: NAFC-ENVIRONMENTAL@AMAZON.COM

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT LLC

Legal Status:PrivateDate Became Current:20150423Date Ended Current:Not reported

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Fax:

Owner/Operator Email:

3090 OLIVE STE STE 300

DALLAS, TX 75219

972-201-2800

Not reported

Not reported

Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: AMAZON.COM SERVICES, INC.

Legal Status:

Date Became Current:

Date Ended Current:

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Private

20160325

Not reported

Not reported

P.O. BOX 80842

SEATTLE, WA 98108

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Not reported

Owner/Operator Email: NAFC-ENVIRONMENTAL@AMAZON.COM

Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: AMAZON.COM SERVICES, LLC

Legal Status:PrivateDate Became Current:20160325Date Ended Current:Not reportedOwner/Operator Address:P.O. BOX 80842

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

### AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

**EDR ID Number** 

Owner/Operator City, State, Zip: SEATTLE, WA 98108 Owner/Operator Telephone: 206-413-4526 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT LLC

Legal Status: Private Date Became Current: 20150424 Date Ended Current: Not reported

3090 OLIVE STE STE 300 Owner/Operator Address: Owner/Operator City, State, Zip: **DALLAS, TX 75219** Owner/Operator Telephone: 972-201-2800 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

AMAZON.COM SERVICES, LLC Owner/Operator Name:

Legal Status:

Private Date Became Current: 20160325 Date Ended Current: Not reported P.O. BOX 80842 Owner/Operator Address: SEATTLE, WA 98108 Owner/Operator City, State, Zip: Owner/Operator Telephone: 206-413-4526 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported

Owner/Operator Email: NAFC-ENVIRONMENTAL@AMAZON.COM

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT, LLC

Legal Status: Private Date Became Current: 20150424 Date Ended Current: Not reported

Owner/Operator Address: 3090 OLIVE STREET Owner/Operator City, State, Zip: **DALLAS, TX 75219** Owner/Operator Telephone: 972-201-2800 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT, LLC

Legal Status: Private Date Became Current: 20150424 **Date Ended Current:** Not reported

3090 OLIVE STREET Owner/Operator Address: Owner/Operator City, State, Zip: DALLAS, TX 75219 Owner/Operator Telephone: 972-201-2800 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: **GOLDEN STATE FC LLC** 

Legal Status: Private

Direction Distance Elevation

on Site Database(s) EPA ID Number

# AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

**EDR ID Number** 

Date Became Current: 20160324 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT, LLC

Legal Status: Private
Date Became Current: 20150424
Date Ended Current: Not reported

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Fax:

Owner/Operator Email:

3090 OLIVE STREET

DALLAS, TX 75219

972-201-2800

Not reported

Not reported

Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: GOLDEN STATE FC LLC

Legal Status: Private Date Became Current: 20160325 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Not reported Owner/Operator Fax: Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ORS DEVELOPMENT, LLC

Legal Status:PrivateDate Became Current:20150424Date Ended Current:Not reported

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Fax:

Owner/Operator Email:

Owner/Operator Email:

3090 OLIVE STREET

DALLAS, TX 75219

972-201-2800

Not reported

Not reported

Not reported

Historic Generators:

Receive Date: 20180221 Handler Name: GOLDEN STATE FC LLC (SNA7/8)

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No
Non Storage Recycler Activity:

No

Direction Distance

Elevation Site Database(s) EPA ID Number

# AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

**EDR ID Number** 

Electronic Manifest Broker: No

Receive Date: 20200227 Handler Name: AMAZON.COM SERVICES, LLC - LGB5

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes Non Storage Recycler Activity: No Electronic Manifest Broker: No

Receive Date: 20160421 Handler Name: GOLDEN STATE FC LLC (SNA7/8)

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20161214 Handler Name: GOLDEN STATE FC LLC (SNA7/8)

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20181221 Handler Name: AMAZON.COM SERVICES, INC. - SNA7/8

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: Nο Current Record: No Non Storage Recycler Activity: No Electronic Manifest Broker: No

Receive Date: 20190905 Handler Name: AMAZON.COM SERVICES, LLC - LGB5

Federal Waste Generator Description: Large Quantity Generator

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

AMAZON.COM SERVICES, LLC - LGB5 (Continued)

1018274042

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No Non Storage Recycler Activity: Nο Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:

NAICS Code: 493110

NAICS Description: GENERAL WAREHOUSING AND STORAGE

Facility Has Received Notices of Violations:

Violations: No Violations Found

**Evaluation Action Summary:** 

Evaluations: No Evaluations Found

**C7** 1024806251 **MYNOR AUTO SALES** RCRA NonGen / NLR NE **976 HOPE ST** CAL000267915

SAN BERNARDINO, CA 92408 1/8-1/4

0.181 mi.

956 ft. Site 1 of 2 in cluster C Relative: RCRA NonGen / NLR:

Higher Date Form Received by Agency: 20030319

Handler Name: MYNOR AUTO SALES Actual:

Handler Address: 976 HOPE ST 1047 ft. Handler City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CAL000267915 Contact Name: MYNOR SAGASTUME Contact Address: 976 HOPE ST

SAN BERNARDINO, CA 92408 Contact City, State, Zip:

Contact Telephone: 909-890-4340 Contact Fax: 909-890-0286

Contact Email: MYNORCARSALES@SBCGLOBAL.NET

Contact Title: Not reported EPA Region: 09

Land Type: Not reported

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported Mailing Address: 976 HOPE ST

Mailing City, State, Zip: SAN BERNARDINO, CA 92408-0000

Owner Name: MYNOR SAGASTUME

Owner Type: Other

Operator Name: MYNOR SAGASTUME

Operator Type: Other Short-Term Generator Activity: No

Map ID MAP FINDINGS
Direction

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

MYNOR AUTO SALES (Continued)

1024806251

Importer Activity: No Mixed Waste Generator: No Transporter Activity: Nο Transfer Facility Activity: No Recycler Activity with Storage: Nο Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** Nο Off-Site Waste Receipt: No Universal Waste Indicator: Yes Universal Waste Destination Facility: Yes Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: N

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Permit Renewals Workload Universe:

Permit Workload Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported

Not reported

Not reported

Not reported

Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

No
Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

No
Human Exposure Controls Indicator:

N/A
Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
Recognized Trader-Exporter:
No
No

Importer of Spent Lead Acid Batteries:NoExporter of Spent Lead Acid Batteries:NoRecycler Activity Without Storage:NoManifest Broker:NoSub-Part P Indicator:No

Distance Elevation

on Site Database(s) EPA ID Number

# MYNOR AUTO SALES (Continued)

1024806251

**EDR ID Number** 

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: MYNOR SAGASTUME

Legal Status: Other

Date Became Current: Not reported

Date Ended Current: Not reported

Owner/Operator Address: 976 HOPE ST

Owner/Operator City, State, Zip: SAN BERNARDINO, CA 92408

Owner/Operator Telephone: 909-890-4340
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: MYNOR SAGASTUME

Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 976 HOPE ST

Owner/Operator City, State, Zip: SAN BERNARDINO, CA 92408-0000

Owner/Operator Telephone: 909-890-4340
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20030319

Handler Name: MYNOR AUTO SALES

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 44112

NAICS Description: USED CAR DEALERS

Facility Has Received Notices of Violations:

Violations: No Violations Found

**Evaluation Action Summary:** 

Evaluations: No Evaluations Found

Direction Distance

956 ft.

Elevation Site Database(s) EPA ID Number

C8 MYNOR AUTO SALES CERS HAZ WASTE S110496999

NE 976 HOPE ST San Bern. Co. Permit N/A

1/8-1/4 SAN BERNARDINO, CA 92408 CERS 0.181 mi. HWTS

Relative: CERS HAZ WASTE:

Site 2 of 2 in cluster C

Higher Name: MYNOR AUTO SALES

Actual: Address: 976 HOPE ST

**1047 ft.** City,State,Zip: SAN BERNARDINO, CA 92408

 Site ID:
 50808

 CERS ID:
 10311583

CERS Description: Hazardous Waste Generator

San Bern. Co. Permit:

Name: MYNOR AUTO SALES

Address: 976 HOPE ST

City, State, Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0013396

Owner: SAGASTUME, MYNOR

Permit Number: PT0023610

Permit Category: CONDITIONALLY EXEMPT SM QTY GENERATOR

Facility Status: ACTIVE Expiration Date: 09/30/2022

Name: MYNOR AUTO SALES

Address: 976 HOPE ST

City, State, Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO

Facility ID: FA0013396

Owner: SAGASTUME, MYNOR

Permit Number: PT0036786

Permit Category: HAZARDOUS MATERIALS 1-3 CHEMICALS

Facility Status: ACTIVE Expiration Date: 09/30/2022

CERS:

Name: MYNOR AUTO SALES

Address: 976 HOPE ST

City,State,Zip: SAN BERNARDINO, CA 92408

 Site ID:
 50808

 CERS ID:
 10311583

CERS Description: Chemical Storage Facilities

Violations:

Site ID: 50808

Site Name: MYNOR AUTO SALES

Violation Date: 07-08-2013

Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

Section(s) Multiple

Violation Description: Haz Waste Generator Program - Operations/Maintenance - General Violation Notes: Returned to compliance on 07/08/2013. Failure to operate and maintain

facility to prevent a fire, spill or release (CCR 66265.31)

Violation Division: San Bernardino County Fire Department

Violation Program: HW Violation Source: CERS,

Site ID: 50808

**EDR ID Number** 

Map ID MAP FINDINGS Direction

Distance

**EDR ID Number** Elevation **EPA ID Number** Site Database(s)

# **MYNOR AUTO SALES (Continued)**

S110496999

Site Name: MYNOR AUTO SALES

07-08-2013 Violation Date:

HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Citation:

Section(s) Multiple

Violation Description: Haz Waste Generator Program - Operations/Maintenance - General Violation Notes: Returned to compliance on 07/08/2013. Failure to keep hazardous waste

containers closed when not in active use (CCR 66265.173(a))

Violation Division: San Bernardino County Fire Department

Violation Program: HW Violation Source: CERS,

Site ID: 50808

Site Name: MYNOR AUTO SALES

07-08-2013 Violation Date:

Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

Section(s) Multiple

Haz Waste Generator Program - Operations/Maintenance - General Violation Description: Violation Notes: Returned to compliance on 07/08/2013. Failure to manage hazardous

waste lawfully (CHSC 25154)

Violation Division: San Bernardino County Fire Department

HW Violation Program: Violation Source: CERS,

Site ID: 50808

Site Name: MYNOR AUTO SALES

10-23-2019 Violation Date: Citation: **Un-Specified** 

Violation Description: Business Plan Program - Administration/Documentation - General Local

Returned to compliance on 11/18/2019. OBSERVATION: Facility stores Violation Notes:

> hazardous materials above the reportable quantities (55 gallons for liquids, 500 pounds for solids, and/or 200 cubic feet for compressed gases) and has not obtained a current hazardous material handler permit with this Division. CORRECTIVE ACTION: Obtain a hazardous materials handler permit by submitting a business plan via the

California Environmental Reporting System (CERS) at

https://cers.calepa.ca.gov/. Pay permit fees upon receipt of invoice.

Violation Division: San Bernardino County Fire Department

Violation Program: **HMRRP** Violation Source: CERS,

Site ID: 50808

Site Name: MYNOR AUTO SALES

Violation Date: 10-23-2019

22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Citation:

Chapter 12, Section(s) 66262.34(f)

Violation Description: Failure to properly label hazardous waste accumulation containers and

> portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation

date.

Violation Notes: Returned to compliance on 11/19/2019. OBSERVATION: At the time of the

> inspection (1) 55 gallon drum of used oil and (1) 55 gallon drum of drained used oil filters were observed without a hazardous waste

label. CORRECTIVE ACTION: Submit a signed statement to this department

demonstrating that the containers listed above have been properly

labeled.

Direction Distance

Elevation Site Database(s) EPA ID Number

MYNOR AUTO SALES (Continued)

S110496999

**EDR ID Number** 

Violation Division: San Bernardino County Fire Department

Violation Program: HW Violation Source: CERS,

Site ID: 50808

Site Name: MYNOR AUTO SALES

Violation Date: 10-23-2019

Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter

6.95, Section(s) 25508(a)(1)

Violation Description: Failure to annually review and electronically certify that the

business plan is complete and accurate on or before the annual due

date.

Violation Notes: Returned to compliance on 11/14/2019. OBSERVATION: Last business plan

submittal for this facility was done on 12/8/2016. CORRECTIVE ACTION: Review and certify the business plan via CERS. Your CERS ID number is

10311583.

Violation Division: San Bernardino County Fire Department

Violation Program: HMRRP Violation Source: CERS,

Evaluation:

Eval General Type: Compliance Evaluation Inspection

Eval Date: 10-23-2019 Violations Found: Yes

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: San Bernardino County Fire Department

Eval Program: HW Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection

Eval Date: 12-08-2016

Violations Found: No

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: San Bernardino County Fire Department

Eval Program: HW Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection

Eval Date: 07-08-2013 Violations Found: Yes

Eval Type: Routine done by local agency Eval Notes: ROUTINE INSPECTION

Eval Division: San Bernardino County Fire Department

Eval Program: HW Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection

Eval Date: 10-23-2019 Violations Found: Yes

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: San Bernardino County Fire Department

Eval Program: HMRRP Eval Source: CERS,

Direction Distance

Elevation Site Database(s) EPA ID Number

# MYNOR AUTO SALES (Continued)

S110496999

**EDR ID Number** 

**Enforcement Action:** 

Site ID: 50808

Site Name: MYNOR AUTO SALES
Site Address: 976 HOPE ST
Site City: SAN BERNARDINO

 Site Zip:
 92408

 Enf Action Date:
 07-08-2013

Enf Action Type: Notice of Violation (Unified Program)

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection

Enf Action Notes: Not reported

Enf Action Division: San Bernardino County Fire Department

Enf Action Program: HW
Enf Action Source: CERS,

Coordinates:

Site ID: 50808

Facility Name: MYNOR AUTO SALES

Env Int Type Code: HWG
Program ID: 10311583
Coord Name: Not reported

Ref Point Type Desc: Center of a facility or station.,

Latitude: 34.083190 Longitude: -117.264040

Affiliation:

Affiliation Type Desc: Document Preparer Entity Name: JOHNNY SAGASTUME

Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

Affiliation Phone:

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 976 HOPE ST
Affiliation City: SAN BERNARDINO

Affiliation State: CA

Affiliation Country: Not reported
Affiliation Zip: 92408
Affiliation Phone:

Affiliation Type Desc: Identification Signer Entity Name: Johnny Sagastume

Entity Title: MANAGER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation

Direction Distance

Elevation Site Database(s) EPA ID Number

# MYNOR AUTO SALES (Continued)

S110496999

**EDR ID Number** 

Entity Name: MYNOR AUTO SALES

Entity Title:

Affiliation Address:

Affiliation City:

Affiliation State:

Affiliation Country:

Affiliation Zip:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Affiliation Phone: ,

Affiliation Type Desc: CUPA District

Entity Name: San Bernardino County Fire

Entity Title: Not reported
Affiliation Address: 620 South E Street
Affiliation City: San Bernardino

Affiliation State: CA

Affiliation Country: Not reported
Affiliation Zip: 92415-0153
Affiliation Phone: (909) 386-8401,

Affiliation Type Desc: Operator

Entity Name: MYNOR SAGASTUME

Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (909) 890-4340,

Affiliation Type Desc: Environmental Contact Entity Name: MYNOR SAGASTUME

Entity Title: Not reported
Affiliation Address: 976 HOPE ST
Affiliation City: SAN BERNARDINO

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: 92408
Affiliation Phone:

Affiliation Type Desc: Legal Owner

Entity Name: SAGASTUME, MYNOR

Entity Title: Not reported
Affiliation Address: 976 HOPE ST
Affiliation City: SAN BERNARDINO

Affiliation State: CA

Affiliation Country: United States
Affiliation Zip: 92408

Affiliation Phone: (909) 890-4340,

HWTS:

Name: MYNOR AUTO SALES Address: 976 HOPE ST

Address 2: Not reported

City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CAL000267915
Inactive Date: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **MYNOR AUTO SALES (Continued)**

S110496999

Create Date: 03/19/2003 Last Act Date: Not reported Mailing Name: Not reported Mailing Address: 976 HOPE ST Mailing Address 2: Not reported

Mailing City, State, Zip: SAN BERNARDINO, CA 924080000

Owner Name: MYNOR SAGASTUME Owner Address: 976 HOPE ST Owner Address 2: Not reported

Owner City, State, Zip: SAN BERNARDINO, CA 924080000

Contact Name: MYNOR SAGASTUME Contact Address: 976 HOPE ST

Contact Address 2: Not reported City, State, Zip: SAN BERNARDINO, CA 92408

Facility Status: Active Facility Type: **PERMANENT** STATE Category: Latitude: 34.083165 Longitude: -117.264383

NAICS:

EPA ID: CAL000267915

Create Date: 2003-03-19 10:32:01.450

NAICS Code: 44112

NAICS Description: **Used Car Dealers** 

Issued EPA ID Date: 2003-03-19 10:32:01.43700

Inactive Date: Not reported

Facility Name: MYNOR AUTO SALES

Facility Address: 976 HOPE ST Facility Address 2: Not reported SAN BERNARDINO Facility City: Facility County: Not reported

Facility State: CA 92408 Facility Zip:

D9 **ORANGE OIL COMPANY** wsw **505 ORANGE SHOW RD** 1/8-1/4 SAN BERNARDINO, CA 92408

0.206 mi.

1087 ft. Site 1 of 4 in cluster D

SWEEPS UST: Relative:

Lower ORANGE OIL COMPANY Name: 505 ORANGE SHOW RD Address: Actual: City: SAN BERNARDINO 1024 ft.

Status: Active Comp Number: 18451 Number: 9 44-000074 Board Of Equalization:

Referral Date: 07-28-92 07-28-92 Action Date: Created Date: 02-29-88 Owner Tank Id:

SWRCB Tank Id: 36-000-018451-000001

Tank Status: 12000 Capacity: Active Date: 06-29-88 **SWEEPS UST** 

**CA FID UST** 

S101591068

N/A

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

# **ORANGE OIL COMPANY (Continued)**

Tank Use: M.V. FUEL

STG:

**REG UNLEADED** Content:

Number Of Tanks:

ORANGE OIL COMPANY Name: 505 ORANGE SHOW RD Address: SAN BERNARDINO City:

Status: Active Comp Number: 18451 Number: 9 44-000074 Board Of Equalization:

07-28-92 Referral Date: Action Date: 07-28-92 02-29-88 Created Date:

Owner Tank Id:

36-000-018451-000002 SWRCB Tank Id:

Tank Status: Capacity: 12000 06-29-88 Active Date: M.V. FUEL Tank Use: Ρ

STG:

Content: PRM UNLEADED Number Of Tanks: Not reported

Name: ORANGE OIL COMPANY 505 ORANGE SHOW RD Address: City: SAN BERNARDINO

Status: Active Comp Number: 18451 Number: 9

Board Of Equalization: 44-000074 Referral Date: 07-28-92 Action Date: 07-28-92 02-29-88 Created Date:

Owner Tank Id:

SWRCB Tank Id: 36-000-018451-000003

Tank Status: 12000 Capacity: 06-29-88 Active Date: M.V. FUEL Tank Use:

STG:

Content: PRM UNLEADED Number Of Tanks: Not reported

CA FID UST:

Facility ID: 36001148 Regulated By: **UTNKA** 00018451 Regulated ID: Cortese Code: Not reported SIC Code: Not reported Facility Phone: Not reported Mail To: Not reported

Mailing Address: 505 ORANGE SHOW RD

Mailing Address 2: Not reported

Mailing City, St, Zip: SAN BERNARDINO 92408

Contact: Not reported **EDR ID Number** 

S101591068

Direction Distance

D10

**EDR ID Number** Elevation Site **EPA ID Number** Database(s)

**ORANGE OIL COMPANY (Continued)** 

S101591068

CAR000116194

Contact Phone: Not reported DUNs Number: Not reported Not reported NPDES Number: Not reported EPA ID: Comments: Not reported Status: Active

**TEXACO SERVICE STATION** RCRA-SQG 1005441159

**WSW 505 ORANGE SHOW** 1/8-1/4 SAN BERNARDINO, CA 92408

**HIST UST CERS** 

LUST

0.206 mi. 1087 ft. Site 2 of 4 in cluster D

Relative: RCRA-SQG:

Lower Date Form Received by Agency: 20020514

**TEXACO SERVICE STATION** Handler Name: Actual:

505 ORANGE SHOW Handler Address: 1024 ft.

> Handler City, State, Zip: SAN BERNARDINO, CA 92408

EPA ID: CAR000116194 Contact Name: SONDRA BIENVENU Contact Address: P O BOX 2648

Contact City, State, Zip: HOUSTON, TX 77252-2648

Contact Telephone: 713-241-5036 Contact Fax: Not reported Contact Email: Not reported Contact Title: Not reported

EPA Region: 09 Land Type: Private

Federal Waste Generator Description: Small Quantity Generator

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported P O BOX 2648 Mailing Address:

Mailing City, State, Zip: HOUSTON, TX 77252-2648 EQUILON ENT LLC DBA S O P US Owner Name:

Owner Type: Private Operator Name: Not reported Operator Type: Not reported

Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: Nο Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

**TEXACO SERVICE STATION (Continued)** 

1005441159

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline Not on the Baseline 2018 GPRA Renewals Baseline: Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

No
Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D018
Waste Description: BENZENE

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: EQUILON ENT LLC DBA S O P US

Legal Status: Private

Date Became Current: Not reported

Date Ended Current: Not reported

Owner/Operator Address: P O BOX 2648

Owner/Operator City, State, Zip: HOUSTON, TX 77252-2648

Owner/Operator Telephone: 713-241-5036

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**TEXACO SERVICE STATION (Continued)** 

1005441159

Owner/Operator Telephone Ext: Not reported Not reported Owner/Operator Fax: Owner/Operator Email: Not reported

Historic Generators:

20020514 Receive Date:

**TEXACO SERVICE STATION** Handler Name:

Small Quantity Generator Federal Waste Generator Description:

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations: No Violations Found

**Evaluation Action Summary:** 

Evaluations: No Evaluations Found

LUST:

Name: SHELL SERVICE STATION Address: 505 ORANGE SHOW ROAD City,State,Zip: SAN BERNARDINO, CA 92408 Lead Agency: SANTA ANA RWQCB (REGION 8)

Case Type: **LUST Cleanup Site** 

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607195783

Global Id: T0607195783 34.0789406666666 Latitude: -117.294538 Longitude:

Completed - Case Closed Status:

Status Date: 01/29/2014 Case Worker: CAB 083604076T RB Case Number:

SAN BERNARDINO COUNTY Local Agency:

File Location: Local Agency Local Case Number: 2003004

Aquifer used for drinking water supply Potential Media Affect:

Potential Contaminants of Concern: MTBE / TBA / Other Fuel Oxygenates, Gasoline, \* \* TERT-BUTYL ALCOHOL

(TBA), \* TERT-BUTYL ALCOHOL (TBA)

Site History: Not reported

LUST:

Global Id: T0607195783

Contact Type: Local Agency Caseworker Contact Name: THERESA CONGDON Organization Name: SAN BERNARDINO COUNTY

Direction Distance

Elevation Site Database(s) EPA ID Number

# **TEXACO SERVICE STATION (Continued)**

1005441159

**EDR ID Number** 

Address: 620 SOUTH E STREET
City: SAN BERNARDINO
Email: tcongdon@sbcfire.org

Phone Number: Not reported

Global Id: T0607195783

Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500

City: RIVERSIDE

Email: carl.bernhardt@waterboards.ca.gov

Phone Number: 9517824495

LUST:

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 05/06/2010

 Action:
 Staff Letter

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 07/09/2013

 Action:
 Staff Letter

Global Id: T0607195783
Action Type: ENFORCEMENT
Date: 05/02/2013

Action: Notification - Public Notice of Case Closure

 Global Id:
 T0607195783

 Action Type:
 Other

 Date:
 12/12/2002

 Action:
 Leak Discovery

Global Id: T0607195783
Action Type: RESPONSE
Date: 04/30/2011

Action: Monitoring Report - Semi-Annually

Global Id: T0607195783
Action Type: RESPONSE
Date: 11/20/2013

Action: Verbal Communication

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 03/19/2009

Action: Referral to Regional Board

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 10/15/2012

 Action:
 Verbal Enforcement

Global Id: T0607195783
Action Type: Other

Direction Distance

Elevation Site Database(s) EPA ID Number

# **TEXACO SERVICE STATION (Continued)**

1005441159

**EDR ID Number** 

Date: 12/12/2002 Action: Leak Reported

 Global Id:
 T0607195783

 Action Type:
 REMEDIATION

 Date:
 04/15/2008

Action: Soil Vapor Extraction (SVE)

 Global Id:
 T0607195783

 Action Type:
 RESPONSE

 Date:
 09/30/2012

Action: Other Report / Document

Global Id: T0607195783
Action Type: RESPONSE
Date: 10/15/2012

Action: Verbal Communication

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 09/30/2011

 Action:
 Staff Letter

Global Id: T0607195783
Action Type: ENFORCEMENT
Date: 01/02/2014

Action: Technical Correspondence / Assistance / Other

Global Id: T0607195783
Action Type: ENFORCEMENT
Date: 01/29/2014

Action: Closure/No Further Action Letter

Global Id: T0607195783
Action Type: RESPONSE
Date: 02/28/2010

Action: Soil and Water Investigation Workplan

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 09/30/2011

 Action:
 Staff Letter

 Global Id:
 T0607195783

 Action Type:
 RESPONSE

 Date:
 10/24/2011

Action: Other Report / Document

 Global Id:
 T0607195783

 Action Type:
 RESPONSE

 Date:
 12/30/2010

Action: Site Assessment Report

Global Id: T0607195783
Action Type: RESPONSE
Date: 10/30/2011

Action: Other Report / Document

Direction Distance

Elevation Site Database(s) EPA ID Number

# **TEXACO SERVICE STATION (Continued)**

1005441159

**EDR ID Number** 

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 12/16/2009

 Action:
 Meeting

 Global Id:
 T0607195783

 Action Type:
 ENFORCEMENT

 Date:
 01/29/2010

 Action:
 Staff Letter

LUST:

Global Id: T0607195783

Status: Open - Case Begin Date

Status Date: 11/20/2002

Global Id: T0607195783

Status: Open - Site Assessment

Status Date: 11/20/2002

Global Id: T0607195783

Status: Open - Site Assessment

Status Date: 03/10/2003

Global Id: T0607195783

Status: Open - Assessment & Interim Remedial Action

Status Date: 04/15/2008

Global Id: T0607195783

Status: Open - Verification Monitoring

Status Date: 12/30/2010

Global Id: T0607195783

Status: Open - Eligible for Closure

Status Date: 05/28/2013

Global Id: T0607195783

Status: Completed - Case Closed

Status Date: 01/29/2014

Name:SHELL SERVICE STATIONAddress:505 ORANGE SHOW RDCity,State,Zip:SAN BERNARDINO, CA 92408Lead Agency:SAN BERNARDINO COUNTY

Case Type: LUST Cleanup Site

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607100097

Global Id: T0607100097
Latitude: 34.07896
Longitude: -117.294698

Status: Completed - Case Closed

Status Date: 06/27/1988
Case Worker: Not reported
RB Case Number: 083600929T
Local Agency: Not reported
File Location: Local Agency
Local Case Number: 87054
Potential Media Affect: Soil

Direction Distance

Elevation Site Database(s) EPA ID Number

# **TEXACO SERVICE STATION (Continued)**

1005441159

**EDR ID Number** 

Potential Contaminants of Concern: Other Solvent or Non-Petroleum Hydrocarbon

Site History: Not reported

LUST:

Global Id: T0607100097

Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500

City: RIVERSIDE

Email: carl.bernhardt@waterboards.ca.gov

Phone Number: 9517824495

LUST:

 Global Id:
 T0607100097

 Action Type:
 Other

 Date:
 04/03/1986

 Action:
 Leak Discovery

Global Id: T0607100097
Action Type: ENFORCEMENT
Date: 06/27/1988

Action: Closure/No Further Action Letter

 Global Id:
 T0607100097

 Action Type:
 Other

 Date:
 04/14/1986

 Action:
 Leak Reported

LUST:

Global Id: T0607100097

Status: Open - Case Begin Date

Status Date: 04/03/1986

Global Id: T0607100097

Status: Completed - Case Closed

Status Date: 06/27/1988

HIST UST:

Name: ZAK AND FATIMA R \* ; HAGG AG Address: 505 ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

File Number: 0002A644

URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002A644.pdf

Region: Not reported Facility ID: Not reported Facility Type: Not reported Other Type: Not reported Not reported Contact Name: Telephone: Not reported Not reported Owner Name: Owner Address: Not reported Owner City, St, Zip: Not reported Total Tanks: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **TEXACO SERVICE STATION (Continued)**

1005441159

Tank Num: Not reported Not reported Container Num: Year Installed: Not reported Tank Capacity: Not reported Tank Used for: Not reported Type of Fuel: Not reported Container Construction Thickness: Not reported Leak Detection: Not reported

Click here for Geo Tracker PDF:

CERS:

SHELL SERVICE STATION Name: Address: 505 ORANGE SHOW ROAD City,State,Zip: SAN BERNARDINO, CA 92408

Site ID: 229951 CERS ID: T0607195783

**CERS** Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker

CARL BERNHARDT - SANTA ANA RWQCB (REGION 8) Entity Name:

Entity Title: Not reported

Affiliation Address: 3737 MAIN STREET, SUITE 500

Affiliation City: **RIVERSIDE** 

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported Affiliation Phone: 9517824495,

Affiliation Type Desc: Local Agency Caseworker

Entity Name: THERESA CONGDON - SAN BERNARDINO COUNTY

**Entity Title:** Not reported

620 SOUTH E STREET Affiliation Address: SAN BERNARDINO Affiliation City:

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone:

SHELL SERVICE STATION Name: Address: 505 ORANGE SHOW RD City,State,Zip: SAN BERNARDINO, CA 92408

Site ID: 221893 CERS ID: T0607100097

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker

Entity Name: CARL BERNHARDT - SANTA ANA RWQCB (REGION 8)

**Entity Title:** Not reported

Affiliation Address: 3737 MAIN STREET, SUITE 500

Affiliation City: **RIVERSIDE** 

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported 9517824495, Affiliation Phone:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

D11 HOME LUMBER COMPANY INC HIST UST U001576055 West

**24345 PIONEER STREET** N/A

1/8-1/4 SAN BERNARDINO, CA 92403

0.229 mi.

1209 ft. Site 3 of 4 in cluster D

Relative: HIST UST: Lower HOME LUMBER COMPANY INC Name: Address: 24345 PIONEER STREET Actual: City,State,Zip: SAN BERNARDINO, CA 92403 1023 ft.

File Number: 00029FCC

URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00029FCC.pdf

Region: STATE Facility ID: 00000044864 Facility Type: Other

Other Type: LUMBER & PLYWOOD SAL Contact Name: MILTON E. JOHNSON

Telephone: 7143811771

HOME LUMBER COMPANY, INC. Owner Name: Owner Address: 24345 PIONEER STREET Owner City, St, Zip: SAN BERNARDINO, CA 92408

0002 Total Tanks:

Tank Num: 001 Container Num: #3 Year Installed: 1982 Tank Capacity: 00010000 **PRODUCT** Tank Used for: Type of Fuel: DIESEL Container Construction Thickness: Not reported Leak Detection: Pressure Test

Tank Num: 002 Container Num: #4 Year Installed: 1982 Tank Capacity: 00010000 Tank Used for: **PRODUCT** UNLEADED Type of Fuel: Container Construction Thickness: Not reported Leak Detection: Pressure Test

Click here for Geo Tracker PDF:

D12 HOME LUMBER COMPANY, INC. West 24345 PIONEER ST

1/8-1/4 SAN BERNARDINO, CA 92408

0.229 mi.

1209 ft. Site 4 of 4 in cluster D

SWEEPS UST: Relative:

Lower Name: HOME LUMBER COMPANY, INC.

Address: 24345 PIONEER ST Actual: City: SAN BERNARDINO 1023 ft.

> Status: Active 44864 Comp Number: Number: 9

Board Of Equalization: 44-021062 Referral Date: 09-11-91 Action Date: 09-11-91 Created Date: 02-29-88

S101619513

N/A

**SWEEPS UST** 

**CA FID UST** 

Direction Distance

Elevation Site Database(s) EPA ID Number

# **HOME LUMBER COMPANY, INC. (Continued)**

Owner Tank Id: #3

SWRCB Tank Id: 36-000-044864-000001

Tank Status: A
Capacity: 10000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P

STG: P
Content: DIESEL
Number Of Tanks: 2

Name: HOME LUMBER COMPANY, INC.

Address: 24345 PIONEER ST City: SAN BERNARDINO

Status: Active Comp Number: 44864 Number: 9

 Board Of Equalization:
 44-021062

 Referral Date:
 09-11-91

 Action Date:
 09-11-91

 Created Date:
 02-29-88

Owner Tank Id: #4

SWRCB Tank Id: 36-000-044864-000002

Tank Status: A

Capacity: 10000 Active Date: 07-01-85 Tank Use: M.V. FUEL

STG: P

Content: REG UNLEADED Number Of Tanks: Not reported

# CA FID UST:

Facility ID: 36009024 **UTNKA** Regulated By: 00044864 Regulated ID: Cortese Code: Not reported SIC Code: Not reported Facility Phone: Not reported Mail To: Not reported P O BOX Mailing Address: Mailing Address 2: Not reported

Mailing City, St, Zip: SAN BERNARDINO 92408

Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

S101619513

**EDR ID Number** 

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

13 **RAUB WELL 4R PFAS** S127520343 N/A

SW

1/8-1/4 RIVERSIDE, CA

Site History:

0.233 mi. 1230 ft.

Relative: PFAS: Lower Name:

**RAUB WELL 4R** Address: Not reported Actual: RIVERSIDE, CA City,State,Zip: 1024 ft. Envirostor ID: Not reported

Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Begin Date: Not reported RB Case Number: Not reported source type: All PFAS Chemicals 3310031-177 Location ID: Matrix: Liquid HFPA-DA Chemical: Qualifier: < Value: 1.7

Reporting Limit: Not reported Not reported **Detection Limit:** Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 1/15/2021 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076792 Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Not reported

Name: **RAUB WELL 4R** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

**EDR ID Number** 

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **RAUB WELL 4R (Continued)**

Value:

S127520343

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: 3310031-177 Location ID: Matrix: Liquid **PFBSA** Chemical: Qualifier:

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes:

Quarterly Running Annual Average: 10 Units: NG/L Date: 4/26/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076792 Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

10

**RAUB WELL 4R** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-177 Matrix: Liquid Chemical: **NETFOSAA** 

Qualifier:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 4R (Continued)**

Value: 1.8

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/26/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.076792 Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-177 Matrix: Liquid PFOA Chemical:

Qualifier: < Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 4/2/2020 Date: **PUBW** Field Pt Class:

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.076792 Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported

S127520343

Direction Distance Elevation

**EDR ID Number** Site Database(s) **EPA ID Number** 

#### **RAUB WELL 4R (Continued)**

S127520343

RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Not reported Location Case Number: File Location: Not reported Not reported Potential Contaminants of Concern: Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-177 Matrix: Liquid Chemical: **PFOS** Qualifier:

Value: 10

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/2/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.076792 Latitude: -117.271456 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

RAUB WELL 4R Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Distance

Elevation Site Database(s) EPA ID Number

RAUB WELL 4R (Continued) S127520343

Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-177
Matrix: Liquid

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 5.6

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/2/2020

Field Pt Class:

Not reported

Not reported

Not reported

Not reported

A/2/2020

PUBW

Site Use: Drinking Water Wells

 Site Type:
 DDW Well

 Latitude:
 34.076792

 Longitude:
 -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-177

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 11

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

T/20/2020

**EDR ID Number** 

Direction Distance

Elevation Site Database(s) EPA ID Number

RAUB WELL 4R (Continued) S127520343

Field Pt Class: PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076792
Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-177

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 7
Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Field Pt Class:

Not reported
Not reported
Not reported
Not/L
7/20/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076792
Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported

**EDR ID Number** 

Distance

Elevation Site Database(s) EPA ID Number

#### RAUB WELL 4R (Continued)

S127520343

**EDR ID Number** 

Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-177

Liquid

PFOS

=

10

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Nog/L

8/9/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076792
Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 4R** Address: Not reported RIVERSIDE, CA City, State, Zip: Not reported Envirostor ID: Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-177
Matrix: Liquid

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 4R (Continued)**

S127520343

**PFOA** Chemical: Qualifier: Value: 5.2

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Not reported Quarterly Running Annual Average: Units: NG/L Date: 8/9/2019 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.076792 Latitude: Longitude: -117.271456

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 4R** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-177

Matrix: Liquid Chemical: **PFOS** Qualifier: Value: 2.3

Not reported Reporting Limit: Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 10/30/2019 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.076792 Latitude: -117.271456 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 4R (Continued)**

S127520343

Click this hyperlink while viewing on your computer to access 134 additional CA PFAS: record(s) in the EDR Site Report.

**GAGE WELL 98-1** E14 PFAS S127520341 N/A

GAGE WELL 98-1

Not reported

SE

1/4-1/2 RIVERSIDE, CA

0.295 mi.

1044 ft.

1555 ft. Site 1 of 2 in cluster E

Site History:

Relative: PFAS:

Higher Name: Address: Actual:

Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Begin Date: Not reported **RB Case Number:** Not reported source\_type: All PFAS Chemicals 3310031-128 Location ID: Matrix: Liquid Chemical: **PFNA** Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/22/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.076679 Latitude: Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 98-1 Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Not reported Status: Status Date: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 98-1 (Continued)**

S127520341

Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-128 Matrix: Liquid Chemical: **NETFOSAA** 

Qualifier: Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/22/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.076679 Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 98-1 Name: Not reported Address: City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 98-1 (Continued)**

S127520341

Location ID: 3310031-128 Liquid Matrix: Chemical: **NMEFOSAA** Qualifier:

1.7 Value:

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/22/2021 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076679 Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 98-1 Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-128 Matrix: Liquid PFNDCA Chemical: Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: 4/22/2021 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.076679 Longitude: -117.263338

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 98-1 (Continued)**

S127520341

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 98-1 Name: Not reported Address: City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-128 Matrix: Liquid Chemical: **PFDOA** Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/22/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.076679 Latitude: Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 98-1 Name: Not reported Address: RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported

Distance

Elevation Site Database(s) EPA ID Number

#### GAGE WELL 98-1 (Continued)

S127520341

**EDR ID Number** 

Location Case Number:

File Location:

Potential Contaminants of Concern:

Potential Media Affected:

Site History:

Not reported

Not reported

Not reported

Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-128

Matrix: Liquid
Chemical: PFHA
Qualifier: <
Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/22/2021

Field Pt Class:

Not reported

Not reported

Not reported

A/22/2021

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well Latitude: 34.076679 Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 98-1 Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History:

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-128

Liquid

PFTEDA

4

1.7

Reporting Limit: Not reported Detection Limit: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

#### GAGE WELL 98-1 (Continued)

S127520341

**EDR ID Number** 

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Field Pt Class:

Not reported
Not reported
NG/L
4/22/2021
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076679
Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 98-1 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported

RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-128

Matrix: Liquid
Chemical: PFTRIDA
Qualifier: <

Value:

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Pield Pt Class:

Not reported
Not reported
Not reported
Not reported
A/22/2021
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076679
Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

1.7

Name: GAGE WELL 98-1
Address: Not reported
City, State, Zip: RIVERSIDE, CA
Envirostor ID: Not reported
Program Type: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 98-1 (Continued)**

S127520341

Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-128 Matrix: Liquid Chemical: **PFUNDCA** Qualifier: <

Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/22/2021 Date: **PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076679 Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 98-1 Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 98-1 (Continued)**

S127520341

RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-128 Matrix: Liquid Chemical: HFPA-DA Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/22/2021 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.076679 Latitude: Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 98-1 Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-128 Location ID: Matrix: Liquid 9CIPF3ONS Chemical: Qualifier: <

1.7 Value: Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported NG/L Units:

4/22/2021 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**GAGE WELL 98-1 (Continued)** 

S127520341

N/A

Latitude: 34.076679 Longitude: -117.263338

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 148 additional CA PFAS: record(s) in the EDR Site Report.

E15 **TIPPECANOE WELL PFAS** S127520344

SE

1/4-1/2 RIVERSIDE, CA

0.305 mi.

1611 ft. Site 2 of 2 in cluster E

Relative: PFAS: Higher

Actual: 1044 ft.

**TIPPECANOE WELL** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code:

W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported Not reported RB Case Number: source\_type: All PFAS Chemicals 3310031-154 Location ID: Liquid PFOS

Matrix: Chemical: Qualifier: Value: 5.7 Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/9/2020 Date: **PUBW** Field Pt Class:

Site Use: **Drinking Water Wells** 

Site Type: DDW Well 34.077029 Latitude: -117.262585 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

TIPPECANOE WELL Name: Address: Not reported City,State,Zip: RIVERSIDE, CA

Distance Elevation

on Site Database(s) EPA ID Number

# **TIPPECANOE WELL (Continued)**

S127520344

**EDR ID Number** 

**Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sall PFAS Chemicals

3310031-154

Liquid

PFOA

=

3

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Field Pt Class:

Not reported
Not reported
Not reported
Not reported
Not reported
A/9/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077029
Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

TIPPECANOE WELL Name: Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **TIPPECANOE WELL (Continued)**

S127520344

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-154 Matrix: Liquid

**PFOS** Chemical: Qualifier: Value: 3.7

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Not reported Quarterly Running Annual Average: NG/L Units: Date: 7/9/2020 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well 34.077029 Latitude: Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **TIPPECANOE WELL** Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-154 Liquid Matrix: Chemical: **PFOA** Qualifier:

Value: 2.9

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 7/9/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Distance Elevation Site

Site Database(s) EPA ID Number

## **TIPPECANOE WELL (Continued)**

S127520344

**EDR ID Number** 

Site Type: DDW Well
Latitude: 34.077029
Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**TIPPECANOE WELL** Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Charmical:

RB Case Number:

Not reported

Not reported

31 PFAS Chemicals

3310031-154

Liquid

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 2.8
Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

10/23/2020

Field Pt Class:

Not reported

Not reported

Not reported

10.7

NG/L

10/23/2020

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077029
Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **TIPPECANOE WELL** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **TIPPECANOE WELL (Continued)**

S127520344

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-154 Location ID: Matrix: Liquid Chemical: **PFOA** Qualifier: 2.8 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: 0.7

Units: NG/L Date: 10/23/2020 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.077029 Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

TIPPECANOE WELL Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-154 Matrix: Liquid Chemical: **PFOS** 

Qualifier:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **TIPPECANOE WELL (Continued)**

S127520344

Value: 3.2

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: 1.5 NG/L Units: Date: 1/7/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.077029 Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

TIPPECANOE WELL Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-154 Matrix: Liquid Chemical: **PFOA** 

Qualifier: Value: 2.8

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: 1.4

Units: NG/L Date: 1/7/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.077029 Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: TIPPECANOE WELL Address: Not reported

Distance Elevation

on Site Database(s) EPA ID Number

# **TIPPECANOE WELL (Continued)**

S127520344

**EDR ID Number** 

RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

2310031-154

Liquid

PFOS

3310031-154

Liquid

24100-250

2500-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2600-250

2

Reporting Limit:
Detection Limit:
Not reported
Lab Notes:
Not reported
Quarterly Running Annual Average:
Units:
NG/L
Date:
8/15/2019
Field Pt Class:
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077029
Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

TIPPECANOE WELL Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Distance Elevation

vation Site Database(s) EPA ID Number

# **TIPPECANOE WELL (Continued)**

S127520344

**EDR ID Number** 

Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chamical:

Not reported

Not reported

Sall PFAS Chemicals

13310031-154

Liquid

RECA

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 2.4

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Not Poported

Not Reported

Not Poported

NG/L

8/15/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

 Site Type:
 DDW Well

 Latitude:
 34.077029

 Longitude:
 -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: TIPPECANOE WELL Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-154
Matrix: Liquid

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 2.8

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:
Units:

Not reported
Not reported
Not reported
Not reported
Not reported
Units:

NG/L
10/23/2019

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**TIPPECANOE WELL (Continued)** 

S127520344

**PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.077029 Longitude: -117.262585

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 184 additional CA PFAS: record(s) in the EDR Site Report.

**RAUB WELL 07 PFAS** S127520340 16 N/A

**RAUB WELL 07** 

SW

1/4-1/2 RIVERSIDE, CA

0.305 mi. 1611 ft.

Relative: PFAS: Lower Name:

Actual: 1023 ft. Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-167

Matrix: Liquid PFOA Chemical: Qualifier: Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 7/30/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.076122 Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Direction Distance

Elevation Site Database(s) EPA ID Number

### **RAUB WELL 07 (Continued)**

S127520340

**EDR ID Number** 

Name: **RAUB WELL 07** Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sall PFAS Chemicals

3310031-167

Liquid

PFOS

=

13

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

3.25

NG/L

10/21/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076122
Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 07** Name: Address: Not reported RIVERSIDE, CA City,State,Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

## RAUB WELL 07 (Continued)

Potential Contaminants of Concern:
Potential Media Affected:
Site History:
Not reported
Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Not reported

Not reported

Not reported

3310031-167

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 7.4
Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

10/21/2020
Field Pt Class:

Not reported
1.85
NG/L
10/21/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076122
Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 07** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sali PFAS Chemicals

3310031-167

Liquid

PFOS

=

13

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported

Quarterly Running Annual Average: 6.5

**EDR ID Number** 

S127520340

Direction Distance

Elevation Site Database(s) EPA ID Number

# RAUB WELL 07 (Continued)

S127520340

**EDR ID Number** 

 Units:
 NG/L

 Date:
 1/15/2021

 Field Pt Class:
 PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076122
Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 07** Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-167

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 7.3
Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Tield Pt Class:

Not reported
Not reported
Not reported
Not reported
1,68
NG/L
1/15/2021
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076122
Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: RAUB WELL 07
Address: Not reported
City,State,Zip: RIVERSIDE, CA
Envirostor ID: Not reported
Program Type: Not reported
Status: Not reported
Status Date: Not reported

Distance Elevation

ion Site Database(s) EPA ID Number

# **RAUB WELL 07 (Continued)**

S127520340

**EDR ID Number** 

Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-167
Matrix: Liquid

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 12
Reporting Limit: Not re

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

NG/L

7/17/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076122
Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 07** Name: Not reported Address: City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **RAUB WELL 07 (Continued)**

S127520340

Location ID: 3310031-167 Liquid Matrix: Chemical: **PFOA** Qualifier: Value: 5.3

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 7/17/2019 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076122 Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 07** Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-167

Matrix: Liquid **PFOS** Chemical: Qualifier: 12 Value: Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: 9.5 NG/L Units:

Date: 4/2/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.076122 Longitude: -117.272563

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **RAUB WELL 07 (Continued)**

S127520340

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 07** Name: Not reported Address: City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-167 Matrix: Liquid Chemical: **PFOA** Qualifier: 6.5 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported

Quarterly Running Annual Average: 5.3 NG/L Units: Date: 4/2/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.076122 Latitude: Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 07** Name: Not reported Address: RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported

MAP FINDINGS Map ID Direction

Location Case Number:

Potential Contaminants of Concern:

File Location:

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **RAUB WELL 07 (Continued)**

Not reported Not reported Not reported

Potential Media Affected: Not reported Site History: Not reported Begin Date: Not reported

**RB Case Number:** Not reported source\_type: All PFAS Chemicals Location ID: 3310031-167 Matrix: Liquid **PFOS** Chemical:

Qualifier: Value: 8.9

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 10/3/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.076122 Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 07** Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-167 Location ID:

Matrix: Liquid **PFOA** Chemical: Qualifier: Value: 4.5

Reporting Limit: Not reported **Detection Limit:** Not reported S127520340

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

**RAUB WELL 07 (Continued)** S127520340

Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 10/3/2019 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.076122 Longitude: -117.272563

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 130 additional CA PFAS: record(s) in the EDR Site Report.

> > GAGE WELL 51-1 Not reported

Not reported

17 **GAGE WELL 51-1** PFAS S127520339 N/A

SE

1/4-1/2 RIVERSIDE, CA

0.322 mi. 1698 ft.

1045 ft.

Relative: PFAS: Higher Name: Address: Actual:

Site History:

RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-036 Matrix: Liquid

**PFHXSA** Chemical: Qualifier: < Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported NG/L Units: 4/26/2019 Date: **PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well **EDR ID Number** 

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 51-1 (Continued)**

S127520339

Latitude: 34.075813 Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 51-1 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-036 Matrix: Liquid **PFNA** Chemical:

Qualifier: Value: Reporting Limit: Not reported **Detection Limit:** Not reported

Not reported Lab Notes: Not reported Quarterly Running Annual Average: Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.075813 Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 51-1 Name: Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Not reported Status: Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **GAGE WELL 51-1 (Continued)**

S127520339

Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-036 Location ID: Matrix: Liquid

Chemical: **NETFOSAA** Qualifier: Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.075813 Latitude: Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 51-1 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-036 Location ID:

Matrix: Liquid Chemical: **NMEFOSAA** 

Qualifier: 2 Value:

Direction Distance

Elevation Site Database(s) EPA ID Number

## GAGE WELL 51-1 (Continued)

S127520339

**EDR ID Number** 

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

A/26/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.075813
Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 51-1 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:
source\_type:
Location ID:
Matrix:
Chemical:
Qualifier:

Not reported
Not reported
Sall PFAS Chemicals
Liquid
PFNDCA

Very Chemical:
Very Chemi

Chemical: Pf
Qualifier: <
Value: 2
Reporting Limit: No

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/26/2019

Field Pt Class:

Not reported

Not reported

Not reported

A/26/2019

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.075813
Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 51-1
Address: Not reported
City,State,Zip: RIVERSIDE, CA

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **GAGE WELL 51-1 (Continued)**

S127520339

**Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-036 Matrix: Liquid Chemical: **PFDOA** Qualifier: < Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/26/2019 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well 34.075813 Latitude: Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 51-1 Name: Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **GAGE WELL 51-1 (Continued)**

S127520339

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-036 Matrix: Liquid

**PFHA** Chemical: Qualifier: Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Not reported Quarterly Running Annual Average: NG/L Units: Date: 4/26/2019 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well 34.075813 Latitude: Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 51-1 Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-036 Location ID: Matrix: Liquid Chemical: **PFTEDA** Qualifier: Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 51-1 (Continued)

S127520339

**EDR ID Number** 

 Site Type:
 DDW Well

 Latitude:
 34.075813

 Longitude:
 -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 51-1 Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-036

Liquid

PFTRIDA

2

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/26/2019

Field Pt Class:

Not reported

Not reported

Not reported

A/26/2019

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.075813
Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 51-1 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **GAGE WELL 51-1 (Continued)**

S127520339

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: 3310031-036 Location ID: Matrix: Liquid **PFUNDCA** Chemical: Qualifier:

Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/26/2019 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.075813 Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 51-1 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-036 Matrix: Liquid Chemical: 9CIPF3ONS

Qualifier:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**GAGE WELL 51-1 (Continued)** S127520339

Value: 1.8

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 1/15/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.075813 Longitude: -117.264025

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 112 additional CA PFAS: record(s) in the EDR Site Report.

F18 PROC S112283553 **EAST VALLEY RECYCLING & TRANSFER** 

**East** 1150 S TIPPECANOE AVE 1/4-1/2 SAN BERNARDINO, CA 92408

0.336 mi.

1776 ft. Site 1 of 2 in cluster F

PROC: Relative:

Higher **EAST VALLEY RECYCLING & TRANSFER** Name:

Address: 1150 S TIPPECANOE AVE Actual: City,State,Zip: SAN BERNARDINO, CA 92408 1045 ft.

> Reg Id: 160638 PR160638.001 Cert Id: Organization Id: Not reported

Organization Name: Burrtec Waste Industries Inc 1830 Agua Mansa Rd Mailing Address:

Mailing City: Riverside Mailing State: CA Mailing Zip Code: 92509 Website: Not reported Email: debbie@burrtec.com Phone Number: (909) 429-4200

Rural: N/A Operation Begin Date: 10/16/2012 Aluminium: Not reported Glass: Not reported Plastic: Not reported Bimetal: Not reported

Hours of Operation: Mon - Fri Unknown; Sat - Sun Closed

PFAS S127520333 19 **GAGE WELL 26-1** SSE

N/A 1/4-1/2 RIVERSIDE, CA

0.367 mi. 1938 ft.

Relative: PFAS:

Higher Name: GAGE WELL 26-1 Address: Not reported Actual: City,State,Zip: RIVERSIDE, CA 1046 ft.

N/A

Distance Elevation

tion Site Database(s) EPA ID Number

## GAGE WELL 26-1 (Continued)

S127520333

**EDR ID Number** 

**Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-027 Matrix: Liquid Chemical: **PFNDCA** Qualifier: < 1.7 Value:

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Not Poported

Not Poported

NG/L

4/10/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 26-1 Name: Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

### **GAGE WELL 26-1 (Continued)**

Value:

S127520333

**EDR ID Number** 

Begin Date:

RB Case Number:
source\_type:
Location ID:
Matrix:
Chemical:
Qualifier:

Not reported
Not reported
Sall PFAS Chemicals
3310031-027
Liquid
PFDOA

Vertical:

Reporting Limit:
Detection Limit:
Not reported
Lab Notes:
Not reported
Quarterly Running Annual Average:
Units:
NG/L
Date:
4/10/2020
Field Pt Class:
Not reported
Not reported
A/10/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

1.7

Name: GAGE WELL 26-1 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Not reported

Not reported

Sold PFAS Chemicals

3310031-027

Liquid

PFHA

Qualifier:

=

Value: 2.5

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/10/2020

Field Pt Class:

Not reported

Not reported

Not reported

A/10/2020

PUBW

Site Use: Drinking Water Wells

Direction Distance

Elevation Site Database(s) EPA ID Number

## **GAGE WELL 26-1 (Continued)**

S127520333

**EDR ID Number** 

Site Type: DDW Well Latitude: 34.074963 Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 26-1 Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source type: All PFAS Chemicals 3310031-027 Location ID: Matrix: Liquid PFTEDA Chemical: Qualifier: < Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Pield Pt Class:

Not reported
Not reported
Not reported
Not reported
Not reported
A/10/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **GAGE WELL 26-1** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

# GAGE WELL 26-1 (Continued)

S127520333

**EDR ID Number** 

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-027

Liquid

PFTRIDA

FFTRIDA

1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

And Public Holds H

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 26-1 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Not reported

Not reported

3310031-027

Liquid

PFUNDCA

Qualifier: <

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **GAGE WELL 26-1 (Continued)**

S127520333

Value: 1.7

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/10/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.074963 Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 26-1 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-027 Matrix: Liquid Chemical: HFPA-DA Qualifier: < Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 4/10/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.074963 Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **GAGE WELL 26-1** Address: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 26-1 (Continued)**

S127520333

RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-027 Matrix: Liquid Chemical: 9CIPF3ONS

Qualifier:

Value: 1.7

Not reported Reporting Limit: **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/10/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.074963 Latitude: -117.264249 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 26-1 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 26-1 (Continued)**

S127520333

Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-027 Location ID: Matrix: Liquid

11CIPF3OUDS Chemical:

Qualifier: < Value: 1.7

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/10/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.074963 Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 26-1 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-027 Matrix: Liquid Chemical: **ADONA** Qualifier:

Value: 1.7

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/10/2020

Direction Distance

Elevation Site Database(s) EPA ID Number

## **GAGE WELL 26-1 (Continued)**

S127520333

**EDR ID Number** 

Field Pt Class: PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 26-1 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-027

Matrix: Liquid
Chemical: PFBSA
Qualifier: =
Value: 2.6
Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Field Pt Class:

Not reported
Not reported
Not reported
Not reported
Nod/L
10/30/2019
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.074963
Longitude: -117.264249

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Click this hyperlink while viewing on your computer to access 112 additional CA PFAS: record(s) in the EDR Site Report.

Direction Distance

Elevation Site Database(s) EPA ID Number

F20 EAST VALLEY RECYCLING & TRANSFER SWF/LF S111828195
East 1150 & 1250 SOUTH TIPPECANOE AVE. CERS N/A

1/4-1/2 SAN BERNARDINO, CA 92408

0.371 mi.

1958 ft. Site 2 of 2 in cluster F

 Relative:
 SWF/LF (SWIS):

 Higher
 Name:
 EAST VALLEY RECYCLING & TRANSFER

 Actual:
 Address:
 1150 & 1250 SOUTH TIPPECANOE AVE.

1046 ft. City, State, Zip: SAN BERNARDINO, CA 92408

Region: STATE
Facility ID: 36-AA-0453
SWIS Number: 36-AA-0453
Point of Contact: Megan Emslander

Is Archived: No
Is Closed Illegal Abandoned: No
Is Site Inert Debris Engineered Fill: No
Is Financial Assurances Responsible: No

Absorbed On: Not reported **Operational Status:** Active Absorbed By: Not reported Closed Illegal Abandoned Category: Not reported EPA Federal Registry ID: Not reported ARB District: South Coast SWRCB Region: Santa Ana Local Government: San Bernardino

Reporting Agency Legal Name: County of San Bernardino

Reporting Agency Department: Div. of Environmental Health Services

Enforcing Agency Legal Name: County of San Bernardino

Enforcing Agency Department: Div. of Environmental Health Services

Regulation Status: Permitted

Activity:

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Activity: Large Volume Transfer/Processing Facility

Activity Is Archived: No

Category: Transfer/Processing Activity Classification: Solid Waste Facility

WDR Number:
WDR Landfill Class:
Cease Operation:
Cease Operation Type:
Inspection Frequency:
Work reported
Monthly
Throughput:
Not reported
Monthly
1500

Throughput Units:

Remaining Capacity:

Remaining Capacity Date:

Capacity:

Capacity:

Capacity Units:

Tons per day

Not reported

328500

Tons per year

Total Acreage:

Disposal Acreage:

Permitted Elevation:

Permitted Elevation Type:

Permitted Depth:

Permitted Depth Type:

Not reported

Not reported

Not reported

Not reported

Point of Contact: Megan Emslander
Site Operational Status: Active
Site Regulatory Status: Permitted
Site Is Archived: No

**EDR ID Number** 

Direction Distance

Elevation Site Database(s) EPA ID Number

# EAST VALLEY RECYCLING & TRANSFER (Continued)

S111828195

**EDR ID Number** 

Is Closed Illegal Abandoned:

Is Site Inert Debris Engineered Fill:

Is Financial Assurances Responsible:

No

Absorbed On: Not reported Absorbed By: Not reported Closed Illegal Abandoned Category: Not reported EPA Federal Registry ID: Not reported San Bernardino County: ARB District: South Coast SWRCB Region: Santa Ana Local Government: San Bernardino

Street Address: 1150 & 1250 South Tippecanoe Ave.

City: San Bernardino

State: CA ZIP Code: 92408

Reporting Agency Legal Name: County of San Bernardino

Reporting Agency Department: Div. of Environmental Health Services

Enforcing Agency Legal Name: County of San Bernardino

Enforcing Agency Department: Div. of Environmental Health Services

Operator:

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Site Operational Status: Active

Site Type: Non-Disposal Only

Site Regulatory Status: Permitted
Latitude: 34.07944
Longitude: -117.26008

Is Archived: No

Operator: Burrtec Waste Industries, Inc.

Started On:

Contact Name:

Contact Title:

Contact Email:

Contact Phone:

Street Address:

Not reported

Not reported

(909) 429-4200

9400 Cherry Ave Ste C

Operator City: Fontana
Operator State: CA
Operator Zip: 92335

Owner:

SWIS Number: 36-AA-0453

Owner: Burrtec Waste Industries, Inc.
Owner Address: 9400 Cherry Ave Ste C

Owner City: Fontana
Owner State: CA
Owner Zip: 92335

Site Name: East Valley Recycling & Transfer

Site Operational Status: Active

Site Type: Non-Disposal Only

Site Regulatory Status: Permitted
Latitude: 34.07944
Longitude: -117.26008
Is Archived: No

Started On: Not reported
Contact Name: David Brischke

Direction Distance

Elevation Site Database(s) EPA ID Number

# EAST VALLEY RECYCLING & TRANSFER (Continued)

S111828195

**EDR ID Number** 

Contact Title: Not reported
Contact Email: Not reported
Contact Phone: (909) 429-4200

Waste:

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Activity: Large Volume Transfer/Processing Facility

Waste Type: Construction/demolition

Site Is Archived:
Site Operational Status:
Site Regulatory Status:
No
Active
Permitted

Site Type: Non-Disposal Only Point of Contact: Megan Emslander

Activity Is Archived: No
Activity Operational Status: Active
Activity Regulatory Status: Permitted

Activity Category: Transfer/Processing Activity Classification: Solid Waste Facility

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Activity: Large Volume Transfer/Processing Facility

Waste Type: Food Wastes

Site Is Archived: No
Site Operational Status: Active
Site Regulatory Status: Permitted

Site Type: Non-Disposal Only Point of Contact: Negan Emslander

Activity Is Archived: No
Activity Operational Status: Active
Activity Regulatory Status: Permitted

Activity Category: Transfer/Processing Activity Classification: Solid Waste Facility

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Activity: Large Volume Transfer/Processing Facility

Waste Type: Mixed municipal

Site Is Archived:

Site Operational Status:

Site Regulatory Status:

No

Active

Permitted

Site Type: Non-Disposal Only Point of Contact: Megan Emslander

Activity Is Archived: No
Activity Operational Status: Active
Activity Regulatory Status: Permitted

Activity Category: Transfer/Processing
Activity Classification: Solid Waste Facility

SWIS Number: 36-AA-0453

Site Name: East Valley Recycling & Transfer

Activity: Large Volume Transfer/Processing Facility

Waste Type: Other designated

Site Is Archived:
Site Operational Status:
Site Regulatory Status:
No
Active
Permitted

Direction Distance

Elevation Site Database(s) EPA ID Number

#### **EAST VALLEY RECYCLING & TRANSFER (Continued)**

S111828195

**EDR ID Number** 

Site Type: Non-Disposal Only Point of Contact: Megan Emslander

Activity Is Archived: No
Activity Operational Status: Active
Activity Regulatory Status: Permitted

Activity Category: Transfer/Processing Activity Classification: Solid Waste Facility

CERS:

Name: EAST VALLEY RECYCLING & TRANSFER Address: 1150 & 1250 SOUTH TIPPECANOE AVE.

City,State,Zip: SAN BERNARDINO, CA

 Site ID:
 508394

 CERS ID:
 36-AA-0453

CERS Description: Solid Waste and Recycle Sites

Affiliation:

Affiliation Type Desc: Legal Operator

Entity Name: Burrtec Waste Industries, Inc.

Entity Title:

Affiliation Address:

Affiliation City:

Affiliation State:

Affiliation Country:

Not reported

CA

Not reported

Affiliation Zip: 92335
Affiliation Phone: 9094294200,

Affiliation Type Desc: Legal Owner

Entity Name: Burrtec Waste Industries, Inc.

Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Fontana
Affiliation State: CA

Affiliation Country: Not reported
Affiliation Zip: 92335
Affiliation Phone: 9094294200,

GAGE WELL 29-2 PFAS S127520348

21 ESE

1/4-1/2 RIVERSIDE, CA

0.375 mi. 1982 ft.

 Relative:
 PFAS:

 Higher
 Name:
 GAGE WELL 29-2

 Actual:
 Address:
 Not reported

 1050 ft.
 City,State,Zip:
 RIVERSIDE, CA

**Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency:

N/A

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 29-2 (Continued)**

S127520348

Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: 3310031-031 Location ID: Matrix: Liquid

Chemical: **PFBSA** Qualifier: Value: 5.9

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 10/24/2019 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.077954 Latitude: Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-2 Name: Not reported Address: City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-031 Location ID: Matrix: Liquid PFHPA Chemical:

Qualifier: Value: 1.9

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 29-2 (Continued)

S127520348

**EDR ID Number** 

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

10/24/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077954
Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-2 Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-031
Matrix: Liquid

Chemical: PFHXSA
Qualifier: =
Value: 18

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

10/24/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077954
Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-2 Address: Not reported City,State,Zip: RIVERSIDE, CA

Distance

Elevation Site Database(s) EPA ID Number

### GAGE WELL 29-2 (Continued)

S127520348

**EDR ID Number** 

**Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-031 Matrix: Liquid Chemical: **PFNA** Qualifier: 1.7 Value: Reporting Limit: Not reported

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Not ported

Not reported

Nof/L

10/24/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077954
Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-2 Name: Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 29-2 (Continued)**

S127520348

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-031 Matrix: Liquid **PFBSA** Chemical:

Qualifier: Value: 3.1 Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 5/23/2019 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well 34.077954 Latitude: Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-2 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-031 Matrix: Liquid

Chemical: **PFHPA** Qualifier: Value: 2

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 5/23/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 29-2 (Continued)

S127520348

**EDR ID Number** 

Site Type: DDW Well Latitude: 34.077954 Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-2 Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Not reported

Not reported

3310031-031

Liquid

PFHXSA

Qualifier:=Value:8.5Reporting Limit:Not reportedDetection Limit:Not reportedLab Notes:Not reported

Quarterly Running Annual Average: Not reported Units: NG/L
Date: 5/23/2019
Field Pt Class: PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.077954
Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-2 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 29-2 (Continued)**

S127520348

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-031 Location ID: Matrix: Liquid **PFBSA** Chemical: Qualifier: 10 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/22/2020 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.077954 Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-2 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-031 Matrix: Liquid Chemical: **PFHPA** 

Qualifier:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 29-2 (Continued)**

S127520348

Value: 2.5

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 4/22/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.077954 Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-2 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-031 Matrix: Liquid PFHXSA Chemical:

Qualifier: Value: 23

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 4/22/2020 Date: **PUBW** Field Pt Class:

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.077954 Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-2 Address: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

# **GAGE WELL 29-2 (Continued)**

S127520348

**EDR ID Number** 

City, State, Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-031 Matrix: Liquid Chemical: **PFNA** Qualifier: Value: 1.7

Not reported Reporting Limit: **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/22/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.077954 Latitude: Longitude: -117.260395

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 148 additional CA PFAS: record(s) in the EDR Site Report.

**NORTH SAN BERNARDINO AREA** 22 NNW **BUNKER HILL GROUNDWATER BASIN** 1/4-1/2 SAN BERNARDINO, CA 92401

RESPONSE S100184135 **ENVIROSTOR** N/A

0.381 mi. 2010 ft.

RESPONSE: Relative:

Lower NORTH SAN BERNARDINO AREA Name: Address: BUNKER HILL GROUNDWATER BASIN Actual: 1034 ft.

SAN BERNARDINO, CA 92401 City,State,Zip: Facility ID: 36990001

Site Type: State Response Site Type Detail: State Response or NPL

Acres: Not reported National Priorities List: NO Cleanup Oversight Agencies: US EPA

Direction Distance

Elevation Site Database(s) EPA ID Number

# NORTH SAN BERNARDINO AREA (Continued)

S100184135

**EDR ID Number** 

Lead Agency Description: US EPA
Project Manager: Not reported
Supervisor: \* Greg Holmes
Division Branch: Cleanup Cypress

Site Code: 400106

Site Mgmt. Req.: NONE SPECIFIED

Assembly: 40 Senate: 23

Special Program Status: Not reported Status: Refer: Other Agency

Status Date: 09/25/1995
Restricted Use: NO
Funding: \* Unknown
Latitude: 34.08666
Longitude: -117.2716
APN: NONE SPECIFIED

Past Use: NONE SPECIFIED NONE SPECIFIED

Potential COC: \* HALOGENATED SOLVENTS

Confirmed COC: NONE SPECIFIED Potential Description: NONE SPECIFIED

Alias Name: BUNKER HILL GROUNDWATER BASIN

Alias Type: Alternate Name Alias Name: MUSCOY AREA Alias Type: Alternate Name Alias Name: **NEWMARK** Alias Type: Alternate Name Alias Name: 110033611937 Alias Type: EPA (FRS#) Alias Name: P41053 Alias Type: **PCode** 400106 Alias Name:

Alias Type: Project Code (Site Code)

Alias Name: 36990001

Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Remedy Constructed: Operating Properly & Successfully

Completed Date: 08/17/1993 Comments: Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 08/17/1993

Comments: Removal Action (19th Street). An 8.6 million gallon per day capacity

granular activitated carbon (GAC) wellhead treat- ment system was constructed on 19th Street in the City of San Bernardino. This GAC System will be operated by the City of San Bernardino Municipal Water Department. The system will function to help stop the migration of a TCE and PCE contaminated groundwater plume and to provide safe water to residents of the City of San Bernardino. The removal was initiated

in June 1992 and completed on August 13, 1993 at a cost of

approximately \$1.9 million.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# NORTH SAN BERNARDINO AREA (Continued)

S100184135

**EDR ID Number** 

Completed Document Type: Removal Action Completion Report

Completed Date: 08/30/1990

Comments: Removal Action (17&S): 17th & Sierra gw pump/treat online. DTSC and

the City of San Bernardino entered into an agree- ment on 10/31/1986, amended on 04/22/1988, to construct three treatment systems: Waterman, Newmark, and 17th & Sierra. The completion date for the removal action is 08/30/1990 when all three systems were online. The Newmark System is described in the Newmark Groundwater Contamination

Site (ID# 36990002).

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 08/30/1989

Comments: Removal Action (WATER): Waterman gw pump/treat online

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: \*Site Inspection (SI) Report

Completed Date: 06/26/1989

Comments: Site Inspection Done: Preliminary Assessment/Site Investi- gation

prepared by DHS TSCP; ongoing IRM Implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Public Participation Plan / Community Relations Plan

Completed Date: 11/30/1987 Comments: Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Unilateral Order (I/SE, RAO, CAO, EPA AO)

Completed Date: 11/30/1986 Comments: Not reported

Future Area Name: Not reported Future Sub Area Name: Not reported Future Document Type: Not reported Future Due Date: Not reported Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Schedule Document Type: Not reported Schedule Due Date: Not reported Not reported Schedule Revised Date:

ENVIROSTOR:

Name: NORTH SAN BERNARDINO AREA
Address: BUNKER HILL GROUNDWATER BASIN

City, State, Zip: SAN BERNARDINO, CA 92401

Facility ID: 36990001

Status: Refer: Other Agency

Status Date: 09/25/1995
Site Code: 400106
Site Type: State Response
Site Type Detailed: State Response or NPL

Acres: Not reported

NPL: NO

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **NORTH SAN BERNARDINO AREA (Continued)**

S100184135

Regulatory Agencies: **US EPA** Lead Agency: **US EPA** Program Manager: Not reported Supervisor: \* Greg Holmes Division Branch: Cleanup Cypress

Assembly: 40 Senate: 23

Special Program: Not reported

Restricted Use: NO

Site Mgmt Req: NONE SPECIFIED Funding: \* Unknown 34.08666 Latitude: Longitude: -117.2716 APN: NONE SPECIFIED

Past Use: NONE SPECIFIED

Potential COC: \* HALOGENATED SOLVENTS

Confirmed COC: NONE SPECIFIED Potential Description: NONE SPECIFIED

Alias Name: BUNKER HILL GROUNDWATER BASIN

Alias Type: Alternate Name Alias Name: MUSCOY AREA Alias Type: Alternate Name Alias Name: **NEWMARK** Alias Type: Alternate Name Alias Name: 110033611937 Alias Type: EPA (FRS#) P41053 Alias Name: Alias Type: **PCode** Alias Name: 400106

Project Code (Site Code) Alias Type:

36990001 Alias Name:

Alias Type: **Envirostor ID Number** 

Completed Info:

Completed Area Name: **PROJECT WIDE** Completed Sub Area Name: Not reported

Completed Document Type: Remedy Constructed: Operating Properly & Successfully

08/17/1993 Completed Date: Comments: Not reported

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 08/17/1993

Comments: Removal Action (19th Street). An 8.6 million gallon per day capacity

granular activitated carbon (GAC) wellhead treat- ment system was constructed on 19th Street in the City of San Bernardino. This GAC System will be operated by the City of San Bernardino Municipal Water Department. The system will function to help stop the migration of a TCE and PCE contaminated groundwater plume and to provide safe water to residents of the City of San Bernardino. The removal was initiated

in June 1992 and completed on August 13, 1993 at a cost of

approximately \$1.9 million.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 08/30/1990

Direction Distance

Elevation Site Database(s) EPA ID Number

# NORTH SAN BERNARDINO AREA (Continued)

S100184135

**EDR ID Number** 

Comments: Removal Action (17&S): 17th & Sierra gw pump/treat online. DTSC and

the City of San Bernardino entered into an agree- ment on 10/31/1986, amended on 04/22/1988, to construct three treatment systems: Waterman, Newmark, and 17th & Sierra. The completion date for the removal action is 08/30/1990 when all three systems were online. The Newmark System is described in the Newmark Groundwater Contamination

Site (ID# 36990002).

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 08/30/1989

Comments: Removal Action (WATER): Waterman gw pump/treat online

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: \*Site Inspection (SI) Report

Completed Date: 06/26/1989

Comments: Site Inspection Done: Preliminary Assessment/Site Investi- gation

prepared by DHS TSCP; ongoing IRM Implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Public Participation Plan / Community Relations Plan

Completed Date: 11/30/1987 Comments: Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Unilateral Order (I/SE, RAO, CAO, EPA AO)

Completed Date: 11/30/1986
Comments: Not reported

Future Area Name: Not reported Not reported Future Sub Area Name: Not reported Future Document Type: Future Due Date: Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Not reported Schedule Document Type: Not reported Schedule Due Date: Not reported Schedule Revised Date: Not reported

23 RAUB WELL 5R PFAS S127520342 WSW N/A

**RAUB WELL 5R** 

1/4-1/2 0.391 mi.

RIVERSIDE, CA

2067 ft.

Relative: PFAS: Lower Name:

Actual: Address: Not reported
1020 ft. City,State,Zip: RIVERSIDE, CA

Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **RAUB WELL 5R (Continued)**

S127520342

Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: 3310031-178 Location ID:

Matrix: Liquid **PFOS** Chemical: Qualifier: Value: 7.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L Date: 7/17/2020 **PUBW** Field Pt Class:

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.076778 Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 5R** Not reported Address: City,State,Zip: RIVERSIDE, CA Not reported **Envirostor ID:** Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-178

Distance

Elevation Site Database(s) EPA ID Number

#### **RAUB WELL 5R (Continued)**

S127520342

**EDR ID Number** 

Matrix: Liquid
Chemical: PFOA
Qualifier: =
Value: 4.5

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

T/17/2020

Field Pt Class:

Not reported

Not reported

Not reported

Not reported

Not/L

7/17/2020

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076778
Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 5R** Name: Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-178

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 13

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

10/16/2020

Field Pt Class:

Not reported

Not reported

Not reported

1.25

NG/L

10/16/2020

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076778
Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Direction Distance

Elevation Site Database(s) EPA ID Number

#### **RAUB WELL 5R (Continued)**

S127520342

**EDR ID Number** 

Name: **RAUB WELL 5R** Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

1.83

Units:

NG/L

10/16/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076778
Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 5R** Name: Address: Not reported RIVERSIDE, CA City,State,Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

### RAUB WELL 5R (Continued)

Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-178

Matrix: Liquid
Chemical: PFOS
Qualifier: =
Value: 5.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

8/16/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076778
Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 5R** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date:

RB Case Number:
source\_type:
Location ID:
Matrix:
Chemical:
Qualifier:

Not reported
Not reported
Sall PFAS Chemicals
13310031-178
Liquid
PFOA

PFOA

Qualifier:

Not reported
PFAS Chemicals
13410931-178
Liquid
PFOA

Value: 2.9
Reporting Limit: Not reported
Detection Limit: Not reported
Lab Notes: Not reported

Quarterly Running Annual Average: Not reported

**EDR ID Number** 

S127520342

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 5R (Continued)**

S127520342

Units: NG/L 8/16/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.076778 Latitude: Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 5R** Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-178

Matrix: Liquid PFOS Chemical: Qualifier: 10 Value:

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 10/24/2019 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.076778 Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 5R** Name: Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

### **RAUB WELL 5R (Continued)**

S127520342

**EDR ID Number** 

Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-178

Liquid

PFOA

=

5.1

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

10/24/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.076778
Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

RAUB WELL 5R Name: Not reported Address: City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 5R (Continued)**

S127520342

Location ID: 3310031-178 Liquid Matrix: Chemical: **PFOS** Qualifier: Value: 8.6

Not reported Reporting Limit: Detection Limit: Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 5/22/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.076778 Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 5R** Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-178 Matrix: Liquid

**PFOA** Chemical: Qualifier: 5.3 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: 5/22/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.076778 Longitude: -117.275381

Direction Distance

Elevation Site Database(s) EPA ID Number

#### **RAUB WELL 5R (Continued)**

S127520342

**EDR ID Number** 

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 5R** Name: Not reported Address: City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-178

Liquid

PFOS

2.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

1/29/2021

Field Pt Class:

Not reported

Not reported

Not reported

Not reported

1,93

1,29/2021

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well Latitude: 34.076778 Longitude: -117.275381

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Click this hyperlink while viewing on your computer to access 116 additional CA PFAS: record(s) in the EDR Site Report.

24 CSCO SCREW COMPANY
North 775 UNIT 6-7 S. GIFFORD STREET
1/4-1/2 SAN BERNARDINO, CA 92408

ENVIROSTOR S106797656 N/A

1/4-1/2 0.400 mi. 2113 ft.

Relative: ENVIROSTOR:

Higher Name: CSCO SCREW COMPANY

Actual: Address: 775 UNIT 6-7 S. GIFFORD STREET 1042 ft. City,State,Zip: SAN BERNARDINO, CA 92408

Facility ID: 36340067

Status: Refer: 1248 Local Agency

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

# **CSCO SCREW COMPANY (Continued)**

S106797656

**EDR ID Number** 

Status Date: 06/28/2001 Site Code: Not reported Site Type: Evaluation Site Type Detailed: Evaluation Acres: 0

NO SAN BERNARDINO COUNTY Regulatory Agencies: Lead Agency: SAN BERNARDINO COUNTY

Program Manager: Not reported

Supervisor: Referred - Not Assigned Division Branch: Cleanup Cypress

Assembly: 62

NPL:

Senate: Not reported Special Program: Not reported

Restricted Use:

NONE SPECIFIED Site Mgmt Req: Not Applicable Funding: 34.08707 Latitude: Longitude: -117.2684 0280091460000 APN: Past Use: NONE SPECIFIED Potential COC: NONE SPECIFIED Confirmed COC: NONE SPECIFIED Potential Description: NONE SPECIFIED Alias Name: 0280091460000

Alias Type: APN 36340067 Alias Name:

Alias Type: **Envirostor ID Number** 

Completed Info:

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported Completed Document Type: SB 1248 Notification

Completed Date: 06/26/2001

Comments: SB 1248 San Bernardino County

Future Area Name: Not reported Future Sub Area Name: Not reported Future Document Type: Not reported Future Due Date: Not reported Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Schedule Document Type: Not reported Schedule Due Date: Not reported Schedule Revised Date: Not reported

G25 **RAUB WELL 06** PFAS S127520350 N/A

wsw

1/4-1/2 RIVERSIDE, CA

0.421 mi.

2223 ft. Site 1 of 2 in cluster G

PFAS: Relative: Lower Name:

**RAUB WELL 06** Address: Not reported Actual: City, State, Zip: RIVERSIDE, CA 1016 ft. Not reported Envirostor ID: Program Type: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **RAUB WELL 06 (Continued)**

S127520350

Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-077 Liquid Matrix: Chemical: **PFBSA** Qualifier: Value: 4.1

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 10/16/2020 Date: **PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.078548 Longitude: -117.277194

http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031 Geo Tracker URL:

Name: **RAUB WELL 06** Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 06 (Continued)**

S127520350

RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-077 Matrix: Liquid Chemical: **PFHPA** Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 10/16/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.078548 Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 06** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-077 Location ID: Matrix: Liquid PFHXSA Chemical: Qualifier: Value: 8.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported NG/L Units: 10/16/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**RAUB WELL 06 (Continued)** S127520350

Latitude: 34.078548 Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 06** Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-077 Matrix: Liquid

**PFNA** Chemical: Qualifier: Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Not reported Quarterly Running Annual Average: Units: NG/L 10/16/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.078548 Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 06** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **RAUB WELL 06 (Continued)**

S127520350

Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: 3310031-077 Location ID: Matrix: Liquid Chemical: **NETFOSAA** 

Qualifier: Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 10/16/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.078548 Latitude: Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 06** Name: Not reported Address: City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-077 Location ID:

Matrix: Liquid Chemical: **NMEFOSAA** 

Qualifier: Value: 1.7

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 06 (Continued)**

S127520350

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 10/16/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.078548 Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 06** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-077 Matrix: Liquid

Qualifier: Value: 1.7

Chemical:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Not reported Quarterly Running Annual Average: NG/L Units: Date: 10/16/2020 **PUBW** Field Pt Class:

Site Use: **Drinking Water Wells** 

Site Type: DDW Well 34.078548 Latitude: Longitude: -117.277194

http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031 Geo Tracker URL:

9CIPF3ONS

Name: **RAUB WELL 06** Address: Not reported City, State, Zip: RIVERSIDE, CA

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 06 (Continued)**

S127520350

**Envirostor ID:** Not reported Not reported Program Type: Not reported Status: Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-077 Matrix: Liquid

Chemical: 11CIPF3OUDS

Qualifier: 1.7 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 10/16/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well 34.078548 Latitude: Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 06** Name: Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Direction Distance Elevation

**EDR ID Number** Site Database(s) **EPA ID Number** 

#### **RAUB WELL 06 (Continued)**

Value:

S127520350

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-077 Matrix: Liquid **ADONA** Chemical: Qualifier:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 10/16/2020 **PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well 34.078548 Latitude: Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

1.7

Name: **RAUB WELL 06** Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-077 Location ID: Matrix: Liquid Chemical: **PFNDCA** Qualifier:

Value: 1.7

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 10/16/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **RAUB WELL 06 (Continued)**

S127520350

Site Type: DDW Well 34.078548 Latitude: Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 06** Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Not reported Facility Region: Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source type: All PFAS Chemicals 3310031-077 Location ID: Matrix: Liquid Chemical: PFDOA Qualifier: < Value: 1.7

Reporting Limit: Not reported Detection Limit: Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 10/16/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.078548 Longitude: -117.277194

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 166 additional CA PFAS: record(s) in the EDR Site Report.

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

**G26 RAUB WELL 08 PFAS** S127520352 N/A

**RAUB WELL 08** 

West

1/4-1/2 RIVERSIDE, CA

0.424 mi.

2240 ft. Site 2 of 2 in cluster G

Relative: PFAS: Lower Name:

Address: Actual: 1017 ft.

Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source type: All PFAS Chemicals 3310031-115 Location ID: Matrix: Liquid PFTEDA Chemical: Qualifier: < Value: 1.7

Reporting Limit: Not reported Not reported **Detection Limit:** Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L Date: 6/3/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.079161 Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

**EDR ID Number** 

Direction

Elevation Site Database(s) EPA ID Number

#### **RAUB WELL 08 (Continued)**

S127520352

**EDR ID Number** 

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-115

Liquid

PFTRIDA

<

1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

6/3/2021

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079161
Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 08** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-115
Matrix: Liquid
Chemical: PFUNDCA

Qualifier: <

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**RAUB WELL 08 (Continued)** S127520352

Value: 1.7

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: Date: 6/3/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.079161 Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-115 Matrix: Liquid Chemical: HFPA-DA Qualifier: <

Value: 1.7 Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L 6/3/2021 Date:

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.079161 Longitude: -117.277461

Field Pt Class:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**PUBW** 

Name: **RAUB WELL 08** Address: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **RAUB WELL 08 (Continued)**

S127520352

RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-115 Matrix: Liquid Chemical: 9CIPF3ONS

Qualifier:

Value: 1.7

Not reported Reporting Limit: **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 6/3/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.079161 Latitude: -117.277461 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 08** Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Distance

Elevation Site Database(s) EPA ID Number

# RAUB WELL 08 (Continued)

Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Not reported

Not reported

3310031-115

Liquid

Chemical: 11CIPF3OUDS

Qualifier: < Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

6/3/2021

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079161
Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

3310031-115

Liquid

ADONA

Qualifier:

1.7

Value: 1.7 Reporting Limit: Not

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Not reported

Annual Average:

Not Average

Not Reported

**EDR ID Number** 

S127520352

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**RAUB WELL 08 (Continued)** S127520352

**PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.079161 Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-115 Matrix: Liquid

Chemical: **PFBSA** Qualifier: 2.3 Value: Reporting Limit: Not reported

Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: 2.3 Units: NG/L

Date: 7/16/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.079161 Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

### **RAUB WELL 08 (Continued)**

S127520352

**EDR ID Number** 

Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: source\_type: All PFAS Chemicals 3310031-115 Location ID: Matrix: Liquid Chemical: **PFHPA** Qualifier: Value: 1.7 Reporting Limit: Not reported

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

PGL

PGL

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079161
Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: **RAUB WELL 08** Address: Not reported RIVERSIDE, CA City, State, Zip: Not reported Envirostor ID: Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-115
Matrix: Liquid

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **RAUB WELL 08 (Continued)**

S127520352

Chemical: **PFHXSA** Qualifier: Value: 6.5 Reporting Limit:

Not reported **Detection Limit:** Not reported Not reported Lab Notes: Not reported Quarterly Running Annual Average: Units: NG/L Date: 7/16/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.079161 Latitude: Longitude: -117.277461

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

**RAUB WELL 08** Name: Address: Not reported City, State, Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-115 Matrix: Liquid

Chemical: **NETFOSAA** 

Qualifier: < 1.7 Value:

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 7/16/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: 34.079161 Latitude: -117.277461 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **RAUB WELL 08 (Continued)**

S127520352

Click this hyperlink while viewing on your computer to access 202 additional CA PFAS: record(s) in the EDR Site Report.

S AND G ROOFING SUPPLY INC. H27 LUST S102436129

**1444 TIPPECANOE AVE ESE** Cortese N/A

1/4-1/2 SAN BERNARDINO, CA 92408 **HIST CORTESE CERS** 

0.446 mi.

2356 ft. Site 1 of 2 in cluster H

Relative: LUST:

Higher S AND G ROOFING SUPPLY INC. Name:

1444 TIPPECANOE AVE Address: Actual: 1057 ft. City, State, Zip: SAN BERNARDINO, CA 92408 Lead Agency: SAN BERNARDINO COUNTY

Case Type: **LUST Cleanup Site** 

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607100204

Global Id: T0607100204 Latitude: 34.0740361 Longitude: -117.259953

Status: Completed - Case Closed

Status Date: 03/06/1996 Case Worker: Not reported 083601727T RB Case Number: Local Agency: Not reported File Location: Local Agency 90141 Local Case Number: Potential Media Affect: Soil Potential Contaminants of Concern: Gasoline Site History: Not reported

LUST:

Global Id: T0607100204

Contact Type: Regional Board Caseworker VALERIE JAHN-BULL Contact Name:

Organization Name: SANTA ANA RWQCB (REGION 8) Address: 3737 MAIN STREET, SUITE 500

City: **RIVERSIDE** 

valerie.jahn-bull@waterboards.ca.gov Email:

Phone Number: 9517824903

LUST:

Global Id: T0607100204 Action Type: Other 08/31/1990 Date: Action: Leak Discovery

Global Id: T0607100204 Action Type: Other Date: 11/28/1990 Action: Leak Reported

Global Id: T0607100204 **ENFORCEMENT** Action Type: Date: 03/06/1996

Action: Closure/No Further Action Letter

Global Id: T0607100204 Action Type: Other

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# S AND G ROOFING SUPPLY INC. (Continued)

S102436129

Date: 08/31/1990 Action: Leak Stopped

LUST:

Global Id: T0607100204

Open - Case Begin Date Status:

08/31/1990 Status Date:

Global Id: T0607100204

Status: Open - Site Assessment

Status Date: 08/31/1990

Global Id: T0607100204

Status: Open - Site Assessment

Status Date: 11/28/1990

Global Id: T0607100204

Status: Completed - Case Closed

Status Date: 03/06/1996

LUST REG 8:

S AND G ROOFING SUPPLY INC. Name:

1444 TIPPECANOE AVE Address:

City: SAN BERNARDINO

Region:

County: San Bernardino Regional Board: Santa Ana Region Facility Status: Case Closed Case Number: 083601727T Local Case Num: 90141 Case Type: Soil only

Substance: **Unleaded Gasoline** Qty Leaked: Not reported Abate Method: Not reported Cross Street: VICTORIA Enf Type: **CLOS** Funding: Not reported How Discovered: Tank Closure Not reported UNK

How Stopped: Leak Cause: Leak Source: UNK Global ID: T0607100204

How Stopped Date: 8/31/1990 Enter Date: 12/16/1990 Date Confirmation of Leak Began: 8/31/1990 Date Preliminary Assessment Began: 11/28/1990 Discover Date: 8/31/1990 **Enforcement Date:** 1/1/1965 3/6/1996 Close Date: Date Prelim Assessment Workplan Submitted: 11/28/1990 Date Pollution Characterization Began: Not reported Date Remediation Plan Submitted: Not reported Date Remedial Action Underway: Not reported Date Post Remedial Action Monitoring: Not reported Enter Date: 12/16/1990

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# S AND G ROOFING SUPPLY INC. (Continued)

S102436129

**GW Qualifies:** Not reported Soil Qualifies: Not reported Operator: Not reported Facility Contact: Not reported Interim: Not reported Oversite Program: LUST 34.0740361 Latitude: Longitude: -117.259953 MTBE Date: Not reported Max MTBE GW: Not reported

MTBE Concentration: 0

Max MTBE Soil: Not reported

MTBE Fuel:

MTBE Tested: Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.

MTBE Class: VJJ Staff: Staff Initials: BM7

Local Agency Lead Agency: 36000L Local Agency:

Hydr Basin #: UPPER SANTA ANA VALL

Beneficial: Not reported Priority: Not reported Cleanup Fund Id: Not reported Work Suspended: Not reported

**DIESEL ALSO** Summary:

CORTESE:

Name: S AND G ROOFING SUPPLY INC.

Address: 1444 TIPPECANOE AVE SAN BERNARDINO, CA 92408 City,State,Zip:

Region: **CORTESE** Envirostor Id: Not reported Global ID: T0607100204

Site/Facility Type: LUST CLEANUP SITE

Cleanup Status: COMPLETED - CASE CLOSED

Status Date: Not reported Site Code: Not reported Latitude: Not reported Longitude: Not reported Owner: Not reported Enf Type: Not reported Swat R: Not reported Flag: active Order No: Not reported Waste Discharge System No: Not reported Effective Date: Not reported Region 2: Not reported WID Id: Not reported Solid Waste Id No: Not reported Waste Management Uit Name: Not reported File Name: Active Open

HIST CORTESE:

S AND G ROOFING SUPPLY IN edr\_fname:

edr fadd1: 1444 TIPPECANOE

City,State,Zip: SAN BERNARDINO, CA 92408

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

S AND G ROOFING SUPPLY INC. (Continued)

S102436129

Region: CORTESE
Facility County Code: 36
Reg By: LTNKA
Reg Id: 083601727T

CERS:

Name: S AND G ROOFING SUPPLY INC.
Address: 1444 TIPPECANOE AVE
City,State,Zip: SAN BERNARDINO, CA 92408

Site ID: 226467

CERS ID: T0607100204

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker

Entity Name: VALERIE JAHN-BULL - SANTA ANA RWQCB (REGION 8)

Entity Title: Not reported

Affiliation Address: 3737 MAIN STREET, SUITE 500

Affiliation City: RIVERSIDE

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported Affiliation Phone: 9517824903,

I28 GAGE WELL 92-1 PFAS \$127520353

st N/A

East

1/4-1/2 RIVERSIDE, CA

0.455 mi.

2401 ft. Site 1 of 2 in cluster I

Relative: PFAS:

 Higher
 Name:
 GAGE WELL 92-1

 Actual:
 Address:
 Not reported

 1052 ft.
 City,State,Zip:
 RIVERSIDE, CA

 Envirostor ID:
 Not reported

 Program Type:
 Not reported

Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported Not reported File Location:

File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-111

Matrix: Liquid Chemical: HFPA-DA

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 92-1 (Continued)**

S127520353

Qualifier: 1.7 Value:

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: 4/22/2021 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: 34.07925 Latitude: Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 92-1 Name: Not reported Address: RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals

Location ID: 3310031-111 Matrix: Liquid 9CIPF3ONS Chemical:

Qualifier: Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/22/2021 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well 34.07925 Latitude: Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 92-1

Direction Distance

Elevation Site Database(s) EPA ID Number

### GAGE WELL 92-1 (Continued)

S127520353

**EDR ID Number** 

Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Not reported

Not reported

3310031-111

Liquid

11CIPF3OUDS

Value: < 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/22/2021

Field Pt Class:

Not reported

Not reported

Not reported

Not reported

A/22/2021

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.07925
Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 92-1 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 92-1 (Continued)**

S127520353

Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-111 Location ID:

Matrix: Liquid Chemical: **ADONA** Qualifier: 1.7 Value:

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/22/2021 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.07925 Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 92-1 Name: Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-111 Matrix: Liquid Chemical: **PFBSA** Qualifier: < Value: 1.7

Not reported Reporting Limit: **Detection Limit:** Not reported Lab Notes: Not reported Not reported Quarterly Running Annual Average: Units: NG/L

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 92-1 (Continued)**

S127520353

Date: 7/9/2020 Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.07925 -117.258547 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 92-1 Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type:

Location ID: 3310031-111 Matrix: Liquid Chemical: **PFHPA** Qualifier: 1.7 Value: Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 7/9/2020 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.07925 Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 92-1 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 92-1 (Continued)

S127520353

**EDR ID Number** 

Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-111

Matrix: Liquid
Chemical: PFHXSA
Qualifier: <
Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

7/9/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.07925
Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 92-1 Not reported Address: City,State,Zip: RIVERSIDE, CA Not reported **Envirostor ID:** Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-111

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 92-1 (Continued)**

S127520353

Matrix: Liquid **PFNA** Chemical: Qualifier: < Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Not reported Lab Notes: Quarterly Running Annual Average: Not reported Units: NG/L Date: 7/9/2020 PUBW Field Pt Class:

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.07925 Longitude: -117.258547

 $http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031$ Geo Tracker URL:

GAGE WELL 92-1 Name: Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type:

Location ID: 3310031-111 Matrix: Liquid Chemical: **NETFOSAA** 

Qualifier: Value: 1.7

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 7/9/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.07925 Lonaitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 92-1 (Continued)

S127520353

**EDR ID Number** 

Name: GAGE WELL 92-1 Address: Not reported City,State,Zip: RIVERSIDE, CA Envirostor ID: Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-111
Matrix: Liquid
Chemical: NMEFOSAA

Qualifier: < Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Nof L

7/9/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.07925
Longitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 92-1 Name: Address: Not reported RIVERSIDE, CA City,State,Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**GAGE WELL 92-1 (Continued)** 

S127520353

Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-111 Location ID: Matrix: Liquid Chemical: **PFNDCA** Qualifier: Value: 1.7 Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 7/9/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.07925 Lonaitude: -117.258547

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 166 additional CA PFAS: record(s) in the EDR Site Report.

29 **GAGE WELL 27-1 PFAS** S127520329 N/A

GAGE WELL 27-1

Not reported

SSE 1/4-1/2

RIVERSIDE, CA

Site History:

0.464 mi. 2451 ft.

1043 ft.

PFAS: Relative: Higher Name: Actual:

Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 27-1 (Continued)**

S127520329

Location ID: 3310031-028 Liquid Matrix: Chemical: **PFBSA** Qualifier: < Value: 1.8

Not reported Reporting Limit: Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 1/23/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.073178 Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1 Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported Not reported RB Case Number: All PFAS Chemicals source\_type: Location ID: 3310031-028 Matrix: Liquid **PFHPA** Chemical:

Qualifier: < 1.8 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: 1/23/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.073178 Longitude: -117.265344

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 27-1 (Continued)**

S127520329

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 27-1 Name: Not reported Address: City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Not reported Begin Date: RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-028 Location ID: Matrix: Liquid Chemical: **PFHXSA** Qualifier: 1.8 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported NG/L Units: 1/23/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.073178 Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 27-1 Name: Not reported Address: RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 27-1 (Continued)

S127520329

**EDR ID Number** 

Location Case Number:

File Location:

Potential Contaminants of Concern:

Potential Media Affected:

Site History:

Not reported

Not reported

Not reported

Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-028

Matrix: Liquid
Chemical: PFNA
Qualifier: <
Value: 1.8

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

1/23/2020

Field Pt Class:

Not PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.073178
Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1 Address: Not reported RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-028
Matrix: Liquid

Matrix: Liquid Chemical: NETFOSAA

Qualifier: < Value: 1.8

Reporting Limit: Not reported Detection Limit: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 27-1 (Continued)

S127520329

**EDR ID Number** 

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Field Pt Class:

Not reported
Not reported
NG/L
1/23/2020
PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.073178
Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 27-1 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

Not reported

Not reported

Not reported

All PFAS Chemicals

Location ID: 3310031-028
Matrix: Liquid
Chemical: NMEFOSAA

Qualifier: < Value: 1.8

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

1/23/2020

Field Pt Class:

Not reported

Not reported

Not reported

Not reported

1/23/2020

PUBW

Site Use: Drinking Water Wells

 Site Type:
 DDW Well

 Latitude:
 34.073178

 Longitude:
 -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1
Address: Not reported
City,State,Zip: RIVERSIDE, CA
Envirostor ID: Not reported
Program Type: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 27-1 (Continued)

S127520329

**EDR ID Number** 

Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-028 Matrix: Liquid Chemical: **PFNDCA** Qualifier: < Value: 1.8

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

1/23/2020

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.073178
Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1 Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### **GAGE WELL 27-1 (Continued)**

S127520329

RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-028 Matrix: Liquid Chemical: **PFDOA** Qualifier: 1.8 Value:

Reporting Limit: Not reported **Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 1/23/2020 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.073178 Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1 Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-028 Location ID: Matrix: Liquid PFHA Chemical: Qualifier: Value: 2.4 Reporting Limit: Not reported Detection Limit: Not reported

Not reported Lab Notes: Quarterly Running Annual Average: Not reported NG/L Units: 1/23/2020 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 27-1 (Continued)

S127520329

**EDR ID Number** 

Latitude: 34.073178 Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 27-1 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-028
Matrix: Liquid

Chemical: 11CIPF3OUDS

Qualifier: < Value: 1.8

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

1/23/2020

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.073178
Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 27-1 Name: Address: Not reported RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 27-1 (Continued)**

S127520329

Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Not reported Potential Media Affected: Not reported Site History:

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: 3310031-028 Location ID: Matrix: Liquid Chemical: **ADONA** 

Qualifier: Value: 1.8 Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 1/23/2020 Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

DDW Well Site Type: Latitude: 34.073178 Longitude: -117.265344

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 148 additional CA PFAS: record(s) in the EDR Site Report.

S127520356 130 **GAGE WELL 29-3 PFAS** East N/A

Not reported

Not reported

1/4-1/2 RIVERSIDE, CA

0.467 mi.

Site 2 of 2 in cluster I 2468 ft. PFAS:

Relative: Higher Actual: 1053 ft.

GAGE WELL 29-3 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Not reported Location Case Number: File Location: Not reported Potential Contaminants of Concern: Not reported

Potential Media Affected:

Site History:

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

#### **GAGE WELL 29-3 (Continued)**

S127520356

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-032
Matrix: Liquid
Chemical: 9CIPF3ONS

Qualifier: < Value: 1.7

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

7/26/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Not reported

Not reported

Sall PFAS Chemicals

2310031-032

Liquid

ADONA

4DONA

Value: 1.7
Reporting Limit: Not

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

NG/L

7/26/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Direction Distance

Elevation Site Database(s) EPA ID Number

# GAGE WELL 29-3 (Continued)

S127520356

**EDR ID Number** 

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-3 Name: Not reported Address: RIVERSIDE, CA City,State,Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Not reported Lead Agency: Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Value:

Not reported

Not reported

Sal PFAS Chemicals

3310031-032

Liquid

PFBSA

2

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

Not Poported

Not Poported

Nof L

4/26/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

### GAGE WELL 29-3 (Continued)

Value:

S127520356

Lead Agency: Not reported Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Qualifier:

Not reported

Not reported

3310031-032

Liquid

PFHPA

Very Company of the provided of the provided

2

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Not reported

A/26/2019

Field Pt Class:

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-3 Name: Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date:

RB Case Number:

source\_type:

Location ID:

Matrix:

Chemical:

Not reported

Not reported

Not reported

Sall PFAS Chemicals

Liquid

PFHXSA

Qualifier:

Distance

Elevation Site Database(s) EPA ID Number

### **GAGE WELL 29-3 (Continued)**

S127520356

**EDR ID Number** 

Value: 2

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

A/26/2019

Field Pt Class:

Not reported

Not reported

Not reported

A/26/2019

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-3 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Not reported Facility Region: Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-032
Matrix: Liquid

Matrix: Liquid
Chemical: PFNA
Qualifier: <
Value: 2
Reporting Limit: Not re

Reporting Limit:

Detection Limit:

Not reported

Lab Notes:

Quarterly Running Annual Average:

Units:

NG/L

Date:

4/26/2019

Field Pt Class:

Not reported

A/26/2019

PUBW

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

# GAGE WELL 29-3 (Continued)

S127520356

**EDR ID Number** 

RIVERSIDE, CA City, State, Zip: Envirostor ID: Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Not reported Enviroscreen Score: Site Code: Not reported W0603310031 Global ID: Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Not reported Site History:

Begin Date: Not reported
RB Case Number: Not reported
source\_type: All PFAS Chemicals
Location ID: 3310031-032
Matrix: Liquid
Chemical: NETFOSAA

Qualifier: < Value: 2

Reporting Limit:

Detection Limit:

Lab Notes:

Quarterly Running Annual Average:

Units:

Date:

Not reported

Not reported

Not reported

Not reported

Videous Not reported

Site Use: Drinking Water Wells

Site Type: DDW Well
Latitude: 34.079726
Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

GAGE WELL 29-3 Name: Address: Not reported City,State,Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Not reported Status: Not reported Status Date: Enviroscreen Score: Not reported Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Not reported Local Agency: Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 29-3 (Continued)**

S127520356

Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals 3310031-032 Location ID: Matrix: Liquid NMEFOSAA Chemical:

Qualifier: Value: 2

Reporting Limit: Not reported Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.079726 Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported RIVERSIDE, CA City,State,Zip: **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Not reported Status Date: Not reported Enviroscreen Score: Site Code: Not reported Global ID: W0603310031 Facility Region: Not reported Not reported Lead Agency: Not reported Case worker: Local Agency: Not reported Location Case Number: Not reported File Location: Not reported Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported All PFAS Chemicals source\_type: Location ID: 3310031-032 Matrix: Liquid Chemical: **PFNDCA** Qualifier:

Value:

Reporting Limit: Not reported Not reported **Detection Limit:** Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L Date: 4/26/2019

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 29-3 (Continued)**

S127520356

**PUBW** Field Pt Class:

**Drinking Water Wells** Site Use:

Site Type: DDW Well Latitude: 34.079726 Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported City, State, Zip: RIVERSIDE, CA **Envirostor ID:** Not reported Program Type: Not reported Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Not reported Site Code: Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported **RB Case Number:** Not reported All PFAS Chemicals source\_type: Location ID: 3310031-032 Matrix: Liquid **PFDOA** 

Chemical: Qualifier: 2 Value: Reporting Limit: Not reported

Detection Limit: Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

DDW Well Site Type: Latitude: 34.079726 Longitude: -117.258272

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

Name: GAGE WELL 29-3 Address: Not reported RIVERSIDE, CA City, State, Zip: **Envirostor ID:** Not reported Not reported Program Type: Status: Not reported Status Date: Not reported Enviroscreen Score: Not reported Site Code: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### **GAGE WELL 29-3 (Continued)**

S127520356

Global ID: W0603310031 Facility Region: Not reported Lead Agency: Not reported Case worker: Not reported Local Agency: Not reported Location Case Number: Not reported Not reported File Location: Potential Contaminants of Concern: Not reported Potential Media Affected: Not reported Site History: Not reported

Begin Date: Not reported RB Case Number: Not reported source\_type: All PFAS Chemicals Location ID: 3310031-032 Matrix: Liquid

Chemical: **PFHA** Qualifier: Value: Reporting Limit: Not reported

**Detection Limit:** Not reported Lab Notes: Not reported Quarterly Running Annual Average: Not reported Units: NG/L 4/26/2019 Date: Field Pt Class: **PUBW** 

Site Use: **Drinking Water Wells** 

Site Type: DDW Well Latitude: 34.079726 -117.258272 Longitude:

Geo Tracker URL: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=W0603310031

> Click this hyperlink while viewing on your computer to access 58 additional CA PFAS: record(s) in the EDR Site Report.

H31 SUPPORT SERVICES BUILDING LUST S102769999 Cortese **ESE 1333 TIPPECANOE AVE** N/A 1/4-1/2 SAN BERNARDINO, CA 92410

0.472 mi.

**HIST CORTESE CERS** 

2492 ft. Site 2 of 2 in cluster H

Relative: LUST: Higher Name:

SUPPORT SERVICES BUILDING Address: 1333 TIPPECANOE AVE Actual: SAN BERNARDINO, CA 92410 City, State, Zip: 1058 ft. Lead Agency: SAN BERNARDINO COUNTY

> Case Type: LUST Cleanup Site

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607100085

T0607100085 Global Id: Latitude: 34.075928 Longitude: -117.258209

Completed - Case Closed Status:

08/04/1989 Status Date: Case Worker: CR2 RB Case Number: 083600802T

SAN BERNARDINO COUNTY Local Agency:

File Location: Local Agency Local Case Number: 87059

Direction
Distance

Elevation Site Database(s) EPA ID Number

# SUPPORT SERVICES BUILDING (Continued)

S102769999

**EDR ID Number** 

Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:

Global Id: T0607100085

Contact Type:
Contact Name:
Contact Name:
CATHERINE RICHARDS
Organization Name:
Address:
City:
SAN BERNARDINO
SAN BERNARDINO
SAN BERNARDINO
Crichards@sbcfire.org

Phone Number: 9093868419

Global Id: T0607100085

Contact Type: Regional Board Caseworker Contact Name: PATRICIA HANNON

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500

City: RIVERSIDE

Email: patricia.hannon@waterboards.ca.gov

Phone Number: Not reported

LUST:

 Global Id:
 T0607100085

 Action Type:
 Other

 Date:
 04/10/1987

 Action:
 Leak Discovery

Global Id: T0607100085
Action Type: ENFORCEMENT
Date: 08/04/1989

Action: Closure/No Further Action Letter

 Global Id:
 T0607100085

 Action Type:
 Other

 Date:
 05/07/1987

 Action:
 Leak Reported

 Global Id:
 T0607100085

 Action Type:
 Other

 Date:
 04/10/1987

 Action:
 Leak Stopped

LUST:

Global Id: T0607100085

Status: Open - Case Begin Date

Status Date: 04/10/1987

Global Id: T0607100085

Status: Open - Site Assessment

Status Date: 03/29/1988

Global Id: T0607100085

Status: Completed - Case Closed

Status Date: 08/04/1989

Direction Distance

Elevation Site Database(s) EPA ID Number

# SUPPORT SERVICES BUILDING (Continued)

S102769999

**EDR ID Number** 

LUST REG 8:

Name: SUPPORT SERVICES BUILDING

Address: 1333 TIPPECANOE AVE City: SAN BERNARDINO

Region: 8

County: San Bernardino Regional Board: Santa Ana Region Facility Status: Case Closed Case Number: 083600802T Local Case Num: 87059 Case Type: Soil only Substance: Gasoline Qty Leaked: Not reported Abate Method: Not reported

Cross Street: SAN BERNARDINO **CLOS** Enf Type: Funding: Not reported How Discovered: Tank Closure How Stopped: Not reported Overfill Leak Cause: Piping Leak Source: T0607100085 Global ID: How Stopped Date: 4/10/1987

Enter Date: 5/13/1987 Date Confirmation of Leak Began: Not reported Date Preliminary Assessment Began: Not reported 4/10/1987 Discover Date: **Enforcement Date:** Not reported Close Date: 8/4/1989 Date Prelim Assessment Workplan Submitted: Not reported Date Pollution Characterization Began: 3/29/1988 Date Remediation Plan Submitted: Not reported Date Remedial Action Underway: Not reported Date Post Remedial Action Monitoring: Not reported Enter Date: 5/13/1987 GW Qualifies: Not reported Soil Qualifies: Not reported

Operator: Not reported Not reported **Facility Contact:** Interim: Not reported LUST Oversite Program: Latitude: 34.076785 -117.259662 Longitude: MTBE Date: Not reported Max MTBE GW: Not reported

MTBE Concentration: 0

Max MTBE Soil: Not reported

MTBE Fuel: 1

MTBE Tested: Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.

MTBE Class: \*
Staff: PAH
Staff Initials: CR2

Lead Agency: Local Agency
Local Agency: 36000L

Hydr Basin #: UPPER SANTA ANA VALL

Beneficial: Not reported Priority: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### SUPPORT SERVICES BUILDING (Continued)

S102769999

Cleanup Fund Id: Not reported Not reported Work Suspended:

Summary: Not reported

CORTESE:

SUPPORT SERVICES BUILDING Name: 1333 TIPPECANOE AVE Address: SAN BERNARDINO, CA 92410 City,State,Zip: Region: CORTESE

Envirostor Id: Not reported T0607100085 Global ID:

LUST CLEANUP SITE Site/Facility Type:

Cleanup Status: **COMPLETED - CASE CLOSED** 

Status Date: Not reported Site Code: Not reported Not reported Latitude: Longitude: Not reported Owner: Not reported Enf Type: Not reported Swat R: Not reported Flag: active Order No: Not reported Waste Discharge System No: Not reported Not reported Effective Date: Not reported Region 2: WID Id: Not reported Solid Waste Id No: Not reported Waste Management Uit Name: Not reported File Name: Active Open

HIST CORTESE:

edr fname: SUPPORT SERVICES BUILDING

edr\_fadd1: 1333 TIPPECANOE

SAN BERNARDINO, CA 92410 City, State, Zip:

CORTESE Region: Facility County Code: 36 Reg By: **LTNKA** 083600802T Reg Id:

CERS:

Name: SUPPORT SERVICES BUILDING Address: 1333 TIPPECANOE AVE SAN BERNARDINO, CA 92410 City, State, Zip:

Site ID: 250029 T0607100085 CERS ID:

**CERS** Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker

Entity Name: PATRICIA HANNON - SANTA ANA RWQCB (REGION 8)

**Entity Title:** Not reported

3737 MAIN STREET, SUITE 500 Affiliation Address:

Affiliation City: **RIVERSIDE** 

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

# SUPPORT SERVICES BUILDING (Continued)

S102769999

**EDR ID Number** 

Affiliation Phone:

Affiliation Type Desc: Local Agency Caseworker

Entity Name: CATHERINE RICHARDS - SAN BERNARDINO COUNTY

**Entity Title:** Not reported

620 SOUTH E STREET Affiliation Address: SAN BERNARDINO Affiliation City:

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported 9093868419, Affiliation Phone:

J32 FRANK'S FENCE LUST S103968654

SAN BERNARDINO

Not reported

Not reported

Not reported

West HIST CORTESE 1145 N/A

1/4-1/2 SAN BERNARDINO, CA 92408

0.477 mi.

1016 ft.

Site 1 of 4 in cluster J 2521 ft.

City:

Operator:

Facility Contact:

LUST REG 8: Relative: Lower Name: FRANK'S FENCE Address: 1145 WATERMAN AVE Actual:

Region:

County: San Bernardino Santa Ana Region Regional Board: Facility Status: Case Closed Case Number: 083601117T 90004 Local Case Num:

Case Type: Aquifer affected Substance: Unleaded Gasoline Qty Leaked: Not reported Abate Method: Not reported Cross Street: ENNIS Enf Type: CLOS Not reported Funding: How Discovered: Tank Closure How Stopped: Not reported Leak Cause: UNK Leak Source: Piping Global ID: T0607100126 How Stopped Date: 11/29/1988 Enter Date: 1/4/1989 Date Confirmation of Leak Began: Not reported Date Preliminary Assessment Began: Not reported Discover Date: 11/29/1988 **Enforcement Date:** Not reported 11/20/1998 Close Date: Date Prelim Assessment Workplan Submitted: Not reported Date Pollution Characterization Began: 1/4/1989 Date Remediation Plan Submitted: Not reported Date Remedial Action Underway: Not reported Date Post Remedial Action Monitoring: Not reported Enter Date: 1/4/1989 **GW Qualifies:** Not reported Soil Qualifies:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

FRANK'S FENCE (Continued)

S103968654

Interim: Not reported Oversite Program: LUST 34.0808717 Latitude: Longitude: -117.2786417 MTBE Date: Not reported Max MTBE GW: Not reported

MTBE Concentration: 3

Max MTBE Soil: Not reported

MTBE Fuel:

MTBE Tested: MTBE Detected. Site tested for MTBE & MTBE detected

MTBE Class: VJJ Staff: CB5 Staff Initials:

Lead Agency: Local Agency 36000L Local Agency:

UPPER SANTA ANA VALL Hydr Basin #:

Beneficial: Not reported Priority: Not reported Cleanup Fund Id: Not reported Work Suspended: Not reported

Summary: THREE GROUNDWATER MONITORING WELLS INSTALLED 4/22/91. GROUNDWATER CONTAMINATION

FOUND.

HIST CORTESE:

FRANK'S FENCE edr\_fname:

edr\_fadd1: 1145

City,State,Zip: SAN BERNARDINO, CA 92408

Region: CORTESE Facility County Code: 36 LTNKA Reg By: 083601117T Reg Id:

FRANK'S FENCE LUST S109285213 N/A

West 1145 S WATERMAN AVE Cortese SAN BERNARDINO, CA 92408 1/4-1/2 **CERS** 

0.477 mi.

J33

2521 ft. Site 2 of 4 in cluster J

Relative: LUST: Lower FRANK'S FENCE Name:

Address: 1145 S WATERMAN AVE Actual: SAN BERNARDINO, CA 92408 City, State, Zip: 1016 ft. Lead Agency: SAN BERNARDINO COUNTY

Case Type: LUST Cleanup Site

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607100126

T0607100126 Global Id: Latitude: 34.0803993 Longitude: -117.278594

Status: Completed - Case Closed

Status Date: 11/20/1998 СВ Case Worker: RB Case Number: 083601117T

SAN BERNARDINO COUNTY Local Agency:

File Location: Local Agency Local Case Number:

Potential Media Affect: Aquifer used for drinking water supply

Potential Contaminants of Concern: Gasoline

Direction Distance

Elevation Site Database(s) EPA ID Number

FRANK'S FENCE (Continued)

S109285213

**EDR ID Number** 

Site History: Not reported

LUST:

Global Id: T0607100126

Contact Type: Local Agency Caseworker Contact Name: CURTIS BRUNDAGE

Organization Name: SAN BERNARDINO COUNTY

Address: 620 S. E STREET
City: SAN BERNARDINO
Email: cbrundage@sbcfire.org

Phone Number: Not reported

Global Id: T0607100126

Contact Type: Regional Board Caseworker
Contact Name: VALERIE JAHN-BULL

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500

City: RIVERSIDE

Email: valerie.jahn-bull@waterboards.ca.gov

Phone Number: 9517824903

LUST:

 Global Id:
 T0607100126

 Action Type:
 Other

 Date:
 11/29/1988

 Action:
 Leak Discovery

 Global Id:
 T0607100126

 Action Type:
 ENFORCEMENT

 Date:
 12/12/1988

Action: Notice of Responsibility

 Global Id:
 T0607100126

 Action Type:
 ENFORCEMENT

 Date:
 04/26/1993

 Action:
 Notice to Comply

Global Id: T0607100126
Action Type: ENFORCEMENT
Date: 10/05/1998

Action: LOP Case Closure Summary to RB

 Global Id:
 T0607100126

 Action Type:
 ENFORCEMENT

 Date:
 11/20/1998

Action: Closure/No Further Action Letter

 Global Id:
 T0607100126

 Action Type:
 Other

 Date:
 11/12/1988

 Action:
 Leak Reported

 Global Id:
 T0607100126

 Action Type:
 REMEDIATION

 Date:
 03/18/1998

Action: Soil Vapor Extraction (SVE)

Direction Distance

Elevation Site Database(s) EPA ID Number

FRANK'S FENCE (Continued)

S109285213

**EDR ID Number** 

 Global Id:
 T0607100126

 Action Type:
 REMEDIATION

 Date:
 11/28/1988

 Action:
 Excavation

 Global Id:
 T0607100126

 Action Type:
 Other

 Date:
 11/29/1988

 Action:
 Leak Stopped

 Global Id:
 T0607100126

 Action Type:
 RESPONSE

 Date:
 08/04/1998

Action: Monitoring Report - Quarterly

Global Id: T0607100126
Action Type: RESPONSE
Date: 11/28/1988

Action: Unauthorized Release Form

LUST:

Global Id: T0607100126

Status: Open - Case Begin Date

Status Date: 11/12/1988

Global Id: T0607100126

Status: Open - Site Assessment

Status Date: 01/04/1989

Global Id: T0607100126

Status: Completed - Case Closed

Status Date: 11/20/1998

CORTESE:

Name: FRANK'S FENCE
Address: 1145 S WATERMAN AVE
City,State,Zip: SAN BERNARDINO, CA 92408

Region: CORTESE
Envirostor Id: Not reported
Global ID: T0607100126

Site/Facility Type: LUST CLEANUP SITE

Cleanup Status: COMPLETED - CASE CLOSED

Status Date: Not reported Site Code: Not reported Latitude: Not reported Longitude: Not reported Owner: Not reported Enf Type: Not reported Swat R: Not reported Flag: active Order No: Not reported Waste Discharge System No: Not reported

Waste Discharge System No: Not reported Effective Date: Not reported Region 2: Not reported Not reported Not reported Not reported Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

FRANK'S FENCE (Continued) S109285213

Solid Waste Id No: Not reported Not reported Waste Management Uit Name: File Name: Active Open

CERS:

Name: FRANK'S FENCE Address: 1145 S WATERMAN AVE SAN BERNARDINO, CA 92408 City,State,Zip:

Site ID: 230648 CERS ID: T0607100126

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker

Entity Name: VALERIE JAHN-BULL - SANTA ANA RWQCB (REGION 8)

Entity Title: Not reported

Affiliation Address: 3737 MAIN STREET, SUITE 500

**RIVERSIDE** Affiliation City:

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported Affiliation Phone: 9517824903,

Affiliation Type Desc: Local Agency Caseworker

**CURTIS BRUNDAGE - SAN BERNARDINO COUNTY** Entity Name:

Entity Title: Not reported Affiliation Address: 620 S. E STREET Affiliation City: SAN BERNARDINO

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone:

**NTI FUELING STATION WATERMAN** LUST S104568635

J34 West 1195 SOUTH WATERMAN AVENUE Cortese N/A SAN BERNARDINO, CA 92408 **HAZNET** 1/4-1/2

**NPDES** 0.479 mi. 2531 ft. Site 3 of 4 in cluster J San Bern. Co. Permit

Relative:

Lower LUST:

**VALLEY GAS / AUTO REPAIR** Name: Actual: Address: 1195 S WATERMAN AVE 1016 ft. SAN BERNARDINO, CA 92408 City, State, Zip:

Lead Agency: SAN BERNARDINO COUNTY

Case Type: LUST Cleanup Site

Geo Track: http://geotracker.waterboards.ca.gov/profile\_report.asp?global\_id=T0607100624

Global Id: T0607100624 Latitude: 34.0798159 Longitude: -117.278586

Completed - Case Closed Status:

01/04/2001 Status Date: Case Worker: JC

RB Case Number: 083603599T

SAN BERNARDINO COUNTY Local Agency:

File Location: Local Agency Local Case Number: 99133

**CERS** 

**EDR ID Number** 

Direction Distance

Elevation Site Database(s) EPA ID Number

## NTI FUELING STATION WATERMAN (Continued)

S104568635

**EDR ID Number** 

Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:

Global Id: T0607100624

Contact Type:
Contact Name:
JACKSON CRUTSINGER
Organization Name:
Address:
City:
SAN BERNARDINO
SAN BERNARDINO
SAN BERNARDINO
SAN BERNARDINO
Email:
jcrutsinger@sbcfire.org

Phone Number: Not reported

Global Id: T0607100624

Contact Type: Regional Board Caseworker

Contact Name: ROSE SCOTT

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500

City: RIVERSIDE

Email: rose.scott@waterboards.ca.gov

Phone Number: 9513206375

LUST:

 Global Id:
 T0607100624

 Action Type:
 Other

 Date:
 09/30/1999

 Action:
 Leak Discovery

 Global Id:
 T0607100624

 Action Type:
 Other

 Date:
 11/01/1999

 Action:
 Leak Reported

 Global Id:
 T0607100624

 Action Type:
 Other

 Date:
 09/30/1999

 Action:
 Leak Stopped

LUST:

Global Id: T0607100624

Status: Open - Case Begin Date

Status Date: 09/30/1999

Global Id: T0607100624

Status: Open - Site Assessment

Status Date: 09/30/1999

Global Id: T0607100624 Status: Open - Remediation

Status Date: 08/14/2000

Global Id: T0607100624
Status: Open - Remediation

Status Date: 09/28/2000

Global Id: T0607100624

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

## **NTI FUELING STATION WATERMAN (Continued)**

S104568635

**EDR ID Number** 

Status: Completed - Case Closed

01/04/2001 Status Date:

CORTESE:

VALLEY GAS / AUTO REPAIR Name: 1195 S WATERMAN AVE Address: SAN BERNARDINO, CA 92408 City,State,Zip:

Region: **CORTESE** Envirostor Id: Not reported T0607100624 Global ID:

Site/Facility Type: LUST CLEANUP SITE

Cleanup Status: **COMPLETED - CASE CLOSED** 

Status Date: Not reported Site Code: Not reported Not reported Latitude: Longitude: Not reported Owner: Not reported Enf Type: Not reported Swat R: Not reported Flag: active Order No: Not reported Waste Discharge System No: Not reported Not reported Effective Date: Not reported Region 2: WID Id: Not reported Solid Waste Id No: Not reported Waste Management Uit Name: Not reported Active Open

HAZNET:

File Name:

Name: PANNIPA PORNPHONGPAN Address: 1195 SOUTH WATERMAN AVE.

Address 2: Not reported

SAN BERNARDINO, CA 923541381 City,State,Zip:

PAT P. Contact: Telephone: 9512033775 Mailing Name: Not reported P.O. BOX 1381 Mailing Address:

2019 Year:

Gepaid: CAC003014458 TSD EPA ID: CAT080013352

CA Waste Code: 134 - Aqueous solution with total organic residues less than 10

Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid

Regeneration, Organics Recovery Ect

1.15500 Tons:

NPDES:

NTI FUELING STATION OIL AND WATER WATERMAN Name:

Address: 1195 SOUTH WATERMAN AVENUE SAN BERNARDINO, CA 92408 City,State,Zip:

Facility Status: Not reported NPDES Number: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

## NTI FUELING STATION WATERMAN (Continued)

S104568635

**EDR ID Number** 

Region: Not reported Not reported Agency Number: Regulatory Measure ID: Not reported Place ID: Not reported Order Number: Not reported 8 36C385914 WDID: Regulatory Measure Type: Construction Program Type: Not reported Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported Not reported Expiration Date Of Regulatory Measure: Discharge Address: Not reported Discharge Name: Not reported Discharge City: Not reported Discharge State: Not reported Discharge Zip: Not reported Status: Active Status Date: 02/04/2019 LK Management Operator Name: Operator Address: 2139 1st Ave Ste 100 San Diego Operator City:

Operator City: San Diego
Operator State: California
Operator Zip: 92101

Facility Status:

Name:NTI FUELING STATION WATERMANAddress:1195 SOUTH WATERMAN AVENUECity,State,Zip:SAN BERNARDINO, CA 92408

Not reported

NPDES Number: Not reported Region: Not reported Agency Number: Not reported Regulatory Measure ID: Not reported Place ID: Not reported Order Number: Not reported WDID: 8 36C385037 Regulatory Measure Type: Construction Program Type: Not reported Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: Not reported Termination Date Of Regulatory Measure: Not reported Expiration Date Of Regulatory Measure: Not reported Discharge Address: Not reported Discharge Name: Not reported Discharge City: Not reported Discharge State: Not reported Discharge Zip: Not reported Status: Active Status Date: 10/26/2018 Operator Name: Gas Station Operator Address: 2139 1st Avenue Operator City: San Diego Operator State: California Operator Zip: 92101

Name: NTI FUELING STATION OIL AND WATER WATERMAN

Address: 1195 SOUTH WATERMAN AVENUE

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **NTI FUELING STATION WATERMAN (Continued)**

S104568635

SAN BERNARDINO, CA 92408 City, State, Zip:

Facility Status: Active NPDES Number: CAS000002

Region: 8 Agency Number: 0 Regulatory Measure ID: 505394 Place ID: Not reported 2009-0009-DWQ Order Number: WDID: 8 36C385914 Regulatory Measure Type: Enrollee Program Type: Construction Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: 02/04/2019 Termination Date Of Regulatory Measure: Not reported Expiration Date Of Regulatory Measure: Not reported

Discharge Address: 2139 1st Ave Ste 100 Discharge Name: LK Management Discharge City: San Diego Discharge State: California Discharge Zip: 92101 Status: Not reported Status Date: Not reported Operator Name: Not reported Operator Address: Not reported Operator City: Not reported Operator State: Not reported Operator Zip: Not reported

NTI FUELING STATION WATERMAN Name: 1195 SOUTH WATERMAN AVENUE Address: City,State,Zip: SAN BERNARDINO, CA 92408

Not reported

Not reported

Not reported

Facility Status: Active NPDES Number: CAS000002

Region: 8 Agency Number: 0 Regulatory Measure ID: 502932 Place ID: Not reported Order Number: 2009-0009-DWQ WDID: 8 36C385037 Regulatory Measure Type: Enrollee Program Type: Construction Adoption Date Of Regulatory Measure: Not reported Effective Date Of Regulatory Measure: 10/26/2018 Termination Date Of Regulatory Measure: Not reported Not reported Expiration Date Of Regulatory Measure: 2139 1st Avenue Discharge Address: Discharge Name: Gas Station Discharge City: San Diego Discharge State: California Discharge Zip: 92101 Status: Not reported Status Date: Not reported Not reported Operator Name: Operator Address: Not reported

Operator City:

Operator Zip:

Operator State:

Direction Distance

Elevation Site Database(s) EPA ID Number

## NTI FUELING STATION WATERMAN (Continued)

S104568635

**EDR ID Number** 

San Bern. Co. Permit:

Name: CHEN-LA AUTO REPAIR Address: 1195 S WATERMAN AVE City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO
Facility ID: FA0001875
Owner: JAMES KEO
Permit Number: PT0001108

Permit Category: CONDITIONALLY EXEMPT SM QTY GENERATOR SPECIAL

Facility Status: INACTIVE Expiration Date: 01/31/2020

Name: CHEN-LA AUTO REPAIR Address: 1195 S WATERMAN AVE City,State,Zip: SAN BERNARDINO, CA 92408

Region: SAN BERNARDINO
Facility ID: FA0001875
Owner: JAMES KEO
Permit Number: PT0001109

Permit Category: HAZMAT HANDLER GENERAL ACT.(NB)

Facility Status: INACTIVE Expiration Date: 01/31/2016

CERS:

Name: VALLEY GAS / AUTO REPAIR
Address: 1195 S WATERMAN AVE
City,State,Zip: SAN BERNARDINO, CA 92408

Site ID: 198796 CERS ID: T0607100624

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker

Entity Name: JACKSON CRUTSINGER - SAN BERNARDINO COUNTY

Entity Title: Not reported

Affiliation Address: 620 SOUTH E STREET
Affiliation City: SAN BERNARDINO

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker

Entity Name: ROSE SCOTT - SANTA ANA RWQCB (REGION 8)

Entity Title: Not reported

Affiliation Address: 3737 MAIN STREET, SUITE 500

Affiliation City: RIVERSIDE

Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: Not reported Affiliation Phone: 9513206375,

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

J35 VALLEY GAS / AUTO REPAIR LUST \$103625053

West 1195 HIST CORTESE N/A 1/4-1/2 SAN BERNARDINO, CA 92408

1/4-1/2 SAN BERNA 0.479 mi.

2531 ft. Site 4 of 4 in cluster J

Relative: LUST REG 8:

LowerName:VALLEY GAS / AUTO REPAIRActual:Address:1195 WATERMAN AVE1016 ft.City:SAN BERNARDINO

Region: 8

County: San Bernardino Regional Board: Santa Ana Region Facility Status: Case Closed Case Number: 083603599T Local Case Num: 99133 Soil only Case Type: Substance: Gasoline Qty Leaked: Not reported Abate Method: Not reported

Cross Street: E. ORANGE SHOW ROAD

Enf Type: Not reported
Funding: Not reported
How Discovered: Tank Closure
How Stopped: Not reported
Leak Cause: UNK
Leak Source: UNK

Global ID: T0607100624 9/30/1999 How Stopped Date: Enter Date: 1/26/2000 Date Confirmation of Leak Began: 9/30/1999 Date Preliminary Assessment Began: Not reported Discover Date: 9/30/1999 **Enforcement Date:** Not reported Close Date: 1/4/2001 Date Prelim Assessment Workplan Submitted: Not reported Date Pollution Characterization Began: Not reported Date Remediation Plan Submitted: 8/14/2000 Date Remedial Action Underway: 9/28/2000 Date Post Remedial Action Monitoring: Not reported Enter Date: 1/26/2000

Soil Qualifies: =

GW Qualifies:

Operator: Not reported Facility Contact: Not reported Not reported Interim: LUST Oversite Program: 34.079983 Latitude: Longitude: -117.278433 MTBE Date: Not reported Max MTBE GW: Not reported

MTBE Concentration: 1
Max MTBE Soil: 129
MTBE Fuel: 1

MTBE Tested: MTBE Detected. Site tested for MTBE & MTBE detected

Not reported

MTBE Class: \*
Staff: RS
Staff Initials: JC3

Lead Agency: Local Agency

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

VALLEY GAS / AUTO REPAIR (Continued)

S103625053

S108214342

N/A

Local Agency: 36000L

Hydr Basin #: UPPER SANTA ANA VALL

Beneficial: Not reported Priority: Not reported Cleanup Fund Id: Not reported

Work Suspended: No

Summary: Not reported

HIST CORTESE:

edr\_fname: VALLEY GAS / AUTO REPAIR

edr\_fadd1: 1195

City,State,Zip: SAN BERNARDINO, CA 92408

Region: CORTESE
Facility County Code: 36
Reg By: LTNKA
Reg Id: 083603599T

\_\_\_\_\_

36 FOAMEX INTERNATIONAL INC HWP

ESE 1400 E VICTORIA AVE

1/2-1 SAN BERNARDINO, CA 92408

0.743 mi. 3921 ft.

Relative: HWP: Higher EPA ID:

 Higher
 EPA ID:
 CAT000646190

 Actual:
 Name:
 FOAMEX INTERNATIONAL INC

1071 ft.Address:1400 E VICTORIA AVECleanup Status:PROTECTIVE FILER

Latitude: 34.07439 Longitude: -117.2561

Facility Type: Historical - Non-Operating

Facility Size: Not reported Supervisor: Not reported Site Code: Not reported Not reported

Senate District: 23
Assembly District: 40

Public Information Officer: Not reported Not reported Commercial Offsite Facility Types: Quarterly Update: Not reported Project Manager Lead: Not reported Project Manager: Not reported Not reported Permit Type: Permit Effective Date: Not reported Not reported Permit Expiration Date:

Calenviroscreen Score: 96-100% (highest scores)

Total Planned Hours: Not reported Total Planned Amount: Not reported Total Actual Hours: Not reported

Activities:

EPA ID: CAT000646190

Facility Type: Historical - Non-Operating
Facility Name: FOAMEX INTERNATIONAL INC

Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Status: PROTECTIVE

Facility Status: PROTECTIVE FILER
Activity Type: Protective Filer Status

Direction Distance

Elevation Site **EPA ID Number** Database(s)

## FOAMEX INTERNATIONAL INC (Continued)

S108214342

**EDR ID Number** 

Permit Being Renewed: Not reported Permit Being Modified: Not reported Not reported Final Date: Not reported Type: Title Description: Protective Filer Due Date: Not reported Not reported Comments: CONTAIN1 Unit Names:

Protective Filer Status - PROTECTIVE FILER (APPROVED) **Event Description:** 

Actual Date: 08/04/1981

**FUDS K37 NORTON AIR FORCE BASE** 1024903601 N/A

NE

1/2-1 SAN BERNARDINO, CA

0.850 mi.

4486 ft. Site 1 of 3 in cluster K

FUDS: Relative:

Higher EPA Region:

Installation ID: CA99799F553500 Actual:

Congressional District Number: 1063 ft.

> NORTON AIR FORCE BASE Name:

FUDS Number: J09CA0514 SAN BERNARDINO

City:

State: CA County: SAN BERNARDINO

Object ID: 699

**USACE** Division: SPD **USACE** District: Los Angeles District (SPL)

Properties without projects Status:

**Current Owner:** 

EMS Map Link: https://fudsportal.usace.army.mil/ems/ems/inventory/map/map?id=61130

Eligibility: Eligible Has Projects: No

NPL Status: Not on the NPL

Property History: The Army Air Corps acquired over 2500 acres for use as an Air Corps Supply Depot. The Air Force established Norton Air Force Base on the

property in 1950. The 152.12 acres disposed between 1946 and 1970 were acquired in the 1940s by license, easement, leasehold, fee, and permit. These parcels were used for water and sewer pipeline rights-of-way, navigation line-up lights, portable airway flight aid

lights, living quarters and storage space. There were three properties disposed between 1971 and 1986. In March 1945, 69.69 acres

located south of the Base and in the path of one of the runways, was

encumbered with an avigation easement to eliminate height obstructions. The owner continued to use the property for

agricultural purposes. A 4.52 acre easement was acquired in 1945 for flood control purposes and was quitclaimed in 1981. A total of 19.41 acres were acquired in fee in 1950 and 1951 in order to eliminate height obstructions along the approach to one of the runways. There is no evidence to suggest that the properties were used for any other purpose. The properties were disposed in 1985 and 1986 since the runway requiring elimination of height obstructions was closed.

Norton AFB was closed 31 March 1994 as a result of BRAC I. The Base is a Superfund Site and is currently undergoing remediation as part of the closure and disposal. The 89.1 acres described in the previous paragraph are not effected by the groundwater contamination plume

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**NORTON AIR FORCE BASE (Continued)** 

1024903601

originating from the center of the Base.

Project Required: No

Feature Description: Not reported Latitude: 34.09166667 -117.25833333 Longitude:

K38 **SAN BERNARDINO AAF ENVIROSTOR** S107737217 N/A

ΝE

1/2-1 SAN BERNARDINO, CA

0.850 mi.

4489 ft. Site 2 of 3 in cluster K

Relative: **ENVIROSTOR:** 

Higher SAN BERNARDINO AAF Name:

Address: Not reported Actual:

City,State,Zip: SAN BERNARDINO, CA 1063 ft.

Facility ID: 80000729

Status: Inactive - Needs Evaluation

07/01/2005 Status Date: Site Code: Not reported Site Type: Military Evaluation

**FUDS** Site Type Detailed: 0 Acres: NPL: NO Regulatory Agencies: **SMBRP** Lead Agency: **SMBRP** Program Manager: Not reported Douglas Bautista Supervisor: Division Branch: Cleanup Cypress

Assembly: 40 Senate: 23

Special Program: Not reported

Restricted Use: NO

Site Mgmt Req: NONE SPECIFIED

Funding: **DERA** Latitude: 34.09166 -117.2583 Longitude:

APN: NONE SPECIFIED NONE SPECIFIED Past Use: Potential COC: Explosives (UXO, MEC Confirmed COC: NONE SPECIFIED NONE SPECIFIED Potential Description: Alias Name: CA99799F805900 Alias Type: Federal Facility ID Alias Name: J09CA7005

**INPR** Alias Type: 80000729 Alias Name:

**Envirostor ID Number** Alias Type:

Completed Info:

Future Area Name:

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: Inventory Project Report (INPR)

Not reported

Completed Date: 09/29/1994 Comments: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

SAN BERNARDINO AAF (Continued)

S107737217

Future Sub Area Name: Not reported Not reported Future Document Type: Future Due Date: Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Not reported Not reported Schedule Document Type: Not reported Schedule Due Date: Schedule Revised Date: Not reported

K39 **NORTON AFB - FUDS ENVIROSTOR \$109348603** N/A

ΝE

1/2-1 SAN BERNARDINO, CA

0.850 mi.

4489 ft. Site 3 of 3 in cluster K

**ENVIROSTOR:** Relative:

Higher Name: NORTON AFB - FUDS

Address: Not reported Actual:

SAN BERNARDINO, CA 1063 ft. City,State,Zip:

80000333 Facility ID:

Status: Inactive - Needs Evaluation

Status Date: 07/01/2005 Site Code: Not reported Site Type: Military Evaluation

Site Type Detailed: **FUDS** Acres: 0 NPL: NO **SMBRP** Regulatory Agencies: **SMBRP** Lead Agency: Program Manager: Not reported Supervisor: Douglas Bautista Division Branch: Cleanup Cypress

Assembly: 40 23 Senate:

Special Program: Not reported

Restricted Use: NO

NONE SPECIFIED Site Mgmt Req:

**DERA** Funding: Latitude: 34.09166 -117.2583 Longitude:

APN: NONE SPECIFIED Past Use: NONE SPECIFIED Potential COC: NONE SPECIFIED Confirmed COC: NONE SPECIFIED NONE SPECIFIED Potential Description: Alias Name: CA99799F553500 Federal Facility ID Alias Type: J09CA0514 Alias Name: Alias Type: **INPR** 

Alias Type: **Envirostor ID Number** 

Completed Info:

Alias Name:

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: Inventory Project Report (INPR)

80000333

Completed Date: 09/21/1999 Comments: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**NORTON AFB - FUDS (Continued)** 

S109348603

Future Area Name: Not reported Not reported Future Sub Area Name: Future Document Type: Not reported Future Due Date: Not reported Schedule Area Name: Not reported Not reported Schedule Sub Area Name: Not reported Schedule Document Type: Schedule Due Date: Not reported Not reported Schedule Revised Date:

40 **EOD FACILITY** UXO 1024718728 N/A

North

1/2-1 SAN BERNARDINO, CA

0.955 mi. 5041 ft.

Relative: UXO:

Higher DoD Component: Air Force NORTON Installation Name: Actual: **EOD FACILITY** Name: 1040 ft. Address:

Not reported Address 2: Not reported

SAN BERNARDINO, CA City,State,Zip:

Site ID: XU403

Site Type: Unexploded Munitions and Ordnance Area

Latitude: 34.095109 Longitude: -117.269215

41 **BENEDICT PROPERTIES** WNW **101 BENEDICT ROAD** SAN BERNARDINO, CA 92408

1/2-1 0.987 mi. 5211 ft.

Relative: **ENVIROSTOR:** 

Lower **BENEDICT PROPERTIES** Name: Address: 101 BENEDICT ROAD Actual: SAN BERNARDINO, CA 92408 City,State,Zip: 998 ft.

Facility ID: 36000013

Status: Refer: 1248 Local Agency

Status Date: 10/25/2001 Site Code: Not reported Evaluation Site Type: Site Type Detailed: Evaluation Acres: NPL: NO

SAN BERNARDINO COUNTY Regulatory Agencies: SAN BERNARDINO COUNTY Lead Agency:

Program Manager: Not reported

Referred - Not Assigned Supervisor: Division Branch: Cleanup Cypress

Assembly: 47 20 Senate:

Special Program: Not reported

Restricted Use: NO

NONE SPECIFIED Site Mgmt Req:

**ENVIROSTOR** 

S106797651

N/A

Map ID MAP FINDINGS Direction

Distance

Elevation Site Database(s) EPA ID Number

### **BENEDICT PROPERTIES (Continued)**

Not Applicable 34.08377 -117.2871

Longitude: APN: 014128204, 14128204 Past Use: NONE SPECIFIED Potential COC: NONE SPECIFIED Confirmed COC: NONE SPECIFIED NONE SPECIFIED Potential Description: Alias Name: 014128204 Alias Type: APN Alias Name: 14128204 Alias Type: APN Alias Name: 36000013

Alias Type: Envirostor ID Number

## Completed Info:

Funding:

Latitude:

Completed Area Name:
Completed Sub Area Name:
Completed Document Type:
Completed Date:
Comments:
Not reported
Not reported
Not reported
Not reported
Not reported

Future Area Name: Not reported Future Sub Area Name: Not reported Not reported Future Document Type: Not reported Future Due Date: Not reported Schedule Area Name: Schedule Sub Area Name: Not reported Schedule Document Type: Not reported Schedule Due Date: Not reported Not reported Schedule Revised Date:

S106797651

**EDR ID Number** 

Count: 0 records. ORPHAN SUMMARY

City EDR ID Site Name Site Address Zip Database(s)

NO SITES FOUND

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## STANDARD ENVIRONMENTAL RECORDS

#### Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/25/2022 Source: EPA
Date Data Arrived at EDR: 02/03/2022 Telephone: N/A

Number of Days to Update: 19 Next Scheduled EDR Contact: 07/11/2022
Data Release Frequency: Quarterly

**NPL Site Boundaries** 

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 01/25/2022 Source: EPA
Date Data Arrived at EDR: 02/03/2022 Telephone: N/A

Date Made Active in Reports: 02/22/2022 Last EDR Contact: 04/01/2022 Number of Days to Update: 19 Next Scheduled EDR Contact:

Next Scheduled EDR Contact: 07/11/2022
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA

Telephone: 202-564-4267 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

#### Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA Telephone: N/A

Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Quarterly

### Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/25/2021
Date Data Arrived at EDR: 06/24/2021
Date Made Active in Reports: 09/20/2021

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 703-603-8704 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Varies

### SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Quarterly

#### Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Quarterly

#### Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

## Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation
and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database
includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste
as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate
less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### Federal institutional controls / engineering controls registries

#### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/16/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 84

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 02/07/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

#### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/19/2021 Date Data Arrived at EDR: 11/19/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

#### US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/19/2021 Date Data Arrived at EDR: 11/19/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

#### Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 03/01/2022 Date Made Active in Reports: 03/10/2022

Number of Days to Update: 9

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 03/22/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity.

These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 01/24/2022 Date Data Arrived at EDR: 01/25/2022 Date Made Active in Reports: 04/13/2022

Number of Days to Update: 78

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 04/26/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Quarterly

#### Lists of state- and tribal hazardous waste facilities

**ENVIROSTOR:** EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 01/24/2022 Date Data Arrived at EDR: 01/25/2022 Date Made Active in Reports: 04/13/2022

Number of Days to Update: 78

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 04/26/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Quarterly

### Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/08/2021 Date Data Arrived at EDR: 11/09/2021 Date Made Active in Reports: 01/28/2022

Number of Days to Update: 80

Source: Department of Resources Recycling and Recovery

Telephone: 916-341-6320 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Quarterly

## Lists of state and tribal leaking storage tanks

#### LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004 Date Data Arrived at EDR: 09/07/2004 Date Made Active in Reports: 10/12/2004

Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)

Telephone: 213-576-6710 Last EDR Contact: 09/06/2011

Next Scheduled EDR Contact: 12/19/2011 Data Release Frequency: No Update Planned

#### LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004 Date Data Arrived at EDR: 02/26/2004 Date Made Active in Reports: 03/24/2004

Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)

Telephone: 760-776-8943 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

### LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005 Date Data Arrived at EDR: 02/15/2005 Date Made Active in Reports: 03/28/2005

Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)

Telephone: 909-782-4496 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

#### LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004 Date Data Arrived at EDR: 10/20/2004 Date Made Active in Reports: 11/19/2004

Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)

Telephone: 510-622-2433 Last EDR Contact: 09/19/2011

Next Scheduled EDR Contact: 01/02/2012 Data Release Frequency: No Update Planned

## LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001 Date Data Arrived at EDR: 02/28/2001 Date Made Active in Reports: 03/29/2001

Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)

Telephone: 707-570-3769 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

## LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001 Date Data Arrived at EDR: 04/23/2001 Date Made Active in Reports: 05/21/2001

Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)

Telephone: 858-637-5595 Last EDR Contact: 09/26/2011

Next Scheduled EDR Contact: 01/09/2012 Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005 Date Data Arrived at EDR: 06/07/2005 Date Made Active in Reports: 06/29/2005

Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)

Telephone: 760-241-7365 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: see region list Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003 Date Data Arrived at EDR: 05/19/2003 Date Made Active in Reports: 06/02/2003

Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)

Telephone: 805-542-4786 Last EDR Contact: 07/18/2011

Next Scheduled EDR Contact: 10/31/2011 Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003 Date Data Arrived at EDR: 09/10/2003 Date Made Active in Reports: 10/07/2003

Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)

Telephone: 530-542-5572 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008 Date Data Arrived at EDR: 07/22/2008 Date Made Active in Reports: 07/31/2008

Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)

Telephone: 916-464-4834 Last EDR Contact: 07/01/2011

Next Scheduled EDR Contact: 10/17/2011 Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/28/2021 Date Data Arrived at EDR: 06/22/2021 Date Made Active in Reports: 09/20/2021

Number of Days to Update: 90

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: Environmental Protection Agency

Telephone: 415-972-3372 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/28/2021 Date Data Arrived at EDR: 06/11/2021 Date Made Active in Reports: 09/07/2021

Number of Days to Update: 88

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003 Date Data Arrived at EDR: 04/07/2003 Date Made Active in Reports: 04/25/2003

Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)

Telephone: 707-576-2220 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004 Date Data Arrived at EDR: 10/20/2004 Date Made Active in Reports: 11/19/2004

Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)

Telephone: 510-286-0457 Last EDR Contact: 09/19/2011

Next Scheduled EDR Contact: 01/02/2012 Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006 Date Data Arrived at EDR: 05/18/2006 Date Made Active in Reports: 06/15/2006

Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)

Telephone: 805-549-3147 Last EDR Contact: 07/18/2011

Next Scheduled EDR Contact: 10/31/2011 Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004 Date Data Arrived at EDR: 11/18/2004 Date Made Active in Reports: 01/04/2005

Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)

Telephone: 213-576-6600 Last EDR Contact: 07/01/2011

Next Scheduled EDR Contact: 10/17/2011 Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005 Date Data Arrived at EDR: 04/05/2005 Date Made Active in Reports: 04/21/2005

Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)

Telephone: 916-464-3291 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005 Date Data Arrived at EDR: 05/25/2005 Date Made Active in Reports: 06/16/2005

Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch

Telephone: 619-241-6583 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004 Date Data Arrived at EDR: 09/07/2004 Date Made Active in Reports: 10/12/2004

Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region

Telephone: 530-542-5574 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004 Date Data Arrived at EDR: 11/29/2004 Date Made Active in Reports: 01/04/2005

Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region

Telephone: 760-346-7491 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008 Date Data Arrived at EDR: 04/03/2008 Date Made Active in Reports: 04/14/2008

Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)

Telephone: 951-782-3298 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007 Date Data Arrived at EDR: 09/11/2007 Date Made Active in Reports: 09/28/2007

Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)

Telephone: 858-467-2980 Last EDR Contact: 08/08/2011

Next Scheduled EDR Contact: 11/21/2011 Data Release Frequency: No Update Planned

## Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/14/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 88

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 04/04/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Varies

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 12/01/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 03/02/2022

Number of Days to Update: 85

Source: State Water Resources Control Board

Telephone: 916-327-7844 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: SWRCB Telephone: 916-341-5851 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016 Date Data Arrived at EDR: 07/12/2016 Date Made Active in Reports: 09/19/2016

Number of Days to Update: 69

Source: California Environmental Protection Agency

Telephone: 916-327-5092 Last EDR Contact: 03/10/2022

Next Scheduled EDR Contact: 06/27/2022

Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/28/2021 Date Data Arrived at EDR: 06/22/2021 Date Made Active in Reports: 09/20/2021

Number of Days to Update: 90

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/06/2021 Date Data Arrived at EDR: 06/11/2021 Date Made Active in Reports: 09/07/2021

Number of Days to Update: 88

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/14/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

#### Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 07/08/2021

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

#### VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 01/24/2022 Date Data Arrived at EDR: 01/25/2022 Date Made Active in Reports: 04/13/2022

Number of Days to Update: 78

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 04/26/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Quarterly

#### INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 142

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 03/16/2022

Next Scheduled EDR Contact: 07/04/2022

Data Release Frequency: Varies

#### Lists of state and tribal brownfield sites

BROWNFIELDS: Considered Brownfieds Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 12/15/2021 Date Data Arrived at EDR: 12/16/2021 Date Made Active in Reports: 03/03/2022

Number of Days to Update: 77

Source: State Water Resources Control Board

Telephone: 916-323-7905 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

## ADDITIONAL ENVIRONMENTAL RECORDS

#### Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 02/23/2022 Date Data Arrived at EDR: 03/10/2022 Date Made Active in Reports: 03/10/2022

Number of Days to Update: 0

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 03/15/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Semi-Annually

#### Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000 Date Data Arrived at EDR: 04/10/2000 Date Made Active in Reports: 05/10/2000

Number of Days to Update: 30

Source: State Water Resources Control Board

Telephone: 916-227-4448 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: Department of Conservation

Telephone: 916-323-3836 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing A listing of registered waste tire haulers.

Date of Government Version: 09/14/2021 Date Data Arrived at EDR: 11/11/2021 Date Made Active in Reports: 11/23/2021

Number of Days to Update: 12

Source: Integrated Waste Management Board

Telephone: 916-341-6422 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States

Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015

Telephone: 301-443-1452 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/09/2022 Number of Days to Update: 176 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 11/16/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 02/08/2022 Source: Drug Enforcement Administration Telephone: 202-307-1000

Number of Days to Update: 82

Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: No Update Planned

Source: Department of Health & Human Serivces, Indian Health Service

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005 Date Data Arrived at EDR: 08/03/2006

Source: Department of Toxic Substance Control

Date Made Active in Reports: 08/24/2006

Telephone: 916-323-3400 Last EDR Contact: 02/23/2009

Number of Days to Update: 21

Next Scheduled EDR Contact: 05/25/2009 Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 01/24/2022 Date Data Arrived at EDR: 01/25/2022

Source: Department of Toxic Substances Control

Date Made Active in Reports: 04/13/2022

Telephone: 916-323-3400 Last EDR Contact: 04/26/2022

Number of Days to Update: 78

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2019 Date Data Arrived at EDR: 01/20/2021

Source: Department of Toxic Substances Control

Date Made Active in Reports: 04/08/2021

Telephone: 916-255-6504 Last EDR Contact: 04/18/2022

Number of Days to Update: 78

Next Scheduled EDR Contact: 07/18/2022

Data Release Frequency: Varies

TOXIC PITS: Toxic Pits Cleanup Act Sites

Number of Days to Update: 27

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995 Date Data Arrived at EDR: 08/30/1995 Date Made Active in Reports: 09/26/1995 Source: State Water Resources Control Board

Telephone: 916-227-4364 Last EDR Contact: 01/26/2009

Next Scheduled EDR Contact: 04/27/2009 Data Release Frequency: No Update Planned

#### CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 01/18/2022 Date Data Arrived at EDR: 01/19/2022 Date Made Active in Reports: 04/11/2022

Number of Days to Update: 82

Source: CalEPA Telephone: 916-323-2514 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Quarterly

#### US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 11/16/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 82

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Quarterly

#### AQUEOUS FOAM: Former Fire Training Facility Assessments Listing

Airports shown on this list are those believed to use Aqueous Film Forming Foam (AFFF), and certified by the Federal Aviation Administration (FAA) under Title 14, Code of Federal Regulations (CFR), Part 139 (14 CFR Part 139). This list was created by SWRCB using information available from the FAA. Location points shown are from the latitude and longitude listed on the FAA airport master record.

Date of Government Version: 02/20/2020 Date Data Arrived at EDR: 12/10/2021 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 77

Source: State Water Resources Control Board

Telephone: 916-341-5455 Last EDR Contact: 03/11/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

### PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

### Local Lists of Registered Storage Tanks

### SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994 Date Data Arrived at EDR: 07/07/2005 Date Made Active in Reports: 08/11/2005

Number of Days to Update: 35

Source: State Water Resources Control Board

Telephone: N/A

Last EDR Contact: 06/03/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990 Date Data Arrived at EDR: 01/25/1991 Date Made Active in Reports: 02/12/1991

Number of Days to Update: 18

Source: State Water Resources Control Board

Telephone: 916-341-5851 Last EDR Contact: 07/26/2001 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing

Aboveground storage tank sites

Date of Government Version: 11/04/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 01/24/2022

Number of Days to Update: 80

Source: San Francisco County Department of Public Health

Telephone: 415-252-3896 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994 Date Data Arrived at EDR: 09/05/1995 Date Made Active in Reports: 09/29/1995

Number of Days to Update: 24

Source: California Environmental Protection Agency

Telephone: 916-341-5851 Last EDR Contact: 12/28/1998 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

CERS TANKS: California Environmental Reporting System (CERS) Tanks

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 01/18/2022 Date Data Arrived at EDR: 01/19/2022 Date Made Active in Reports: 04/11/2022

Number of Days to Update: 82

Source: California Environmental Protection Agency

Telephone: 916-323-2514 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Quarterly

## Local Land Records

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 02/24/2022 Date Data Arrived at EDR: 02/25/2022 Date Made Active in Reports: 03/09/2022

Number of Days to Update: 12

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: Environmental Protection Agency Telephone: 202-564-6023 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Semi-Annually

#### DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 11/30/2021 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/16/2022

Number of Days to Update: 78

Source: DTSC and SWRCB Telephone: 916-323-3400 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Semi-Annually

#### Records of Emergency Release Reports

#### HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/15/2021 Date Data Arrived at EDR: 12/16/2021 Date Made Active in Reports: 03/10/2022

Number of Days to Update: 84

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 01/19/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 79

Source: Office of Emergency Services

Telephone: 916-845-8400 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Semi-Annually

#### LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Quality Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

#### MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

#### SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/22/2013

Number of Days to Update: 50

Source: FirstSearch Telephone: N/A

Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

#### Other Ascertainable Records

#### RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/28/2022 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 04/06/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 10/26/2021 Date Data Arrived at EDR: 11/16/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 84

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 02/15/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Varies

## DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021 Date Data Arrived at EDR: 07/13/2021 Date Made Active in Reports: 03/09/2022

Number of Days to Update: 239

Source: USGS

Telephone: 888-275-8747 Last EDR Contact: 04/12/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Varies

### FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019

Number of Days to Update: 574

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 04/05/2022

Next Scheduled EDR Contact: 07/18/2022

Data Release Frequency: N/A

## SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017 Date Data Arrived at EDR: 02/03/2017 Date Made Active in Reports: 04/07/2017

Number of Days to Update: 63

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

## US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 12/13/2021 Date Data Arrived at EDR: 12/17/2021 Date Made Active in Reports: 03/17/2022

Number of Days to Update: 90

Source: Environmental Protection Agency

Telephone: 202-566-1917 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

## EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 617-520-3000 Last EDR Contact: 02/01/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

#### 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018

Number of Days to Update: 73

Source: Environmental Protection Agency

Telephone: 703-308-4044 Last EDR Contact: 02/03/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

#### TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 06/17/2020 Date Made Active in Reports: 09/10/2020

Number of Days to Update: 85

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 03/18/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Every 4 Years

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 08/14/2020 Date Made Active in Reports: 11/04/2020

Number of Days to Update: 82

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 02/18/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Annually

### SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 01/19/2022 Date Data Arrived at EDR: 01/19/2022 Date Made Active in Reports: 04/11/2022

Number of Days to Update: 82

Source: EPA Telephone: 202-564-4203 Last EDR Contact: 04/20/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Annually

#### ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Annually

#### RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 10/20/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 11/12/2021

Number of Days to Update: 7

Source: Environmental Protection Agency

Telephone: 202-564-8600 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

### RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 22

Source: EPA

Telephone: 202-564-6023 Last EDR Contact: 04/01/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/20/2022 Date Data Arrived at EDR: 01/20/2022 Date Made Active in Reports: 03/25/2022

Number of Days to Update: 64

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016 Date Data Arrived at EDR: 11/23/2016 Date Made Active in Reports: 02/10/2017

Number of Days to Update: 79

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/29/2021 Date Data Arrived at EDR: 08/24/2021 Date Made Active in Reports: 11/19/2021

Number of Days to Update: 87

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 84

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017 Date Data Arrived at EDR: 03/05/2019 Date Made Active in Reports: 11/11/2019

Number of Days to Update: 251

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019 Date Data Arrived at EDR: 11/06/2019 Date Made Active in Reports: 02/10/2020

Number of Days to Update: 96

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 02/04/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019 Date Data Arrived at EDR: 07/01/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 84

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 03/28/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008

Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020 Date Data Arrived at EDR: 01/28/2020 Date Made Active in Reports: 04/17/2020

Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 04/26/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 01/14/2022 Date Made Active in Reports: 03/25/2022

Number of Days to Update: 70

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 04/04/2022

Next Scheduled EDR Contact: 07/18/2022

Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2019 Date Data Arrived at EDR: 03/02/2022 Date Made Active in Reports: 03/25/2022

Number of Days to Update: 23

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 07/14/2015 Date Made Active in Reports: 01/10/2017

Number of Days to Update: 546

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 04/05/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021 Date Data Arrived at EDR: 07/27/2021 Date Made Active in Reports: 10/22/2021

Number of Days to Update: 87

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019 Date Data Arrived at EDR: 11/15/2019 Date Made Active in Reports: 01/28/2020

Number of Days to Update: 74

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: Environmental Protection Agency

Telephone: 703-603-8787 Last EDR Contact: 05/03/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites

may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 36

Source: American Journal of Public Health

Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 03/21/2022 Date Data Arrived at EDR: 03/22/2022 Date Made Active in Reports: 03/25/2022

Number of Days to Update: 3

Source: DOL, Mine Safety & Health Admi

Telephone: 202-693-9424 Last EDR Contact: 03/14/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/02/2021 Date Data Arrived at EDR: 11/22/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 84

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Semi-Annually

### US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020 Date Data Arrived at EDR: 05/27/2020 Date Made Active in Reports: 08/13/2020

Number of Days to Update: 78

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

#### US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011

Number of Days to Update: 97

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

#### ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/14/2021 Date Data Arrived at EDR: 12/15/2021 Date Made Active in Reports: 03/10/2022

Number of Days to Update: 85

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 03/04/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/04/2021 Date Data Arrived at EDR: 11/22/2021 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 95

Source: EPA

Telephone: (415) 947-8000 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 01/11/2022 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 34

Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 04/12/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021 Date Data Arrived at EDR: 05/21/2021 Date Made Active in Reports: 08/11/2021

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-564-0527 Last EDR Contact: 02/22/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/01/2022 Date Data Arrived at EDR: 01/04/2022 Date Made Active in Reports: 01/10/2022

Number of Days to Update: 6

Source: Environmental Protection Agency

Telephone: 202-564-2280 Last EDR Contact: 04/05/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels

Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 78

Source: EPA Telephone: 800-385-6164

Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of

Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989 Date Data Arrived at EDR: 07/27/1994 Date Made Active in Reports: 08/02/1994

Number of Days to Update: 6

Source: Department of Health Services

Telephone: 916-255-2118 Last EDR Contact: 05/31/1994 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste

Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 12/16/2021 Date Data Arrived at EDR: 12/16/2021 Date Made Active in Reports: 03/03/2022

Number of Days to Update: 77

Source: CAL EPA/Office of Emergency Information

Telephone: 916-323-3400 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 05/01/2019 Date Data Arrived at EDR: 05/14/2019 Date Made Active in Reports: 07/17/2019

Number of Days to Update: 64

Source: Livermore-Pleasanton Fire Department

Telephone: 925-454-2361 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 11/29/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 77

Source: Antelope Valley Air Quality Management District

Telephone: 661-723-8070 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

**DRYCLEANERS: Cleaner Facilities** 

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 08/27/2021 Date Data Arrived at EDR: 09/01/2021 Date Made Active in Reports: 11/19/2021

Number of Days to Update: 79

Source: Department of Toxic Substance Control

Telephone: 916-327-4498 Last EDR Contact: 02/07/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Annually

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 11/17/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 02/07/2022

Number of Days to Update: 81

Source: South Coast Air Quality Management District

Telephone: 909-396-3211 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2019 Date Data Arrived at EDR: 06/10/2021 Date Made Active in Reports: 08/27/2021

Number of Days to Update: 78

Source: California Air Resources Board

Telephone: 916-322-2990 Last EDR Contact: 03/18/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 11/10/2021 Date Data Arrived at EDR: 11/11/2021 Date Made Active in Reports: 02/03/2022

Number of Days to Update: 84

Source: State Water Resoruces Control Board

Telephone: 916-445-9379 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 01/13/2022 Date Data Arrived at EDR: 01/14/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 84

Source: Department of Toxic Substances Control

Telephone: 916-255-3628 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 11/18/2021 Date Data Arrived at EDR: 11/19/2021 Date Made Active in Reports: 02/07/2022

Number of Days to Update: 80

Source: California Integrated Waste Management Board

Telephone: 916-341-6066 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2019 Date Data Arrived at EDR: 04/15/2020 Date Made Active in Reports: 07/02/2020

Number of Days to Update: 78

Source: California Environmental Protection Agency

Telephone: 916-255-1136 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/03/2022

Number of Days to Update: 80

Source: Department of Toxic Subsances Control

Telephone: 877-786-9427 Last EDR Contact: 02/15/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001 Date Data Arrived at EDR: 01/22/2009 Date Made Active in Reports: 04/08/2009

Number of Days to Update: 76

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 01/22/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/03/2022

Number of Days to Update: 80

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 02/15/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 01/03/2022 Date Data Arrived at EDR: 01/04/2022 Date Made Active in Reports: 03/18/2022

Number of Days to Update: 73

Source: Department of Toxic Substances Control

Telephone: 916-440-7145 Last EDR Contact: 04/05/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Quarterly

MINES: Mines Site Location Listing

A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: Department of Conservation Telephone: 916-322-1080

Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the

state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 11/18/2021 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/17/2022

Number of Days to Update: 79

Source: Department of Public Health

Telephone: 916-558-1784 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022

Data Release Frequency: Varies

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 11/09/2021 Date Data Arrived at EDR: 11/09/2021 Date Made Active in Reports: 01/27/2022

Number of Days to Update: 79

Source: State Water Resources Control Board

Telephone: 916-445-9379 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing

A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers;

Persons who advise on agricultural pesticide applications.

Date of Government Version: 11/30/2021 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/17/2022

Number of Days to Update: 79

Source: Department of Pesticide Regulation

Telephone: 916-445-4038 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

PROC: Certified Processors Database A listing of certified processors.

> Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 11/29/2021 Date Made Active in Reports: 02/11/2022

Number of Days to Update: 74

Source: Department of Conservation

Telephone: 916-323-3836 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 12/13/2021 Date Data Arrived at EDR: 12/14/2021 Date Made Active in Reports: 03/03/2022

Number of Days to Update: 79

Source: State Water Resources Control Board

Telephone: 916-445-3846 Last EDR Contact: 03/09/2022

Next Scheduled EDR Contact: 06/26/2022 Data Release Frequency: No Update Planned

UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 12/03/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 79

Source: Deaprtment of Conservation

Telephone: 916-445-2408 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)

Underground control injection sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resource Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022

Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing

Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 02/11/2021 Date Data Arrived at EDR: 07/01/2021 Date Made Active in Reports: 09/29/2021

Number of Days to Update: 90

Source: RWQCB, Central Valley Region

Telephone: 559-445-5577 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/18/2022

Data Release Frequency: Varies

WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007 Date Data Arrived at EDR: 06/20/2007 Date Made Active in Reports: 06/29/2007

Number of Days to Update: 9

Source: State Water Resources Control Board

Telephone: 916-341-5227 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009 Date Data Arrived at EDR: 07/21/2009 Date Made Active in Reports: 08/03/2009

Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board

Telephone: 213-576-6726 Last EDR Contact: 03/16/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)

Military privatized sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022

Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)

Projects sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

### WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 916-341-5810 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

### CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 11/30/2021 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/16/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-794-4977 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

### CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 01/18/2022 Date Data Arrived at EDR: 01/19/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 79

Source: California Environmental Protection Agency

Telephone: 916-323-2514 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

## NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

### OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022

Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)

Produced water ponds sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Varies

SAMPLING POINT: Sampling Point? Public Sites (GEOTRACKER)

Sampling point - public sites

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022

Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)

Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC

wells, water supply wells, etc?) being monitored

Date of Government Version: 12/06/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/23/2022

Number of Days to Update: 78

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022

Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 02/05/2015 Date Made Active in Reports: 03/06/2015

Number of Days to Update: 29

Source: EPA

Telephone: 202-564-2497 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/18/2022

Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System

DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 04/05/2022 Date Data Arrived at EDR: 04/05/2022 Date Made Active in Reports: 04/26/2022

Number of Days to Update: 21

Source: Department of Toxic Substances Control

Telephone: 916-324-2444 Last EDR Contact: 04/05/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Varies

PCS INACTIVE: Listing of Inactive PCS Permits

An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014 Date Data Arrived at EDR: 01/06/2015 Date Made Active in Reports: 05/06/2015

Number of Days to Update: 120

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Semi-Annually

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011 Date Data Arrived at EDR: 08/05/2011 Date Made Active in Reports: 09/29/2011

Number of Days to Update: 55

Source: EPA, Office of Water Telephone: 202-564-2496 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Semi-Annually

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 04/06/2018 Date Data Arrived at EDR: 10/21/2019 Date Made Active in Reports: 10/24/2019

Number of Days to Update: 3

Source: USGS

Telephone: 703-648-6533 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

### **EDR HIGH RISK HISTORICAL RECORDS**

#### **EDR Exclusive Records**

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

## EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

#### EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

#### **EDR RECOVERED GOVERNMENT ARCHIVES**

### Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

## **COUNTY RECORDS**

## ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019 Date Data Arrived at EDR: 01/11/2019 Date Made Active in Reports: 03/05/2019

Source: Alameda County Environmental Health Services

Telephone: 510-567-6700 Last EDR Contact: 03/31/2022

Number of Days to Update: 53 Next Scheduled EDR Contact: 07/18/2022
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 12/28/2021 Date Data Arrived at EDR: 12/28/2021 Date Made Active in Reports: 03/18/2022 Number of Days to Update: 80 Source: Alameda County Environmental Health Services

Telephone: 510-567-6700 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List

Cupa Facility List

Date of Government Version: 11/01/2021 Date Data Arrived at EDR: 11/02/2021 Date Made Active in Reports: 01/24/2022

Number of Days to Update: 83

Source: Amador County Environmental Health

Telephone: 209-223-6439 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

#### **BUTTE COUNTY:**

CUPA BUTTE: CUPA Facility Listing

Cupa facility list.

Date of Government Version: 04/21/2017 Date Data Arrived at EDR: 04/25/2017 Date Made Active in Reports: 08/09/2017

Number of Days to Update: 106

Source: Public Health Department Telephone: 530-538-7149 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: No Update Planned

#### CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing

Cupa Facility Listing

Date of Government Version: 12/28/2021 Date Data Arrived at EDR: 12/28/2021 Date Made Active in Reports: 03/18/2022

Number of Days to Update: 80

Source: Calveras County Environmental Health

Telephone: 209-754-6399 Last EDR Contact: 03/17/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List

Cupa facility list.

Date of Government Version: 04/06/2020 Date Data Arrived at EDR: 04/23/2020 Date Made Active in Reports: 07/10/2020

Number of Days to Update: 78

Source: Health & Human Services Telephone: 530-458-0396 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Semi-Annually

### CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 01/24/2022 Date Data Arrived at EDR: 01/25/2022 Date Made Active in Reports: 04/14/2022

Number of Days to Update: 79

Source: Contra Costa Health Services Department

Telephone: 925-646-2286 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Semi-Annually

## **DEL NORTE COUNTY:**

CUPA DEL NORTE: CUPA Facility List

Cupa Facility list

Date of Government Version: 01/10/2022 Date Data Arrived at EDR: 01/26/2022 Date Made Active in Reports: 04/14/2022

Number of Days to Update: 78

Source: Del Norte County Environmental Health Division

Telephone: 707-465-0426 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022

Data Release Frequency: Varies

#### EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List

CUPA facility list.

Date of Government Version: 11/30/2021 Date Data Arrived at EDR: 12/01/2021 Date Made Active in Reports: 02/16/2022

Number of Days to Update: 77

Source: El Dorado County Environmental Management Department

Telephone: 530-621-6623 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022

Data Release Frequency: Varies

#### FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 06/28/2021 Date Data Arrived at EDR: 12/21/2021 Date Made Active in Reports: 03/03/2022

Number of Days to Update: 72

Source: Dept. of Community Health Telephone: 559-445-3271 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Semi-Annually

## **GLENN COUNTY:**

CUPA GLENN: CUPA Facility List

Cupa facility list

Date of Government Version: 01/22/2018 Date Data Arrived at EDR: 01/24/2018 Date Made Active in Reports: 03/14/2018

Number of Days to Update: 49

Source: Glenn County Air Pollution Control District

Telephone: 830-934-6500 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: No Update Planned

### **HUMBOLDT COUNTY:**

CUPA HUMBOLDT: CUPA Facility List

CUPA facility list.

Date of Government Version: 08/12/2021 Date Data Arrived at EDR: 08/12/2021 Date Made Active in Reports: 11/08/2021

Number of Days to Update: 88

Source: Humboldt County Environmental Health

Telephone: N/A

Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Semi-Annually

### IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List

Cupa facility list.

Date of Government Version: 01/13/2022 Date Data Arrived at EDR: 01/14/2022 Date Made Active in Reports: 04/06/2022

Number of Days to Update: 82

Source: San Diego Border Field Office

Telephone: 760-339-2777 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List

Cupa facility list.

Date of Government Version: 04/02/2018 Date Data Arrived at EDR: 04/03/2018 Date Made Active in Reports: 06/14/2018

Number of Days to Update: 72

Source: Inyo County Environmental Health Services

Telephone: 760-878-0238 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List

A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 11/10/2021 Date Data Arrived at EDR: 11/12/2021 Date Made Active in Reports: 02/02/2022

Number of Days to Update: 82

Source: Kern County Public Health Telephone: 661-321-3000 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing

Kern County Sites and Tanks Listing.

Date of Government Version: 11/10/2021 Date Data Arrived at EDR: 11/12/2021 Date Made Active in Reports: 02/02/2022

Number of Days to Update: 82

Source: Kern County Environment Health Services Department

Telephone: 661-862-8700 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 12/03/2020 Date Data Arrived at EDR: 01/26/2021 Date Made Active in Reports: 04/14/2021

Number of Days to Update: 78

Source: Kings County Department of Public Health

Telephone: 559-584-1411 Last EDR Contact: 03/24/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List

Cupa facility list

Date of Government Version: 11/04/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 01/24/2022

Number of Days to Update: 80

Source: Lake County Environmental Health

Telephone: 707-263-1164 Last EDR Contact: 04/11/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List

Cupa facility list

Date of Government Version: 07/31/2020 Date Data Arrived at EDR: 08/21/2020 Date Made Active in Reports: 11/09/2020

Number of Days to Update: 80

Source: Lassen County Environmental Health

Telephone: 530-251-8528 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former

Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009 Date Data Arrived at EDR: 03/31/2009 Date Made Active in Reports: 10/23/2009

Number of Days to Update: 206

Source: N/A Telephone: N/A

Last EDR Contact: 03/10/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 04/04/2022 Date Data Arrived at EDR: 04/05/2022 Date Made Active in Reports: 04/13/2022

Number of Days to Update: 8

Source: Department of Public Works

Telephone: 626-458-3517 Last EDR Contact: 04/04/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities Solid Waste Facilities in Los Angeles County.

> Date of Government Version: 01/10/2022 Date Data Arrived at EDR: 01/11/2022 Date Made Active in Reports: 04/04/2022

Number of Days to Update: 83

Source: La County Department of Public Works

Telephone: 818-458-5185 Last EDR Contact: 04/12/2022

Next Scheduled EDR Contact: 07/25/2022

Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2022 Date Data Arrived at EDR: 01/21/2022 Date Made Active in Reports: 04/11/2022

Number of Days to Update: 80

Source: Engineering & Construction Division

Telephone: 213-473-7869 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/25/2022

Data Release Frequency: Varies

#### LOS ANGELES AST: Active & Inactive AST Inventory

A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019 Date Data Arrived at EDR: 06/25/2019 Date Made Active in Reports: 08/22/2019

Number of Days to Update: 58

Source: Los Angeles Fire Department

Telephone: 213-978-3800 Last EDR Contact: 03/23/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Varies

#### LOS ANGELES CO LF METHANE: Methane Producing Landfills

This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 01/10/2022 Date Data Arrived at EDR: 01/12/2022 Date Made Active in Reports: 04/04/2022

Number of Days to Update: 82

Source: Los Angeles County Department of Public Works

Telephone: 626-458-6973 Last EDR Contact: 04/13/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: No Update Planned

### LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory

A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 04/19/2021 Date Data Arrived at EDR: 06/17/2021 Date Made Active in Reports: 06/28/2021

Number of Days to Update: 11

Source: Los Angeles Fire Department

Telephone: 213-978-3800 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022

Data Release Frequency: Varies

## LOS ANGELES UST: Active & Inactive UST Inventory

A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 04/19/2021 Date Data Arrived at EDR: 06/17/2021 Date Made Active in Reports: 09/14/2021

Number of Days to Update: 89

Source: Los Angeles Fire Department

Telephone: 213-978-3800 Last EDR Contact: 03/21/2022

Next Scheduled EDR Contact: 07/04/2022

Data Release Frequency: Varies

## SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 05/26/2021 Date Data Arrived at EDR: 07/09/2021 Date Made Active in Reports: 09/29/2021

Number of Days to Update: 82

Source: Community Health Services

Telephone: 323-890-7806 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Annually

### UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017 Date Data Arrived at EDR: 04/19/2017 Date Made Active in Reports: 05/10/2017

Number of Days to Update: 21

Source: City of El Segundo Fire Department

Telephone: 310-524-2236 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019 Date Data Arrived at EDR: 04/23/2019 Date Made Active in Reports: 06/27/2019

Number of Days to Update: 65

Source: City of Long Beach Fire Department

Telephone: 562-570-2563 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 02/02/2021 Date Data Arrived at EDR: 04/28/2021 Date Made Active in Reports: 07/13/2021

Number of Days to Update: 76

Source: City of Torrance Fire Department

Telephone: 310-618-2973 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Semi-Annually

### MADERA COUNTY:

CUPA MADERA: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/12/2020 Date Made Active in Reports: 10/23/2020

Number of Days to Update: 72

Source: Madera County Environmental Health

Telephone: 559-675-7823 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

#### MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites Currently permitted USTs in Marin County.

> Date of Government Version: 09/26/2018 Date Data Arrived at EDR: 10/04/2018 Date Made Active in Reports: 11/02/2018

Number of Days to Update: 29

Source: Public Works Department Waste Management

Telephone: 415-473-6647 Last EDR Contact: 03/23/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Semi-Annually

### MENDOCINO COUNTY:

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/22/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 11/22/2021

Number of Days to Update: 4

Source: Department of Public Health

Telephone: 707-463-4466 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Annually

## MERCED COUNTY:

CUPA MERCED: CUPA Facility List

CUPA facility list.

Date of Government Version: 11/24/2021 Date Data Arrived at EDR: 11/29/2021 Date Made Active in Reports: 02/11/2022

Number of Days to Update: 74

Source: Merced County Environmental Health

Telephone: 209-381-1094 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

#### MONO COUNTY:

CUPA MONO: CUPA Facility List

**CUPA Facility List** 

Date of Government Version: 02/22/2021 Date Data Arrived at EDR: 03/02/2021 Date Made Active in Reports: 05/19/2021

Number of Days to Update: 78

Source: Mono County Health Department

Telephone: 760-932-5580 Last EDR Contact: 03/17/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

#### MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing

CUPA Program listing from the Environmental Health Division.

Date of Government Version: 10/04/2021 Date Data Arrived at EDR: 10/06/2021 Date Made Active in Reports: 12/29/2021

Number of Days to Update: 84

Source: Monterey County Health Department

Telephone: 831-796-1297 Last EDR Contact: 04/04/2022

Next Scheduled EDR Contact: 07/11/2022

Data Release Frequency: Varies

#### NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 03/02/2017

Number of Days to Update: 50

Source: Napa County Department of Environmental Management

Telephone: 707-253-4269 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019 Date Data Arrived at EDR: 09/09/2019 Date Made Active in Reports: 10/31/2019

Number of Days to Update: 52

Source: Napa County Department of Environmental Management

Telephone: 707-253-4269 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: No Update Planned

## **NEVADA COUNTY:**

CUPA NEVADA: CUPA Facility List CUPA facility list.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 01/26/2022 Date Made Active in Reports: 04/14/2022

Number of Days to Update: 78

Source: Community Development Agency

Telephone: 530-265-1467 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022 Data Release Frequency: Varies

### **ORANGE COUNTY:**

IND\_SITE ORANGE: List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 01/14/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 04/14/2022

Number of Days to Update: 70

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 10/08/2021 Date Data Arrived at EDR: 11/02/2021 Date Made Active in Reports: 01/24/2022

Number of Days to Update: 83

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 01/14/2022 Date Data Arrived at EDR: 02/01/2022 Date Made Active in Reports: 04/18/2022

Number of Days to Update: 76

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 10/29/2021

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

## PLACER COUNTY:

MS PLACER: Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 12/01/2021 Date Data Arrived at EDR: 12/02/2021 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 85

Source: Placer County Health and Human Services

Telephone: 530-745-2363 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Semi-Annually

### PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List

Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019 Date Data Arrived at EDR: 04/23/2019 Date Made Active in Reports: 06/26/2019

Number of Days to Update: 64

Source: Plumas County Environmental Health

Telephone: 530-283-6355 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

#### RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 03/31/2022 Date Data Arrived at EDR: 03/31/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 8

Source: Department of Environmental Health

Telephone: 951-358-5055 Last EDR Contact: 03/14/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 03/31/2022 Date Data Arrived at EDR: 03/31/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 8

Source: Department of Environmental Health

Telephone: 951-358-5055 Last EDR Contact: 03/14/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Quarterly

### SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 06/18/2021 Date Data Arrived at EDR: 09/28/2021 Date Made Active in Reports: 12/14/2021

Number of Days to Update: 77

Source: Sacramento County Environmental Management

Telephone: 916-875-8406 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 08/02/2021 Date Data Arrived at EDR: 08/04/2021 Date Made Active in Reports: 11/02/2021

Number of Days to Update: 90

Source: Sacramento County Environmental Management

Telephone: 916-875-8406 Last EDR Contact: 03/31/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Quarterly

## SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List

Cupa facility list

Date of Government Version: 11/04/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 01/24/2022

Number of Days to Update: 80

Source: San Benito County Environmental Health

Telephone: N/A

Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

### SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 12/01/2021 Date Data Arrived at EDR: 12/02/2021 Date Made Active in Reports: 02/17/2022

Number of Days to Update: 77

Source: San Bernardino County Fire Department Hazardous Materials Division

Telephone: 909-387-3041 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

### SAN DIEGO COUNTY:

#### HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 11/30/2021 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/16/2022

Number of Days to Update: 78

Source: Hazardous Materials Management Division

Telephone: 619-338-2268 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/01/2020 Date Data Arrived at EDR: 11/23/2020 Date Made Active in Reports: 02/08/2021

Number of Days to Update: 77

Source: Department of Health Services

Telephone: 619-338-2209 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

## SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/22/2021 Date Data Arrived at EDR: 10/19/2021 Date Made Active in Reports: 01/13/2022

Number of Days to Update: 86

Source: Department of Environmental Health

Telephone: 858-505-6874 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010 Date Data Arrived at EDR: 06/15/2010 Date Made Active in Reports: 07/09/2010

Number of Days to Update: 24

Source: San Diego County Department of Environmental Health

Telephone: 619-338-2371 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: No Update Planned

## SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 02/03/2022 Date Data Arrived at EDR: 02/04/2022 Date Made Active in Reports: 02/11/2022

Number of Days to Update: 7

Source: San Francisco County Department of Environmental Health

Telephone: 415-252-3896 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversite Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008 Date Data Arrived at EDR: 09/19/2008 Date Made Active in Reports: 09/29/2008

Number of Days to Update: 10

Source: Department Of Public Health San Francisco County

Telephone: 415-252-3920 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/10/2021 Date Data Arrived at EDR: 11/11/2021 Date Made Active in Reports: 02/02/2022

Number of Days to Update: 83

Source: Department of Public Health

Telephone: 415-252-3920 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

### SAN FRANCISO COUNTY:

SAN FRANCISCO MAHER: Maher Ordinance Property Listing

a listing of properties that fall within a Maher Ordinance, for all of San Francisco

Date of Government Version: 01/18/2022 Date Data Arrived at EDR: 01/20/2022 Date Made Active in Reports: 04/27/2022

Number of Days to Update: 97

Source: San Francisco Planning Telephone: 628-652-7483 Last EDR Contact: 04/19/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

## SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018 Date Data Arrived at EDR: 06/26/2018 Date Made Active in Reports: 07/11/2018

Number of Days to Update: 15

Source: Environmental Health Department

Telephone: N/A

Last EDR Contact: 03/10/2022

Next Scheduled EDR Contact: 06/27/2022 Data Release Frequency: Semi-Annually

### SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List

Cupa Facility List.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/16/2021 Date Made Active in Reports: 02/03/2022

Number of Days to Update: 79

Source: San Luis Obispo County Public Health Department

Telephone: 805-781-5596 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/23/2022

Data Release Frequency: Varies

#### SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020 Date Data Arrived at EDR: 02/20/2020 Date Made Active in Reports: 04/24/2020

Number of Days to Update: 64

Source: San Mateo County Environmental Health Services Division

Telephone: 650-363-1921 Last EDR Contact: 03/11/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019 Date Data Arrived at EDR: 03/29/2019 Date Made Active in Reports: 05/29/2019

Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division

Telephone: 650-363-1921 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011 Date Data Arrived at EDR: 09/09/2011 Date Made Active in Reports: 10/07/2011

Number of Days to Update: 28

Source: Santa Barbara County Public Health Department

Telephone: 805-686-8167 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List

Cupa facility list

Date of Government Version: 11/19/2021 Date Data Arrived at EDR: 11/22/2021 Date Made Active in Reports: 02/07/2022

Number of Days to Update: 77

Source: Department of Environmental Health

Telephone: 408-918-1973 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county.

Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005 Date Data Arrived at EDR: 03/30/2005 Date Made Active in Reports: 04/21/2005

Number of Days to Update: 22

Source: Santa Clara Valley Water District

Telephone: 408-265-2600 Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009 Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014 Date Data Arrived at EDR: 03/05/2014 Date Made Active in Reports: 03/18/2014

Number of Days to Update: 13

Source: Department of Environmental Health

Telephone: 408-918-3417 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/03/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 01/26/2021

Number of Days to Update: 82

Source: City of San Jose Fire Department

Telephone: 408-535-7694 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Annually

#### SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List

CUPA facility listing.

Date of Government Version: 01/21/2017 Date Data Arrived at EDR: 02/22/2017 Date Made Active in Reports: 05/23/2017

Number of Days to Update: 90

Source: Santa Cruz County Environmental Health

Telephone: 831-464-2761 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

#### SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List

Cupa Facility List.

Date of Government Version: 06/15/2017 Date Data Arrived at EDR: 06/19/2017 Date Made Active in Reports: 08/09/2017

Number of Days to Update: 51

Source: Shasta County Department of Resource Management

Telephone: 530-225-5789 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/30/2022

Data Release Frequency: Varies

#### SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019 Date Data Arrived at EDR: 06/06/2019 Date Made Active in Reports: 08/13/2019

Number of Days to Update: 68

Source: Solano County Department of Environmental Management

Telephone: 707-784-6770 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 09/15/2021 Date Data Arrived at EDR: 09/16/2021 Date Made Active in Reports: 12/09/2021

Number of Days to Update: 84

Source: Solano County Department of Environmental Management

Telephone: 707-784-6770 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

## SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List

Cupa Facility list

Date of Government Version: 07/02/2021 Date Data Arrived at EDR: 07/06/2021 Date Made Active in Reports: 07/14/2021

Number of Days to Update: 8

Source: County of Sonoma Fire & Emergency Services Department

Telephone: 707-565-1174 Last EDR Contact: 03/16/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 06/30/2021 Date Data Arrived at EDR: 06/30/2021 Date Made Active in Reports: 09/24/2021

Number of Days to Update: 86

Source: Department of Health Services

Telephone: 707-565-6565 Last EDR Contact: 03/16/2022

Next Scheduled EDR Contact: 07/04/2022 Data Release Frequency: Quarterly

#### STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List

Cupa facility list

Date of Government Version: 11/09/2021 Date Data Arrived at EDR: 11/11/2021 Date Made Active in Reports: 02/02/2022

Number of Days to Update: 83

Source: Stanislaus County Department of Ennvironmental Protection

Telephone: 209-525-6751 Last EDR Contact: 04/11/2022

Next Scheduled EDR Contact: 07/25/2022

Data Release Frequency: Varies

### SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 11/23/2021 Date Data Arrived at EDR: 11/29/2021 Date Made Active in Reports: 02/11/2022

Number of Days to Update: 74

Source: Sutter County Environmental Health Services

Telephone: 530-822-7500 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Semi-Annually

## TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List

Cupa facilities

Date of Government Version: 01/13/2021 Date Data Arrived at EDR: 01/14/2021 Date Made Active in Reports: 04/06/2021

Number of Days to Update: 82

Source: Tehama County Department of Environmental Health

Telephone: 530-527-8020 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

## TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List

Cupa facility list

Date of Government Version: 01/13/2022 Date Data Arrived at EDR: 01/14/2022 Date Made Active in Reports: 04/06/2022

Number of Days to Update: 82

Source: Department of Toxic Substances Control

Telephone: 760-352-0381 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022

Data Release Frequency: Varies

## TULARE COUNTY:

CUPA TULARE: CUPA Facility List Cupa program facilities

Date of Government Version: 04/26/2021 Date Data Arrived at EDR: 04/28/2021 Date Made Active in Reports: 07/13/2021

Number of Days to Update: 76

Source: Tulare County Environmental Health Services Division

Telephone: 559-624-7400 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

#### TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List

Cupa facility list

Date of Government Version: 04/23/2018 Date Data Arrived at EDR: 04/25/2018 Date Made Active in Reports: 06/25/2018

Number of Days to Update: 61

Source: Divison of Environmental Health

Telephone: 209-533-5633 Last EDR Contact: 04/14/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Varies

#### **VENTURA COUNTY:**

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 12/27/2021 Date Data Arrived at EDR: 01/20/2022 Date Made Active in Reports: 04/08/2022

Number of Days to Update: 78

Source: Ventura County Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Quarterly

#### LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011 Date Data Arrived at EDR: 12/01/2011 Date Made Active in Reports: 01/19/2012

Number of Days to Update: 49

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 03/23/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: No Update Planned

## LUST VENTURA: Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008 Date Data Arrived at EDR: 06/24/2008 Date Made Active in Reports: 07/31/2008

Number of Days to Update: 37

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 02/07/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: No Update Planned

#### MED WASTE VENTURA: Medical Waste Program List

To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 12/27/2021 Date Data Arrived at EDR: 01/20/2022 Date Made Active in Reports: 04/11/2022

Number of Days to Update: 81

Source: Ventura County Resource Management Agency

Telephone: 805-654-2813 Last EDR Contact: 04/18/2022

Next Scheduled EDR Contact: 08/01/2022 Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 12/07/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 79

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 03/08/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

#### YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report Underground storage tank sites located in Yolo county.

Date of Government Version: 12/27/2021 Date Data Arrived at EDR: 01/04/2022 Date Made Active in Reports: 03/18/2022

Number of Days to Update: 73

Source: Yolo County Department of Health

Telephone: 530-666-8646 Last EDR Contact: 03/24/2022

Next Scheduled EDR Contact: 07/11/2022 Data Release Frequency: Annually

#### YUBA COUNTY:

CUPA YUBA: CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 01/26/2022 Date Data Arrived at EDR: 01/27/2022 Date Made Active in Reports: 04/14/2022

Number of Days to Update: 77

Source: Yuba County Environmental Health Department

Telephone: 530-749-7523 Last EDR Contact: 04/21/2022

Next Scheduled EDR Contact: 08/08/2022

Data Release Frequency: Varies

### OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/11/2021 Date Data Arrived at EDR: 11/12/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 81

Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 04/10/2019 Date Made Active in Reports: 05/16/2019

Number of Days to Update: 36

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 04/07/2022

Next Scheduled EDR Contact: 07/18/2022 Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD

acility.

Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 10/29/2021 Date Made Active in Reports: 01/19/2022

Number of Days to Update: 82

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/09/2022 Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018 Date Data Arrived at EDR: 07/19/2019 Date Made Active in Reports: 09/10/2019

Number of Days to Update: 53

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 04/08/2022

Next Scheduled EDR Contact: 07/25/2022 Data Release Frequency: Annually

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/18/2022

Number of Days to Update: 80

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 02/14/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 76

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Annually

## Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

## Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

**Nursing Homes** 

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

**Public Schools** 

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife

Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

## STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# **GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM**

#### **TARGET PROPERTY ADDRESS**

GATEWAY SOUTH BUILDING 9 ASSEMBLAGE 707 EAST NORMAN ROAD SAN BERNARDINO, CA 92408

### TARGET PROPERTY COORDINATES

Latitude (North): 34.080581 - 34<sup>2</sup> 4' 50.09" Longitude (West): 117.267997 - 117<sup>2</sup> 16' 4.79"

Universal Tranverse Mercator: Zone 11 UTM X (Meters): 475273.9 UTM Y (Meters): 3770928.5

Elevation: 1037 ft. above sea level

## **USGS TOPOGRAPHIC MAP**

Target Property Map: 12016021 SAN BERNARDINO SOUTH, CA

Version Date: 2018

East Map: 12014994 REDLANDS, CA

Version Date: 2018

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# **GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY**

## **GROUNDWATER FLOW DIRECTION INFORMATION**

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## **TOPOGRAPHIC INFORMATION**

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

### **SURROUNDING TOPOGRAPHY: ELEVATION PROFILES**



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

## **GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY**

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

### **FEMA FLOOD ZONE**

Flood Plain Panel at Target Property FEMA Source Type

06071C8684H FEMA FIRM Flood data

Additional Panels in search area: FEMA Source Type

06071C8682H FEMA FIRM Flood data 06071C8683H FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property Data Coverage

NOT AVAILABLE YES - refer to the Overview Map and Detail Map

### HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## Site-Specific Hydrogeological Data\*:

Search Radius: 1.25 miles Status: Not found

### **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

	LOCATION	GENERAL DIRECTION
MAP ID	FROM TP	GROUNDWATER FLOW
133	1/2 - 1 Mile West	WSW
AN206	1/2 - 1 Mile North	SSE
1G	1/2 - 1 Mile North	SSE
2G	1/2 - 1 Mile West	WSW

For additional site information, refer to Physical Setting Source Map Findings.

### **GROUNDWATER FLOW VELOCITY INFORMATION**

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**

### **GEOLOGIC AGE IDENTIFICATION**


Era: Cenozoic Category: Stratifed Sequence

System: Quaternary Series: Quaternary

Code: Q (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## **SSURGO SOIL MAP - 6958905.2s**



SITE NAME: Gateway South Building 9 Assemblage ADDRESS: 707 East Norman Road San Bernardino CA 92408 LAT/LONG: 34.080581 / 117.267997

CLIENT: GeoSyntec Consultants CONTACT: Jackie Hyman INQUIRY#: 6958905.2s

DATE: April 28, 2022 8:55 am

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: TUJUNGA

Soil Surface Texture: gravelly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to

excessively drained sands and gravels.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Boundary		Boundary Classification	fication	Saturated hydraulic			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	conductivity micro m/sec	Con itcachor
1	0 inches	35 inches	gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.1
2	35 inches	59 inches	gravelly sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.1

Soil Map ID: 2

Soil Component Name: **FLUVENTS** 

Soil Surface Texture: gravelly sand

Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse Hydrologic Group:

textures.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches Depth to Watertable Min: > 0 inches

	Soil Layer Information						
	Boundary			Classi	Classification		
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	hydraulic conductivity micro m/sec	Soil Reaction (pH)
1	0 inches	9 inches	gravelly sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 8.4 Min: 6.6
2	9 inches	29 inches	stratified gravelly sand to gravelly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 8.4 Min: 6.6
3	29 inches	59 inches	stratified gravelly sand to gravelly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 8.4 Min: 6.6

Soil Map ID: 3

Soil Component Name: TUJUNGA

Soil Surface Texture: gravelly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to

excessively drained sands and gravels.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

	Soil Layer Information						
Boundary			Classification	Saturated hydraulic			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	conductivity micro m/sec	Soil Reaction (pH)
1	0 inches	18 inches	gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 6.1
2	18 inches	59 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 6.1

Soil Map ID: 4

Soil Component Name: Hanford

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep,

moderately well and well drained soils with moderately coarse

textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

	Soil Layer Information						
	Boundary		Classification	Classification Saturated hydraulic	( laceitication		
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	conductivity micro m/sec	Soil Reaction (pH)
1	0 inches	11 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 7.8 Min: 5.6
2	11 inches	59 inches	fine sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 7.8 Min: 5.6

### LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

### WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

#### FEDERAL USGS WELL INFORMATION

MAP ID WELL ID LOCATION FROM TP

4 USGS40000140741 1/8 - 1/4 Mile WNW A7 USGS40000140737 1/8 - 1/4 Mile ENE

### FEDERAL USGS WELL INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
C11	USGS40000140707	1/4 - 1/2 Mile WSW
C13	USGS40000140707 USGS40000140694	1/4 - 1/2 Mile WSW
C15	USGS40000140094 USGS40000140703	1/4 - 1/2 Mile SW
C16	USGS40000140703	1/4 - 1/2 Mile WSW
23	USGS40000140702 USGS40000140800	1/4 - 1/2 Mile North
F24	USGS40000140800 USGS40000140751	1/4 - 1/2 Mile North
G26	USGS40000140798	1/4 - 1/2 Mile NNW
D29	USGS40000140798	1/4 - 1/2 Mile SSE
I40	USGS40000140030	1/4 - 1/2 Mile SSL
K43	USGS40000140667	1/4 - 1/2 Mile WSW
J52	USGS40000140649	1/4 - 1/2 Mile SW
154	USGS40000140791	1/4 - 1/2 Mile NW
L55	USGS40000140704	1/4 - 1/2 Mile WSW
O58	USGS40000140617	1/4 - 1/2 Mile SSE
N59	USGS40000140695	1/4 - 1/2 Mile ESE
M67	USGS40000140606	1/4 - 1/2 Mile SSE
Q69	USGS40000140639	1/4 - 1/2 Mile SW
R72	USGS40000140797	1/4 - 1/2 Mile NE
S74	USGS40000140833	1/2 - 1 Mile NNW
Q81	USGS40000140650	1/2 - 1 Mile SW
U87	USGS40000140579	1/2 - 1 Mile SSE
V89	USGS40000140821	1/2 - 1 Mile NW
W91	USGS40000140723	1/2 - 1 Mile East
W107	USGS40000140720	1/2 - 1 Mile East
108	USGS40000140605	1/2 - 1 Mile SE
Y111	USGS40000140796	1/2 - 1 Mile NE
T115	USGS40000140802	1/2 - 1 Mile NW
T116	USGS40000140801	1/2 - 1 Mile NW
T117	USGS40000140805	1/2 - 1 Mile NW
T118	USGS40000140806	1/2 - 1 Mile NW
T119	USGS40000140803	1/2 - 1 Mile NW
T120	USGS40000140804	1/2 - 1 Mile NW
AA135	USGS40000140554	1/2 - 1 Mile South
136	USGS40000140854	1/2 - 1 Mile North
138	USGS40000140626	1/2 - 1 Mile SW
AC144	USGS40000140832	1/2 - 1 Mile NE
AA146	USGS40000140544	1/2 - 1 Mile South
147	USGS40000140640	1/2 - 1 Mile WSW
AD148	USGS40000140736	1/2 - 1 Mile East
AD150	USGS40000140740	1/2 - 1 Mile East
153	USGS40000140584	1/2 - 1 Mile SW
AH159	USGS40000140782	1/2 - 1 Mile ENE
AH168	USGS40000140789	1/2 - 1 Mile ENE
AE170	USGS40000140659	1/2 - 1 Mile WSW
173	USGS40000140871	1/2 - 1 Mile NNW
AI177	USGS40000140514	1/2 - 1 Mile South
AH187	USGS40000140788	1/2 - 1 Mile ENE
AF188	USGS40000140820	1/2 - 1 Mile ENE
190	USGS40000140569	1/2 - 1 Mile SW
191	USGS40000140828	1/2 - 1 Mile NE
AJ194	USGS40000140607	1/2 - 1 Mile SW
AM201	USGS40000140594	1/2 - 1 Mile SE

### FEDERAL USGS WELL INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
AL202	USGS40000140815	1/2 - 1 Mile ENE
AP211	USGS40000140641	1/2 - 1 Mile WSW
212	USGS40000140727	1/2 - 1 Mile East
AJ214	USGS40000140595	1/2 - 1 Mile SW
218	USGS40000140604	1/2 - 1 Mile ESE
220	USGS40000140917	1/2 - 1 Mile North
AR228	USGS40000140562	1/2 - 1 Mile SW
AR229	USGS40000140563	1/2 - 1 Mile SW
AT231	USGS40000140676	1/2 - 1 Mile WSW
AS234	USGS40000140461	1/2 - 1 Mile South
AU235	USGS40000140881	1/2 - 1 Mile NE
236	USGS40000140637	1/2 - 1 Mile ESE
238	USGS40000140746	1/2 - 1 Mile West
AW241	USGS40000140693	1/2 - 1 Mile ESE
245	USGS40000140783	1/2 - 1 Mile WNW
AY246	USGS40000140618	1/2 - 1 Mile WSW
248	USGS40000140726	1/2 - 1 Mile East
AZ252	USGS40000140921	1/2 - 1 Mile NNE
AY256	USGS40000140619	1/2 - 1 Mile WSW
AU258	USGS40000140895	1/2 - 1 Mile NNE
AU259	USGS40000140890	1/2 - 1 Mile NE
BC263	USGS40000140449	1/2 - 1 Mile South
BA267	USGS40000140635	1/2 - 1 Mile WSW
BD269	USGS40000140677	1/2 - 1 Mile WSW
270	USGS40000140866	1/2 - 1 Mile NE
271	USGS40000140907	1/2 - 1 Mile NNE
BB281	USGS40000140799	1/2 - 1 Mile ENE
286	USGS40000140896	1/2 - 1 Mile NW
BF293	USGS40000140795	1/2 - 1 Mile ENE
BD294	USGS40000140660	1/2 - 1 Mile WSW
BG295	USGS40000140611	1/2 - 1 Mile ESE
BG296	USGS40000140612	1/2 - 1 Mile ESE

### FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID WELL ID FROM TP

No PWS System Found

Note: PWS System location is not always the same as well location.

MAP ID	WELL ID	LOCATION FROM TP
	CADWR9000006678	1/8 - 1/4 Mile ENE
B2	906	1/8 - 1/4 Mile North
B3	907	1/8 - 1/4 Mile North
B5	CADDW0000019295	1/8 - 1/4 Mile NNE
A6	CADWR0000028966	1/8 - 1/4 Mile ENE


		LOCATION
MAP ID	WELL ID	FROM TP
	CAUSGSN00005082	1/8 - 1/4 Mile ENE
9	CADPR0000001175	1/4 - 1/2 Mile SSW
C10	CADWR0000002979	1/4 - 1/2 Mile SW
C12 C14	911 CAUSGSN00002692	1/4 - 1/2 Mile SW 1/4 - 1/2 Mile WSW
C14 C17	CADDW0000018822	1/4 - 1/2 Mile SW
C18	CADWR900006671	1/4 - 1/2 Mile WSW
C19	CADWR9000006669	1/4 - 1/2 Mile WSW
D20	931	1/4 - 1/2 Mile SE
E21	CAPFAS000001329	1/4 - 1/2 Mile SW
E22	CADDW0000006893	1/4 - 1/2 Mile SW
F25	CAUSGSN00008476	1/4 - 1/2 Mile ENE
H27 H28	CADDW0000008870 CAPFAS000000234	1/4 - 1/2 Mile SE 1/4 - 1/2 Mile SE
D30	CAUSGSN00005877	1/4 - 1/2 Mile SE
H31	CAPFAS000001279	1/4 - 1/2 Mile SE
H32	CADDW0000009733	1/4 - 1/2 Mile SE
D33	CAPFAS000000071	1/4 - 1/2 Mile SE
D34	CADWR0000020818	1/4 - 1/2 Mile SE
D35 E36	CADDW0000020231 CAPFAS000000954	1/4 - 1/2 Mile SE 1/4 - 1/2 Mile SW
E37	CADDW0000018162	1/4 - 1/2 Mile SW
38	CADWR0000016162	1/4 - 1/2 Mile SSW
139	CAUSGSN00002270	1/4 - 1/2 Mile NW
J41	CADDW0000015046	1/4 - 1/2 Mile SW
K42	CADDW0000018833	1/4 - 1/2 Mile SW
G44	CADWR0000021826	1/4 - 1/2 Mile NNW
G45 L46	CADWR0000028971 CADWR0000017480	1/4 - 1/2 Mile NNW 1/4 - 1/2 Mile WSW
L40 L47	CADWR0000017460 CADWR0000002873	1/4 - 1/2 Mile WSW
I48	CADWR0000029361	1/4 - 1/2 Mile NW
K49	CAUSGSN00009296	1/4 - 1/2 Mile WSW
M50	930	1/4 - 1/2 Mile SSE
J51	CAUSGSN00002847	1/4 - 1/2 Mile SW
N53	CADWR0000008631	1/4 - 1/2 Mile ESE
O56	CADDW0000012992 CAPFAS000000127	1/4 - 1/2 Mile SSE 1/4 - 1/2 Mile SSE
O57 I60	CAPPAS000000127 CADWR9000006700	1/4 - 1/2 Mile SSE 1/4 - 1/2 Mile NW
P61	CADPR0000003057	1/4 - 1/2 Mile South
N62	CAUSGSN00008035	1/4 - 1/2 Mile ESE
O63	CADWR0000021749	1/4 - 1/2 Mile SE
O64	CADWR0000012253	1/4 - 1/2 Mile SE
N65	CADDW0000008501	1/4 - 1/2 Mile ESE
N66	CAPFAS000001552 CAUSGSN00015583	1/4 - 1/2 Mile ESE
M68 Q70	CAPFAS000000480	1/4 - 1/2 Mile SSE 1/4 - 1/2 Mile WSW
Q70 Q71	CADDW0000016328	1/4 - 1/2 Mile WSW
S73	CAUSGSN00012784	1/4 - 1/2 Mile NNW
N75	937	1/2 - 1 Mile ESE
T76	CADWR9000006701	1/2 - 1 Mile NW
U77	935	1/2 - 1 Mile SSE
S78	CADWR0000013505	1/2 - 1 Mile NNW

		LOCATION
MAP ID	WELL ID	FROM TP
79	932	1/2 - 1 Mile SW
R80	CADWR900006702	1/2 - 1 Mile NE
Q82	CAUSGSN00018556	1/2 - 1 Mile SW
Q83	933	1/2 - 1 Mile WSW
84	910	1/2 - 1 Mile WSW
85	CADDW000015965	1/2 - 1 Mile South
86	CADWR9000006718	1/2 - 1 Mile NNW
U88	CAUSGSN00000208	1/2 - 1 Mile SSE
P90	924	1/2 - 1 Mile South
U92	CADDW000010686	1/2 - 1 Mile SSE
U93	CAPFAS000000687	1/2 - 1 Mile SSE
W94	CAUSGSN00016647	1/2 - 1 Mile East
X95	CADDW000007822	1/2 - 1 Mile WSW
X96	CAPFAS000000627	1/2 - 1 Mile WSW
Q97	CADWR0000037884	1/2 - 1 Mile SW
Q98	CADWR0000031933	1/2 - 1 Mile SW
X99	CADDW000008767	1/2 - 1 Mile WSW
X100	CADDW000009474	1/2 - 1 Mile West
X101	CAPFAS000000849	1/2 - 1 Mile West
W102	CADDW0000011501	1/2 - 1 Mile East
W103	CAPFAS00000019	1/2 - 1 Mile East
T104	CADWR0000009005	1/2 - 1 Mile NW
W105	902	1/2 - 1 Mile East
X106	908	1/2 - 1 Mile WSW
Y109	CAUSGSN00004483	1/2 - 1 Mile NE
W110	CAUSGSN00008036	1/2 - 1 Mile East
Y112	CADWR0000024908	1/2 - 1 Mile NE
W113	CADDW0000021590	1/2 - 1 Mile East
W114	CAPFAS000000033	1/2 - 1 Mile East
V121	CADWR9000006715	1/2 - 1 Mile NW
T122	CADWR900006706	1/2 - 1 Mile NW
T123	CADWR900006705	1/2 - 1 Mile NW
T124	CADWR900006704	1/2 - 1 Mile NW
T125	CADWR900006709	1/2 - 1 Mile NW
T126	CADWR900006708	1/2 - 1 Mile NW
T127	CADWR900006707	1/2 - 1 Mile NW
Z128	CADWR000001434	1/2 - 1 Mile ESE
Z129	CADWR0000031395	1/2 - 1 Mile ESE
Z130	CADWR0000027775	1/2 - 1 Mile ESE
Z131	CADWR0000028529	1/2 - 1 Mile ESE
AA132	CADWR0000037718	1/2 - 1 Mile South
AA134	CADWR000001813	1/2 - 1 Mile South
AA137	CAUSGSN00015734	1/2 - 1 Mile South
AB139	CADWR0000008171	1/2 - 1 Mile North
AB140	CADWR000005718	1/2 - 1 Mile North
AA141	CADDW000009805	1/2 - 1 Mile South
AA142	CAPFAS000001365	1/2 - 1 Mile South
AA143	900	1/2 - 1 Mile South
AC145	CAUSGSN00005704	1/2 - 1 Mile NE
AD149	CAUSGSN00000158	1/2 - 1 Mile East
AD151	CAUSGSN00009752	1/2 - 1 Mile East
AE152	CADWR0000008023	1/2 - 1 Mile WSW

		LOCATION
MAP ID	WELL ID	FROM TP
		_
AF154	CADWR0000004962	1/2 - 1 Mile ENE
AF155	CADWR0000012317	1/2 - 1 Mile ENE
AF156	CADWR0000019436	1/2 - 1 Mile ENE
AG157	CADDW0000005151	1/2 - 1 Mile West
AH158	CADWR0000026656	1/2 - 1 Mile ENE
AH160	CADDW0000006130	1/2 - 1 Mile ENE
AH161	CAPFAS000000434	1/2 - 1 Mile ENE
AH162	CADDW0000001857	1/2 - 1 Mile ENE
AH163	CAUSGSN00001413	1/2 - 1 Mile ENE
AG164	CADWR0000024291	1/2 - 1 Mile West
AF165	CADWR9000006714 CADWR0000012252	1/2 - 1 Mile NE
AH166		1/2 - 1 Mile ENE
AE167	CAUSGSN00018148	1/2 - 1 Mile WSW
AH169	CADDW0000012555 CAUSGSN00005708	1/2 - 1 Mile ENE 1/2 - 1 Mile ENE
AH171 Al172	936	1/2 - 1 Mile ENE
A1172 A1174	CADDW0000016725	1/2 - 1 Mile South
AI174 AI175	CAPFAS000000950	1/2 - 1 Mile South
AE176	CAPPAS000000950 CADWR9000006652	1/2 - 1 Mile South
AL 176 Al 178	CAUSGSN00017599	1/2 - 1 Mile VVSVV 1/2 - 1 Mile South
AH179	893	1/2 - 1 Mile South
AF180	CADWR9000006713	1/2 - 1 Mile ENE
181	CADWR000000713 CADWR0000017605	1/2 - 1 Mile ENE
AH182	CAPFAS0000017603	1/2 - 1 Mile South
AH183	CADDW0000009735	1/2 - 1 Mile ENE
AF184	CADWR0000029047	1/2 - 1 Mile ENE
185	940	1/2 - 1 Mile ENE
186	929	1/2 - 1 Mile ESE
AF189	CAUSGSN00000788	1/2 - 1 Mile 55W
AJ192	CAUSGSN00000930	1/2 - 1 Mile SW
AJ193	CADDW0000016346	1/2 - 1 Mile SW
AJ195	CADWR0000029470	1/2 - 1 Mile SW
AK196	CADWR0000027471	1/2 - 1 Mile WSW
AL197	CADWR0000026646	1/2 - 1 Mile ENE
198	CADWR0000021772	1/2 - 1 Mile WNW
AJ199	926	1/2 - 1 Mile SW
AJ200	927	1/2 - 1 Mile SW
AL203	CAUSGSN00019038	1/2 - 1 Mile ENE
AM204	CAUSGSN00003868	1/2 - 1 Mile SE
205	CADWR0000015869	1/2 - 1 Mile East
AO207	CADWR0000012322	1/2 - 1 Mile East
AO208	CADWR0000035691	1/2 - 1 Mile East
AK209	CADWR0000023183	1/2 - 1 Mile WSW
AK210	CAUSGSN00016370	1/2 - 1 Mile WSW
AJ213	CAUSGSN00015705	1/2 - 1 Mile SW
AJ215	CADDW0000004249	1/2 - 1 Mile SW
AJ216	CADWR0000010293	1/2 - 1 Mile SW
217	CADWR0000009889	1/2 - 1 Mile SE
AQ219	CADWR0000034974	1/2 - 1 Mile NE
221	CADWR0000037287	1/2 - 1 Mile SSE
AN222	CADWR9000006754	1/2 - 1 Mile North
AP223	CADWR9000006649	1/2 - 1 Mile WSW

MARIR	WELL ID	LOCATION
MAP ID	WELL ID	FROM TP
AR224	CADDW0000017993	1/2 - 1 Mile SW
AS225	CADWR0000000464	1/2 - 1 Mile South
AS226	CADWR0000002738	1/2 - 1 Mile South
AR227	CAUSGSN00008406	1/2 - 1 Mile SW
AR230	928	1/2 - 1 Mile SW
AS232	CADDW0000002471	1/2 - 1 Mile South
AS233 AR237	CAPFAS000001074 CADWR0000022355	1/2 - 1 Mile South 1/2 - 1 Mile SW
AV239	CADWR0000022355 CAPFAS000001075	1/2 - 1 Mile SW
AV239 AV240	CADDW0000022484	1/2 - 1 Mile ENE
AU242	CADW0000022404 CADWR9000006740	1/2 - 1 Mile LNE
AX243	CAPFAS000000426	1/2 - 1 Mile SW
AX244	CADDW0000010486	1/2 - 1 Mile SW
247	CAEDF0000128121	1/2 - 1 Mile SSW
AU249	CADWR9000006743	1/2 - 1 Mile NNE
AZ250	CADWR9000006757	1/2 - 1 Mile NNE
AQ251	CADWR9000006734	1/2 - 1 Mile NE
AU253	CADWR0000015866	1/2 - 1 Mile NE
AR254	CADWR0000037734	1/2 - 1 Mile SW
BA255	CADWR0000007693	1/2 - 1 Mile WSW
AU257	CAUSGSN00013589	1/2 - 1 Mile NE
BA260	CADDW0000021837	1/2 - 1 Mile WSW
AW261	941	1/2 - 1 Mile ESE
BB262	894	1/2 - 1 Mile ENE
AT264	CADWR0000032990	1/2 - 1 Mile WSW
AT265	CADWR9000006662	1/2 - 1 Mile WSW
BC266	CAUSGSN00011472	1/2 - 1 Mile South
BD268	CAUSGSN00005954	1/2 - 1 Mile WSW
BC272 AV273	934 895	1/2 - 1 Mile South 1/2 - 1 Mile ENE
274	CADWR0000015862	1/2 - 1 Mile ENE
BE275	CADWR0000013862 CADDW0000014976	1/2 - 1 Mile NAW
BE276	CAPFAS000000766	1/2 - 1 Mile ESE
BE277	CADDW000003819	1/2 - 1 Mile ESE
BE278	CADDW0000012728	1/2 - 1 Mile ESE
BA279	920	1/2 - 1 Mile WSW
BA280	921	1/2 - 1 Mile WSW
BF282	CADDW0000021753	1/2 - 1 Mile ENE
BF283	CAPFAS000000221	1/2 - 1 Mile ENE
BF284	CAUSGSN00011115	1/2 - 1 Mile ENE
BF285	CADPR0000001623	1/2 - 1 Mile ENE
BF287	CAUSGSN00016453	1/2 - 1 Mile ENE
BD288	CAPFAS000001615	1/2 - 1 Mile WSW
BD289	CADDW0000014252	1/2 - 1 Mile WSW
BD290	CAUSGS000002748	1/2 - 1 Mile WSW
BD291	CAUSGSN00013623	1/2 - 1 Mile WSW
BF292	CADDW0000007042	1/2 - 1 Mile ENE
297	CADDW0000014572	1/2 - 1 Mile ESE
BF298	CAPFAS000000777	1/2 - 1 Mile ENE
BF299	CADDW000002044	1/2 - 1 Mile ENE

### PHYSICAL SETTING SOURCE MAP - 6958905.2s



SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino CA 92408 LAT/LONG: 34.080581 / 117.267997

CLIENT: GeoSyntec Co CONTACT: Jackie Hyman GeoSyntec Consultants

INQUIRY#: 6958905.2s

DATE: April 28, 2022 8:55 am

Map ID Direction Distance

Elevation Database EDR ID Number

A1 ENE

**CA WELLS** 1/8 - 1/4 Mile

Higher

State Well #: 01S04W14J003S Station ID: 2495

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

**B2** North 1/8 - 1/4 Mile Higher

Seq: 906 Frds no: 3610067002 District: 13 System no: 3610067

Water type: SUNNYSIDE WELL - ABANDONED WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam: Station ty:

Prim sta c:

Longitude:

System nam:

County:

User id:

Latitude: 340500.0 Precision:

Status: AB Comment 1: Not Reported Comment 2: Not Reported Not Reported Comment 4: Not Reported Comment 3: Comment 5: Not Reported Comment 6: Not Reported

Not Reported Comment 7:

System no: 3610067

SOUTH SAN BERNARDINO CWD 882 S TIPPECANOE AVE Hqname: Address:

SAN BERNARDINO State: Not Reported City: Zip: 92408 Zip ext: Not Reported

Pop serv: 600 Connection: 191

SOUTH SAN BERNARDINO Area serve:

North 1/8 - 1/4 Mile Higher

907 Prim sta c: 01S/04W-14J05 S Seq:

Frds no: 3610067001 County: TAN District: User id: 13 System no: 3610067 Water type: G

NORMAN ROAD WELL - INACTIVE WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam: Station ty:

Latitude: 340500.0 Longitude: 1171600.0 Precision: 8 Status: IR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Not Reported Not Reported Comment 5: Comment 6:

Comment 7: Not Reported

South San Bernardino Cwd - North System no: 3610067 System nam:

SOUTH SAN BERNARDINO CWD 882 S TIPPECANOE AVE Haname: Address:

City: SAN BERNARDINO State: Not Reported Zip: 92408 Zip ext: Not Reported

Pop serv: 600 Connection: 191 Area serve: SOUTH SAN BERNARDINO

CADWR9000006678

**CA WELLS** 

TAN

1171600.0

**CA WELLS** 

G

01S/04W-14H03 S

906

South San Bernardino Cwd - North

907

Map ID Direction Distance

Elevation Database EDR ID Number

WNW

1/8 - 1/4 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

001S004W14P00AS Monitor Location: Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19500101 Well Depth: 120
Well Depth Units: ft Well Hole Depth: 120

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1950-09-14 Feet below surface: 37.50 Feet to sea level: Not Reported

Note: Not Reported

B5
NNE
CA WELLS CADDW000019295

1/8 - 1/4 Mile Higher

Well ID: 3610067-001 Well Type: MUNICIPAL

Source: Department of Health Services
Other Name: NORMAN ROAD WELL - INACTIVE

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610067-001&store\_num=

GeoTracker Data: Not Reported

A6 ENE CA WELLS CADWR0000028966

ENE 1/8 - 1/4 Mile Higher

Well ID: 01S04W14J003S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14J003S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14J003S&store\_num=

GeoTracker Data: Not Reported

ENE FED USGS USGS40000140737

1/8 - 1/4 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14J003S Type: Well

**FED USGS** 

USGS40000140741

Description:Not ReportedHUC:18070203Drainage Area:Not ReportedDrainage Area Units:Not ReportedContrib Drainage Area:Not ReportedContrib Drainage Area Units:Not Reported

Aguifer:

California Coastal Basin aquifers

Formation Type: Not Reported

Construction Date: 19550101 Well Depth: 180 Well Depth Units: 181 Well Depth Units: 183

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1955-01-18 Feet below surface: 46.00 Feet to sea level: Not Reported

Note: Not Reported

ENE CA WELLS CAUSGSN00005082

1/8 - 1/4 Mile Higher

Well ID: USGS-340453117154701 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340453117154701 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340453117154701&store\_num=

Aquifer Type:

Not Reported

GeoTracker Data: Not Reported

1/4 - 1/2 Mile Lower

Well ID: 84209 Well Type: UNK

Source: Department of Pesticide Regulation

Other Name: 84209 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp\_

date=&global\_id=&assigned\_name=84209&store\_num=

GeoTracker Data: Not Reported

C10 SW CA WELLS CADWR000002979

1/4 - 1/2 Mile Lower

Well ID: 01S04W14P006S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14P006S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14P006S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

C11 WSW 1/4 - 1/2 Mile

**FED USGS** USGS40000140707

Lower

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center

001S004W14P001S Monitor Location: Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported California Coastal Basin aquifers

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19500101 Well Depth: 120 Well Depth Units: ft Well Hole Depth: 121

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1950-09-14 1 Feet below surface: 28.00 Feet to sea level: Not Reported

Note: Not Reported

C12 **CA WELLS** 911

1/4 - 1/2 Mile Lower

Comment 7:

Prim sta c: 01S/04W-14P06 S Seq: 911

Frds no: 3310031079 County: 33 User id: WAT District: 14 3310031 Water type: System no: G

Source nam: **RAUB WELL 03** Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 340439.7 Longitude: 1171614.0 Precision: Status: AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Not Reported Comment 5: Comment 6: Not Reported

3310031 Riverside, City Of System no: System nam: 3900 MAIN STREET Hqname: Not Reported Address:

City: **RIVERSIDE** State: CA

Zip: 92522 Zip ext: Not Reported Pop serv: 245000 Connection: 58586

**RIVERSIDE** Area serve:

C13 SW **FED USGS** USGS40000140694

1/4 - 1/2 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Not Reported

Monitor Location: 001S004W14P003S Well Type: Description: Not Reported 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19520101 Well Depth: 687 Well Depth Units: ft Well Hole Depth: 690

Well Hole Depth Units: ft

C14
WSW
CA WELLS CAUSGSN00002692

1/4 - 1/2 Mile Lower

Well ID: USGS-340442117161802 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340442117161802 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340442117161802&store\_num=

GeoTracker Data: Not Reported

C15
WSW FED USGS USGS40000140703

1/4 - 1/2 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14P006S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19520101 Well Depth: 691
Well Depth Units: ft Well Hole Depth: 691

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 280 Level reading date: 1970-03-31

Feet below surface: 122.50 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-26 Feet below surface: 107.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-05-01 Feet below surface: 104.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-03 Feet below surface: 111.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1968-05-03 Feet below surface: 122.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-11-30 Feet below surface: 96.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-08-11 Feet below surface: 142.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-07-07 Feet below surface: 134.00

Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-06-02	Feet below surface:	117.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-05-05	Feet below surface:	96.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-03-31	Feet below surface:	116.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-03-03	Feet below surface:	116.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-02-03	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-01-06	Feet below surface:	88.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-12-02	Feet below surface:	126.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-11-04	Feet below surface:	136.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-10-07	Feet below surface:	130.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-09-30	Feet below surface:	138.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-08-12	Feet below surface:	143.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-07-29	Feet below surface:	143.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-06-24	Feet below surface:	131.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-05-20	Feet below surface:	120.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-04-15	Feet below surface:	121.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-03-11	Feet below surface:	103.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-11	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-14	Feet below surface:	86.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-24	Feet below surface:	92.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-26	Feet below surface:	100.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1965-10-22 Feet below surface: 127.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-09-10 Feet below surface: 125.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-06-18 Feet below surface: 149.30 Feet to sea level: Not Reported Note: The site was being pumped. 1965-05-14 99.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-04-16 Feet below surface: 78.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-04-02 Feet below surface: 87.30 Feet to sea level: Not Reported Not Reported Level reading date: 1965-03-19 Feet below surface: 85.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-03-05 Feet below surface: 107.30 Feet to sea level: Not Reported Note: Not Reported 1965-02-19 Feet below surface: Level reading date: 110.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-02-05 Feet below surface: 101.60 Feet to sea level: Not Reported Note: Not Reported 1965-01-15 Feet below surface: Level reading date: 82.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-01-02 Feet below surface: 87.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-12-18 Feet below surface: 103.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-12-04 Feet below surface: 98.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-11-20 Feet below surface: 89.00 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1964-11-06 Feet below surface: 111.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1964-10-23 Feet below surface: 110.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-09-25 Feet below surface: 121.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-08-14 Feet below surface: 127.60 Feet to sea level: Not Reported Note: Not Reported 1964-07-17 Feet below surface: Level reading date: 149.30 Feet to sea level: Not Reported Note: The site was being pumped. 1964-06-19 Level reading date: Feet below surface: 142.00 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1964-05-15 Feet below surface: 130.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-05-01 Feet below surface: 102.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1964-04-10 Feet below surface: 86.60 Feet to sea level: Not Reported Note: Not Reported 1964-03-13 96.00 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: Level reading date: 1964-02-14 Feet below surface: 96.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-01-10 Feet below surface: 129.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1963-12-13 Feet below surface: 82.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-29 Feet below surface: 79.60 Feet to sea level: Not Reported Note: Not Reported 1963-11-15 Feet below surface: Level reading date: 91.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-01 Feet below surface: 88.30 Feet to sea level: Not Reported Note: Not Reported 1963-10-18 Feet below surface: 97.30 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-04 Feet below surface: 88.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-09-13 Feet below surface: 141.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-08-16 Level reading date: Feet below surface: 140.90 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1963-08-01 Feet below surface: 141.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-07-12 Feet below surface: 138.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-06-21 Feet below surface: 101.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-06-07 Feet below surface: 91.90 Feet to sea level: Not Reported Note: Not Reported 1963-05-24 Feet below surface: 91.50 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1963-05-10

Not Reported

Level reading date:

Feet to sea level:

Feet below surface:

Note:

80.90

Not Reported

Level reading date: 1963-04-26 Feet below surface: 68.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-29 Feet below surface: 68.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1963-03-15 Feet below surface: 73.50 Feet to sea level: Not Reported Note: Not Reported 1963-03-01 76.90 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: Level reading date: 1963-02-08 Feet below surface: 85.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-01-26 Feet below surface: 87.50 Feet to sea level: Not Reported Not Reported Level reading date: 1962-12-21 Feet below surface: 84.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-08 Feet below surface: 83.90 Feet to sea level: Not Reported Note: Not Reported 1962-11-23 Level reading date: Feet below surface: 82.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-11-09 Feet below surface: 119.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-10-26 Feet below surface: Level reading date: 125.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: Feet below surface: 1962-10-12 127.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-09-28 Feet below surface: 88.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1962-09-14 Feet below surface: 130.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-08-31 Level reading date: Feet below surface: 131.20 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-08-17 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-08-03 Feet below surface: 128.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-07-20 Feet below surface: 123.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-06-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-06-15 Feet below surface: 70.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1962-06-01 Level reading date: Feet below surface: 68.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1962-05-18 Feet below surface: 62.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-05-04 Feet below surface: 102.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-04-13 Feet below surface: 101.90 Feet to sea level: Not Reported Note: The site was being pumped. 1962-03-30 42.20 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-16 Feet below surface: 42.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-02 Feet below surface: 52.90 Feet to sea level: Not Reported Not Reported Level reading date: 1962-02-22 Feet below surface: 46.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-02-02 Feet below surface: 67.40 Feet to sea level: Not Reported Note: Not Reported 1962-01-05 Level reading date: Feet below surface: 62.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-12-22 Feet below surface: 51.90 Feet to sea level: Not Reported Note: Not Reported 1961-12-08 Feet below surface: 54.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-17 Feet below surface: 77.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-03 Feet below surface: 75.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-10-13 Feet below surface: 103.90 Feet to sea level: Not Reported Note: The site was being pumped. 1961-09-29 Level reading date: Feet below surface: 104.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-15 Feet below surface: 88.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-09-08 Feet below surface: 108.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-04 Feet below surface: 92.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-07-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-06-30 Feet below surface: Level reading date: 110.50 Feet to sea level: Not Reported Note: The site was being pumped. 1961-06-16 Level reading date: Feet below surface: 105.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-06-02 Feet below surface: 72.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-05-12 Feet below surface: 73.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-05-05 Feet below surface: 62.50 Feet to sea level: Not Reported Note: Not Reported 1961-04-14 69.90 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: Level reading date: 1961-03-31 Feet below surface: 53.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-16 Feet below surface: 50.90 Feet to sea level: Not Reported Not Reported Level reading date: 1961-03-03 Feet below surface: 93.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-02-17 Feet below surface: 59.90 Feet to sea level: Not Reported Note: Not Reported 1961-02-03 Feet below surface: Level reading date: 39.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-01-20 Feet below surface: 93.90 Feet to sea level: Not Reported Note: The site was being pumped. 1961-01-06 Feet below surface: Level reading date: 62.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 94.90 1960-12-23 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-11-25 Feet below surface: 58.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-11-11 Feet below surface: 40.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-10-28 Feet below surface: 66.90 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1960-10-14 Feet below surface: 50.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-09-30 Feet below surface: 62.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-09-14 Feet below surface: 69.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-09-02 Feet below surface: 75.20 Feet to sea level: Not Reported Note: Not Reported 1960-08-19 Feet below surface: 101.90 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. 1960-08-05 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-07-15 Feet below surface: 100.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-07-01 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-06-22 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-06-10 62.20 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: Level reading date: 1960-05-27 Feet below surface: 102.20 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-05-20 Feet below surface: 99.90 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-04-29 Feet below surface: 48.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-04-15 Feet below surface: 92.90 Feet to sea level: Not Reported Note: Not Reported 1960-04-01 Feet below surface: Level reading date: 95.90 Feet to sea level: Not Reported Note: Not Reported 1960-03-18 Level reading date: Feet below surface: 86.90 Feet to sea level: Not Reported Note: Not Reported 1960-03-04 Feet below surface: Level reading date: 17.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-02-19 Feet below surface: 78.20 Feet to sea level: Not Reported Note: The site was being pumped. 28.90 Level reading date: 1960-01-29 Feet below surface: Feet to sea level: Note: Not Reported Not Reported Level reading date: 1960-01-15 Feet below surface: 24.90 Feet to sea level: Not Reported Note: Not Reported 1960-01-03 Level reading date: Feet below surface: 30.90 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1959-12-18 Feet below surface: 58.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-12-04 Feet below surface: 96.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-11-13 Feet below surface: 54.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-02 Feet below surface: 59.70 Feet to sea level: Not Reported Note: Not Reported 1959-10-19 Feet below surface: 101.20 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped.

1959-10-02

Not Reported

Level reading date:

Feet to sea level:

91.70

The site was being pumped.

Feet below surface:

Note:

Level reading date: 1959-09-25 Feet below surface: 62.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-09-18 Feet below surface: 59.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-09-11 Feet below surface: 86.70 Feet to sea level: Not Reported Note: The site was being pumped. 1959-09-04 Level reading date: Feet below surface: 88.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-28 Feet below surface: 97.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-08-21 Feet below surface: 101.20 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-08-14 Feet below surface: 89.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-31 Feet below surface: Level reading date: 98.90 Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-24 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-17 Feet below surface: Level reading date: 95.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-03 Feet below surface: 94.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-26 Feet below surface: 72.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-06-19 Feet below surface: 70.90 Feet to sea level: Not Reported Note: Not Reported 1959-06-12 Level reading date: Feet below surface: 64.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-06-05 Feet below surface: 62.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-05-22 Feet below surface: 87.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-15 Feet below surface: 86.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-08 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-05-01 Feet below surface: 55.80 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1959-04-24

Not Reported

Level reading date:

Feet to sea level:

51.50

Not Reported

Feet below surface:

Note:

Level reading date: 1959-04-17 Feet below surface: 45.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-04-10 Feet below surface: 41.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-03-27 Feet below surface: 47.50 Feet to sea level: Not Reported Note: Not Reported 1959-03-13 19.90 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-02-20 Feet below surface: 13.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-02-06 Feet below surface: 44.50 Feet to sea level: Not Reported Not Reported Level reading date: 1959-01-23 Feet below surface: 29.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-01-02 Feet below surface: 35.80 Feet to sea level: Not Reported Note: Not Reported 1958-12-19 Feet below surface: Level reading date: 46.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-05 Feet below surface: 82.20 Feet to sea level: Not Reported Note: The site was being pumped. 1958-11-21 Feet below surface: Level reading date: 83.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-11-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-24 Feet below surface: 34.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-10-17 Feet below surface: 90.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-10 Feet below surface: 49.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-09-26 Feet below surface: 90.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-09-19 Feet below surface: 92.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-13 Feet below surface: 53.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-09-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-29 Feet below surface: Level reading date: 81.90 Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-22 Level reading date: Feet below surface: 85.20 Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

Note:

1958-08-16

Not Reported

Level reading date:

Level reading date:

Level reading date:

Feet to sea level:

Level reading date: 1958-08-08 Feet below surface: 93.50 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-08-01 Feet below surface: 87.80 Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-25 Level reading date: Feet below surface: 91.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-18 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-11 Feet below surface: 92.50 Level reading date: Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-07-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-27 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-06-20 Level reading date: Feet below surface: 91.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-13 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1958-06-06 Level reading date: Feet below surface: 86.20 Feet to sea level: Not Reported Note: The site was being pumped. 60.90 Level reading date: 1958-05-30 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-23 Feet below surface: 87.40 Feet to sea level: Not Reported The site was being pumped. Note:

> 1958-05-16 Feet below surface:

> > Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-09 Feet below surface: 82.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-04-25 Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-04-10 60.90 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-03-29 Feet below surface: 3.90 Feet to sea level: Not Reported Note:

1958-03-14

Not Reported

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 1958-02-21 13.40

Level reading date: Feet to sea level: Not Reported Note: Not Reported

1958-02-07 Level reading date: Feet below surface: 16.20 Feet to sea level: Not Reported Note: Not Reported

4.90

43.50

Not Reported

1958-01-24 34.20 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-01-13 Feet below surface: 27.70 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-12-27 Feet below surface: 22.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-12-13 Feet below surface: 28.90 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1957-11-29 Feet below surface: 37.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-15 Feet below surface: 22.20 Feet to sea level: Not Reported Not Reported 1957-11-01 Level reading date: Feet below surface: 29.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-10-18 Feet below surface: 39.90 Feet to sea level: Not Reported Note: Not Reported 1957-10-04 Level reading date: Feet below surface: 67.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-09-28 Feet below surface: 112.40 Feet to sea level: Not Reported Note: The site was being pumped. 1957-09-20 Level reading date: Feet below surface: 61.90 Feet to sea level: Not Reported Note: Not Reported 1957-09-13 Feet below surface: Level reading date: 99.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-06 Feet below surface: 99.90 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-08-30 Feet below surface: 66.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-08-25 Feet below surface: 65.20 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1957-08-23 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-16 99.70 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-09 Feet below surface: 98.90 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-08-02 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-26 Feet below surface: Level reading date: 102.90 Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-19 Level reading date: Feet below surface: 100.90

Note:

Feet to sea level:

Not Reported

The site was being pumped.

1957-07-12 Level reading date: Feet below surface: 100.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-07-05 Feet below surface: 95.20

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1957-06-29 Feet below surface: 64.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-06-28 Feet below surface: 94.90

Not Reported Feet to sea level: Note: The site was being pumped.

Level reading date: 1957-06-21 Feet below surface: 93.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-06-12 Feet below surface: 87.70 Feet to sea level: Not Reported

The site was being pumped.

Level reading date: 1957-05-25 Feet below surface: 23.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-05-10 Feet below surface: 77.90

Feet to sea level: Not Reported Note: The site was being pumped.

1957-05-08 Level reading date: Feet below surface: 68.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-04-28 Feet below surface:

Feet to sea level: Not Reported The site was being pumped. Note:

1957-04-26 Level reading date: Feet below surface: 18.40

Feet to sea level: Not Reported Note: Not Reported

1957-04-17 Feet below surface: Level reading date: 39.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-04-12 Feet below surface: 31.90

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1957-04-01 Feet below surface: 74.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-03-15 Feet below surface: 60.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-03-01 Feet below surface: 12.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-02-15 69.90 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-02-04 Feet below surface: 16.90

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1957-01-21 Feet below surface: 11.40

Feet to sea level: Not Reported Note: Not Reported

1957-01-04 Feet below surface: Level reading date: 33.20

Feet to sea level: Not Reported Note: Not Reported

1956-12-14 Level reading date: Feet below surface: 82.70

Feet to sea level: Not Reported Note: The site was being pumped.

1956-11-30 Level reading date: Feet below surface: 85.40 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-11-16 Feet below surface: 42.40 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1956-11-02 Feet below surface: 37.40

Feet to sea level: Not Reported Note: Not Reported

1956-10-19 44.70 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-10-05 Feet below surface: 45.40

Not Reported Feet to sea level: Note: Not Reported

Level reading date: 1956-09-21 Feet below surface: 93.20 Feet to sea level: Not Reported The site was being pumped.

Level reading date: 1956-09-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-24 Feet below surface: 95.20 Feet to sea level: Not Reported Note: The site was being pumped.

1956-08-10 Level reading date: Feet below surface: 95.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-27 Feet below surface: 51.10

Feet to sea level: Not Reported Not Reported Note:

1956-07-13 Level reading date: Feet below surface: 91.40

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface: Level reading date: 1956-06-29 91.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-06-15 Feet below surface: 90.60

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1956-06-05 Feet below surface: Feet to sea level: Not Reported Note:

The site was being pumped.

Level reading date: 1956-05-07 Feet below surface: 80.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-02-01 Feet below surface: 2.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1953-12-01 3.40 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-10-01 Feet below surface: 6.50

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1952-09-02 Feet below surface: 8.60

Feet to sea level: Not Reported Note: Not Reported

1952-05-01 Feet below surface: 24.50 Level reading date:

Feet to sea level: Not Reported Note: Not Reported

Feet below surface:

Level reading date: Feet to sea level: Not Reported Note: Not Reported

1952-04-30

11.00

Map ID Direction Distance

EDR ID Number Elevation Database

C16 WSW 1/4 - 1/2 Mile Lower

**FED USGS** USGS40000140702

Organization ID: **USGS-CA** 

USGS California Water Science Center Organization Name:

Monitor Location: 001S004W14P002S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19120101 Well Depth: 580 Well Depth Units: ft Well Hole Depth: 580

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 403 Level reading date: 1970-03-31

Feet below surface: 89.40 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: Feet below surface: 1969-11-26 104.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-05-01 Feet below surface: 100.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-03 Feet below surface: 105.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1968-05-03 Feet below surface: 118.20 Not Reported

Feet to sea level: Not Reported Note:

Level reading date: 1967-11-30 Feet below surface: 94.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-09-08 Feet below surface: 130.20 Feet to sea level: Not Reported Note: Not Reported

1967-08-11 Level reading date: Feet below surface: 133.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-07-07 Feet below surface: 127.20

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1967-06-02 Feet below surface: 115.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-05-05 Feet below surface: 95.20

Not Reported Feet to sea level: Note: Not Reported

Level reading date: 1967-04-01 Feet below surface: 104.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-03-03 Feet below surface: 113.20

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1967-02-03 Feet below surface: 87.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1967-01-06	Feet below surface:	89.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-12-02	Feet below surface:	122.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-10-28	Feet below surface:	134.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-10-07	Feet below surface:	127.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-09-16	Feet below surface:	136.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-08-20	Feet below surface:	136.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-07-15	Feet below surface:	134.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-06-17	Feet below surface:	128.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-05-20	Feet below surface:	115.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-04-15	Feet below surface:	115.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-03-11	Feet below surface:	101.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-04	Feet below surface:	84.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-07	Feet below surface:	86.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-10	Feet below surface:	92.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-12	Feet below surface:	114.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-10-08	Feet below surface:	124.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-09-10	Feet below surface:	122.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-06-25	Feet below surface:	119.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-06-11	Feet below surface:	121.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-05-21	Feet below surface:	123.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-05-07	Feet below surface:	98.80
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1965-04-23	Feet below surface:	85.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-09	Feet below surface:	78.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-26	Feet below surface:	86.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-12	Feet below surface:	96.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-20	Feet below surface:	107.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-12	Feet below surface:	101.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-29	Feet below surface:	91.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-08	Feet below surface:	82.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-25	Feet below surface:	98.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-11	Feet below surface:	104.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-27	Feet below surface:	86.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-12	Feet below surface:	97.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-30	Feet below surface:	110.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-09	Feet below surface:	116.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-09-25	Feet below surface:	118.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-09-11	Feet below surface:	124.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-08-28	Feet below surface:	122.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-08-14	Feet below surface:	121.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-07-31	Feet below surface:	119.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-07-10	Feet below surface:	121.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-06-19	Feet below surface:	110.80
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1964-05-15	Feet below surface:	100.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-05-01	Feet below surface:	99.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-04-10	Feet below surface:	83.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-03-13	Feet below surface:	95.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-02-14	Feet below surface:	85.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-01-10	Feet below surface:	96.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-12-13	Feet below surface:	79.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-11-29	Feet below surface:	78.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-11-15	Feet below surface:	91.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-11-01	Feet below surface:	86.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-10-18	Feet below surface:	96.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-10-04	Feet below surface:	89.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-09-13	Feet below surface:	108.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-08-30	Feet below surface:	116.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-08-16	Feet below surface:	111.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-08-01	Feet below surface:	112.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-07-12	Feet below surface:	108.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-06-21	Feet below surface:	101.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-06-07	Feet below surface:	92.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-05-24	Feet below surface:	91.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-05-10	Feet below surface:	83.20
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1963-04-26	Feet below surface:	71.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-03-29	Feet below surface:	67.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-03-15	Feet below surface:	71.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-03-01	Feet below surface:	73.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-02-08	Feet below surface:	85.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1963-01-26	Feet below surface:	87.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-12-21	Feet below surface:	79.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-12-08	Feet below surface:	83.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-11-23	Feet below surface:	82.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-11-09	Feet below surface:	101.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-10-26	Feet below surface:	107.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-10-12	Feet below surface:	96.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-09-28	Feet below surface:	88.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-09-14	Feet below surface:	99.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-08-31	Feet below surface:	100.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-08-17	Feet below surface:	97.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-08-03	Feet below surface:	97.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-07-20	Feet below surface:	92.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-06-29	Feet below surface:	92.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-06-15	Feet below surface:	71.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-06-01	Feet below surface:	71.20
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1962-05-18	Feet below surface:	66.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-05-04	Feet below surface:	80.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-04-13	Feet below surface:	73.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-03-30	Feet below surface:	46.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-03-16	Feet below surface:	46.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-03-02	Feet below surface:	52.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-02-22	Feet below surface:	49.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-02-02	Feet below surface:	65.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1962-01-05	Feet below surface:	62.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-12-22	Feet below surface:	53.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-12-08	Feet below surface:	58.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-11-17	Feet below surface:	79.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-11-03	Feet below surface:	78.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-10-13	Feet below surface:	89.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-09-29	Feet below surface:	91.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-09-15	Feet below surface:	89.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-09-01	Feet below surface:	93.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-08-18	Feet below surface:	96.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-08-04	Feet below surface:	91.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-07-14	Feet below surface:	91.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-06-30	Feet below surface:	87.70
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1961-06-16	Feet below surface:	84.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-06-02	Feet below surface:	72.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-05-12	Feet below surface:	75.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-05-05	Feet below surface:	66.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-04-14	Feet below surface:	71.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-03-31	Feet below surface:	55.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-03-16	Feet below surface:	56.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-03-03	Feet below surface:	66.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-02-17	Feet below surface:	54.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-02-03	Feet below surface:	43.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-01-20	Feet below surface:	66.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-01-06	Feet below surface:	63.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-12-23	Feet below surface:	67.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-11-25	Feet below surface:	58.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-11-11	Feet below surface:	45.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-10-28	Feet below surface:	67.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-10-14	Feet below surface:	54.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-09-30	Feet below surface:	66.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-09-14	Feet below surface:	69.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-09-02	Feet below surface:	74.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-08-19	Feet below surface:	78.20
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1960-08-05	Feet below surface:	77.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-07-15	Feet below surface:	75.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-07-01	Feet below surface:	73.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-06-24	Feet below surface:	62.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-06-10	Feet below surface:	59.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-05-27	Feet below surface:	69.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-05-20	Feet below surface:	68.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-04-29	Feet below surface:	47.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-04-15	Feet below surface:	58.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-04-01	Feet below surface:	63.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-03-18	Feet below surface:	43.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-03-04	Feet below surface:	21.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-02-19	Feet below surface:	27.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-01-29	Feet below surface:	30.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-01-15	Feet below surface:	28.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-01-03	Feet below surface:	32.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-12-18	Feet below surface:	60.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-12-04	Feet below surface:	67.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-11-13	Feet below surface:	55.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-11-02	Feet below surface:	61.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-10-19	Feet below surface:	73.20
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1959-10-02	Feet below surface:	65.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-09-25	Feet below surface:	60.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-09-18	Feet below surface:	68.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-09-11	Feet below surface:	58.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-09-04	Feet below surface:	62.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-08-28	Feet below surface:	62.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-08-21	Feet below surface:	67.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-08-14	Feet below surface:	68.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-08-07	Feet below surface:	67.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-07-31	Feet below surface:	68.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-07-24	Feet below surface:	66.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-07-17	Feet below surface:	66.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-07-10	Feet below surface:	66.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-07-03	Feet below surface:	66.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-06-19	Feet below surface:	66.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-06-12	Feet below surface:	62.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-06-05	Feet below surface:	58.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-05-22	Feet below surface:	54.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-05-15	Feet below surface:	42.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-05-08	Feet below surface:	57.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-05-01	Feet below surface:	52.20
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1959-04-24	Feet below surface:	47.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-04-17	Feet below surface:	44.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-04-10	Feet below surface:	37.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-03-27	Feet below surface:	39.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-03-13	Feet below surface:	19.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-02-20	Feet below surface:	15.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-02-06	Feet below surface:	41.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-01-23	Feet below surface:	29.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-01-02	Feet below surface:	41.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-12-19	Feet below surface:	44.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-12-05	Feet below surface:	46.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-11-21	Feet below surface:	46.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-11-07	Feet below surface:	44.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-10-24	Feet below surface:	35.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-10-17	Feet below surface:	56.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-10-10	Feet below surface:	49.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-09-26	Feet below surface:	50.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-09-19	Feet below surface:	55.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-09-13	Feet below surface:	33.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-09-05	Feet below surface:	51.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-08-29	Feet below surface:	49.50
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1958-08-22	Feet below surface:	53.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-08-16	Feet below surface:	43.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-08-08	Feet below surface:	58.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-08-01	Feet below surface:	57.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-07-25	Feet below surface:	56.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-07-18	Feet below surface:	55.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-07-11	Feet below surface:	65.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-07-04	Feet below surface:	54.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-06-27	Feet below surface:	55.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-06-20	Feet below surface:	54.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-06-13	Feet below surface:	52.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-06-06	Feet below surface:	46.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-05-30	Feet below surface:	48.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-05-23	Feet below surface:	41.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-05-16	Feet below surface:	40.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-05-09	Feet below surface:	34.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-04-25	Feet below surface:	25.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-04-10	Feet below surface:	2.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-29	Feet below surface:	2.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-14	Feet below surface:	6.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-02-21	Feet below surface:	14.70
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1958-02-07	Feet below surface:	16.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-01-24	Feet below surface:	33.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-01-13	Feet below surface:	24.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-12-27	Feet below surface:	23.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-12-13	Feet below surface:	28.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-29	Feet below surface:	41.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-15	Feet below surface:	24.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-01	Feet below surface:	31.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-10-18	Feet below surface:	40.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-10-04	Feet below surface:	61.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-09-28	Feet below surface:	64.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-09-20	Feet below surface:	57.77
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-09-13	Feet below surface:	78.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-09-06	Feet below surface:	65.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-08-30	Feet below surface:	62.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-08-09	Feet below surface:	66.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-08-02	Feet below surface:	66.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-07-26	Feet below surface:	64.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-07-19	Feet below surface:	63.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-07-12	Feet below surface:	75.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-07-05	Feet below surface:	63.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1957-06-28	Feet below surface:	64.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-06-21	Feet below surface:	59.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-06-12	Feet below surface:	49.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-25	Feet below surface:	24.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-10	Feet below surface:	36.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-04-26	Feet below surface:	20.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-04-12	Feet below surface:	32.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-04-01	Feet below surface:	39.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-15	Feet below surface:	19.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-01	Feet below surface:	15.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-15	Feet below surface:	20.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-04	Feet below surface:	10.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-01-21	Feet below surface:	14.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-01-04	Feet below surface:	34.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-12-14	Feet below surface:	42.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-11-30	Feet below surface:	48.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-11-16	Feet below surface:	43.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-11-02	Feet below surface:	39.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-10-14	Feet below surface:	45.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-10-05	Feet below surface:	47.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-09-21	Feet below surface:	60.80
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1956-09-07	Feet below surface:	61.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-08-24	Feet below surface:	61.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-08-10	Feet below surface:	60.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-07-27	Feet below surface:	47.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-07-13	Feet below surface:	66.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-06-15	Feet below surface:	54.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-09-29	Feet below surface:	57.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-06-01	Feet below surface:	21.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-05-03	Feet below surface:	2.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-04-01	Feet below surface:	4.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-03-01	Feet below surface:	0.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-02-01	Feet below surface:	1.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-01-04	Feet below surface:	8.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-12-01	Feet below surface:	5.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-11-02	Feet below surface:	26.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-10-01	Feet below surface:	31.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-09-01	Feet below surface:	37.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-08-03	Feet below surface:	24.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-07-01	Feet below surface:	28.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-06-02	Feet below surface:	12.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-05-01	Feet below surface:	2.90
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1953-04-01 Feet below surface: 0.40
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1953-03-02 Feet below surface: 14.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1953-02-02 Feet below surface: 21.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1953-01-05 Feet below surface: 23.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-12-01 Feet below surface: 15.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-10-01 Feet below surface: 10.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-09-02 Feet below surface: 13.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-08-01 Feet below surface: 22.40

Feet to sea level: Not Reported

Note: A nearby site that taps the same aquifer was being pumped.

Level reading date: 1952-07-02 Feet below surface: 9.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-05-02 Feet below surface: 21.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1948-09-01 Feet below surface: 0.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1948-08-02 Feet below surface: 0.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1948-07-01 Feet below surface: 0.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1948-06-01 Feet below surface: 0.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1948-05-01 Feet below surface: 0.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-11-01 Feet below surface: 0.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-10-01 Feet below surface: 0.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-09-02 Feet below surface: 0.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-08-01 Feet below surface: 0.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-07-01 Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1947-06-02 Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1947-05-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1947-04-01 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1947-03-03 Feet below surface: 0.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1947-02-15 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1946-10-01 0.70 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1946-09-03 0.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1946-08-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1946-07-01 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1946-06-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1946-05-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1945-11-01 Feet below surface: 0.60 Feet to sea level: Note: Not Reported The site was being pumped. Level reading date: 1945-10-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1945-09-04 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. 1945-08-01 Feet below surface: Level reading date: 0.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1945-07-02 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. 1945-06-01 Level reading date: Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1945-05-01 Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1944-11-01 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1944-10-02 Feet below surface: Feet to sea level: Note: Not Reported The site was being pumped.

Level reading date:

Feet to sea level:

1944-09-01

Not Reported

The site was being pumped.

0.60

Feet below surface:

Note:

1944-08-01

1942-09-01

Not Reported

1942-08-03

Not Reported

Level reading date:

Level reading date:

Feet to sea level:

Feet to sea level:

Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1944-07-01 Feet below surface: 0.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1944-06-01 Feet below surface: 0.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1944-05-17 Feet below surface: 0.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1944-04-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1943-12-01 Feet below surface: 0.60 Level reading date: Feet to sea level: Not Reported The site was being pumped. Level reading date: 1943-10-01 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1943-09-15 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1943-08-13 Level reading date: Feet below surface: 0.50 Feet to sea level: Not Reported Note: The site was being pumped. 1943-07-15 Level reading date: Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1943-06-01 Feet below surface: 0.50 Feet to sea level: Not Reported Note: The site was being pumped. 1943-05-01 Level reading date: Feet below surface: 0.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1943-04-02 Feet below surface: 0.50 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1943-03-02 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1943-02-01 Feet below surface: 0.80 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1943-01-15 Feet below surface: 0.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1942-12-16 0.60 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1942-11-01 Feet below surface: 0.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1942-10-16 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

The site was being pumped.

The site was being pumped.

0.50

0.50

Feet below surface:

Feet below surface:

Note:

Note:

0.60

1942-07-02 Level reading date: Feet below surface: 0.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1942-06-01 Feet below surface: 0.50

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1942-05-15 Feet below surface: 0.50

1941-10-05

Level reading date:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1941-11-18 Feet below surface: 50.40 Feet to sea level: Not Reported Note:

Not Reported

Not Reported Feet to sea level: Note: The site was being pumped.

Feet below surface:

0.60

1941-09-02 Feet below surface: 0.60 Level reading date:

Feet to sea level: Not Reported The site was being pumped.

Level reading date: 1941-08-01 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1941-07-18 Feet below surface: 18.60

Feet to sea level: Not Reported Note: Not Reported

1941-07-01 Level reading date: Feet below surface: 0.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1941-06-15 Feet below surface:

Feet to sea level: Not Reported The site was being pumped. Note:

1941-05-02 Level reading date: Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped.

1941-03-11 Level reading date: Feet below surface: 59.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1941-01-30 Feet below surface: 55.60

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1940-12-20 Feet below surface: 48.70 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-11-01 Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1940-10-05 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1940-09-03 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1940-08-05 Feet below surface: 0.50

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1940-07-01 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

1940-06-03 Level reading date: Feet below surface: 0.50

Feet to sea level: Not Reported Note: The site was being pumped.

1940-05-01 Level reading date: Feet below surface: 38.80

Feet to sea level: Not Reported Note: Not Reported

1940-03-29 40.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-03-01 Feet below surface: 57.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-01-31 Feet below surface: 56.20

Feet to sea level: Not Reported Note: Not Reported

1940-01-03 Level reading date: Feet below surface: 38.80 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-01-02 Feet below surface: 0.60

Not Reported Feet to sea level: Note: The site was being pumped.

1939-12-05 Feet below surface: 0.60 Level reading date: Feet to sea level: Not Reported The site was being pumped.

Level reading date: 1939-11-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1939-10-02 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

1939-09-02 Level reading date: Feet below surface: 0.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1939-08-01 Feet below surface:

Feet to sea level: Not Reported The site was being pumped. Note:

1939-07-15 Level reading date: Feet below surface: 0.50

Feet to sea level: Not Reported Note: The site was being pumped.

1939-06-02 Level reading date: Feet below surface: 0.60 Note:

Feet to sea level: Not Reported The site was being pumped.

Level reading date: 1939-05-02 Feet below surface: 31.90 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1939-03-30 Feet below surface: 40.60 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-03-04 Feet below surface: 52.10 Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1938-10-07 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1938-09-06 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1938-08-02 Feet below surface: 0.70

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1938-07-01 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1938-06-15 Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped.

1937-08-02 Level reading date: Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1937-07-01 Feet below surface: 0.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1916-04-15 Feet below surface: 65.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1916-03-22 Feet below surface: 71.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1916-02-24 Feet below surface: 70.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1916-01-14 Feet below surface: 68.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-12-23 Feet below surface: 62.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-11-24 Feet below surface: 44.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-10-19 Feet below surface: 38.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-09-13 Feet below surface: 37.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-08-17 Feet below surface: 34.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-06-02 Feet below surface: 57.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-04-26 Feet below surface: 66.20

Feet to sea level: Not Reported Note: Not Reported

C17 SW CA WELLS CADDW0000018822

1/4 - 1/2 Mile Lower

Well ID: 3310031-079 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 03 - DESTROYED GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-079&store\_num=

GeoTracker Data: Not Reported

C18
WSW
CA WELLS CADWR900006671

1/4 - 1/2 Mile

 State Well #:
 01S04W14P001S
 Station ID:
 2496

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

C19 WSW

**CA WELLS** CADWR9000006669

1/4 - 1/2 Mile Lower

> State Well #: 01S04W14P002S Station ID: 26987

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

**D20** Higher

**CA WELLS** 931 1/4 - 1/2 Mile

01S/04W-23A05 S Seq: 931 Prim sta c: Frds no: 3310031036 County: District: 14 User id: WAT 3310031 System no: Water type: G

GAGE WELL 51-1 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam:

Latitude: 340436.6 Longitude: 1171550.4 Precision: Status: AR

Comment 1: Not Reported Comment 2: Not Reported Not Reported Comment 4: Not Reported Comment 3: Comment 5: Not Reported Comment 6: Not Reported

Not Reported Comment 7:

System no: 3310031 System nam: Riverside, City Of Not Reported Address: 3900 MAIN STREET Hqname:

RIVERSIDE State: CA City:

Zip: 92522 Zip ext: Not Reported Pop serv: 245000 Connection: 58586

**RIVERSIDE** Area serve:

Sample date: 02-MAR-18 Finding: 8.8

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

2.5e-003 Sample date: 02-MAR-18 Finding: N-NITROSODIMETHYLAMINE (NDMA) Report units: Chemical: UG/L

DIr:

8.7

Sample date: 02-MAR-18 Finding: NITRATE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: 07-FEB-18 Finding: 8.8 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 07-FEB-18 Finding: 8.6 NITRATE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: 29-JAN-18 Finding: 7.9

PH, LABORATORY Chemical: Report units: Not Reported

0. DIr:

Sample date: Chemical: Dlr:	29-JAN-18 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	8.7 MG/L
Sample date: Chemical: Dlr:	29-JAN-18 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 CALCIUM 0.	Finding: Report units:	72. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 MAGNESIUM 0.	Finding: Report units:	9.5 MG/L
Sample date: Chemical: Dlr:	29-JAN-18 SODIUM 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	29-JAN-18 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 SULFATE 0.5	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	29-JAN-18 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.45 MG/L
Sample date: Chemical: Dlr:	29-JAN-18 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2. UG/L
Sample date: Chemical: Dlr:	29-JAN-18 MOLYDBENDUM 0.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dlr:	29-JAN-18 VANADIUM 3.	Finding: Report units:	5.6 UG/L
Sample date: Chemical: Dlr:	29-JAN-18 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.7 PCI/L
Sample date: Chemical:	29-JAN-18 GROSS BETA COUNTING ERROR	Finding: Report units:	0.39 PCI/L

Dlr: 0.

Sample date: 29-JAN-18 Finding: 12. URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr:

Sample date: 29-JAN-18 Finding: 8.2 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

350. Sample date: 29-JAN-18 Finding: Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

Sample date: 29-JAN-18 Finding: 1.1

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

DIr:

5.7e-002 29-JAN-18 Sample date: Finding: **BROMIDE** Chemical: Report units: MG/L

DIr:

Sample date: 29-JAN-18 Finding: 12.

AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported Chemical:

DIr:

29-JAN-18 8.7 Sample date: Finding:

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 29-JAN-18 Finding: 1.4

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 29-JAN-18 Finding: 0.47 Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr: 0.

29-JAN-18 Finding: Sample date: 0.87 Chemical: RADIUM 228 MDA95 Report units: PCI/L

DIr: 0.

Sample date: 29-JAN-18 Finding: 1.2

**GROSS BETA MDA95** Report units: PCI/L Chemical:

DIr:

Sample date: 29-JAN-18 Finding: 530. SPECIFIC CONDUCTANCE

Chemical: Report units: US

DIr:

Sample date: 29-JAN-18 Finding: 2.

Chemical: ODOR THRESHOLD @ 60 C TON Report units:

DIr:

Sample date: 29-JAN-18 Finding: 330. Chemical: **TRITIUM MDA95** Report units: PCI/L

DIr: 0.

Sample date: 29-JAN-18 Finding: 324. TRITIUM COUNTING ERROR Report units: Chemical: PCI/L

DIr: 0.

Sample date: Chemical: Dlr:	29-JAN-18 STRONTIUM - 90 MDA95 0.	Finding: Report units:	0.491 PCI/L
Sample date: Chemical: Dlr:	29-JAN-18 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.21 PCI/L
Sample date: Chemical: Dlr:	20-DEC-17 NITRATE (AS N) 0.4	Finding: Report units:	8.5 MG/L
Sample date: Chemical: DIr:	29-NOV-17 PH, LABORATORY 0.	Finding: Report units:	8.2 Not Reported
Sample date: Chemical: Dlr:	29-NOV-17 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	29-NOV-17 BICARBONATE ALKALINITY 0.	Finding: Report units:	210. MG/L
Sample date: Chemical: Dlr:	29-NOV-17 CARBONATE ALKALINITY 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 NITRATE (AS N) 0.4	Finding: Report units:	8.6 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 PHOSPHATE (AS PO4) 0.	Finding: Report units:	6.8e-002 UG/L
Sample date: Chemical: DIr:	29-NOV-17 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	29-NOV-17 CALCIUM 0.	Finding: Report units:	71. MG/L
Sample date: Chemical: Dlr:	29-NOV-17 MAGNESIUM 0.	Finding: Report units:	9.4 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 SODIUM 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	29-NOV-17 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical:	29-NOV-17 SULFATE	Finding: Report units:	44. MG/L

Dlr: 0.5

Sample date: 29-NOV-17 Finding: 0.44 FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L

DIr: 0.1

Sample date: 29-NOV-17 Finding: 22. Chemical: **SILICA** Report units: MG/L

DIr:

29-NOV-17 Sample date: Finding: 2.1 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

DIr:

Sample date: 29-NOV-17 3.2 Finding: MOLYDBENDUM Report units: UG/L

Chemical: DIr:

29-NOV-17 Sample date: Finding: 5.5 Chemical: **VANADIUM** Report units: UG/L

DIr:

29-NOV-17 Sample date: Finding: 8.5e-003 Report units: UG/L

LITHIUM Chemical: DIr: 0.

29-NOV-17 6.9 Sample date: Finding:

Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Sample date: 29-NOV-17 Finding: 1.1

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr:

Sample date: 29-NOV-17 Finding: 5.4 Chemical: **GROSS BETA** Report units: PCI/L

DIr: 4.

29-NOV-17 Finding: 0.73 Sample date:

GROSS BETA COUNTING ERROR Chemical: Report units: PCI/L DIr:

29-NOV-17 Sample date: Finding: 0.13

**RADIUM 226 COUNTING ERROR** Report units: PCI/L Chemical: DIr:

Sample date: 29-NOV-17 Finding: 11.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 29-NOV-17 Finding: 8.2

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 29-NOV-17 Finding: 360.

TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0.

Sample date: 29-NOV-17 Finding:

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

0. DIr:

Sample date: Chemical: Dlr:	29-NOV-17 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.17 NTU
Sample date: Chemical: Dlr:	29-NOV-17 BROMIDE 0.	Finding: Report units:	5.9e-002 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	29-NOV-17 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8.6 MG/L
Sample date: Chemical: Dlr:	29-NOV-17 GROSS ALPHA MDA95 0.	Finding: Report units:	2.7 PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 RADIUM 226 MDA95 0.	Finding: Report units:	0.26 PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 RADIUM 228 MDA95 0.	Finding: Report units:	0.83 PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 GROSS BETA MDA95 0.	Finding: Report units:	2. PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 STRONTIUM - 90 MDA95 0.	Finding: Report units:	1.02 PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	540. US
Sample date: Chemical: Dlr:	29-NOV-17 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.444 PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 TRITIUM MDA95 0.	Finding: Report units:	287. PCI/L
Sample date: Chemical: Dlr:	29-NOV-17 TRITIUM COUNTING ERROR 0.	Finding: Report units:	278. PCI/L
Sample date: Chemical: Dlr:	19-OCT-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.7 UG/L
Sample date: Chemical: Dlr:	19-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	8.4 MG/L
Sample date: Chemical:	27-SEP-17 TRICHLOROETHYLENE	Finding: Report units:	8.9 UG/L

Dlr: 0.5

Sample date: 27-SEP-17 Finding: 8.7 Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 25-AUG-17 Finding: 9.72 Chemical: GROSS ALPHA Report units: PCI/L

Dlr: 3.

Sample date: 25-AUG-17 Finding: 2.41

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 25-AUG-17 Finding: 5.47 Chemical: GROSS BETA Report units: PCI/L

Chemical: GROSS BETA Report units: PCI/L DIr: 4.

Sample date: 25-AUG-17 Finding: 0.979

Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 25-AUG-17 Finding: 0.63

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 25-AUG-17 Finding: 2.87

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 25-AUG-17 Finding: 1.39

Chemical: GROSS BETA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 25-AUG-17 Finding: 1.39 Chemical: STRONTIUM - 90 MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 25-AUG-17 Finding: 262.
Chemical: TRITIUM COUNTING ERROR Report units: PCI/L
DIr: 0.

Sample date: 25-AUG-17 Finding: 273.

Chemical: TRITIUM MDA95 Report units: PCI/L DIr: 0.

Sample date: 25-AUG-17 Finding: 550.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr: 0.

Sample date: 25-AUG-17 Finding: 8.1

Chamical: PH LAROPATORY Page 1 Units: Not Reported

Chemical: PH, LABORATORY Report units: Not Reported

Dir: 0.

Sample date: 25-AUG-17 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 25-AUG-17 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: Chemical: Dlr:	25-AUG-17 NITRATE (AS N) 0.4	Finding: Report units:	8.4 MG/L
Sample date: Chemical: Dlr:	25-AUG-17 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	25-AUG-17 CALCIUM 0.	Finding: Report units:	74. MG/L
Sample date: Chemical: Dlr:	25-AUG-17 MAGNESIUM 0.	Finding: Report units:	9.7 MG/L
Sample date: Chemical: Dlr:	25-AUG-17 SODIUM 0.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	25-AUG-17 POTASSIUM 0.	Finding: Report units:	2.3 MG/L
Sample date: Chemical: Dlr:	25-AUG-17 CHLORIDE 0.	Finding: Report units:	17. MG/L
Sample date: Chemical: Dlr:	25-AUG-17 SULFATE 0.5	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	25-AUG-17 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.49 MG/L
Sample date: Chemical: Dlr:	25-AUG-17 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.1 UG/L
Sample date: Chemical: Dlr:	25-AUG-17 MOLYDBENDUM 0.	Finding: Report units:	3.1 UG/L
Sample date: Chemical: Dlr:	25-AUG-17 VANADIUM 3.	Finding: Report units:	5.6 UG/L
Sample date: Chemical: Dlr:	25-AUG-17 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.17 PCI/L
Sample date: Chemical: Dlr:	25-AUG-17 URANIUM (PCI/L) 1.	Finding: Report units:	12. PCI/L
Sample date: Chemical: Dlr:	25-AUG-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	8.6 UG/L
Sample date: Chemical:	25-AUG-17 TOTAL DISSOLVED SOLIDS	Finding: Report units:	330. MG/L

DIr: 0.

Sample date: 25-AUG-17 Finding: 1.2

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dlr: 0.

Sample date: 25-AUG-17 Finding: 2.1e-003 Chemical: N-NITROSODI-N-BUTYLAMINE (NDBA) Report units: UG/L

Dlr: 0.

Sample date: 25-AUG-17 Finding: 6.2e-002 Chemical: BROMIDE Report units: MG/L

Dir: 0.

Sample date: 25-AUG-17 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Sample date: 25-AUG-17 Finding: 8.4

Chamical: NUTDATE + NUTDATE (AS N) Page 1 units: MC//

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L
DIr: 0.4

Sample date: 25-AUG-17 Finding: 21.

Chemical: CHLORATE Report units: UG/L

Dlr: 20.

Sample date: 25-AUG-17 Finding: 0.37

Chemical: RADIUM 226 MDA95 Report units: PCI/L

Dir: 0.

Sample date: 25-AUG-17 Finding: 0.73 Chemical: RADIUM 228 MDA95 Report units: PCI/L

Dir: 0.

ir: 0.

Sample date: 26-JUL-17 Finding: 8.5 Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 26-JUL-17 Finding: 7.8 Chemical: TRICHLOROETHYLENE Report units: UG/L

Dir: 1RICHLOROETHYLENE Report units: UG/L

Sample date: 24-MAY-17 Finding: 0.2
Chemical: DCPA (TOTAL DI & MONO ACID DEGRADATES)

Report units: UG/L DI & MONO ACID DEGRADATES)

0.

Sample date: 19-MAY-17 Finding: 0.27 Chemical: TURBIDITY, LABORATORY Report units: NTU

Dir: 0.1

Sample date: 19-MAY-17 Finding: 6.3e-002

Chemical: BROMIDE Report units: MG/L DIr: 0.

Sample date: 19-MAY-17 Finding: 0.461

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 19-MAY-17 Finding: 1.02

Chemical: STRONTIUM - 90 MDA95 Report units: PCI/L DIr: 0.

Sample date: Chemical: Dlr:	19-MAY-17 TRITIUM COUNTING ERROR 0.	Finding: Report units:	271. PCI/L
Sample date: Chemical: Dlr:	19-MAY-17 TRITIUM MDA95 0.	Finding: Report units:	285. PCI/L
Sample date: Chemical: Dlr:	19-MAY-17 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	550. US
Sample date: Chemical: Dlr:	19-MAY-17 PH, LABORATORY 0.	Finding: Report units:	8.1 Not Reported
Sample date: Chemical: Dlr:	19-MAY-17 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 BICARBONATE ALKALINITY 0.	Finding: Report units:	210. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 NITRATE (AS N) 0.4	Finding: Report units:	8.4 MG/L
Sample date: Chemical: Dlr:	19-MAY-17 PHOSPHATE (AS PO4) 0.	Finding: Report units:	0.12 UG/L
Sample date: Chemical: Dlr:	19-MAY-17 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 CALCIUM 0.	Finding: Report units:	75. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 MAGNESIUM 0.	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 SODIUM 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 POTASSIUM 0.	Finding: Report units:	2.3 MG/L
Sample date: Chemical: Dlr:	19-MAY-17 CHLORIDE 0.	Finding: Report units:	18. MG/L
Sample date: Chemical: Dlr:	19-MAY-17 SULFATE 0.5	Finding: Report units:	49. MG/L
Sample date: Chemical:	19-MAY-17 FLUORIDE (F) (NATURAL-SOURCE)	Finding: Report units:	0.47 MG/L

Dlr: 0.1

Sample date: 19-MAY-17 Finding: 2.3 CHROMIUM, HEXAVALENT UG/L Chemical: Report units:

DIr:

Sample date: 19-MAY-17 Finding: Chemical: MOLYDBENDUM Report units: UG/L

DIr:

19-MAY-17 Sample date: Finding: 5.2 Chemical: **VANADIUM** Report units: UG/L

DIr:

Sample date: 19-MAY-17 Finding: 5.7 PCI/L

**GROSS ALPHA** Chemical: Report units: DIr:

19-MAY-17 0.79 Sample date: Finding:

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr:

19-MAY-17 Sample date: Finding: 4.2 **GROSS BETA** Report units: PCI/L Chemical:

DIr:

19-MAY-17 Sample date: Finding: 0.42

Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 19-MAY-17 Finding: 11. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date:

Sample date: 19-MAY-17 Finding: 7.9

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

19-MAY-17

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Finding:

DIr:

Sample date: 19-MAY-17 Finding: 8.4

NITRATE + NITRITE (AS N) Report units: MG/L Chemical: DIr: 0.4

19-MAY-17 Sample date: Finding: 2.3

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr:

Sample date: 19-MAY-17 0.37 Finding:

Chemical: RADIUM 226 MDA95 Report units: PCI/L DIr:

Sample date: 19-MAY-17 Finding: 0.76

Chemical: RADIUM 228 MDA95 Report units: PCI/L DIr: 0.

Sample date: 19-MAY-17 Finding: 1.2

**GROSS BETA MDA95** Chemical: Report units: PCI/L DIr: 0.

13.

360. Sample date: 19-MAY-17 Finding: Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: Sample date: 19-MAY-17 Finding: 1.3 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: 06-APR-17 Finding: Sample date: 8.7 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 06-APR-17 Finding: 9.9 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 06-APR-17 Sample date: Finding: 0.52 1,1-DICHLOROETHYLENE Report units: Chemical: UG/L DIr: 0.5 Sample date: 02-MAR-17 8.7 Finding: Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 02-MAR-17 Finding: 9.1 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: Sample date: 09-FEB-17 Finding: 45. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 09-FEB-17 Sample date: Finding: 16. CHLORIDE Report units: Chemical: MG/L DIr: 0. Sample date: 09-FEB-17 Finding: 2.3 CHROMIUM, HEXAVALENT Chemical: Report units: UG/L DIr: 1. Sample date: 09-FEB-17 Finding: 3.1 Chemical: **MOLYDBENDUM** Report units: UG/L DIr: 0. Sample date: 09-FEB-17 Finding: 5.3 Chemical: **VANADIUM** Report units: UG/L DIr: 3. Sample date: 09-FEB-17 Finding: 7.3 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3. Sample date: 09-FEB-17 Finding: 0.83 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L 09-FEB-17 Sample date: Finding: 4.9 Chemical: **GROSS BETA** Report units: PCI/L Sample date: 09-FEB-17 Finding: 0.54 Chemical: **GROSS BETA COUNTING ERROR** Report units: PCI/L

Dlr: 0.

Sample date: 09-FEB-17 Finding: 11. PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: 09-FEB-17 Finding: 10. UG/L

Chemical: TRICHLOROETHYLENE Report units:

DIr: 0.5

360. Sample date: 09-FEB-17 Finding: Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

09-FEB-17 Sample date: Finding: 1.5

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

DIr:

09-FEB-17 6.2e-002 Sample date: Finding: **BROMIDE** Chemical: Report units: MG/L

DIr:

09-FEB-17 Finding: Sample date: 13.

AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported Chemical:

DIr:

09-FEB-17 Sample date: Finding: 8.5

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date:

Sample date: 09-FEB-17 Finding: 41. Report units: UG/L

Chemical: **PERCHLORATE** 

09-FEB-17

DIr:

Finding:

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr:

09-FEB-17 Finding: Sample date: 0.34 Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr:

09-FEB-17 Sample date: 0.76 Finding:

Report units: PCI/L Chemical: RADIUM 228 MDA95 DIr:

Sample date: 09-FEB-17 Finding: 1.5

Chemical: **GROSS BETA MDA95** Report units: PCI/L

DIr:

Sample date: 09-FEB-17 0.217 Finding: Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 09-FEB-17 Finding: 0.472

Chemical: STRONTIUM - 90 MDA95 Report units: PCI/L DIr: 0.

Sample date: 09-FEB-17 Finding: 309.

TRITIUM COUNTING ERROR Chemical: Report units: PCI/L DIr: 0.

2.

09-FEB-17 317. Sample date: Finding: Chemical: **TRITIUM MDA95** Report units: PCI/L DIr: 540. Sample date: 09-FEB-17 Finding: SPECIFIC CONDUCTANCE Chemical: Report units: US DIr: Finding: Sample date: 09-FEB-17 8.4 Chemical: PH, LABORATORY Report units: Not Reported DIr: Sample date: 09-FEB-17 Finding: 170. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 09-FEB-17 Finding: 210. **BICARBONATE ALKALINITY** Chemical: Report units: MG/L DIr: Sample date: 09-FEB-17 3.4 Finding: Chemical: CARBONATE ALKALINITY Report units: MG/L Dlr: 09-FEB-17 Sample date: Finding: 8.5 Chemical: NITRATE (AS N) Report units: MG/L DIr: 6.8e-002 Sample date: 09-FEB-17 Finding: Chemical: PHOSPHATE (AS PO4) Report units: UG/L DIr: 09-FEB-17 230. Sample date: Finding: HARDNESS (TOTAL) AS CACO3 Report units: Chemical: MG/L DIr: Sample date: 09-FEB-17 Finding: 75. CALCIUM Chemical: Report units: MG/L DIr: 0. Sample date: 09-FEB-17 Finding: 10. Chemical: **MAGNESIUM** Report units: MG/L Dlr: 0. Sample date: 09-FEB-17 Finding: 25. Chemical: **SODIUM** Report units: MG/L DIr: 09-FEB-17 Sample date: Finding: 2.4 Chemical: **POTASSIUM** Report units: MG/L 0. DIr: Sample date: 09-FEB-17 Finding: 0.5 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L 0.1 Sample date: 02-DEC-16 Finding: 2.2 Chemical: **GROSS BETA MDA95** Report units: PCI/L

Sample date:

Chemical:

02-DEC-16

STRONTIUM - 90 MDA95

0.791

PCI/L

Finding:

Report units:

DIr: 0.

Sample date: 02-DEC-16 Finding: 264. Chemical: TRITIUM COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 02-DEC-16 Finding: 267. Chemical: TRITIUM MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 02-DEC-16 Finding: 550. Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

Sample date: 02-DEC-16 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0

Sample date: 02-DEC-16 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 02-DEC-16 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0

Sample date: 02-DEC-16 Finding: 220.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 02-DEC-16 Finding: 72. Chemical: CALCIUM Report units: MG/L

Dlr: 0.

Sample date: 02-DEC-16 Finding: 10.
Chemical: MAGNESIUM Report units: MG/L

Chemical: MAGNESIUM Report units: Non-

Sample date: 02-DEC-16 Finding: 24. Chemical: SODIUM Report units: MG/L

Dir: 0.

Sample date: 02-DEC-16 Finding: 2.3 Chemical: POTASSIUM Report units: MG/L

Dir: 0.

Sample date: 02-DEC-16 Finding: 17.
Chemical: CHLORIDE Report units: MG/L

Dir: Chemical: Chloride Report units: MG/L

Sample date: 02-DEC-16 Finding: 48.

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 02-DEC-16 Finding: 0.48

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 02-DEC-16 Finding: 2.3

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

Dlr: 1.

Sample date: Chemical: Dlr:	02-DEC-16 MOLYDBENDUM 0.	Finding: Report units:	2.5 UG/L
Sample date: Chemical: Dlr:	02-DEC-16 VANADIUM 3.	Finding: Report units:	5.1 UG/L
Sample date: Chemical: Dlr:	02-DEC-16 GROSS BETA 4.	Finding: Report units:	4.5 PCI/L
Sample date: Chemical: DIr:	02-DEC-16 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	0.73 PCI/L
Sample date: Chemical: Dlr:	02-DEC-16 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.15 PCI/L
Sample date: Chemical: Dlr:	02-DEC-16 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical: Dlr:	02-DEC-16 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical: Dlr:	02-DEC-16 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.12 NTU
Sample date: Chemical: Dlr:	02-DEC-16 BROMIDE 0.	Finding: Report units:	6.3e-002 MG/L
Sample date: Chemical: Dlr:	02-DEC-16 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	S .	-
Chemical: DIr: Sample date: Chemical:	AGGRSSIVE INDEX (CORROSIVITY) 0.  02-DEC-16 NITRATE + NITRITE (AS N)	Report units: Finding:	Not Reported 8.6
Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical:	AGGRSSIVE INDEX (CORROSIVITY) 0.  02-DEC-16 NITRATE + NITRITE (AS N) 0.4  02-DEC-16 RADIUM 226 MDA95	Report units:  Finding: Report units:  Finding:	Not Reported 8.6 MG/L
Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: Chemical:	AGGRSSIVE INDEX (CORROSIVITY) 0.  02-DEC-16 NITRATE + NITRITE (AS N) 0.4  02-DEC-16 RADIUM 226 MDA95 0.  02-DEC-16 RADIUM 228 MDA95	Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding:	8.6 MG/L 0.32 PCI/L
Chemical: DIr:  Sample date: Chemical: DIr:	AGGRSSIVE INDEX (CORROSIVITY) 0.  02-DEC-16 NITRATE + NITRITE (AS N) 0.4  02-DEC-16 RADIUM 226 MDA95 0.  02-DEC-16 RADIUM 228 MDA95 0.  02-DEC-16 STRONTIUM - 90 COUNTING ERROR	Report units:  Finding: Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding: Finding: Finding:	Not Reported  8.6 MG/L  0.32 PCI/L  0.79 PCI/L  0.344

DIr:	4.		
Sample date: Chemical: Dlr:	28-OCT-16 NITRATE (AS N) 0.4	Finding: Report units:	8. MG/L
Sample date: Chemical: Dlr:	28-OCT-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	11. UG/L
Sample date: Chemical: Dlr:	23-SEP-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.52 UG/L
Sample date: Chemical: Dlr:	23-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	23-SEP-16 NITRATE (AS N) 0.4	Finding: Report units:	7.9 MG/L
Sample date: Chemical: Dlr:	23-SEP-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	11. UG/L
Sample date: Chemical: Dlr:	23-SEP-16 PERCHLORATE 4.	Finding: Report units:	44. UG/L
Sample date: Chemical: Dlr:	23-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	23-SEP-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.4 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 CALCIUM 0.	Finding: Report units:	66. MG/L
Sample date: Chemical: Dlr:	28-JUL-16 MAGNESIUM 0.	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	28-JUL-16 SODIUM 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	28-JUL-16 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	28-JUL-16 CHLORIDE 0.	Finding: Report units:	14. MG/L
Sample date: Chemical: Dlr:	28-JUL-16 SULFATE 0.5	Finding: Report units:	48. MG/L

Sample date: Chemical: Dlr:	28-JUL-16 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.52 MG/L
Sample date: Chemical: Dlr:	28-JUL-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.1 UG/L
Sample date: Chemical: Dlr:	28-JUL-16 MOLYDBENDUM 0.	Finding: Report units:	2.9 UG/L
Sample date: Chemical: Dlr:	28-JUL-16 VANADIUM 3.	Finding: Report units:	5.3 UG/L
Sample date: Chemical: Dlr:	28-JUL-16 GROSS ALPHA 3.	Finding: Report units:	8.6 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 GROSS BETA 4.	Finding: Report units:	5.9 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.9 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.2 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 BROMOFORM (THM) 1.	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	28-JUL-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.55 UG/L
Sample date: Chemical: Dlr:	28-JUL-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	13. UG/L
Sample date: Chemical: Dlr:	28-JUL-16 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical: Dlr:	28-JUL-16 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1. Not Reported
Sample date: Chemical:	28-JUL-16 TOTAL TRIHALOMETHANES	Finding: Report units:	1.9 UG/L

DIr: 0.

Sample date: 28-JUL-16 Finding: 5.3e-002 Chemical: BROMIDE Report units: MG/L

Dlr: 0.

Sample date: 28-JUL-16 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units:

Dlr: 0.

DIr:

Sample date: 28-JUL-16 Finding: 7.7

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: 28-JUL-16 Finding: 47.

Chemical: PERCHLORATE Report units: UG/L

Dir: 4.

Sample date: 28-JUL-16 Finding: 21.
Chemical: CHLORATE Report units: UG/L

Dir: 20.

Sample date: 28-JUL-16 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 28-JUL-16 Finding: 0.38

Chemical: RADIUM 226 MDA95 Report units: PCI/L

Dir: 0.

Sample date: 28-JUL-16 Finding: 0.57

Chemical: RADIUM 228 MDA95 Report units: PCI/L DIr: 0.

Sample date: 28-JUL-16 Finding: 1.5

Chemical: GROSS BETA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 28-JUL-16 Finding: 200. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Sample date: 28-JUL-16 Finding: 7.7

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 28-JUL-16 Finding: 190.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 28-JUL-16 Finding: 160.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 28-JUL-16 Finding: 7.9

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 28-JUL-16 Finding: 520.

Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Not Reported

Sample date: Chemical: Dlr:	28-JUL-16 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical: Dlr:	28-JUL-16 TRITIUM MDA95 0.	Finding: Report units:	267. PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 STRONTIUM - 90 MDA95 0.	Finding: Report units:	0.382 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.151 PCI/L
Sample date: Chemical: Dlr:	28-JUL-16 TRITIUM COUNTING ERROR 0.	Finding: Report units:	153. PCI/L
Sample date: Chemical: Dlr:	07-JAN-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	5.6 UG/L
Sample date: Chemical: Dlr:	07-JAN-16 NITRATE (AS N) 0.4	Finding: Report units:	8.2 MG/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS BETA MDA95 0.	Finding: Report units:	1.7 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.45 MG/L
Sample date: Chemical: Dlr:	10-DEC-15 RADIUM 226 MDA95 0.	Finding: Report units:	0.28 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.449 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 TRITIUM COUNTING ERROR 0.	Finding: Report units:	342. PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 TRITIUM MDA95 0.	Finding: Report units:	364. PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical:	10-DEC-15 SPECIFIC CONDUCTANCE	Finding: Report units:	580. US

Dlr: 0.

10-DEC-15 Sample date: Finding: 8.2

Not Reported Chemical: PH, LABORATORY Report units:

DIr: 0.

Sample date: 10-DEC-15 Finding: 170. ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Chemical: DIr:

DIr:

10-DEC-15 210. Sample date: Finding: MG/L

Chemical: **BICARBONATE ALKALINITY** Report units: DIr:

Sample date: 10-DEC-15 Finding: 2.2

CARBONATE ALKALINITY Chemical: Report units: MG/L DIr:

10-DEC-15 Sample date: Finding: 8.6

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

10-DEC-15 Sample date: Finding: 6.8e-002 PHOSPHATE (AS PO4) Report units: Chemical: UG/L

DIr:

10-DEC-15 Sample date: Finding: 240.

HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

Sample date: 10-DEC-15 Finding: 78.

Chemical: **CALCIUM** Report units: MG/L

DIr: 0.

Sample date: 10-DEC-15 Finding: 11.

Chemical: **MAGNESIUM** Report units: MG/L DIr: 0.

10-DEC-15 Sample date: Finding: 25. SODIUM Chemical: Report units: MG/L

DIr: 0.

10-DEC-15 Sample date: Finding: 2.3 **POTASSIUM** Report units: MG/L Chemical:

Sample date: 10-DEC-15 Finding: 19.

Chemical: CHLORIDE Report units: MG/L DIr:

Sample date: 10-DEC-15 Finding: 64.

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 10-DEC-15 Finding: 0.86

Chemical: RADIUM 228 MDA95 Report units: PCI/L DIr: 0.

Sample date: 10-DEC-15 Finding: 2.4

CHROMIUM, HEXAVALENT Report units: Chemical: UG/L

DIr:

Sample date: Chemical: Dlr:	10-DEC-15 MOLYDBENDUM 0.	Finding: Report units:	3. UG/L
Sample date: Chemical: Dlr:	10-DEC-15 VANADIUM 3.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS BETA 4.	Finding: Report units:	8.3 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	2.2 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.12 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 URANIUM (PCI/L) 1.	Finding: Report units:	12. PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	9.e-002 UG/L
Sample date: Chemical: Dlr:	10-DEC-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	7. UG/L
Sample date: Chemical: Dlr:	10-DEC-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	360. MG/L
Sample date: Chemical: Dlr:	10-DEC-15 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.4 Not Reported
Sample date: Chemical: Dlr:	10-DEC-15 NITRATE (AS NO3) 2.	Finding: Report units:	38. MG/L
Sample date: Chemical: Dlr:	10-DEC-15 N-NITROSODI-N-BUTYLAMINE (NDBA) 0.	Finding: Report units:	3.1e-003 UG/L
Sample date: Chemical: Dlr:	10-DEC-15 TURBIDITY, LABORATORY 0.1	Finding: Report units:	9.5e-002 NTU
Sample date: Chemical: Dlr:	10-DEC-15 BROMIDE 0.	Finding: Report units:	7.e-002 MG/L
Sample date: Chemical:	10-DEC-15 AGGRSSIVE INDEX (CORROSIVITY)	Finding: Report units:	13. Not Reported

DIr:	0.		
Sample date: Chemical: Dlr:	10-DEC-15 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8600. MG/L
Sample date: Chemical: Dlr:	29-OCT-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.3 UG/L
Sample date: Chemical: Dlr:	01-OCT-15 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	01-OCT-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	8.3 UG/L
Sample date: Chemical: DIr:	04-SEP-15 SODIUM 0.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: DIr:	04-SEP-15 CHLORIDE 0.	Finding: Report units:	18. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 SULFATE 0.5	Finding: Report units:	46. MG/L
Sample date: Chemical: DIr:	04-SEP-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.49 MG/L
Sample date: Chemical: Dlr:	04-SEP-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.5 UG/L
Sample date: Chemical: Dlr:	04-SEP-15 MOLYDBENDUM 0.	Finding: Report units:	3. UG/L
Sample date: Chemical: Dlr:	04-SEP-15 VANADIUM 3.	Finding: Report units:	5.3 UG/L
Sample date: Chemical: Dlr:	04-SEP-15 GROSS ALPHA 3.	Finding: Report units:	9.2 PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.8 PCI/L

Sample date: Chemical: Dlr:	04-SEP-15 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.12 PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.553 PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 TRITIUM COUNTING ERROR 0.	Finding: Report units:	315. PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 TRITIUM MDA95 0.	Finding: Report units:	340. PCI/L
Sample date: Chemical: Dlr:	04-SEP-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	540. US
Sample date: Chemical: Dlr:	04-SEP-15 PH, LABORATORY 0.	Finding: Report units:	7.9 Not Reported
Sample date: Chemical: Dlr:	04-SEP-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 PHOSPHATE (AS PO4) 0.	Finding: Report units:	0.1 UG/L
Sample date: Chemical: Dlr:	04-SEP-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 CALCIUM 0.	Finding: Report units:	73. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 MAGNESIUM 0.	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	04-SEP-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	8.8 UG/L
Sample date: Chemical: Dlr:	04-SEP-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical:	04-SEP-15 LANGELIER INDEX @ 60 C	Finding: Report units:	1. Not Reported

Dlr: 0.

04-SEP-15 Sample date: Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 04-SEP-15 Finding: 6.6e-003 Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L

DIr: 5.e-003

04-SEP-15 Sample date: Finding: 8.2e-002 Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: 04-SEP-15 6.2e-002 Finding: **BROMIDE** Chemical: Report units: MG/L

DIr:

04-SEP-15 Sample date: Finding: 12.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

04-SEP-15 Sample date: Finding: 8800.

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

04-SEP-15 3. Sample date: Finding:

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 04-SEP-15 Finding: 0.33

Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr:

Sample date: 04-SEP-15 Finding: 0.71 PCI/L

Chemical: RADIUM 228 MDA95 Report units:

DIr: 0.

04-SEP-15 Finding: Sample date: 1.5 **GROSS BETA MDA95** Chemical: Report units: PCI/L

DIr:

Sample date: 10-JUL-15 Finding: 7.2

TRICHLOROETHYLENE Report units: UG/L Chemical:

DIr: 0.5

Sample date: 10-JUL-15 Finding: 40.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr: 2.

Sample date: 18-JUN-15 Finding: 12. Chemical: URANIUM (PCI/L) PCI/L Report units:

DIr:

Sample date: 18-JUN-15 Finding: 3.5

GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units:

DIr:

Sample date: 18-JUN-15 Finding: PCI/L Chemical: **GROSS ALPHA** Report units:

DIr: 3.

Sample date: Chemical: Dlr:	18-JUN-15 NITRATE (AS NO3) 2.	Finding: Report units:	40. MG/L
Sample date: Chemical: Dlr:	18-JUN-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	18-JUN-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	9.5 UG/L
Sample date: Chemical: Dlr:	21-MAY-15 SODIUM 0.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	21-MAY-15 CHLORIDE 0.	Finding: Report units:	18. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 SULFATE 0.5	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.47 MG/L
Sample date: Chemical: Dlr:	21-MAY-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.4 UG/L
Sample date: Chemical: Dlr:	21-MAY-15 MOLYDBENDUM 0.	Finding: Report units:	2.8 UG/L
Sample date: Chemical: Dlr:	21-MAY-15 VANADIUM 3.	Finding: Report units:	5.2 UG/L
Sample date: Chemical: Dlr:	21-MAY-15 GROSS ALPHA 3.	Finding: Report units:	5.6 PCI/L
Sample date: Chemical: Dlr:	21-MAY-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	21-MAY-15 GROSS BETA 4.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical: Dlr:	21-MAY-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical:	21-MAY-15 URANIUM (PCI/L)	Finding: Report units:	11. PCI/L

DIr: 1.

Sample date: 21-MAY-15 Finding: 7.7 Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 21-MAY-15 Finding: 340. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr: 0

Sample date: 21-MAY-15 Finding: 1.3

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dlr: 0.

Sample date: 21-MAY-15 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: DIr: 2.

Sample date: 21-MAY-15 Finding: 6.e-003

Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L DIr: 5.e-003

Sample date: 21-MAY-15 Finding: 6.7e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU
DIr: 0.1

\_\_\_\_\_

Sample date: 21-MAY-15 Finding: 6.5e-002 Chemical: BROMIDE Report units: MG/L

Dlr: 0.

Sample date: 21-MAY-15 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: 0.

Sample date: 21-MAY-15 Finding: 8700. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 21-MAY-15 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 21-MAY-15 Finding: 0.38

Chemical: RADIUM 226 MDA95 Report units: PCI/L

Dir: 0.

 Sample date:
 21-MAY-15
 Finding:
 0.82

 Chemical:
 RADIUM 228 MDA95
 Report units:
 PCI/L

Dir: 0.

Sample date: 21-MAY-15 Finding: 1.3

Chemical: GROSS BETA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 21-MAY-15 Finding: 9.6

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 21-MAY-15 Finding: 71.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	21-MAY-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 PHOSPHATE (AS PO4) 0.	Finding: Report units:	0.16 UG/L
Sample date: Chemical: Dlr:	21-MAY-15 CARBONATE ALKALINITY 0.	Finding: Report units:	2. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	21-MAY-15 PH, LABORATORY 0.	Finding: Report units:	8.2 Not Reported
Sample date: Chemical: Dlr:	21-MAY-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	540. US
Sample date: Chemical: Dlr:	21-MAY-15 TRITIUM MDA95 0.	Finding: Report units:	292. PCI/L
Sample date: Chemical: Dlr:	21-MAY-15 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.21 PCI/L
Sample date: Chemical: Dlr:	21-MAY-15 TRITIUM COUNTING ERROR 0.	Finding: Report units:	285. PCI/L
Sample date: Chemical: Dlr:	30-APR-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	510. US
Sample date: Chemical: Dlr:	30-APR-15 PH, LABORATORY 0.	Finding: Report units:	8. Not Reported
Sample date: Chemical: Dlr:	30-APR-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	30-APR-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	30-APR-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	200. MG/L
Sample date: Chemical:	30-APR-15 CALCIUM	Finding: Report units:	66. MG/L

Dlr: 0.

Sample date: 30-APR-15 Finding: 9.2 Chemical: MAGNESIUM Report units: MG/L

Dlr: 0.

Sample date: 30-APR-15 Finding: 22. Chemical: SODIUM Report units: MG/L

DIr: 0.

Sample date: 30-APR-15 Finding: 2.1 Chemical: POTASSIUM Report units: MG/L

Dlr: 0.

Sample date: 30-APR-15 Finding: 14.
Chemical: CHLORIDE Report units: MG/L

Chemical: CHLORIDE Report units: MG DIr: 0.

Sample date: 30-APR-15 Finding: 44.
Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 30-APR-15 Finding: 0.47

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 30-APR-15 Finding: 5.

Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 30-APR-15 Finding: 0.6

Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 30-APR-15 Finding: 11.

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 30-APR-15 Finding: 320.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 30-APR-15 Finding: 1.1

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 30-APR-15 Finding: 36.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 30-APR-15 Finding: 7.5e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 30-APR-15 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dir: 0.

Sample date: 30-APR-15 Finding: 8200.
Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dir: NITRATE + NITRITE (AS N) Report units: MG/L

Sample date: Chemical: Dlr:	30-APR-15 PERCHLORATE 4.	Finding: Report units:	44. UG/L
Sample date: Chemical: Dlr:	03-MAR-15 NITRATE (AS NO3) 2.	Finding: Report units:	40. MG/L
Sample date: Chemical: Dlr:	03-MAR-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.8 UG/L
Sample date: Chemical: Dlr:	03-MAR-15 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	03-MAR-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	03-MAR-15 GROSS ALPHA 3.	Finding: Report units:	7.1 PCI/L
Sample date: Chemical: Dlr:	03-MAR-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	08-JAN-15 POTASSIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	08-JAN-15 CHLORIDE 0.	Finding: Report units:	19. MG/L
Sample date: Chemical: Dlr:	08-JAN-15 SULFATE 0.5	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	08-JAN-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.45 MG/L
Sample date: Chemical: DIr:	08-JAN-15 VANADIUM 3.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	08-JAN-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.7 UG/L
Sample date: Chemical: DIr:	08-JAN-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	340. MG/L
Sample date: Chemical: Dlr:	08-JAN-15 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical:	08-JAN-15 NITRATE (AS NO3)	Finding: Report units:	40. MG/L

Report units:

DIr: 2.

Sample date: 08-JAN-15 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY)

Dlr: 0.

Chemical:

Sample date: 08-JAN-15 Finding: 9100. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 08-JAN-15 Finding: 25. Chemical: SODIUM Report units: MG/L

Dlr: 0.

Sample date: 08-JAN-15 Finding: 10. Chemical: MAGNESIUM Report units: MG/L

Dir: 0.

Sample date: 08-JAN-15 Finding: 75.
Chemical: CALCIUM Report units: MG/L

Dir: CALCIO

Sample date: 08-JAN-15 Finding: 230.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 08-JAN-15 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 08-JAN-15 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

-···

Sample date: 08-JAN-15 Finding: 560. Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Sample date: 08-JAN-15 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 18-DEC-14 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 18-DEC-14 Finding: 40.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 18-DEC-14 Finding: 6.9

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dir: 0.5

Sample date: 18-DEC-14 Finding: 10.
Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 18-DEC-14 Finding: 1.9
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dir: 0.

Not Reported

Sample date: Chemical: Dlr:	20-NOV-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 RADIUM 226 MDA95 0.	Finding: Report units:	0.28 PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 RADIUM 228 MDA95 0.	Finding: Report units:	0.76 PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 GROSS BETA MDA95 0.	Finding: Report units:	1. PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8900. MG/L
Sample date: Chemical: Dlr:	20-NOV-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	20-NOV-14 BROMIDE 0.	Finding: Report units:	6.6e-002 MG/L
Sample date: Chemical: Dlr:	20-NOV-14 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	20-NOV-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.5 Not Reported
Sample date: Chemical: Dlr:	20-NOV-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.3 UG/L
Sample date: Chemical: Dlr:	20-NOV-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical: Dlr:	20-NOV-14 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.13 PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	20-NOV-14 GROSS BETA 4.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical:	20-NOV-14 GROSS ALPHA COUNTING ERROR	Finding: Report units:	3.3 PCI/L

Dlr: 0.

Sample date: 20-NOV-14 Finding: 6.9 Chemical: GROSS ALPHA Report units: PCI/L

Dlr: 3.

Sample date: 20-NOV-14 Finding: 5.4 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 20-NOV-14 Finding: 3. Chemical: MOLYDBENDUM Report units: UG/L

DIr: 0.

Sample date: 20-NOV-14 Finding: 2.5

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1.

Sample date: 20-NOV-14 Finding: 0.44 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 20-NOV-14 Finding: 108.

Chemical: TRITIUM COUNTING ERROR Report units: PCI/L

Dir: 0

Sample date: 20-NOV-14 Finding: 0.176

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

וות. ט.

Sample date: 20-NOV-14 Finding: 550. Chemical: SPECIFIC CONDUCTANCE Report units: US

Chemical: SPECIFIC CONDUCTANCE Report units: DIr: 0.

DII. U.

Sample date: 20-NOV-14 Finding: 8.3

Chamical: BH LARORATORY Report units: Not Reported.

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

Sample date: 20-NOV-14 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 20-NOV-14 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 20-NOV-14 Finding: 2.7

Chemical: CARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 20-NOV-14 Finding: 230.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

0.

Sample date: 20-NOV-14 Finding: 76. Chemical: CALCIUM Report units: MG/L

Dlr: 0.

Sample date: 20-NOV-14 Finding: 10.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

DII. 0.

Sample date: Chemical: Dlr:	20-NOV-14 SODIUM 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	20-NOV-14 POTASSIUM 0.	Finding: Report units:	2.5 MG/L
Sample date: Chemical: Dlr:	20-NOV-14 CHLORIDE 0.	Finding: Report units:	18. MG/L
Sample date: Chemical: Dlr:	20-NOV-14 SULFATE 0.5	Finding: Report units:	48. MG/L
Sample date: Chemical: Dlr:	22-OCT-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.9 UG/L
Sample date: Chemical: Dlr:	22-OCT-14 NITRATE (AS NO3) 2.	Finding: Report units:	38. MG/L
Sample date: Chemical: Dlr:	25-SEP-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.4 UG/L
Sample date: Chemical: Dlr:	25-SEP-14 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	25-SEP-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	25-SEP-14 GROSS ALPHA 3.	Finding: Report units:	8.8 PCI/L
Sample date: Chemical: Dlr:	25-SEP-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	25-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 SULFATE 0.5	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.48 MG/L
Sample date: Chemical: Dlr:	21-AUG-14 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.6 UG/L
Sample date: Chemical:	21-AUG-14 MOLYDBENDUM	Finding: Report units:	3.2 UG/L

Dlr: 0.

21-AUG-14 Sample date: Finding: 5.8 VANADIUM UG/L Chemical: Report units:

DIr: 3.

Sample date: 21-AUG-14 Finding: Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

21-AUG-14 Sample date: Finding: 3.1 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 21-AUG-14 Finding: 4.8 **GROSS BETA** PCI/L Chemical: Report units:

DIr:

21-AUG-14 Sample date: Finding: 1.1

**GROSS BETA COUNTING ERROR** Chemical: Report units: PCI/L DIr:

21-AUG-14 Sample date: Finding: 0.13

**RADIUM 226 COUNTING ERROR** Report units: Chemical: PCI/L DIr:

21-AUG-14 Sample date: Finding: 11. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

DIr:

0.

Sample date: 21-AUG-14 Finding: 5.6e-002

Chemical: FOAMING AGENTS (MBAS) Report units: MG/L DIr:

Sample date: 21-AUG-14 Finding: 7.8

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

21-AUG-14 Finding: 340. Sample date:

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr:

21-AUG-14 Sample date: Finding: 1.2 LANGELIER INDEX @ 60 C Report units: Chemical:

Not Reported DIr:

Sample date: 21-AUG-14 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 21-AUG-14 6.e-003 Finding:

Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L DIr: 5.e-003

Sample date: 21-AUG-14 Finding: 6.7e-002

TURBIDITY, LABORATORY Chemical: Report units: NTU DIr: 0.1

Sample date: 21-AUG-14 Finding: 6.3e-002 **BROMIDE** Report units: Chemical: MG/L

Sample date: Chemical: Dlr:	21-AUG-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	21-AUG-14 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8800. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 RADIUM 226 MDA95 0.	Finding: Report units:	0.36 PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 RADIUM 228 MDA95 0.	Finding: Report units:	0.88 PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 GROSS BETA MDA95 0.	Finding: Report units:	0.86 PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	560. US
Sample date: Chemical: Dlr:	21-AUG-14 PH, LABORATORY 0.	Finding: Report units:	8. Not Reported
Sample date: Chemical: Dlr:	21-AUG-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 CALCIUM 0.	Finding: Report units:	74. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 MAGNESIUM 0.	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 SODIUM 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	21-AUG-14 POTASSIUM 0.	Finding: Report units:	2.5 MG/L
Sample date: Chemical:	21-AUG-14 CHLORIDE	Finding: Report units:	16. MG/L

DIr: 0.

Sample date: 10-JUL-14 Finding: 3.9 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 10-JUL-14 Finding: 10. Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 10-JUL-14 Finding: 3. Chemical: GROSS ALPHA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 10-JUL-14 Finding: 7.3 Chemical: TRICHLOROETHYLENE Report units: UG/L

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 10-JUL-14 Finding: 40.
Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 21-MAY-14 Finding: 123.

Chemical: TRITIUM COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 21-MAY-14 Finding: 0.87

Chemical: GROSS BETA MDA95 Report units: PCI/L DIr: 0.

Sample date: 21-MAY-14 Finding: 510.

Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Sample date: 21-MAY-14 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 21-MAY-14 Finding: 150.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L Dlr: 0.

Sample date: 21-MAY-14 Finding: 180.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 21-MAY-14 Finding: 220.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 21-MAY-14 Finding: 74. Chemical: CALCIUM Report units: MG/L

DIr: 0.

Sample date: 21-MAY-14 Finding: 10.
Chemical: MAGNESIUM Report units: MG/L

Dir: 0.

Sample date: 21-MAY-14 Finding: 25. Chemical: SODIUM Report units: MG/L

DIr: 0.

Sample date: Chemical: Dlr:	21-MAY-14 POTASSIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	21-MAY-14 CHLORIDE 0.	Finding: Report units:	17. MG/L
Sample date: Chemical: Dlr:	21-MAY-14 SULFATE 0.5	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	21-MAY-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.5 MG/L
Sample date: Chemical: Dlr:	21-MAY-14 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	21-MAY-14 MOLYDBENDUM 0.	Finding: Report units:	3.2 UG/L
Sample date: Chemical: Dlr:	21-MAY-14 VANADIUM 3.	Finding: Report units:	4.9 UG/L
Sample date: Chemical: Dlr:	21-MAY-14 GROSS ALPHA 3.	Finding: Report units:	4.4 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 GROSS BETA 4.	Finding: Report units:	4.6 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.1 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.22 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 URANIUM (PCI/L) 1.	Finding: Report units:	9.4 PCI/L
Sample date: Chemical: Dlr:	21-MAY-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.1 UG/L
Sample date: Chemical: Dlr:	21-MAY-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical:	21-MAY-14 LANGELIER INDEX @ 60 C	Finding: Report units:	1.1 Not Reported

DIr: 0.

Sample date: 21-MAY-14 Finding: 41. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 21-MAY-14 Finding: 3000. Chemical: CARBON DIOXIDE Report units: UG/L

Dlr: 0.

Sample date: 21-MAY-14 Finding: 6.e-003 Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L

DIr: 5.e-003

Sample date: 21-MAY-14 Finding: 0.12

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 21-MAY-14 Finding: 6.4e-002 Chemical: BROMIDE Report units: MG/L

Dlr: 0.

Sample date: 21-MAY-14 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0

Sample date: 21-MAY-14 Finding: 9200.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 21-MAY-14 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 21-MAY-14 Finding: 0.41 Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr: 0.

Sample date: 21-MAY-14 Finding: 0.87
Chemical: RADIUM 228 MDA95 Report units: PCI/L

Chemical: RADIUM 228 MDA95 Report units: DIr: 0.

Sample date: 21-MAY-14 Finding: 0.189

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 24-APR-14 Finding: 550.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 24-APR-14 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 24-APR-14 Finding: 150.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 24-APR-14 Finding: 180.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: Chemical: Dlr:	24-APR-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	210. MG/L
Sample date: Chemical: Dlr:	24-APR-14 CALCIUM 0.	Finding: Report units:	67. MG/L
Sample date: Chemical: Dlr:	24-APR-14 MAGNESIUM 0.	Finding: Report units:	9.5 MG/L
Sample date: Chemical: Dlr:	24-APR-14 SODIUM 0.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	24-APR-14 POTASSIUM 0.	Finding: Report units:	2.1 MG/L
Sample date: Chemical: Dlr:	24-APR-14 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	24-APR-14 SULFATE 0.5	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	24-APR-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.51 MG/L
Sample date: Chemical: Dlr:	24-APR-14 VANADIUM 3.	Finding: Report units:	5.1 UG/L
Sample date: Chemical: Dlr:	24-APR-14 GROSS ALPHA 3.	Finding: Report units:	8.9 PCI/L
Sample date: Chemical: Dlr:	24-APR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.5 PCI/L
Sample date: Chemical: Dlr:	24-APR-14 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical: Dlr:	24-APR-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.1 UG/L
Sample date: Chemical: Dlr:	24-APR-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	330. MG/L
Sample date: Chemical: Dlr:	24-APR-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical:	24-APR-14 NITRATE (AS NO3)	Finding: Report units:	40. MG/L

Dlr: 2.

Sample date: 24-APR-14 Finding: 2300. Chemical: CARBON DIOXIDE Report units: UG/L

Dlr: 0.

Sample date: 24-APR-14 Finding: 5.3e-002 Chemical: TURBIDITY, LABORATORY Report units: NTU

Dlr: 0.1

Sample date: 24-APR-14 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0.

Sample date: 24-APR-14 Finding: 9100. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 24-APR-14 Finding: 8.1

Chemical: PH, LABORATORY Report units: Not Reported

Dir: 0.

Sample date: 14-FEB-14 Finding: 0.15

Chemical: RADIUM 226 COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 14-FEB-14 Finding: 1.4

Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 14-FEB-14 Finding: 6.e-002 Chemical: FOAMING AGENTS (MBAS) Report units: MG/L

Dlr: 0.

DIr:

Sample date: 14-FEB-14 Finding: 7.6

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

0.

Sample date: 14-FEB-14 Finding: 340.
Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 14-FEB-14 Finding: 1.1

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 14-FEB-14 Finding: 40.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 14-FEB-14 Finding: 6.e-003
Chamical: 1.2.3-TPICHLOROPROPANE Report units: LIG//

Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L DIr: 5.e-003

Sample date: 14-FEB-14 Finding: 7.3e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 14-FEB-14 Finding: 5.3e-002 Chemical: BROMIDE Report units: MG/L

Sample date: Chemical: Dlr:	14-FEB-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	14-FEB-14 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	9200. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 CHLORATE 20.	Finding: Report units:	29. UG/L
Sample date: Chemical: Dlr:	14-FEB-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 RADIUM 226 MDA95 0.	Finding: Report units:	0.39 PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 RADIUM 228 MDA95 0.	Finding: Report units:	0.8 PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 GROSS BETA MDA95 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 TRITIUM COUNTING ERROR 0.	Finding: Report units:	132. PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.199 PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	560. US
Sample date: Chemical: Dlr:	14-FEB-14 PH, LABORATORY 0.	Finding: Report units:	8. Not Reported
Sample date: Chemical: Dlr:	14-FEB-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 CALCIUM 0.	Finding: Report units:	74. MG/L
Sample date: Chemical:	14-FEB-14 MAGNESIUM	Finding: Report units:	10. MG/L

DIr:	0.		
Sample date: Chemical: Dlr:	14-FEB-14 SODIUM 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 POTASSIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	14-FEB-14 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 SULFATE 0.5	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	14-FEB-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.49 MG/L
Sample date: Chemical: Dlr:	14-FEB-14 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.8 UG/L
Sample date: Chemical: Dlr:	14-FEB-14 MOLYDBENDUM 0.	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	14-FEB-14 VANADIUM 3.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	14-FEB-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 GROSS BETA 4.	Finding: Report units:	4.3 PCI/L
Sample date: Chemical: Dlr:	14-FEB-14 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	03-JAN-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	540. US
Sample date: Chemical: Dlr:	03-JAN-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L

Sample date: Chemical: Dlr:	03-JAN-14 CALCIUM 0.	Finding: Report units:	73. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 MAGNESIUM 0.	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 SODIUM 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 POTASSIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	03-JAN-14 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 SULFATE 0.5	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.5 MG/L
Sample date: Chemical: Dlr:	03-JAN-14 VANADIUM 3.	Finding: Report units:	4.9 UG/L
Sample date: Chemical: Dlr:	03-JAN-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.57 UG/L
Sample date: Chemical: Dlr:	03-JAN-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.5 UG/L
Sample date: Chemical: Dlr:	03-JAN-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	350. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.1 Not Reported
Sample date: Chemical: Dlr:	03-JAN-14 NITRATE (AS NO3) 2.	Finding: Report units:	41. MG/L
Sample date: Chemical: Dlr:	03-JAN-14 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.12 NTU
Sample date: Chemical: Dlr:	03-JAN-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	12. Not Reported
Sample date: Chemical:	03-JAN-14 NITRATE + NITRITE (AS N)	Finding: Report units:	9400. MG/L

DIr: 0.4

Sample date: 03-JAN-14 Finding: 7.9

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 05-DEC-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 05-DEC-13 Finding: 8.2

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 05-DEC-13 Finding: 11.
Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 05-DEC-13 Finding: 4.8

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

5ii.

Sample date: 05-DEC-13 Finding: 3. Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 14-NOV-13 Finding: 5.1

Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 14-NOV-13 Finding: 1.1

Chemical: GROSS BETA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 14-NOV-13 Finding: 0.69

Chemical: RADIUM 228 MDA95 Report units: PCI/L

Dir: 0.

Sample date: 14-NOV-13 Finding: 0.34 Chemical: RADIUM 226 MDA95 Report units: PCI/L

Dir: 0.

Sample date: 14-NOV-13 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 14-NOV-13 Finding: 9000.
Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dir: 0.4

Sample date: 14-NOV-13 Finding: 13.
Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dir: 0.

Sample date: 14-NOV-13 Finding: 6.1e-002

Chemical: BROMIDE Report units: MG/L DIr: 0.

Sample date: 14-NOV-13 Finding: 9.7e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU

Dir: 0.1

14-NOV-13 40. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 14-NOV-13 Sample date: Finding: 2. ODOR THRESHOLD @ 60 C TON Chemical: Report units: DIr: Finding: Sample date: 14-NOV-13 530. SPECIFIC CONDUCTANCE US Chemical: Report units: DIr: Sample date: 14-NOV-13 Finding: Chemical: PH, LABORATORY Report units: Not Reported DIr: 14-NOV-13 Sample date: Finding: 160. ALKALINITY (TOTAL) AS CACO3 MG/L Chemical: Report units: DIr: Sample date: 14-NOV-13 Finding: 190. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr: Finding: Sample date: 14-NOV-13 220. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 14-NOV-13 Finding: 73. Chemical: **CALCIUM** Report units: MG/L DIr: 14-NOV-13 Sample date: Finding: 10. MAGNESIUM Report units: Chemical: MG/L DIr: Sample date: 14-NOV-13 Finding: 25. SODIUM Report units: Chemical: MG/L DIr: 0. Sample date: 14-NOV-13 Finding: 2.4 Chemical: **POTASSIUM** Report units: MG/L DIr: 0. Sample date: 14-NOV-13 Finding: 16. Chemical: **CHLORIDE** Report units: MG/L DIr: 14-NOV-13 Sample date: Finding: 44. Chemical: **SULFATE** Report units: MG/L 0.5 DIr: Sample date: 14-NOV-13 Finding: 0.52 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L 0.1 14-NOV-13 Sample date: Finding: 2.5 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L 1. 14-NOV-13 Sample date: Finding: 3. Chemical: MOLYDBENDUM Report units: UG/L

Dlr: 0.

14-NOV-13 Sample date: Finding: 8.2 **GROSS ALPHA** PCI/L Chemical: Report units:

DIr: 3.

Sample date: 14-NOV-13 Finding: 3.6 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

14-NOV-13 Sample date: Finding: 1.4 Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 14-NOV-13 0.12 Finding:

**RADIUM 226 COUNTING ERROR** PCI/L Chemical: Report units: DIr:

14-NOV-13 Sample date: Finding: 10. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

14-NOV-13 Sample date: Finding: 7.6

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

14-NOV-13 300. Sample date: Finding:

TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L

DIr:

Sample date: 14-NOV-13 Finding: 1.2

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr:

Sample date: 17-OCT-13 Finding: 39.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

17-OCT-13 Finding: Sample date: 9. Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 25-SEP-13 Finding: 9.4 **GROSS ALPHA** Report units: PCI/L Chemical:

DIr:

25-SEP-13 Sample date: Finding: 4.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 25-SEP-13 Finding: 7.5

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 25-SEP-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 25-SEP-13 Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units:

DIr: 0.

25-SEP-13 10. Sample date: Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 31-JUL-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Finding: Sample date: 31-JUL-13 10. TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 21-JUN-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 21-JUN-13 Finding: 7.7 TRICHLOROETHYLENE UG/L Chemical: Report units: DIr: 0.5 Sample date: 21-JUN-13 8.8 Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 21-JUN-13 Finding: 3.2 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 21-JUN-13 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 26-APR-13 Sample date: Finding: 8. PH, LABORATORY Report units: Chemical: Not Reported DIr: 26-APR-13 Sample date: Finding: 3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 26-APR-13 Finding: 9400. NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: Finding: Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 26-APR-13 0.79 Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 26-APR-13 Finding: 42. Chemical: NITRATE (AS NO3) Report units: MG/L 26-APR-13 Sample date: Finding: 1.2 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported 0. Sample date: 26-APR-13 Finding: 340. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0. 26-APR-13 Sample date: Finding: 7.3 TRICHLOROETHYLENE Report units: Chemical: UG/L DIr: 0.5 Sample date: 26-APR-13 Finding: 9.5 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 26-APR-13 Sample date: Finding: 3.2 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 26-APR-13 Sample date: Finding: 9.5 **GROSS ALPHA** PCI/L Chemical: Report units: DIr: 26-APR-13 4.9 Sample date: Finding: Chemical: **VANADIUM** Report units: UG/L DIr: 3. 26-APR-13 Sample date: Finding: 0.5 FLUORIDE (F) (NATURAL-SOURCE) Report units: Chemical: MG/L DIr: 26-APR-13 Sample date: Finding: 45. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 26-APR-13 Finding: 15. Chemical: **CHLORIDE** Report units: MG/L DIr: 0. Sample date: 26-APR-13 Finding: 2.5 Chemical: **POTASSIUM** Report units: MG/L DIr: 0. 26-APR-13 Finding: Sample date: 26. SODIUM Chemical: Report units: MG/L DIr: 0. 26-APR-13 Sample date: 10. Finding: MAGNESIUM Report units: MG/L Chemical: DIr: Sample date: 26-APR-13 Finding: 74. Chemical: **CALCIUM** Report units: MG/L DIr: Sample date: 26-APR-13 230. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 26-APR-13 Finding: 200. **BICARBONATE ALKALINITY** Chemical: Report units: MG/L DIr: 0. Sample date: 26-APR-13 Finding: 170. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L 0. DIr:

Sample date: Chemical: Dlr:	26-APR-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	510. US
Sample date: Chemical: Dlr:	31-JAN-13 CALCIUM 0.	Finding: Report units:	72. MG/L
Sample date: Chemical: DIr:	31-JAN-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: DIr:	31-JAN-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	31-JAN-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	31-JAN-13 COLOR 0.	Finding: Report units:	5. UNITS
Sample date: Chemical: Dlr:	31-JAN-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: DIr:	31-JAN-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	9200. MG/L
Sample date: Chemical: DIr:	31-JAN-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	31-JAN-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	5.7e-002 NTU
Sample date: Chemical: DIr:	31-JAN-13 NITRATE (AS NO3) 2.	Finding: Report units:	40. MG/L
Sample date: Chemical: Dir:	31-JAN-13 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.1 Not Reported
Sample date: Chemical: Dlr:	31-JAN-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	340. MG/L
Sample date: Chemical: Dlr:	31-JAN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.1 UG/L
Sample date: Chemical: Dlr:	31-JAN-13 URANIUM (PCI/L) 1.	Finding: Report units:	9.8 PCI/L
Sample date: Chemical:	31-JAN-13 GROSS ALPHA COUNTING ERROR	Finding: Report units:	2.3 PCI/L

Dlr:

Sample date:

Sample date:

Sample date:

Chemical:

Chemical:

Chemical:

DIr:

DIr:

DIr:

13-DEC-12

13-DEC-12

13-DEC-12

1.

0.

URANIUM (PCI/L)

**GROSS ALPHA MDA95** 

**GROSS ALPHA COUNTING ERROR** 

0. Sample date: 31-JAN-13 Finding: 5.2 VANADIUM Report units: UG/L Chemical: DIr: 3. Sample date: 31-JAN-13 Finding: 19. Chemical: **NICKEL** Report units: UG/L DIr: 10. 31-JAN-13 0.44 Sample date: Finding: Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1 Sample date: 31-JAN-13 Finding: 44. SULFATE Chemical: Report units: MG/L DIr: 0.5 31-JAN-13 Sample date: Finding: 15. **CHLORIDE** Chemical: Report units: MG/L DIr: 31-JAN-13 Sample date: Finding: 2.4 **POTASSIUM** Report units: Chemical: MG/L DIr: 31-JAN-13 Sample date: Finding: 24. Chemical: SODIUM Report units: MG/L DIr: Sample date: 31-JAN-13 Finding: 10. Chemical: MAGNESIUM Report units: MG/L DIr: 0. Sample date: 31-JAN-13 Finding: 8. Chemical: PH, LABORATORY Report units: Not Reported DIr: 0. 31-JAN-13 540. Sample date: Finding: Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0. Sample date: 13-DEC-12 Finding: 42. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 13-DEC-12 Finding: 5.1 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3.

Finding:

Finding:

Finding:

Report units:

Report units:

Report units:

2.8

10.

3.

PCI/L

PCI/L

PCI/L

Sample date: Chemical: Dlr:	13-DEC-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.7 UG/L
Sample date: Chemical: Dlr:	18-OCT-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.2 UG/L
Sample date: Chemical: Dlr:	18-OCT-12 NITRATE (AS NO3) 2.	Finding: Report units:	40. MG/L
Sample date: Chemical: Dlr:	13-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA 3.	Finding: Report units:	4.3 PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.7 PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 URANIUM (PCI/L) 1.	Finding: Report units:	9. PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	7.2 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 NITRATE (AS NO3) 2.	Finding: Report units:	41. MG/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	16-AUG-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.8 UG/L
Sample date: Chemical: Dlr:	06-JUL-12 NITRATE (AS NO3) 2.	Finding: Report units:	43. MG/L
Sample date: Chemical: Dlr:	06-JUL-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	6. UG/L
Sample date: Chemical: Dlr:	07-JUN-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	07-JUN-12 NITRATE (AS NO3) 2.	Finding: Report units:	42. MG/L
Sample date: Chemical:	07-JUN-12 TRICHLOROETHYLENE	Finding: Report units:	5.8 UG/L

DIr: 0.5

Sample date: 07-JUN-12 Finding: 3.3 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 07-JUN-12 Finding: 8.1 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 05-APR-12 Finding: 41.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 05-APR-12 Finding: 5.7

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 08-MAR-12 Finding: 45.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 08-MAR-12 Finding: 6.

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 08-MAR-12 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

DII: U.

Sample date: 08-MAR-12 Finding: 3.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 08-MAR-12 Finding: 8.9 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 16-FEB-12 Finding: 41.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2. Report units: MG/L

Sample date: 16-FEB-12 Finding: 8.e-003

Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L
DIr: 5.e-003

Sample date: 16-FEB-12 Finding: 0.6

Chemical: TURBIDITY, LABORATORY Report units: NTU
DIr: 0.1

Sample date: 16-FEB-12 Finding: 6.3e-002

Chemical: BROMIDE Report units: MG/L
DIr: 0.

Sample date: 16-FEB-12 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dir: 0.

 Sample date:
 16-FEB-12
 Finding:
 9200.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: Chemical: Dlr:	16-FEB-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 RADIUM 226 MDA95 0.	Finding: Report units:	0.33 PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 RADIUM 228 MDA95 0.	Finding: Report units:	0.72 PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 GROSS BETA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 TRITIUM COUNTING ERROR 0.	Finding: Report units:	132. PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.192 PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	510. US
Sample date: Chemical: Dlr:	16-FEB-12 PH, LABORATORY 0.	Finding: Report units:	8.4 Not Reported
Sample date: Chemical: Dlr:	16-FEB-12 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	16-FEB-12 BICARBONATE ALKALINITY 0.	Finding: Report units:	190. MG/L
Sample date: Chemical: Dlr:	16-FEB-12 CARBONATE ALKALINITY 0.	Finding: Report units:	3.4 MG/L
Sample date: Chemical: Dlr:	16-FEB-12 PHOSPHATE (AS PO4) 0.	Finding: Report units:	7.6e-002 UG/L
Sample date: Chemical: Dlr:	16-FEB-12 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	16-FEB-12 CALCIUM 0.	Finding: Report units:	71. MG/L
Sample date: Chemical: Dlr:	16-FEB-12 MAGNESIUM 0.	Finding: Report units:	9.9 MG/L
Sample date: Chemical:	16-FEB-12 SODIUM	Finding: Report units:	23. MG/L

Dlr: 0. 16-FEB-12 Sample date: Finding: 2.3 Report units: Chemical: **POTASSIUM** MG/L DIr: 0. Sample date: 16-FEB-12 Finding: 13. Chemical: **CHLORIDE** Report units: MG/L DIr: 16-FEB-12 43. Sample date: Finding: Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 16-FEB-12 Finding: 0.5 FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1 16-FEB-12 Sample date: Finding: 2.8 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1. 16-FEB-12 Sample date: Finding: 3.1 UG/L **MOLYDBENDUM** Report units: Chemical: DIr: 16-FEB-12 Sample date: Finding: 5.3 Chemical: VANADIUM Report units: UG/L DIr: Sample date: 16-FEB-12 Finding: 7.1 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 16-FEB-12 Finding: 2.8 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Finding: Sample date: 16-FEB-12 1.2 Chemical: **GROSS BETA COUNTING ERROR** Report units: PCI/L DIr: 16-FEB-12 Sample date: Finding: 0.13 **RADIUM 226 COUNTING ERROR** Report units: PCI/L Chemical: DIr: 16-FEB-12 Sample date: Finding: 10. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1. Sample date: 16-FEB-12 Finding: 5.7 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 16-FEB-12 Finding: 360. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0. Sample date: 16-FEB-12 Finding: 1.6 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported 0. DIr:

Sample date: 11-JAN-12 Finding: 7.4 Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 11-JAN-12 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

E21 SW CA WELLS CAPFAS00001329

1/4 - 1/2 Mile Lower

Well ID: 3310031-177 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 4R GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-177&store\_num=

GeoTracker Data: Not Reported

E22 SW CA WELLS CADDW000006893

1/4 - 1/2 Mile Lower

Well ID: 3310031-177 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 4R GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-177&store\_num=

GeoTracker Data: Not Reported

23 North FED USGS USGS40000140800

1/4 - 1/2 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14G001S Type:

Description:Not ReportedHUC:18070203Drainage Area:Not ReportedDrainage Area Units:Not ReportedContrib Drainage Area:Not ReportedContrib Drainage Area Units:Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19420101 Well Depth: 110
Well Depth Units: ft Well Hole Depth: 115
Well Hole Depth Units: ft

TC6958905.2s Page A-110

Well

Map ID Direction Distance

EDR ID Number Elevation Database

**ENE** 

**FED USGS** USGS40000140751 1/4 - 1/2 Mile

Higher

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center

001S004W23R003S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Well Depth: Not Reported 627 Well Depth Units: ft Well Hole Depth: 627

California Coastal Basin aquifers

Well Hole Depth Units: ft

**CA WELLS** CAUSGSN00008476 **ENE** 1/4 - 1/2 Mile

Higher

Well ID: USGS-340456117154001 Well Type: UNK

Source: United States Geological Survey

GAMA PFAS Testing: Other Name: USGS-340456117154001 Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s Groundwater Quality Data:

amp date=&global id=&assigned name=USGS-340456117154001&store num=

GeoTracker Data: Not Reported

G26 NNW **FED USGS** USGS40000140798

1/4 - 1/2 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W14F00AS Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers

Aquifer Type: Not Reported Formation Type: Not Reported

19460101 Construction Date: Well Depth: 288 Well Depth Units: ft Well Hole Depth: 322

Well Hole Depth Units: ft

**H27 CA WELLS** CADDW000008870

1/4 - 1/2 Mile Higher

> MUNICIPAL Well ID: 3310031-128 Well Type:

Source: Department of Health Services

Other Name: GAGE WELL 98-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-128&store\_num=

GeoTracker Data: Not Reported

H28 SE CA WELLS CAPFAS00000234

1/4 - 1/2 Mile Higher

Well ID: 3310031-128 Well Type: MUNICIPAL

Source: Department of Health Services
Other Name: GAGE WELL 98-1 GAMA PFAS Testing:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-128&store\_num=

GeoTracker Data: Not Reported

D29 SSE FED USGS USGS40000140638

1/4 - 1/2 Mile Higher

Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23A005S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19510101 Well Depth: 704
Well Depth Units: ft Well Hole Depth: 710

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 4 Level reading date: 1991-06-14 Feet below surface: Not Reported Feet to sea level: Not Reported

Note: The site was being pumped.

Level reading date: 1989-10-25 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1989-04-26 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1988-10-14 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

D30 SSE CA WELLS 1/4 - 1/2 Mile

Well ID: USGS-340433117154801 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340433117154801 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340433117154801&store\_num=

CAUSGSN00005877

Yes

GeoTracker Data: Not Reported

1/4 - 1/2 Mile Higher

Well ID: 3310031-154 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: TIPPECANOE WELL GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-154&store\_num=

GeoTracker Data: Not Reported

H32 SE CA WELLS CADDW000009733

1/4 - 1/2 Mile Higher

Well ID: 3310031-154 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: TIPPECANOE WELL GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-154&store\_num=

GeoTracker Data: Not Reported

D33 SE CA WELLS CAPFAS000000071

1/4 - 1/2 Mile Higher

Well ID: 3310031-036 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 51-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-036&store\_num=

GeoTracker Data: Not Reported

D34
SE CA WELLS CADWR0000020818

1/4 - 1/2 Mile Higher

Well ID: 01S04W23A005S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23A005S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23A005S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

D35

CA WELLS CADDW000020231

1/4 - 1/2 Mile Higher

Well ID: 3310031-036 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 51-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-036&store\_num=

GeoTracker Data: Not Reported

1/4 - 1/2 Mile Lower

Well ID: 3310031-167 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 07 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-167&store\_num=

GeoTracker Data: Not Reported

E37
SW CA WELLS CADDW0000018162

1/4 - 1/2 Mile

Well ID: 3310031-167 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 07 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-167&store\_num=

GeoTracker Data: Not Reported

1/4 - 1/2 Mile Lower

Well ID: 01S04W23C002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23C002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23C002S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

I39 NW

CA WELLS CAUSGSN00002270

1/4 - 1/2 Mile Lower

Well ID: USGS-340506117161901 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340506117161901 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340506117161901&store\_num=

GeoTracker Data: Not Reported

140 NW FED USGS USGS40000140790

1/4 - 1/2 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14F009S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19510101 Well Depth: 118 Well Depth Units: ft Well Hole Depth: 128

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1951-07-26 Feet below surface: 27.00 Feet to sea level: Not Reported

Note: Not Reported

1/4 - 1/2 Mile

Well ID: 3310031-078 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 02 - DESTROYED GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.pdf.$ 

date=&global\_id=&assigned\_name=3310031-078&store\_num=

GeoTracker Data: Not Reported

K42 SW CA WELLS CADDW000018833

1/4 - 1/2 Mile Lower

Well ID: 3310031-080 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 04 - DESTROYED GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-080&store\_num=

GeoTracker Data: Not Reported

K43 WSW **FED USGS** USGS40000140667

1/4 - 1/2 Mile Lower

> USGS-CA Organization ID:

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23C003S Well Type:

Description: NAWQA DATA ENTRY COM + VER 06/21/2000

HUC: 18070203 Drainage Area: Not Reported Contrib Drainage Area:

Drainage Area Units: Not Reported Not Reported Contrib Drainage Area Unts: Not Reported Aquifer: California Coastal Basin aquifers

Formation Type: Cenozoic Erathem Aquifer Type: Unconfined single aquifer

Construction Date: 19520101 Well Depth: 750 Well Depth Units: Well Hole Depth: 750 ft

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 2 Level reading date: 2004-06-30 Feet below surface: 137.6 Feet to sea level: Not Reported

Not Reported Note:

2000-04-05 82 Level reading date: Feet below surface:

Feet to sea level: Not Reported Not Reported Note:

**G44** NNW **CA WELLS** CADWR0000021826

1/4 - 1/2 Mile Lower

> Well ID: 01S04W14F016S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14F016S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14F016S&store\_num=

GeoTracker Data: Not Reported

**CA WELLS** CADWR0000028971

NNW 1/4 - 1/2 Mile Lower

Well ID: 01S04W14F006S Well Type: UNK

Department of Water Resources Source:

Other Name: 01S04W14F006S **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14F006S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

L46 WSW

CA WELLS CADWR0000017480

1/4 - 1/2 Mile Lower

Well ID: 01S04W14N009S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14N009S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14N009S&store\_num=

GeoTracker Data: Not Reported

L47
WSW CA WELLS CADWR000002873

1/4 - 1/2 Mile Lower

Well ID: 01S04W14N003S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14N003S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14N003S&store\_num=

GeoTracker Data: Not Reported

NW CA WELLS CADWR000029361

1/4 - 1/2 Mile

Well ID: 01S04W14F009S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14F009S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14F009S&store\_num=

GeoTracker Data: Not Reported

K49
WSW
CA WELLS CAUSGSN00009296

1/4 - 1/2 Mile Lower

Well ID: USGS-340438117162301 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340438117162301 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW\&s$ 

amp\_date=&global\_id=&assigned\_name=USGS-340438117162301&store\_num=

GeoTracker Data: Not Reported

Map ID
Direction
Distance

Distance Elevation			Database	EDR ID Number
M50 SSE 1/4 - 1/2 Mile Higher			CA WELLS	930
Seq: Frds no: District: System no: Source nam: Latitude: Precision: Comment 1:	930 3310031027 14 3310031 GAGE WELL 26-1 340429.8 1 Not Reported	Prim sta c: County: User id: Water type: Station ty: Longitude: Status: Comment 2:	01S/04W-2 33 WAT G WELL/AME 1171554.5 AR Not Report	BNT/MUN/INTAKE/SUPPLY
Comment 3: Comment 5: Comment 7:	Not Reported Not Reported Not Reported	Comment 4: Comment 6:	Not Reporte Not Reporte	ed
System no: Hqname: City: Zip: Pop serv: Area serve:	3310031 Not Reported RIVERSIDE 92522 245000 RIVERSIDE	System nam: Address: State: Zip ext: Connection:	Riverside, 0 3900 MAIN CA Not Reporte 58586	STREET
Sample date: Chemical: Report units:	23-FEB-18 1,1,2-TRICHLORO-1,2,2-TRIFLUOROET UG/L	Finding: THANE DIr:	11. 10.	
Sample date: Chemical: Dlr:	23-FEB-18 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.5 UG/L	
Sample date: Chemical: Dlr:	23-FEB-18 NITRATE (AS N) 0.4	Finding: Report units:	6. MG/L	
Sample date: Chemical: Dlr:	23-FEB-18 PERCHLORATE 4.	Finding: Report units:	6.1 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.96 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 GROSS ALPHA MDA95 0.	Finding: Report units:	0.18 PCI/L	
Sample date: Chemical: Dlr:	25-JAN-18 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L	
Sample date: Chemical: Dlr:	25-JAN-18 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.62 PCI/L	
Sample date: Chemical: Dlr:	25-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	6.9 MG/L	

Sample date: Chemical: Dlr:	25-JAN-18 PERCHLORATE 4.	Finding: Report units:	6.3 UG/L
Sample date: Chemical: Dlr:	08-NOV-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.61 UG/L
Sample date: Chemical: Dlr:	08-NOV-17 NITRATE (AS N) 0.4	Finding: Report units:	4.3 MG/L
Sample date: Chemical: Dlr:	04-OCT-17 GROSS ALPHA MDA95 0.	Finding: Report units:	0.11 PCI/L
Sample date: Chemical: Dlr:	04-OCT-17 RADIUM 226 MDA95 0.	Finding: Report units:	0.39 PCI/L
Sample date: Chemical: Dlr:	04-OCT-17 RADIUM 228 MDA95 0.	Finding: Report units:	0.69 PCI/L
Sample date: Chemical: Dlr:	04-OCT-17 URANIUM (PCI/L) 1.	Finding: Report units:	42. PCI/L
Sample date: Chemical: Dlr:	04-OCT-17 PERCHLORATE 4.	Finding: Report units:	4.1 UG/L
Sample date: Chemical: Dlr:	04-OCT-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.89 PCI/L
Sample date: Chemical: Dlr:	04-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	4.6 MG/L
Sample date: Chemical: Dlr:	04-OCT-17 GROSS ALPHA 3.	Finding: Report units:	59. PCI/L
Sample date: Chemical: Dlr:	07-SEP-17 PERCHLORATE 4.	Finding: Report units:	4.2 UG/L
Sample date: Chemical: Dlr:	07-SEP-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.54 UG/L
Sample date: Chemical: Dlr:	07-SEP-17 NITRATE (AS N) 0.4	Finding: Report units:	4.6 MG/L
Sample date: Chemical: Dlr:	09-AUG-17 PERCHLORATE 4.	Finding: Report units:	9.4 UG/L
Sample date: Chemical:	09-AUG-17 NITRATE (AS N)	Finding: Report units:	10. MG/L

DIr:	0.4		
Sample date: Chemical: Dlr:	21-JUL-17 GROSS ALPHA MDA95 0.	Finding: Report units:	0.13 PCI/L
Sample date: Chemical: Dlr:	21-JUL-17 PERCHLORATE 4.	Finding: Report units:	4.6 UG/L
Sample date: Chemical: Dlr:	21-JUL-17 URANIUM (PCI/L) 1.	Finding: Report units:	32. PCI/L
Sample date: Chemical: DIr:	21-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	5.1 MG/L
Sample date: Chemical: DIr:	21-JUL-17 GROSS ALPHA 3.	Finding: Report units:	31. PCI/L
Sample date: Chemical: DIr:	21-JUL-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.69 PCI/L
Sample date: Chemical: DIr:	01-MAY-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: DIr:	01-MAY-17 URANIUM (PCI/L) 1.	Finding: Report units:	21. PCI/L
Sample date: Chemical: Dlr:	01-MAY-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.37 PCI/L
Sample date: Chemical: Report units:	27-APR-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	14. 10.
Sample date: Chemical: Dlr:	27-APR-17 NITRATE (AS N) 0.4	Finding: Report units:	8.4 MG/L
Sample date: Chemical: Dlr:	27-APR-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: DIr:	27-APR-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.87 UG/L
Sample date: Chemical: DIr:	27-APR-17 URANIUM (PCI/L) 1.	Finding: Report units:	19. PCI/L
Sample date: Chemical: Dlr:	27-APR-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.36 PCI/L

Sample date: Chemical: Dlr:	27-APR-17 PERCHLORATE 4.	Finding: Report units:	7.8 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA 3.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.41 PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 URANIUM (PCI/L) 1.	Finding: Report units:	52. PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.81 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 PERCHLORATE 4.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	14-NOV-16 NITRATE (AS N) 0.4	Finding: Report units:	5.3 MG/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	30-SEP-16 NITRATE (AS N) 0.4	Finding: Report units:	4.6 MG/L
Sample date: Chemical: Dlr:	30-SEP-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.39 PCI/L
Sample date: Chemical: Dlr:	30-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	35. PCI/L
Sample date: Chemical: Dlr:	30-SEP-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.66 UG/L
Sample date: Chemical: Dlr:	30-SEP-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.56 UG/L
Sample date: Chemical: Dlr:	30-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical:	09-AUG-16 NITRATE (AS N)	Finding: Report units:	4.7 MG/L

09-AUG-16 Sample date: Finding: 1.5 **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: Sample date: 09-AUG-16 Finding: 4.3 Chemical: **PERCHLORATE** Report units: UG/L DIr: 09-AUG-16 0.61 Sample date: Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 09-AUG-16 Finding: 1. 1,1-DICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 09-AUG-16 Sample date: Finding: 42. URANIUM (PCI/L) Chemical: Report units: PCI/L DIr: 09-AUG-16 Sample date: Finding: 0.43 GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical: DIr: 09-AUG-16 Sample date: Finding: 33. PCI/L Chemical: **GROSS ALPHA** Report units: DIr: Sample date: 14-JUL-16 Finding: 5. Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 14-JUL-16 Finding: 1.5 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 14-JUL-16 Sample date: Finding: 42. **GROSS ALPHA** Chemical: Report units: PCI/L DIr: 14-JUL-16 Sample date: Finding: 4.8 **PERCHLORATE** Report units: Chemical: UG/L DIr: Sample date: 14-JUL-16 Finding: 0.95 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 14-JUL-16 Finding: 40.

URANIUM (PCI/L)

GROSS ALPHA COUNTING ERROR

14-JUL-16

21-JUN-16

0.4

NITRATE (AS N)

Dlr:

Chemical:

Chemical:

Chemical:

Sample date:

Sample date:

DIr:

DIr:

DIr:

0.4

Report units:

Report units:

Report units:

Finding:

Finding:

PCI/L

0.46

PCI/L

5.8

MG/L

Sample date: Chemical: Dlr:	21-JUN-16 GROSS ALPHA 3.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	21-JUN-16 URANIUM (PCI/L) 1.	Finding: Report units:	36. PCI/L
Sample date: Chemical: Dlr:	21-JUN-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	21-JUN-16 PERCHLORATE 4.	Finding: Report units:	5.8 UG/L
Sample date: Chemical: Dlr:	21-JUN-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	21-JUN-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.44 PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 NITRATE (AS N) 0.4	Finding: Report units:	5.1 MG/L
Sample date: Chemical: Dlr:	12-FEB-16 GROSS ALPHA 3.	Finding: Report units:	45. PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.48 PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 URANIUM (PCI/L) 1.	Finding: Report units:	42. PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.56 UG/L
Sample date: Chemical: Dlr:	12-FEB-16 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	12-FEB-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	17-DEC-15 NITRATE (AS N) 0.4	Finding: Report units:	5.1 MG/L
Sample date: Chemical: Dlr:	17-DEC-15 PERCHLORATE 4.	Finding: Report units:	4.2 UG/L
Sample date: Chemical:	17-DEC-15 NITRATE (AS NO3)	Finding: Report units:	22. MG/L

DIr:	2.		
Sample date: Chemical: Dlr:	17-DEC-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.65 UG/L
Sample date: Chemical: Dlr:	17-DEC-15 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.75 UG/L
Sample date: Chemical: Dlr:	17-DEC-15 URANIUM (PCI/L) 1.	Finding: Report units:	35. PCI/L
Sample date: Chemical: Dlr:	17-DEC-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.44 PCI/L
Sample date: Chemical: Dlr:	17-DEC-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	17-DEC-15 GROSS ALPHA 3.	Finding: Report units:	35. PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 PERCHLORATE 4.	Finding: Report units:	4.1 UG/L
Sample date: Chemical: Dlr:	01-OCT-15 NITRATE (AS NO3) 2.	Finding: Report units:	20. MG/L
Sample date: Chemical: Dlr:	01-OCT-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.62 UG/L
Sample date: Chemical: Dlr:	01-OCT-15 URANIUM (PCI/L) 1.	Finding: Report units:	44. PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.43 PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 GROSS ALPHA 3.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	09-SEP-15 GROSS ALPHA 3.	Finding: Report units:	36. PCI/L
Sample date: Chemical: Dlr:	09-SEP-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.44 PCI/L

Sample date: Chemical: Dlr:	09-SEP-15 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	09-SEP-15 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.92 UG/L
Sample date: Chemical: Dlr:	09-SEP-15 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	09-SEP-15 PERCHLORATE 4.	Finding: Report units:	6.2 UG/L
Sample date: Chemical: Dlr:	09-SEP-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	10-JUL-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.58 UG/L
Sample date: Chemical: Dlr:	10-JUL-15 URANIUM (PCI/L) 1.	Finding: Report units:	47. PCI/L
Sample date: Chemical: Dlr:	10-JUL-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.48 PCI/L
Sample date: Chemical: Dlr:	10-JUL-15 GROSS ALPHA 3.	Finding: Report units:	43. PCI/L
Sample date: Chemical: Dlr:	10-JUL-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	03-JUN-15 SODIUM 0.	Finding: Report units:	42. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 POTASSIUM 0.	Finding: Report units:	3.9 MG/L
Sample date: Chemical: Dlr:	03-JUN-15 CHLORIDE 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 SULFATE 0.5	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.55 MG/L
Sample date: Chemical:	03-JUN-15 VANADIUM	Finding: Report units:	3.4 UG/L

DIr: 3.

Sample date: 03-JUN-15 Finding: 0.39
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 03-JUN-15 Finding: 30. Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 03-JUN-15 Finding: 0.98 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 03-JUN-15 Finding: 550.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Sample date: 03-JUN-15 Finding: 1.2

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dir: 0.

Sample date: 03-JUN-15 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 03-JUN-15 Finding: 7.9e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU

Dlr: 0.1

Sample date: 03-JUN-15 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0

Sample date: 03-JUN-15 Finding: 6700.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 03-JUN-15 Finding: 6.8 Chemical: PERCHLORATE Report units: UG/L

Dir: 4.

Sample date: 03-JUN-15 Finding: 1.4

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 03-JUN-15 Finding: 18.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 03-JUN-15 Finding: 110.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 03-JUN-15 Finding: 350.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 03-JUN-15 Finding: 280.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	03-JUN-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	840. US
Sample date: Chemical: Dlr:	03-JUN-15 PH, LABORATORY 0.	Finding: Report units:	7.7 Not Reported
Sample date: Chemical: Dlr:	19-NOV-14 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.68 UG/L
Sample date: Chemical: Dlr:	19-NOV-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.7 PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.51 UG/L
Sample date: Chemical: Dlr:	19-NOV-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.53 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 GROSS ALPHA 3.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.46 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.63 UG/L
Sample date: Chemical: Dlr:	09-OCT-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.71 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 URANIUM (PCI/L) 1.	Finding: Report units:	49. PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.64 UG/L
Sample date: Chemical: Dlr:	18-SEP-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.76 UG/L
Sample date: Chemical:	18-SEP-14 URANIUM (PCI/L)	Finding: Report units:	38. PCI/L

Dlr: 1. Sample date: 18-SEP-14 Finding: 0.54 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: Sample date: 18-SEP-14 Finding: 0.22 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 21-AUG-14 Sample date: Finding: 0.6 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 21-AUG-14 0.36 Finding: **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 21-AUG-14 Sample date: Finding: 4.4 Chemical: **PERCHLORATE** Report units: UG/L 21-AUG-14 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 21-AUG-14 Sample date: Finding: 0.53 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 21-AUG-14 Finding: 0.92 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 21-AUG-14 Finding: 0.54 **CHLOROETHANE** Chemical: Report units: UG/L DIr: 0.5 21-AUG-14 Finding: Sample date: 40. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 02-JUL-14 280. Finding: **BICARBONATE ALKALINITY** Report units: MG/L Chemical: DIr: 6.3e-002 Sample date: 02-JUL-14 Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 02-JUL-14 Finding: 7.7 Chemical: PH, LABORATORY Report units: Not Reported DIr: Sample date: 02-JUL-14 Finding: 950. SPECIFIC CONDUCTANCE US Chemical: Report units: DIr: 0. Sample date: 02-JUL-14 Finding: 1.2 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported 0. DIr:

Sample date: Chemical: Dlr:	02-JUL-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	650. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.76 UG/L
Sample date: Chemical: Dlr:	02-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	36. PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.46 PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 GROSS ALPHA 3.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 VANADIUM 3.	Finding: Report units:	3.3 UG/L
Sample date: Chemical: Dlr:	02-JUL-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.56 MG/L
Sample date: Chemical: Dlr:	02-JUL-14 SULFATE 0.5	Finding: Report units:	190. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 CHLORIDE 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 POTASSIUM 0.	Finding: Report units:	4. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 SODIUM 0.	Finding: Report units:	42. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	390. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 CALCIUM 0.	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 MAGNESIUM 0.	Finding: Report units:	22. MG/L
Sample date: Chemical:	02-JUL-14 GROSS ALPHA MDA95	Finding: Report units:	0.71 PCI/L

Dlr: 0.

02-JUL-14 Sample date: Finding: 5.7 PERCHLORATE Chemical: Report units: UG/L

DIr: 4.

Sample date: 02-JUL-14 Finding: 5900. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 02-JUL-14 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Sample date: Finding: 02-JUL-14 230.

ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

06-SEP-13 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

06-SEP-13 Sample date: Finding: 0.86

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

06-SEP-13 Sample date: Finding: 0.83

Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 06-SEP-13 Finding: 40. PCI/L

Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: 06-SEP-13 Finding: 4.33

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr:

06-SEP-13 Finding: Sample date: 33.6

Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3.

Sample date: 06-SEP-13 4.1 Finding:

**PERCHLORATE** Report units: UG/L Chemical: DIr:

Sample date: 07-AUG-13 Finding: 4.69

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 07-AUG-13 Finding: 0.91

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 07-AUG-13 Finding: 0.53

1,1-DICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5

Sample date: 07-AUG-13 Finding: 42.

PCI/L Chemical: URANIUM (PCI/L) Report units: DIr:

Sample date: Chemical: Dlr:	07-AUG-13 GROSS ALPHA 3.	Finding: Report units:	34.9 PCI/L
Sample date: Chemical: Dlr:	12-JUL-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.89 UG/L
Sample date: Chemical: Dlr:	12-JUL-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.13 PCI/L
Sample date: Chemical: Dlr:	12-JUL-13 URANIUM (PCI/L) 1.	Finding: Report units:	42. PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.62 PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 URANIUM (PCI/L) 1.	Finding: Report units:	39. PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.85 UG/L
Sample date: Chemical: Dlr:	24-MAY-13 PERCHLORATE 4.	Finding: Report units:	4.9 UG/L
Sample date: Chemical: Dlr:	24-MAY-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	24-MAY-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	920. US
Sample date: Chemical: Dlr:	24-MAY-13 PH, LABORATORY 0.	Finding: Report units:	7.9 Not Reported
Sample date: Chemical: Dlr:	24-MAY-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	24-MAY-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	260. MG/L
Sample date: Chemical: Dlr:	24-MAY-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	400. MG/L
Sample date: Chemical: Dlr:	24-MAY-13 CALCIUM 0.	Finding: Report units:	120. MG/L
Sample date: Chemical:	24-MAY-13 MAGNESIUM	Finding: Report units:	22. MG/L

Dlr: 0.

Sample date: 24-MAY-13 Finding: 40. SODIUM Chemical: Report units: MG/L

DIr: 0.

Sample date: 24-MAY-13 Finding: 3.8 Chemical: **POTASSIUM** Report units: MG/L

DIr:

24-MAY-13 Sample date: Finding: 32. Chemical: **CHLORIDE** Report units: MG/L

DIr:

Sample date: 24-MAY-13 Finding: 200. **SULFATE** Chemical: Report units: MG/L

DIr: 0.5

24-MAY-13 0.55 Sample date: Finding:

FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1

Sample date: 24-MAY-13 Finding: 99.

**NICKEL** Report units: UG/L Chemical: DIr: 10.

24-MAY-13 Sample date: Finding: 3.3

Chemical: VANADIUM Report units: UG/L DIr:

Sample date: 24-MAY-13 Finding: 46.

Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 24-MAY-13 Finding: 0.78 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

24-MAY-13 Finding: 630. Sample date:

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

Sample date: 24-MAY-13 Finding: 1.4 LANGELIER INDEX @ 60 C Report units: Not Reported Chemical:

DIr:

24-MAY-13 Sample date: Finding: 22.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 24-MAY-13 0.14 Finding:

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 24-MAY-13 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr: 0.

Sample date: 24-MAY-13 Finding: 5100.

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: Chemical: Dlr:	17-JAN-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	940. US
Sample date: Chemical: Dlr:	17-JAN-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	4000. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	280. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	420. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 CALCIUM 0.	Finding: Report units:	130. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 MAGNESIUM 0.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 SODIUM 0.	Finding: Report units:	36. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 POTASSIUM 0.	Finding: Report units:	3.8 MG/L
Sample date: Chemical: Dlr:	17-JAN-13 CHLORIDE 0.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 SULFATE 0.5	Finding: Report units:	210. MG/L
Sample date: Chemical: Dlr:	17-JAN-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.51 MG/L
Sample date: Chemical: Dlr:	17-JAN-13 VANADIUM 3.	Finding: Report units:	3.5 UG/L
Sample date: Chemical: Dlr:	17-JAN-13 URANIUM (PCI/L) 1.	Finding: Report units:	44. PCI/L
Sample date: Chemical: Dlr:	17-JAN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical:	17-JAN-13 TOTAL DISSOLVED SOLIDS	Finding: Report units:	640. MG/L

Dlr: 0.

Sample date: 17-JAN-13 Finding: 1.2

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

DIr: 0.

Sample date: 17-JAN-13 Finding: 0.11

Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: 17-JAN-13 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Finding: Sample date: 17-JAN-13 7.6

PH, LABORATORY Chemical: Report units: Not Reported

DIr:

05-OCT-12 Sample date: Finding: UG/L

Chemical: **TRICHLOROETHYLENE** Report units: DIr: 0.5

05-OCT-12 Sample date: Finding:

40. URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr:

05-OCT-12 20. Sample date: Finding:

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 21-SEP-12 Finding: 0.61

Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 21-SEP-12 Finding: 1.

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

14-SEP-12 Finding: Sample date: 34.2 **GROSS ALPHA** Chemical: Report units: PCI/L

DIr: 3.

Sample date: 14-SEP-12 1.25 Finding:

GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical: DIr:

Sample date: 14-SEP-12 Finding: 2.5

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

DIr:

Sample date: 14-SEP-12 Finding: 42.

Chemical: URANIUM (PCI/L) PCI/L Report units:

DIr:

Sample date: 14-SEP-12 Finding:

TRICHLOROETHYLENE UG/L Chemical: Report units:

DIr: 0.5

Sample date: 23-AUG-12 Finding: 2.7 CHROMIUM, HEXAVALENT Chemical: Report units: UG/L

DIr: 1.

Sample date: Chemical: Dlr:	23-AUG-12 NITRATE (AS NO3) 2.	Finding: Report units:	21. MG/L
Sample date: Chemical: Dlr:	23-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	43. PCI/L
Sample date: Chemical: Dlr:	23-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.58 PCI/L
Sample date: Chemical: Dlr:	23-AUG-12 GROSS ALPHA 3.	Finding: Report units:	39. PCI/L
Sample date: Chemical: Dlr:	26-JUL-12 GROSS ALPHA 3.	Finding: Report units:	34.8 PCI/L
Sample date: Chemical: Dlr:	26-JUL-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.33 PCI/L
Sample date: Chemical: Dlr:	26-JUL-12 URANIUM (PCI/L) 1.	Finding: Report units:	43. PCI/L
Sample date: Chemical: Dlr:	26-JUL-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.85 UG/L
Sample date: Chemical: Dlr:	21-JUN-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.84 UG/L
Sample date: Chemical: Dlr:	21-JUN-12 URANIUM (PCI/L) 1.	Finding: Report units:	40. PCI/L
Sample date: Chemical: Dlr:	21-JUN-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.44 PCI/L
Sample date: Chemical: Dlr:	21-JUN-12 NITRATE (AS NO3) 2.	Finding: Report units:	21. MG/L
Sample date: Chemical: Dlr:	21-JUN-12 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	25-MAY-12 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.65 MG/L
Sample date: Chemical: Dlr:	25-MAY-12 VANADIUM 3.	Finding: Report units:	4. UG/L
Sample date: Chemical:	25-MAY-12 TOTAL DISSOLVED SOLIDS	Finding: Report units:	510. MG/L

Report units:

Not Reported

Dlr: 0.

Sample date: 25-MAY-12 Finding: 1.7

LANGELIER INDEX @ 60 C DIr: 0.

Chemical:

Sample date: 25-MAY-12 Finding: 38. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 25-MAY-12 Finding: 0.12 Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: 25-MAY-12 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

25-MAY-12 8600. Sample date: Finding:

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

25-MAY-12 Sample date: Finding: 800. SPECIFIC CONDUCTANCE US Chemical:

Report units: DIr:

25-MAY-12 8.2 Sample date: Finding:

Chemical: PH, LABORATORY Report units: Not Reported

DIr:

Sample date: 25-MAY-12 Finding: 230.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr:

Sample date: 25-MAY-12 Finding: 280.

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

DIr:

Finding: Sample date: 25-MAY-12 3.1 Chemical: MG/L

CARBONATE ALKALINITY Report units:

DIr:

Sample date: 25-MAY-12 340. Finding:

HARDNESS (TOTAL) AS CACO3 Report units: Chemical: MG/L DIr:

Sample date: 25-MAY-12 Finding: 110.

Chemical: **CALCIUM** Report units: MG/L DIr:

Sample date: 25-MAY-12 Finding: 18. Chemical: MAGNESIUM Report units: MG/L

DIr:

Sample date: 25-MAY-12 Finding: 40.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 25-MAY-12 Finding: 3.7

**POTASSIUM** Chemical: Report units: MG/L 0. DIr:

Sample date: Chemical: Dlr:	25-MAY-12 CHLORIDE 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	25-MAY-12 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	24-MAY-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.38 PCI/L
Sample date: Chemical: Dlr:	24-MAY-12 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	24-MAY-12 PERCHLORATE 4.	Finding: Report units:	8.2 UG/L
Sample date:	24-MAY-12	Finding:	12.
Chemical: Report units:	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	DIr:	10.
Sample date: Chemical: Dlr:	24-MAY-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.76 UG/L
Sample date: Chemical: Dlr:	24-MAY-12 NITRATE (AS NO3) 2.	Finding: Report units:	36. MG/L
Sample date: Chemical: Dlr:	24-MAY-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	01-MAR-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.83 PCI/L
Sample date: Chemical: Dlr:	01-MAR-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.75 UG/L
Sample date: Chemical: Dlr:	01-MAR-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.94 UG/L
Sample date: Chemical: Dlr:	01-MAR-12 NITRATE (AS NO3) 2.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	01-MAR-12 PERCHLORATE 4.	Finding: Report units:	4.6 UG/L
Sample date: Chemical: Dlr:	01-MAR-12 URANIUM (PCI/L) 1.	Finding: Report units:	43. PCI/L
Sample date: Chemical:	02-FEB-12 NITRATE (AS NO3)	Finding: Report units:	24. MG/L

Dlr: 2. Sample date: 02-FEB-12 Finding: 0.82 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 02-FEB-12 Finding: 0.97 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 02-FEB-12 Finding: 40. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 02-FEB-12 1.09 Finding: GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 02-FEB-12 Sample date: Finding: 5.4 Chemical: **PERCHLORATE** Report units: UG/L DIr: 11-JAN-12 Finding: Sample date: 4.6 **PERCHLORATE** Chemical: Report units: UG/L DIr: 11-JAN-12 Sample date: Finding: 5900. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 Sample date: 11-JAN-12 Finding: 13. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 11-JAN-12 Finding: 5.2e-002 TURBIDITY, LABORATORY Chemical: Report units: NTU DIr: 0.1 Finding: Sample date: 11-JAN-12 26. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 11-JAN-12 Finding: 1.4 LANGELIER INDEX @ 60 C Report units: Chemical: Not Reported DIr: Sample date: 11-JAN-12 Finding: 630. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: Sample date: 11-JAN-12 Finding: 1.1 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr:

DIr:

DIr:

Sample date:

Sample date:

Chemical:

Chemical:

0.5

0.5

11-JAN-12

11-JAN-12

URANIUM (PCI/L)

1,1-DICHLOROETHYLENE

0.65

UG/L

42.

PCI/L

Finding:

Finding:

Report units:

Report units:

Sample date: Chemical: Dlr:	11-JAN-12 VANADIUM 3.	Finding: Report units:	3.1 UG/L
Sample date: Chemical: Dlr:	11-JAN-12 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.59 MG/L
Sample date: Chemical: Dlr:	11-JAN-12 SULFATE 0.5	Finding: Report units:	200. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 CHLORIDE 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 POTASSIUM 0.	Finding: Report units:	3.9 MG/L
Sample date: Chemical: Dlr:	11-JAN-12 SODIUM 0.	Finding: Report units:	40. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 MAGNESIUM 0.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 CALCIUM 0.	Finding: Report units:	130. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	410. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 BICARBONATE ALKALINITY 0.	Finding: Report units:	290. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	240. MG/L
Sample date: Chemical: Dlr:	11-JAN-12 PH, LABORATORY 0.	Finding: Report units:	7.8 Not Reported
Sample date: Chemical: Dlr:	11-JAN-12 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	910. US
Sample date: Chemical: Dlr:	11-JAN-12 GROSS ALPHA 3.	Finding: Report units:	35. PCI/L
Sample date: Chemical: Dlr:	11-JAN-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	5.16 PCI/L

Map ID Direction Distance

Elevation Database EDR ID Number

J51 SW

CA WELLS CAUSGSN00002847

1/4 - 1/2 Mile Lower

Well ID: USGS-340434117162101 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340434117162101 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340434117162101&store\_num=

GeoTracker Data: Not Reported

J52 SW FED USGS USGS40000140649

1/4 - 1/2 Mile I ower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23C002S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19310101 Well Depth: 1188 Well Depth Units: ft Well Hole Depth: 1188

Well Hole Depth Units: ft

ESE CA WELLS CADWR000008631

1/4 - 1/2 Mile Higher

Well ID: 01S04W13N001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13N001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13N001S&store\_num=

GeoTracker Data: Not Reported

154 NW FED USGS USGS40000140791

1/4 - 1/2 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14L001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19500101 Well Depth: 196
Well Depth Units: ft Well Hole Depth: 225

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1950-07-31 Feet below surface: 24.00 Feet to sea level: Not Reported

Note: Not Reported

L55
WSW FED USGS USGS40000140704

1/4 - 1/2 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W14N009S Well Type: Description: HUC: 18070203 Not Reported Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 817

Well Depth Units: ft Well Hole Depth:

Well Hole Depth Units: Not Reported

O56 SSE CA WELLS CADDW000012992

1/4 - 1/2 Mile Higher

Well ID: 3310031-027 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 26-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-027&store\_num=

GeoTracker Data: Not Reported

O57 SSE CA WELLS CAPFAS00000127

1/4 - 1/2 Mile Higher

Well ID: 3310031-027 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 26-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-027&store\_num=

GeoTracker Data: Not Reported

Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

SSE 1/4 - 1/2 Mile

**O58** 

FED USGS USGS40000140617

1/4 - 1/2 Mile Higher

Organization ID: USGS-CA

USGS California Water Science Center Organization Name: Monitor Location: 001S004W23A002S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 390

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

N59
ESE FED USGS USGS40000140695

1/4 - 1/2 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13N001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date:19290101Well Depth:325Well Depth Units:ftWell Hole Depth:325

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 239 Level reading date: 1991-04-23 Feet below surface: Not Reported Feet to sea level: Not Reported

Note: The site was being pumped.

Level reading date: 1990-11-13 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1989-04-26 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1988-10-14 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-09-19 Feet below surface: 153.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-08-15 Feet below surface: 150.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-07-18 Feet below surface: 149.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-06-20 Feet below surface: 145.50

Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1967-05-09 Feet below surface: 118.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-04-18 Feet below surface: 121.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-03-22 Feet below surface: 127.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-02-14 Feet below surface: 120.10 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 125.20 Level reading date: 1967-01-09 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 132.40 Level reading date: 1966-12-13 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-11-15 Feet below surface: 139.90 Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1966-10-18 157.10 Feet to sea level: Note: Not Reported The site was being pumped. Level reading date: 1966-09-27 Feet below surface: 157.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-09-21 Feet below surface: 158.70 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1966-09-13 155.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-09-06 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-30 Feet below surface: 149.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-23 Feet below surface: 150.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-16 Feet below surface: 152.10 Feet to sea level: Not Reported Note: The site was being pumped. 1966-08-09 Level reading date: Feet below surface: 150.30 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1966-08-04 147.30 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1966-08-02 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-07-26 Feet below surface: 133.60 Feet to sea level: Not Reported Note: Not Reported 1966-07-19 Level reading date: Feet below surface: 132.50 Feet to sea level: Not Reported Note: Not Reported

Feet below surface:

131.50

1966-07-13

Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-07-05 Feet below surface: 131.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1966-06-28 Feet below surface: 132.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-06-21 Feet below surface: 148.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-14 Feet below surface: 147.50 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1966-06-07 Feet below surface: 147.20 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1966-05-29 Feet below surface: 144.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-05-24 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-05-16 Feet below surface: Level reading date: 111.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-05-09 Feet below surface: 109.00 Feet to sea level: Not Reported Note: Not Reported 1966-05-03 Feet below surface: Level reading date: 123.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-26 Feet below surface: 141.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-04-19 Feet below surface: 122.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-12 Feet below surface: 121.00 Feet to sea level: Not Reported Note: Not Reported 1966-04-05 Level reading date: Feet below surface: 122.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-03-23 Feet below surface: 121.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1966-03-15 Feet below surface: 136.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-08 Feet below surface: 136.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-02-22 Feet below surface: 110.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1966-02-15 Level reading date: Feet below surface: 111.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1966-02-08	Feet below surface:	111.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-01	Feet below surface:	114.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-25	Feet below surface:	114.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-18	Feet below surface:	113.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-11	Feet below surface:	116.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-04	Feet below surface:	117.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-28	Feet below surface:	118.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-21	Feet below surface:	119.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-14	Feet below surface:	120.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-08	Feet below surface:	121.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-30	Feet below surface:	124.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-23	Feet below surface:	126.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-16	Feet below surface:	129.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-09	Feet below surface:	154.00
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-10-25	Feet below surface:	153.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-10-17	Feet below surface:	150.80
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-10-06	Feet below surface:	151.80
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-09-29	Feet below surface:	153.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-09-21	Feet below surface:	142.00
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-09-16	Feet below surface:	130.00
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-09-09	Feet below surface:	128.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1965-08-31 Feet below surface: 137.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-08-24 Feet below surface: 138.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1965-08-18 Feet below surface: 140.00 Feet to sea level: Not Reported Note: The site was being pumped. 1965-08-11 Level reading date: Feet below surface: 145.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-03 Feet below surface: 135.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1965-07-27 Feet below surface: 141.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1965-07-19 Feet below surface: 141.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-07-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1965-07-06 Feet below surface: Level reading date: 140.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-03-20 Feet below surface: 114.40 Feet to sea level: Not Reported Note: Not Reported 1964-06-22 Feet below surface: Level reading date: 133.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-06-01 Feet below surface: 129.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-05-16 Feet below surface: 128.20 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1964-04-13 Feet below surface: 99.90 Feet to sea level: Not Reported Note: Not Reported 1964-03-24 Level reading date: Feet below surface: 109.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-03-16 Feet below surface: 125.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1964-02-17 Feet below surface: 122.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-02-03 Feet below surface: 102.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-01-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-12-16 Feet below surface: Level reading date: 118.30 Feet to sea level: Not Reported Note: The site was being pumped. 1963-12-04 Level reading date: Feet below surface: 102.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-11-22 Feet below surface: 110.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-15 Feet below surface: 124.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-10-02 Feet below surface: 105.50 Feet to sea level: Not Reported Note: Not Reported 1963-09-20 Level reading date: Feet below surface: 110.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-08-10 Feet below surface: 121.90 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-07-15 Feet below surface: 124.10 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1963-06-07 Feet below surface: 123.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-05-18 Feet below surface: 118.90 Feet to sea level: Not Reported Note: The site was being pumped. 1963-03-23 Feet below surface: Level reading date: 88.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-10 Feet below surface: 84.60 Feet to sea level: Not Reported Note: Not Reported 1963-02-18 Feet below surface: Level reading date: 87.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-01-23 Feet below surface: 96.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-01-12 Feet below surface: 119.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-12-30 Feet below surface: 90.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-11 Feet below surface: 118.90 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-11-27 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-11-08 Feet below surface: 104.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-08-24 Feet below surface: 116.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-04-21 Feet below surface: 104.80 Feet to sea level: Not Reported Note: Not Reported 1962-04-10 Feet below surface: Level reading date: 103.10 Feet to sea level: Not Reported Note: The site was being pumped. 1962-03-30 Level reading date: Feet below surface: 73.70 Feet to sea level: Not Reported Not Reported

Note:

Level reading date: 1962-03-08 Feet below surface: 63.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-02-22 Feet below surface: 68.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-12-16 Feet below surface: 88.00 Feet to sea level: Not Reported Note: Not Reported 1961-07-15 Level reading date: Feet below surface: 117.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-07-01 Feet below surface: 117.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-06-17 Feet below surface: 115.30 Feet to sea level: Not Reported Not Reported Level reading date: 1961-06-03 Feet below surface: 114.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-05-20 Feet below surface: 112.10 Feet to sea level: Not Reported Note: The site was being pumped. 1961-05-06 Level reading date: Feet below surface: 109.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-04-22 Feet below surface: 110.90 Feet to sea level: Not Reported Note: The site was being pumped. 1961-04-08 Feet below surface: Level reading date: 108.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-03-18 Feet below surface: 112.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-06 Feet below surface: 105.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-02-11 Feet below surface: 110.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-02-06 Feet below surface: 108.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-01-19 Feet below surface: 112.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-12-31 Feet below surface: 83.20 Feet to sea level: Not Reported Note: Not Reported 1960-12-13 Level reading date: Feet below surface: 109.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-12-03 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-11-19 Feet below surface: Level reading date: 106.70 Feet to sea level: Not Reported Note: The site was being pumped. 1960-11-02 Level reading date: Feet below surface: 107.90 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-10-18 Feet below surface: 104.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-10-09 Feet below surface: 101.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-09-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-09-06 Level reading date: Feet below surface: 95.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-08-13 Feet below surface: 94.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-07-30 Feet below surface: 94.30 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-07-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-07-02 Feet below surface: 82.40 Feet to sea level: Not Reported Note: Not Reported 1960-06-18 Feet below surface: Level reading date: 82.80 Feet to sea level: Not Reported Note: Not Reported 1960-06-04 Level reading date: Feet below surface: 81.80 Feet to sea level: Not Reported Note: Not Reported 1960-05-20 Feet below surface: Level reading date: 98.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-05-13 Feet below surface: 89.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-05-07 Feet below surface: 94.40 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1960-03-12 Feet below surface: 48.10 Feet to sea level: Not Reported Note: Not Reported 1960-03-05 Level reading date: Feet below surface: 35.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-02-27 Feet below surface: 36.10 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-02-06 Feet below surface: 38.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-01-09 Feet below surface: 64.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-12-12 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-12-02 Feet below surface: Level reading date: 108.20 Feet to sea level: Not Reported Note: The site was being pumped. 1959-11-23 Level reading date: Feet below surface: 79.90

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1959-11-07 Feet below surface: 112.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-10-23 Feet below surface: 80.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-10-12 Feet below surface: 77.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-10-03 Feet below surface: 66.10 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1959-06-27 Feet below surface: 95.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-06-22 Feet below surface: 97.10 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-03-16 Feet below surface: 55.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-13 Feet below surface: 73.40 Feet to sea level: Not Reported Note: Not Reported 1958-12-07 Feet below surface: Level reading date: 72.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-01 Feet below surface: 71.10 Feet to sea level: Not Reported Note: Not Reported 1958-11-22 Feet below surface: Level reading date: 67.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-11-14 Feet below surface: 102.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-11 Feet below surface: 76.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-04 Feet below surface: 72.40 Feet to sea level: Not Reported Note: Not Reported 1958-09-29 Level reading date: Feet below surface: 71.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-09-20 Feet below surface: 71.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-09-13 Feet below surface: 71.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-09-06 Feet below surface: 103.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-23 Feet below surface: Level reading date: 103.40 Feet to sea level: Not Reported Note: The site was being pumped.

1958-08-16

Not Reported

Level reading date:

Feet to sea level:

102.80

The site was being pumped.

Feet below surface:

Note:

Level reading date: 1958-06-28 Feet below surface: 68.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-06-21 Feet below surface: 74.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-06-14 Feet below surface: 69.90 Feet to sea level: Not Reported Note: Not Reported 1958-06-07 Level reading date: Feet below surface: 96.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-31 Feet below surface: 67.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-24 Feet below surface: 96.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-05-17 Feet below surface: 97.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-10 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-05-03 Feet below surface: Level reading date: 60.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-04-26 Feet below surface: 58.90 Feet to sea level: Not Reported Note: Not Reported 1958-04-19 Feet below surface: Level reading date: 40.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-04-12 Feet below surface: 33.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-04-05 Feet below surface: 34.80 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1958-03-29 Feet below surface: 37.50 Feet to sea level: Not Reported Note: Not Reported 1958-03-22 Level reading date: Feet below surface: 55.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-15 Feet below surface: 54.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-08 Feet below surface: 60.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-01 Feet below surface: 63.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-01-22 Feet below surface: 65.60 Feet to sea level: Not Reported Note: Not Reported 1958-01-15 Feet below surface: 59.30 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1958-01-08 Level reading date: Feet below surface: 63.50 Feet to sea level: Not Reported Note: Not Reported

1957-12-23 77.80 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-12-14 Feet below surface: 81.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-12-07 Feet below surface: 85.80 Feet to sea level: Not Reported Note: Not Reported 1957-11-30 Level reading date: Feet below surface: 78.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-23 Feet below surface: 73.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-16 Feet below surface: 61.60 Feet to sea level: Not Reported Not Reported Level reading date: 1957-11-09 Feet below surface: 65.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-02 Feet below surface: 68.30 Feet to sea level: Not Reported Note: Not Reported 1957-10-26 Level reading date: Feet below surface: 104.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-10-19 Feet below surface: 100.60 Feet to sea level: Not Reported The site was being pumped. Note: 1957-10-05 Level reading date: Feet below surface: 103.70 Feet to sea level: Not Reported Note: The site was being pumped. 1957-09-27 Feet below surface: Level reading date: 104.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-21 Feet below surface: 103.10 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-09-11 Feet below surface: 103.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-04 Feet below surface: 102.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-23 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-09 103.90 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-26 Feet below surface: 102.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-07-18 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-06 Feet below surface: Level reading date: 98.10 Feet to sea level: Not Reported Note: The site was being pumped. 1957-06-15 Level reading date: Feet below surface: 68.60 Feet to sea level: Not Reported Note: Not Reported

1957-06-01 Level reading date: Feet below surface: 99.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-04-06 Feet below surface: 92.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1956-12-07 Feet below surface: 103.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-11-15 Feet below surface: 110.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-16 Feet below surface: 109.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-09-19 Feet below surface: 111.60 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1956-08-18 Feet below surface: 110.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-07-19 Feet below surface: 72.30 Feet to sea level: Not Reported Note: Not Reported 1956-06-23 Level reading date: Feet below surface: 119.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-05-29 Feet below surface: 96.30 Feet to sea level: Not Reported Note: Not Reported 1956-04-28 Level reading date: Feet below surface: 102.00 Feet to sea level: Not Reported Note: Not Reported 108.00 Level reading date: 1956-03-31 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-01-20 Feet below surface: 112.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1955-12-14 Feet below surface: 101.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-11-17 Feet below surface: 104.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-10-12 Feet below surface: 105.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-09-01 107.70 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-08-01 Feet below surface: 101.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1955-07-15 Feet below surface: 102.40 Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1955-06-28 101.10 Feet to sea level: Not Reported Note: Not Reported 1955-05-04 Level reading date: Feet below surface: 82.50 Feet to sea level: Not Reported Note: Not Reported

1954-10-16 88.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported

160 NW **CA WELLS** CADWR9000006700

1/4 - 1/2 Mile Lower

> 01S04W14F009S State Well #: Station ID: 2494

San Bernardino Well Name: Not Reported Basin Name: Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

P61 **CA WELLS** CADPR0000003057 South

1/4 - 1/2 Mile Higher

> Well ID: 84211 Well Type: UNK

Source: Department of Pesticide Regulation

GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp\_

date=&global\_id=&assigned\_name=84211&store\_num=

GeoTracker Data: Not Reported

**CA WELLS** CAUSGSN00008035

1/4 - 1/2 Mile Higher

> Well ID: USGS-340441117153501 Well Type: UNK

United States Geological Survey Source:

Other Name: USGS-340441117153501 GAMA PFAS Testing: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s Groundwater Quality Data:

amp\_date=&global\_id=&assigned\_name=USGS-340441117153501&store\_num=

GeoTracker Data: Not Reported

1/4 - 1/2 Mile Higher

> Well ID: 01S04W23A002S Well Type: UNK

Department of Water Resources Source:

Other Name: 01S04W23A002S **GAMA PFAS Testing:** Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_ Groundwater Quality Data:

date=&global\_id=&assigned\_name=01S04W23A002S&store\_num=

GeoTracker Data: Not Reported **CA WELLS** 

CADWR0000021749

Map ID Direction Distance

Elevation Database EDR ID Number

064

CA WELLS CADWR0000012253

1/4 - 1/2 Mile Higher

Well ID: 01S04W23A099S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23A099S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23A099S&store\_num=

GeoTracker Data: Not Reported

N65
ESE CA WELLS CADDW000008501

1/4 - 1/2 Mile Higher

Well ID: 3310031-031 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 29-2 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-031&store\_num=

GeoTracker Data: Not Reported

N66
ESE CA WELLS CAPFAS000001552

1/4 - 1/2 Mile Higher

Well ID: 3310031-031 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 29-2 GAMA PFAS Testing: Yes

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/gamap/gama$ 

date=&global\_id=&assigned\_name=3310031-031&store\_num=

GeoTracker Data: Not Reported

MC7

1/4 - 1/2 Mile Higher

- 1/2 MIIE

nighei

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23A001S Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19010101 Well Depth: 602
Well Depth Units: ft Well Hole Depth: 602

Well Hole Depth Units: ft

**FED USGS** 

USGS40000140606

Map ID Direction Distance

EDR ID Number Elevation Database

M68 SSE

1/4 - 1/2 Mile

Higher

Well ID: USGS-340426117155101 Well Type: UNK

United States Geological Survey Source:

USGS-340426117155101 GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340426117155101&store\_num=

**CA WELLS** 

CAUSGSN00015583

GeoTracker Data: Not Reported

**Q69 FED USGS** USGS40000140639

1/4 - 1/2 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23D00AS Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Not Reported Formation Type: Aquifer Type: Not Reported

19500101 Well Depth: Construction Date: 345 Well Depth Units: Well Hole Depth: 654 ft

Well Hole Depth Units: ft

Q70 wsw **CA WELLS** CAPFAS000000480

1/4 - 1/2 Mile Lower

> Well ID: 3310031-178 Well Type: MUNICIPAL

Department of Health Services Source:

Other Name: **RAUB WELL 5R** GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-178&store\_num=

GeoTracker Data: Not Reported

CADDW0000016328

WSW **CA WELLS** 1/4 - 1/2 Mile

Lower

Well ID: 3310031-178 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: **RAUB WELL 5R GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-178&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

NE

**R72** 

**FED USGS** USGS40000140797

1/4 - 1/2 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W14H001S

Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Not Reported Aquifer Type:

Construction Date: 19450101 Well Depth: 136 Well Hole Depth: Well Depth Units: ft 150

Well Hole Depth Units: ft

NNW **CA WELLS** CAUSGSN00012784 1/4 - 1/2 Mile

Higher

USGS-340515117161101 Well ID: Well Type: UNK

United States Geological Survey Source:

GAMA PFAS Testing: Other Name: USGS-340515117161101 Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp date=&global id=&assigned name=USGS-340515117161101&store num=

GeoTracker Data: Not Reported

**S74** NNW **FED USGS** USGS40000140833

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14F008S Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Not Reported Aquifer Type: Not Reported Formation Type:

Construction Date: 19510101 Well Depth: 124 Well Depth Units: ft Well Hole Depth: 125

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1951-08-09 1 Feet below surface: Feet to sea level: Not Reported

Note: Not Reported

Map ID
Direction
Distance

Distance Elevation			Database	EDR ID Number
N75 ESE 1/2 - 1 Mile Higher			CA WELLS	937
Seq: Frds no: District:	937 3310031030 14	Prim sta c: County: User id:	01S/04W-23 33 WAT	3K02 S
System no: Source nam: Latitude: Precision:	3310031 GAGE WELL 29-1 340439.9 1	Water type: Station ty: Longitude: Status:	G WELL/AMB 1171533.9 AR	NT/MUN/INTAKE/SUPPLY
Comment 1: Comment 3: Comment 5: Comment 7:	Not Reported Not Reported Not Reported Not Reported Not Reported	Comment 2: Comment 4: Comment 6:	Not Reporte Not Reporte Not Reporte	ed
System no: Hqname: City: Zip: Pop serv: Area serve:	3310031 Not Reported RIVERSIDE 92522 245000 RIVERSIDE	System nam: Address: State: Zip ext: Connection:	Riverside, C 3900 MAIN CA Not Reporte 58586	STREET
Sample date: Chemical: Dlr:	29-MAR-18 NITRATE (AS N) 0.4	Finding: Report units:	6.7 MG/L	
Sample date: Chemical: Dlr:	29-MAR-18 PERCHLORATE 4.	Finding: Report units:	4.1 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 BROMOFORM (THM) 1.	Finding: Report units:	2.5 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 DIBROMOCHLOROMETHANE (THM) 1.	Finding: Report units:	1.4 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 TOTAL TRIHALOMETHANES 0.	Finding: Report units:	4.6 UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 PERCHLORATE 4.	Finding: Report units:	5. UG/L	
Sample date: Chemical: Dlr:	25-JAN-18 RADIUM 226 MDA95 0.	Finding: Report units:	0.44 PCI/L	
Sample date: Chemical: Dlr:	25-JAN-18 RADIUM 228 MDA95 0.	Finding: Report units:	0.35 PCI/L	
Sample date: Chemical: Dlr:	25-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	7.8 MG/L	

Sample date: Chemical: Report units:	25-JAN-18 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH, UG/L	Finding: ANE DIr:	19. 10.
Sample date: Chemical: Dlr:	13-DEC-17 NITRATE (AS N) 0.4	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	17-NOV-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	19-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	11-AUG-17 NITRATE (AS N) 0.4	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	4.2 UG/L
Sample date: Chemical: Dlr:	20-JUL-17 PERCHLORATE 4.	Finding: Report units:	9.8 UG/L
Sample date: Chemical: Dlr:	17-MAY-17 PERCHLORATE 4.	Finding: Report units:	8.2 UG/L
Sample date: Chemical: Dlr:	17-MAY-17 NITRATE (AS N) 0.4	Finding: Report units:	8.8 MG/L
Sample date: Chemical: Dlr:	27-APR-17 NITRATE (AS N) 0.4	Finding: Report units:	7.9 MG/L
Sample date: Chemical: Dlr:	27-APR-17 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	15-SEP-16 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	03-AUG-16 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	970. US
Sample date: Chemical: Dlr:	03-AUG-16 CARBON DIOXIDE 0.	Finding: Report units:	8600. UG/L
Sample date: Chemical:	03-AUG-16 LANGELIER INDEX @ 60 C	Finding: Report units:	1.2 Not Reported

DIr: 0.

Sample date: 03-AUG-16 Finding: 590. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0.

Sample date: 03-AUG-16 Finding: 4.1 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 03-AUG-16 Finding: 0.77

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 03-AUG-16 Finding: 100.

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 03-AUG-16 Finding: 61.
Chemical: CHLORIDE Report units: MG/L

Dir: 0.

Sample date: 03-AUG-16 Finding: 2.6

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 03-AUG-16 Finding: 100.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 03-AUG-16 Finding: 26.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 03-AUG-16 Finding: 72.

Chemical: CALCIUM Report units: MG/L

DIr: 0.

Sample date: 03-AUG-16 Finding: 290.
Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dir: 0.

 Sample date:
 03-AUG-16
 Finding:
 10.

 Chemical:
 NITRATE (AS N)
 Report units:
 MG/L

 DIr:
 0.4

Sample date: 03-AUG-16 Finding: 330.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 03-AUG-16 Finding: 9.8

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 03-AUG-16 Finding: 10.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L
DIr: 0.4

Sample date: 03-AUG-16 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0.

Sample date: Chemical: Dlr:	03-AUG-16 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	270. MG/L
Sample date: Chemical: Dlr:	03-AUG-16 PH, LABORATORY 0.	Finding: Report units:	7.8 Not Reported
Sample date: Chemical: Dlr:	08-JUL-16 PERCHLORATE 4.	Finding: Report units:	9. UG/L
Sample date: Chemical: Dlr:	08-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	4.5 PCI/L
Sample date: Chemical: Dlr:	08-JUL-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.22 PCI/L
Sample date: Chemical: Dlr:	08-JUL-16 NITRATE (AS N) 0.4	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	08-JUL-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	15-JUN-16 PERCHLORATE 4.	Finding: Report units:	9.8 UG/L
Sample date: Chemical: Dlr:	15-JUN-16 NITRATE (AS N) 0.4	Finding: Report units:	9.1 MG/L
Sample date: Chemical: Dlr:	20-MAY-16 PERCHLORATE 4.	Finding: Report units:	9.2 UG/L
Sample date: Chemical: Dlr:	20-MAY-16 NITRATE (AS N) 0.4	Finding: Report units:	9.6 MG/L
Sample date: Chemical: Dlr:	20-APR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	20-APR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	2.4 PCI/L
Sample date: Chemical: Dlr:	20-APR-16 NITRATE (AS N) 0.4	Finding: Report units:	9.8 MG/L
Sample date: Chemical: Dlr:	20-APR-16 URANIUM (PCI/L) 1.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical:	20-APR-16 GROSS ALPHA	Finding: Report units:	5.3 PCI/L

Dlr: 3. Sample date: 22-MAR-16 Finding: 9.9 NITRATE (AS N) Chemical: Report units: MG/L Dlr: 0.4 Sample date: 26-FEB-16 Finding: 1.6 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 26-FEB-16 9.9 Sample date: Finding: Chemical: **PERCHLORATE** Report units: UG/L DIr: 26-FEB-16 Sample date: Finding: 4.6 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 26-FEB-16 0.24 Sample date: Finding: GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 26-FEB-16 Sample date: Finding: 6.3 **GROSS ALPHA** Report units: PCI/L Chemical: DIr: 26-FEB-16 Sample date: Finding: 9.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 17-DEC-15 Finding: 9.7 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 17-DEC-15 Finding: 43. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 17-DEC-15 Sample date: Finding: 8.9 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 29-OCT-15 Finding: 4.3 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: Sample date: 29-OCT-15 Finding: 7.9 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3. Sample date: 29-OCT-15 Finding: 10. Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 29-OCT-15 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-OCT-15 Finding: 1.5 **GROSS ALPHA MDA95** Chemical: Report units: PCI/L

DIr:

0.

Sample date: Chemical: Dlr:	29-OCT-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.26 PCI/L
Sample date: Chemical: Dlr:	30-SEP-15 URANIUM (PCI/L) 1.	Finding: Report units:	4.1 PCI/L
Sample date: Chemical: Dlr:	30-SEP-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.24 PCI/L
Sample date: Chemical: Dlr:	30-SEP-15 GROSS ALPHA 3.	Finding: Report units:	5.6 PCI/L
Sample date: Chemical: Dlr:	30-SEP-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	17-SEP-15 NITRATE (AS NO3) 2.	Finding: Report units:	50. MG/L
Sample date: Chemical: Dlr:	04-JUN-15 NITRATE (AS NO3) 2.	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	12-MAY-15 NITRATE (AS NO3) 2.	Finding: Report units:	43. MG/L
Sample date: Chemical: Dlr:	12-MAY-15 PERCHLORATE 4.	Finding: Report units:	9.4 UG/L
Sample date: Chemical: Dlr:	16-APR-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.25 PCI/L
Sample date: Chemical: DIr:	16-APR-15 GROSS ALPHA 3.	Finding: Report units:	6.4 PCI/L
Sample date: Chemical: Dlr:	16-APR-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.61 MG/L
Sample date: Chemical: Dlr:	16-APR-15 URANIUM (PCI/L) 1.	Finding: Report units:	5.2 PCI/L
Sample date: Chemical: Dlr:	16-APR-15 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	16-APR-15 PERCHLORATE 4.	Finding: Report units:	9.6 UG/L
Sample date: Chemical:	16-APR-15 GROSS ALPHA MDA95	Finding: Report units:	1.3 PCI/L

Dlr: 0. 16-APR-15 Sample date: Finding: 0.73 TOTAL TRIHALOMETHANES Chemical: Report units: UG/L DIr: Sample date: 21-NOV-14 Finding: 42. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 21-NOV-14 Sample date: Finding: 9.8 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 09-OCT-14 Finding: 9.8 **PERCHLORATE** Chemical: Report units: UG/L DIr: 09-OCT-14 Sample date: Finding: 42. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 19-SEP-14 Sample date: Finding: 3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 19-SEP-14 Sample date: Finding: 3.6 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 19-SEP-14 Finding: 0.21 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 18-SEP-14 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 08-AUG-14 Finding: Sample date: 47. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 11-JUL-14 Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr: Sample date: 11-JUL-14 Finding: 51. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 11-JUL-14 Finding: 4.2 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 11-JUL-14 Finding: 0.23 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 0. Sample date: 09-MAY-14 Finding: 13. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

0.

DIr:

Sample date: Chemical: Dlr:	09-MAY-14 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	9100. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 PERCHLORATE 4.	Finding: Report units:	9.7 UG/L
Sample date: Chemical: Dlr:	09-MAY-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-MAY-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	940. US
Sample date: Chemical: Dlr:	09-MAY-14 PH, LABORATORY 0.	Finding: Report units:	8.1 Not Reported
Sample date: Chemical: Dlr:	09-MAY-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	240. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	290. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 CARBONATE ALKALINITY 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	09-MAY-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	290. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 CALCIUM 0.	Finding: Report units:	72. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 MAGNESIUM 0.	Finding: Report units:	27. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 SODIUM 0.	Finding: Report units:	92. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 POTASSIUM 0.	Finding: Report units:	2.5 MG/L
Sample date: Chemical: Dlr:	09-MAY-14 CHLORIDE 0.	Finding: Report units:	51. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 SULFATE 0.5	Finding: Report units:	100. MG/L
Sample date: Chemical:	09-MAY-14 FLUORIDE (F) (NATURAL-SOURCE)	Finding: Report units:	0.75 MG/L

DIr: 0.1

Sample date: 09-MAY-14 Finding: 2.3 Chemical: ARSENIC Report units: UG/L

Dlr: 2.

Sample date: 09-MAY-14 Finding: 5.6 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 09-MAY-14 Finding: 0.19
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

DII. 0.

Sample date: 09-MAY-14 Finding: 1.5 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 09-MAY-14 Finding: 560.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 09-MAY-14 Finding: 1.4

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 09-MAY-14 Finding: 40. Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 09-MAY-14 Finding: 3800.

Chemical: CARBON DIOXIDE Report units: UG/L DIr: 0.

Sample date: 04-OCT-13 Finding: 42.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 04-OCT-13 Finding: 9.5

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 05-SEP-13 Finding: 44.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 09-AUG-13 Finding: 260.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 09-AUG-13 Finding: 9.7

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 09-AUG-13 Finding: 9800.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: 09-AUG-13 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dir: 0.

09-AUG-13 5.6e-002 Sample date: Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: Sample date: 09-AUG-13 Finding: 43. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Finding: Sample date: 09-AUG-13 1.2 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: Sample date: 09-AUG-13 Finding: 570. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 09-AUG-13 Sample date: Finding: **VANADIUM** Report units: UG/L Chemical: DIr: 3. Sample date: 09-AUG-13 0.72 Finding: Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1 Finding: Sample date: 09-AUG-13 100. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 09-AUG-13 Finding: 58. Chemical: **CHLORIDE** Report units: MG/L DIr: 09-AUG-13 2.6 Sample date: Finding: **POTASSIUM** Report units: Chemical: MG/L DIr: Sample date: 09-AUG-13 Finding: 95. SODIUM Report units: Chemical: MG/L DIr: 0. Sample date: 09-AUG-13 Finding: 26. Chemical: **MAGNESIUM** Report units: MG/L DIr: 0. Sample date: 09-AUG-13 Finding: 69. Chemical: **CALCIUM** Report units: MG/L DIr: Sample date: 09-AUG-13 280. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 09-AUG-13 Finding: 320. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L 09-AUG-13 950. Sample date: Finding: SPECIFIC CONDUCTANCE Chemical: Report units: US 09-AUG-13 Sample date: Finding: 7.8 Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0. Sample date: 03-JUL-13 Finding: 43. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Sample date: 05-JUN-13 Finding: 9.8 Chemical: **PERCHLORATE** Report units: UG/L DIr: 05-JUN-13 3.7 Sample date: Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 05-JUN-13 Finding: 42. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 05-JUN-13 Sample date: Finding: 3.78 **GROSS ALPHA** Chemical: Report units: PCI/L DIr: 05-JUN-13 Sample date: Finding: 0.553 GROSS ALPHA COUNTING ERROR Report units: Chemical: PCI/L DIr: 03-MAY-13 Sample date: Finding: 9.5 **PERCHLORATE** Chemical: Report units: UG/L DIr: Sample date: 03-MAY-13 Finding: 43. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 03-MAY-13 Finding: 3.9 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Finding: Sample date: 03-MAY-13 1.3 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: 11-APR-13 Sample date: Finding: 3.6 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 1. 11-APR-13 Sample date: Finding: 1.55 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 11-APR-13 Finding: 3.6 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 11-APR-13 Finding: 42. Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date:

Chemical:

DIr:

11-APR-13

4.

PERCHLORATE

9.6

UG/L

Finding:

Report units:

Sample date: Chemical: Dlr:	10-JAN-13 NITRATE (AS NO3) 2.	Finding: Report units:	43. MG/L
Sample date: Chemical: Dlr:	06-DEC-12 URANIUM (PCI/L) 1.	Finding: Report units:	4.7 PCI/L
Sample date: Chemical: Dlr:	06-DEC-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.77 PCI/L
Sample date: Chemical: Dlr:	06-DEC-12 NITRATE (AS NO3) 2.	Finding: Report units:	49. MG/L
Sample date: Chemical: Dlr:	06-DEC-12 GROSS ALPHA 3.	Finding: Report units:	4.55 PCI/L
Sample date: Chemical: Dlr:	05-OCT-12 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	07-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	4.9 UG/L
Sample date: Chemical: Dlr:	07-SEP-12 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	02-AUG-12 NITRATE (AS NO3) 2.	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	02-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	4. PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA 3.	Finding: Report units:	3.57 PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.52 PCI/L
Sample date: Chemical: Dlr:	31-JUL-12 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	31-JUL-12 URANIUM (PCI/L) 1.	Finding: Report units:	3.5 PCI/L
Sample date: Chemical: Dlr:	31-JUL-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.967 PCI/L
Sample date: Chemical:	14-JUN-12 NITRATE (AS NO3)	Finding: Report units:	49. MG/L

Dlr: 2.

Sample date: 17-MAY-12 Finding: 4.1 PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: 17-MAY-12 Finding: 57. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

0.874 Sample date: 17-MAY-12 Finding: Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 16-MAR-12 9.5 Finding: **GROSS ALPHA** PCI/L Chemical: Report units:

DIr:

16-MAR-12 Sample date: Finding: 2.4

**GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L

DIr:

16-MAR-12 Finding: Sample date: 12. URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr:

16-MAR-12 Sample date: Finding: 51. Report units: MG/L

Chemical: NITRATE (AS NO3)

DIr:

Sample date: 16-MAR-12 Finding: 8.9 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

**T76** NW **CA WELLS** CADWR9000006701

1/2 - 1 Mile Lower

> State Well #: 01S04W14L001S Station ID: 26950 Well Name: Not Reported Basin Name: San Bernardino Well Use: Well Type: Unknown Unknown Well Depth: Well Completion Rpt #: Not Reported

**CA WELLS** 935 1/2 - 1 Mile Higher

Seq: 935 Prim sta c: 01S/04W-23H01 S

Frds no: 3310031028 County: 33 District: 14 User id: WAT System no: 3310031 Water type: G

GAGE WELL 27-1 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam:

340425.1 Latitude: Longitude: 1171552.6 Precision: Status: AR

Not Reported Comment 1: Comment 2: Not Reported Not Reported Comment 4: Not Reported Comment 3: Not Reported Comment 5: Not Reported Comment 6:

Comment 7: Not Reported System no: 3310031 System nam: Riverside, City Of 3900 MAIN STREET Hqname: Not Reported Address: RIVERSIDE City: State: CA 92522 Zip ext: Not Reported Zip: Pop serv: 245000 Connection: 58586 Area serve: **RIVERSIDE** Sample date: 28-FEB-18 Finding: 8. **PERCHLORATE** UG/L Chemical: Report units: DIr: Sample date: 28-FEB-18 Finding: 2.1 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 28-FEB-18 0.84 Finding: TOTAL TRIHALOMETHANES Chemical: Report units: UG/L DIr: 0. Sample date: Finding: 29. Chemical: 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE Report units: UG/L DIr: 10. Sample date: 25-JAN-18 Finding: 1.9 DIBROMOCHLOROMETHANE (THM) Chemical: Report units: UG/L DIr: 25-JAN-18 6.2 Sample date: Finding: Chemical: TOTAL TRIHALOMETHANES Report units: UG/L DIr: 2.9 Sample date: 25-JAN-18 Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 25-JAN-18 Finding: 3.6 Chemical: **BROMOFORM (THM)** Report units: UG/L DIr: 1. 25-JAN-18 Sample date: Finding: 13. URANIUM (PCI/L) Report units: PCI/L Chemical: Sample date: 25-JAN-18 Finding: 8.4 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 25-JAN-18 Finding: 6.1 NITRATE (AS N) Report units: Chemical: MG/L DIr: 0.4 Sample date: 25-JAN-18 Finding: 1.1 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: 01-NOV-17 Sample date: Finding: 1. Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date:

01-NOV-17

13.

Finding:

Chemical: Report units:	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	ANE Dir:	10.
Sample date: Chemical: Dlr:	01-NOV-17 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	05-OCT-17 GROSS ALPHA MDA95 0.	Finding: Report units:	0.15 PCI/L
Sample date: Chemical: Dlr:	05-OCT-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.67 PCI/L
Sample date: Chemical: Dlr:	05-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	6.2 MG/L
Sample date: Chemical: Dlr:	05-OCT-17 PERCHLORATE 4.	Finding: Report units:	5.7 UG/L
Sample date: Chemical: Report units:	05-OCT-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	15. 10.
Sample date: Chemical: Dlr:	05-OCT-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	05-OCT-17 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Report units:	15-SEP-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	17. 10.
Sample date: Chemical: Dlr:	15-SEP-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.99 UG/L
Sample date: Chemical: Dlr:	15-SEP-17 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	09-AUG-17 PERCHLORATE 4.	Finding: Report units:	6.1 UG/L
Sample date: Chemical: Report units:	09-AUG-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE Dlr:	19. 10.
Sample date: Chemical: Dlr:	09-AUG-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	21-JUL-17 GROSS ALPHA MDA95 0.	Finding: Report units:	0.14 PCI/L

Sample date: Chemical: Dlr:	21-JUL-17 PERCHLORATE 4.	Finding: Report units:	6.7 UG/L
Sample date: Chemical: Report units:	21-JUL-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	22. 10.
Sample date: Chemical: Dlr:	21-JUL-17 URANIUM (PCI/L) 1.	Finding: Report units:	21. PCI/L
Sample date: Chemical: Dlr:	21-JUL-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.59 PCI/L
Sample date: Chemical: Dlr:	21-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	7.4 MG/L
Sample date: Chemical: Dlr:	21-JUL-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	02-MAY-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.34 PCI/L
Sample date: Chemical: Dlr:	02-MAY-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	02-MAY-17 URANIUM (PCI/L) 1.	Finding: Report units:	15. PCI/L
Sample date: Chemical: DIr:	27-APR-17 DIBROMOCHLOROMETHANE (THM) 1.	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	27-APR-17 BROMOFORM (THM) 1.	Finding: Report units:	2.4 UG/L
Sample date: Chemical: Dlr:	27-APR-17 URANIUM (PCI/L) 1.	Finding: Report units:	13. PCI/L
Sample date: Chemical: Dlr:	27-APR-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.35 PCI/L
Sample date: Chemical: Dlr:	27-APR-17 NITRATE (AS N) 0.4	Finding: Report units:	8.1 MG/L
Sample date: Chemical:	27-APR-17 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH	Finding: ANE	26.
Report units:	UG/L	DIr:	10.
Sample date: Chemical:	27-APR-17 TOTAL TRIHALOMETHANES	Finding: Report units:	4.4 UG/L

DIr:	0.		
Sample date: Chemical: Dlr:	27-APR-17 PERCHLORATE 4.	Finding: Report units:	5.7 UG/L
Sample date: Chemical: Dlr:	27-APR-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	27-APR-17 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Report units:	14-NOV-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	19. 10.
Sample date: Chemical: Dlr:	14-NOV-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.2 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 URANIUM (PCI/L) 1.	Finding: Report units:	37. PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 PERCHLORATE 4.	Finding: Report units:	7.2 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	4.2 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.4 PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA 3.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 NITRATE (AS N) 0.4	Finding: Report units:	7.4 MG/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	15-SEP-16 NITRATE (AS N) 0.4	Finding: Report units:	6.7 MG/L
Sample date: Chemical: Dlr:	15-SEP-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.34 PCI/L
Sample date: Chemical: Dlr:	15-SEP-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.6 UG/L

Sample date: Chemical:	15-SEP-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH		15.
Report units:	UG/L	Dlr:	10.
Sample date: Chemical: Dlr:	15-SEP-16 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	15-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	15-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	28. PCI/L
Sample date: Chemical: Dlr:	03-AUG-16 PERCHLORATE 4.	Finding: Report units:	5.6 UG/L
Sample date: Chemical:	03-AUG-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH	Finding: ANE	21.
Report units:	UG/L	Dlr:	10.
Sample date: Chemical: Dlr:	03-AUG-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	03-AUG-16 URANIUM (PCI/L) 1.	Finding: Report units:	31. PCI/L
Sample date: Chemical: Dlr:	03-AUG-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.37 PCI/L
Sample date: Chemical: Dlr:	03-AUG-16 NITRATE (AS N) 0.4	Finding: Report units:	6.5 MG/L
Sample date: Chemical: Dlr:	03-AUG-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	08-JUL-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	08-JUL-16 PERCHLORATE 4.	Finding: Report units:	6.4 UG/L
Sample date:	08-JUL-16	Finding:	19.
Chemical: Report units:	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	ANE Dir:	10.
Sample date: Chemical: Dlr:	08-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical:	08-JUL-16 GROSS ALPHA COUNTING ERROR	Finding: Report units:	0.4 PCI/L

DIr:	0.		
Sample date: Chemical: Dlr:	08-JUL-16 NITRATE (AS N) 0.4	Finding: Report units:	6.6 MG/L
Sample date: Chemical: Dlr:	08-JUL-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.6 UG/L
Sample date: Chemical: Dlr:	09-JUN-16 NITRATE (AS N) 0.4	Finding: Report units:	7.2 MG/L
Sample date: Chemical: Dlr:	09-JUN-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.38 PCI/L
Sample date: Chemical: Dlr:	09-JUN-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	09-JUN-16 URANIUM (PCI/L) 1.	Finding: Report units:	24. PCI/L
Sample date: Chemical: Dlr:	09-JUN-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Report units:	09-JUN-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	20. 10.
Sample date: Chemical: Dlr:	09-JUN-16 PERCHLORATE 4.	Finding: Report units:	6.8 UG/L
Sample date: Chemical: Dlr:	21-APR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.9 PCI/L
Sample date: Chemical: Dlr:	21-APR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	2.52 PCI/L
Sample date: Chemical: Dlr:	21-APR-16 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	21-APR-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.3 UG/L
Sample date: Chemical: Report units:	21-APR-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	27. 10.
Sample date: Chemical: Dlr:	21-APR-16 PERCHLORATE 4.	Finding: Report units:	7.7 UG/L

Sample date: Chemical: Dlr:	21-APR-16 NITRATE (AS N) 0.4	Finding: Report units:	7.2 MG/L
Sample date: Chemical: Dlr:	03-MAR-16 PERCHLORATE 4.	Finding: Report units:	6.2 UG/L
Sample date: Chemical: Report units:	03-MAR-16 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	22. 10.
Sample date: Chemical: Dlr:	03-MAR-16 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	03-MAR-16 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	03-MAR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.36 PCI/L
Sample date: Chemical: Dlr:	03-MAR-16 NITRATE (AS N) 0.4	Finding: Report units:	6.6 MG/L
Sample date: Chemical: Dlr:	03-MAR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.4 PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	01-OCT-15 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Report units:	01-OCT-15 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	20. 10.
Sample date: Chemical: Dlr:	01-OCT-15 PERCHLORATE 4.	Finding: Report units:	6.4 UG/L
Sample date: Chemical: Dlr:	01-OCT-15 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical:	09-SEP-15 GROSS ALPHA COUNTING ERROR	Finding: Report units:	0.36 PCI/L

Dlr: 0. 09-SEP-15 Sample date: Finding: 23. URANIUM (PCI/L) PCI/L Chemical: Report units: DIr: Sample date: 09-SEP-15 Finding: 1.8 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5 09-SEP-15 Sample date: Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 09-SEP-15 Finding: 26. 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE Chemical: Report units: UG/L 10. 09-SEP-15 Sample date: Finding: 1.1 Chemical: **TOTAL TRIHALOMETHANES** Report units: UG/L DIr: 09-SEP-15 Sample date: Finding: 7.6 UG/L **PERCHLORATE** Report units: Chemical: DIr: 09-SEP-15 1.2 Sample date: Finding: Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: Sample date: 10-JUL-15 Finding: 5.7 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 10-JUL-15 Finding: 14. Chemical: 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE Report units: UG/L 10. Sample date: 10-JUL-15 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-JUL-15 Finding: 1.3 1,1-DICHLOROETHYLENE Report units: UG/L Chemical: DIr: Sample date: 10-JUL-15 Finding: 29. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1. Sample date: 10-JUL-15 Finding: 0.4 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 10-JUL-15 Finding: 1.4 **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 03-JUN-15 Finding: 39. **CHLORIDE** Chemical: Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	03-JUN-15 SULFATE 0.5	Finding: Report units:	97. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.6 MG/L
Sample date: Chemical: Dlr:	03-JUN-15 VANADIUM 3.	Finding: Report units:	3.9 UG/L
Sample date: Chemical: Dlr:	03-JUN-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.35 PCI/L
Sample date: Chemical: Dlr:	03-JUN-15 URANIUM (PCI/L) 1.	Finding: Report units:	17. PCI/L
Sample date: Chemical: Dlr:	03-JUN-15 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.3 UG/L
Sample date: Chemical: Dlr:	03-JUN-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	500. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical: Dlr:	03-JUN-15 NITRATE (AS NO3) 2.	Finding: Report units:	38. MG/L
Sample date: Chemical: Report units:	03-JUN-15 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	30. 10.
Sample date: Chemical: Dlr:	03-JUN-15 TURBIDITY, LABORATORY 0.1	Finding: Report units:	8.1e-002 NTU
Sample date: Chemical: Dlr:	03-JUN-15 TOTAL TRIHALOMETHANES 0.	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	03-JUN-15 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	03-JUN-15 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8600. MG/L
Sample date: Chemical: Dlr:	03-JUN-15 PERCHLORATE 4.	Finding: Report units:	7.4 UG/L
Sample date: Chemical:	03-JUN-15 GROSS ALPHA MDA95	Finding: Report units:	1.3 PCI/L

DIr: 0.

Sample date: 03-JUN-15 Finding: 3.7 Chemical: POTASSIUM Report units: MG/L

Dlr: 0.

Sample date: 03-JUN-15 Finding: 50. Chemical: SODIUM Report units: MG/L

DIr: 0.

Sample date: 03-JUN-15 Finding: 20. Chemical: MAGNESIUM Report units: MG/L

Dlr: 0.

Sample date: 03-JUN-15 Finding: 95.
Chemical: CALCIUM Report units: MG/L

DIr: CALCIOM

Sample date: 03-JUN-15 Finding: 320.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 03-JUN-15 Finding: 280.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 03-JUN-15 Finding: 230.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

DII. 0.

Sample date: 03-JUN-15 Finding: 800.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

Sample date: 03-JUN-15 Finding: 7.8

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 21-NOV-14 Finding: 30.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 21-NOV-14 Finding: 18.

Chemical: 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE
Report units: UG/L DIr: 10.

Sample date: 21-NOV-14 Finding: 6.9

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 21-NOV-14 Finding: 1.9

Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 21-NOV-14 Finding: 25.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 21-NOV-14 Finding: 0.5

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: Chemical: Dlr:	21-NOV-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.68 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.38 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	09-OCT-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.68 PCI/L
Sample date: Chemical: Dlr:	09-OCT-14 PERCHLORATE 4.	Finding: Report units:	6. UG/L
Sample date:	09-OCT-14	Finding:	12.
Chemical: Report units:	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	ANE Dir:	10.
Sample date: Chemical: Dlr:	09-OCT-14 NITRATE (AS NO3) 2.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	18-SEP-14 PERCHLORATE 4.	Finding: Report units:	6.3 UG/L
Sample date: Chemical:	18-SEP-14 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH		14.
Report units:	UG/L	Dlr:	10.
Sample date: Chemical: Dlr:	18-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.49 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.2 UG/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.36 PCI/L
Sample date: Chemical:	21-AUG-14 GROSS ALPHA MDA95	Finding: Report units:	0.22 PCI/L

DIr:	0.		
Sample date: Chemical: Dlr:	21-AUG-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.48 PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	21-AUG-14 CHLOROETHANE 0.5	Finding: Report units:	0.65 UG/L
Sample date: Chemical: Dlr:	21-AUG-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	21-AUG-14 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical:	21-AUG-14 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/	Finding: ANF	18.
Report units:	UG/L	DIr:	10.
Sample date: Chemical: Dlr:	21-AUG-14 PERCHLORATE 4.	Finding: Report units:	6.7 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 PERCHLORATE 4.	Finding: Report units:	7. UG/L
Sample date: Chemical: Report units:	10-JUL-14 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	20. 10.
Sample date: Chemical: Dlr:	10-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	32. MG/L
Sample date: Chemical: Dlr:	10-JUL-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.46 PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.34 PCI/L
Sample date: Chemical: Dlr:	09-MAY-14 SODIUM 0.	Finding: Report units:	58. MG/L

Sample date: Chemical: Dlr:	09-MAY-14 POTASSIUM 0.	Finding: Report units:	3.6 MG/L
Sample date: Chemical: Dlr:	09-MAY-14 CHLORIDE 0.	Finding: Report units:	43. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 SULFATE 0.5	Finding: Report units:	100. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.61 MG/L
Sample date: Chemical: Dlr:	09-MAY-14 VANADIUM 3.	Finding: Report units:	3.8 UG/L
Sample date: Chemical: Dlr:	09-MAY-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.5 PCI/L
Sample date: Chemical: Dlr:	09-MAY-14 URANIUM (PCI/L) 1.	Finding: Report units:	19. PCI/L
Sample date: Chemical: Dlr:	09-MAY-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.5 UG/L
Sample date: Chemical: Dlr:	09-MAY-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	550. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.5 Not Reported
Sample date: Chemical: Dlr:	09-MAY-14 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	09-MAY-14 CARBON DIOXIDE 0.	Finding: Report units:	3900. UG/L
Sample date: Chemical: Report units:	09-MAY-14 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	17. 10.
Sample date: Chemical: Dlr:	09-MAY-14 TURBIDITY, LABORATORY 0.1	Finding: Report units:	5.2e-002 NTU
Sample date: Chemical: Dlr:	09-MAY-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical:	09-MAY-14 NITRATE + NITRITE (AS N)	Finding: Report units:	8800. MG/L

DIr: 0.4

Sample date: 09-MAY-14 Finding: 8.9 Chemical: PERCHLORATE Report units: UG/L

Dlr: 4.

Sample date: 09-MAY-14 Finding: 0.32 Chemical: GROSS ALPHA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 09-MAY-14 Finding: 22. Chemical: MAGNESIUM Report units: MG/L

Dlr: 0.

Sample date: 09-MAY-14 Finding: 100. Chemical: CALCIUM Report units: MG/L

DIr:

Sample date: 09-MAY-14 Finding: 340. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dir: 0.

Sample date: 09-MAY-14 Finding: 2.4

Chemical: CARBONATE ALKALINITY Report units: MG/L DIr: 0.

J... 0.

Sample date: 09-MAY-14 Finding: 300.
Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0

Sample date: 09-MAY-14 Finding: 240.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

ווכו. ט.

Sample date: 09-MAY-14 Finding: 8.1

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 09-MAY-14 Finding: 2. Chemical: ODOR THRESHOLD @ 60 C Report units: TON

Dlr: 1.

Sample date: 09-MAY-14 Finding: 920. Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr: 0.

Sample date: 18-JUL-13 Finding: 1.4 Chemical: 1,1-DICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 18-JUL-13 Finding: 14. Chemical: 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE

Report units: UG/L DIr: 10.

Sample date: 18-JUL-13 Finding: 30.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 18-JUL-13 Finding: 0.52 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: Chemical: Dlr:	18-JUL-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.67 PCI/L
Sample date: Chemical: Dlr:	18-JUL-13 PERCHLORATE 4.	Finding: Report units:	6.3 UG/L
Sample date: Chemical: Dlr:	18-JUL-13 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 PERCHLORATE 4.	Finding: Report units:	6.9 UG/L
Sample date: Chemical: Report units:	20-JUN-13 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	11. 10.
Sample date: Chemical: Dlr:	20-JUN-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.21 PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	20-JUN-13 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	24-MAY-13 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	24-MAY-13 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.69 UG/L
Sample date: Chemical: Dlr:	24-MAY-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	640. MG/L
Sample date: Chemical: Dlr:	24-MAY-13 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.5 Not Reported
Sample date: Chemical: Dlr:	24-MAY-13 NITRATE (AS NO3) 2.	Finding: Report units:	34. MG/L
Sample date: Chemical: Report units:	24-MAY-13 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	18. 10.
Sample date: Chemical: Dlr:	24-MAY-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.16 NTU
Sample date: Chemical:	24-MAY-13 AGGRSSIVE INDEX (CORROSIVITY)	Finding: Report units:	13. Not Reported

Sample date: 24-MAY-13 Finding: 7600. NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 24-MAY-13 Finding: Chemical: PERCHLORATE Report units: UG/L DIr: 0.54 Sample date: 24-MAY-13 Finding: Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 24-MAY-13 Finding: 160. Chemical: SULFATE Report units: MG/L

DIr: 0.5

0.

Dlr:

Sample date: 24-MAY-13 Finding: 44.
Chemical: CHLORIDE Report units: MG/L
DIr: 0.

Sample date: 24-MAY-13 Finding: 4.4

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 57.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 28.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 130.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 440.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 320.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 24-MAY-13 Finding: 260.
Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L
DIr: 0.

Sample date: 24-MAY-13 Finding: 7.9

Chemical: PH, LABORATORY Report units: Not Reported

Dir: 0.

Sample date: 24-MAY-13 Finding: 950.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 24-MAY-13 Finding: 1.22
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L
DIr: 0.

Sample date: Chemical: Dlr:	24-MAY-13 VANADIUM 3.	Finding: Report units:	3.5 UG/L
Sample date: Chemical:	10-JAN-13 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/	Finding: ANE DIr:	12. 10.
Report units:  Sample date: Chemical: Dlr:	UG/L 10-JAN-13 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	10-JAN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.72 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.14 PCI/L
Sample date: Chemical: Dlr:	10-JAN-13 URANIUM (PCI/L) 1.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	05-OCT-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.96 UG/L
Sample date: Chemical: Dlr:	05-OCT-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.57 UG/L
Sample date: Chemical: Dlr:	05-OCT-12 NITRATE (AS NO3) 2.	Finding: Report units:	29. MG/L
Sample date: Chemical: Report units:	05-OCT-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	13. 10.
Sample date: Chemical: Dlr:	05-OCT-12 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	05-OCT-12 URANIUM (PCI/L) 1.	Finding: Report units:	28. PCI/L
Sample date: Chemical: Report units:	21-SEP-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH/ UG/L	Finding: ANE DIr:	13. 10.
Sample date: Chemical:	21-SEP-12 1,1-DICHLOROETHYLENE	Finding: Report units:	1.5 UG/L

DIr:	0.5		
Sample date: Chemical: Dlr:	21-SEP-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.53 UG/L
Sample date: Chemical: Dlr:	14-SEP-12 PERCHLORATE 4.	Finding: Report units:	6. UG/L
Sample date: Chemical: Dlr:	14-SEP-12 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical: Dlr:	14-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dlr:	14-SEP-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.01 PCI/L
Sample date: Chemical: Report units:	14-SEP-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	14. 10.
Sample date: Chemical: Dlr:	14-SEP-12 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	14-SEP-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.59 UG/L
Sample date: Chemical: Dlr:	14-SEP-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1. UG/L
Sample date: Chemical: Dlr:	23-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	23-AUG-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	3.6 UG/L
Sample date: Chemical: Dlr:	23-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	23-AUG-12 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	23-AUG-12 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical: Report units:	26-JUL-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH UG/L	Finding: ANE DIr:	12. 10.

Sample date: Chemical: Dlr:	26-JUL-12 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	26-JUL-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.51 UG/L
Sample date: Chemical: Dlr:	26-JUL-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	26-JUL-12 URANIUM (PCI/L) 1.	Finding: Report units:	31. PCI/L
Sample date: Chemical: Dlr:	26-JUL-12 PERCHLORATE 4.	Finding: Report units:	6.5 UG/L
Sample date: Chemical: Dlr:	14-JUN-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.63 PCI/L
Sample date: Chemical: Dlr:	14-JUN-12 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical: Dlr:	14-JUN-12 PERCHLORATE 4.	Finding: Report units:	6.8 UG/L
Sample date: Chemical: Report units:	14-JUN-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH. UG/L	Finding: ANE DIr:	15. 10.
Sample date: Chemical: Dlr:	14-JUN-12 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	14-JUN-12 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	11-MAY-12 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	8900. MG/L
Sample date: Chemical: Dlr:	11-MAY-12 PERCHLORATE 4.	Finding: Report units:	7.9 UG/L
Sample date: Chemical: Dlr:	11-MAY-12 TURBIDITY, LABORATORY 0.1	Finding: Report units:	9.6e-002 NTU
Sample date: Chemical: Report units:	11-MAY-12 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETH. UG/L	Finding: ANE DIr:	17. 10.
Sample date: Chemical:	11-MAY-12 NITRATE (AS NO3)	Finding: Report units:	39. MG/L

Dlr: 2. Sample date: 11-MAY-12 Finding: 1.7 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: 0. Sample date: 11-MAY-12 Finding: 570. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 11-MAY-12 Sample date: Finding: 21. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 11-MAY-12 Finding: 4. VANADIUM UG/L Chemical: Report units: DIr: 0.63 Sample date: 11-MAY-12 Finding: FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1 Sample date: 11-MAY-12 Finding: 130. Report units: Chemical: **SULFATE** MG/L DIr: 0.5 11-MAY-12 Sample date: Finding: 45. Chemical: **CHLORIDE** Report units: MG/L DIr: Sample date: 11-MAY-12 Finding: 3.5 Chemical: **POTASSIUM** Report units: MG/L DIr: Sample date: 11-MAY-12 Finding: 53. Chemical: SODIUM Report units: MG/L DIr: 0. 11-MAY-12 Sample date: Finding: 24. MAGNESIUM Chemical: Report units: MG/L DIr: Sample date: 11-MAY-12 110. Finding: CALCIUM Report units: Chemical: MG/L DIr: Sample date: 11-MAY-12 Finding: 370. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 11-MAY-12 Finding: 3. Chemical: CARBONATE ALKALINITY Report units: MG/L DIr: Sample date: 11-MAY-12 Finding: 320. **BICARBONATE ALKALINITY** Chemical: Report units: MG/L DIr: Sample date: 11-MAY-12 Finding: 260. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

0.

Sample date: 11-MAY-12 Finding: 8.2

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 11-MAY-12 Finding: 3.16
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dir: 0.

Sample date: 11-MAY-12 Finding: 890.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

Sample date: 11-MAY-12 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0.

S78
NNW
CA WELLS CADWR0000013505

1/2 - 1 Mile Higher

Lower

Well ID: 01S04W14F008S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14F008S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14F008S&store\_num=

GeoTracker Data: Not Reported

---

79 SW CA WELLS 932 1/2 - 1 Mile

Seq: 932 Prim sta c: 01S/04W-23C02 S

 Frds no:
 3310031078
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: RAUB WELL 02 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340429.2
 Longitude:
 1171621.6

 Precision:
 1
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

 Zip:
 92522
 Zip ext:
 Not Reported

 Pop serv:
 245000
 Connection:
 58586

Area serve: 245000 Connection:

Area serve: RIVERSIDE

Map ID Direction Distance

Elevation Database EDR ID Number

R80 NE

CA WELLS CADWR9000006702

USGS40000140650

**FED USGS** 

1/2 - 1 Mile Higher

State Well #: 01S04W13E002S Station ID: 2355

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

Q81

SW 1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23D002S Well Type: HUC: Description: Not Reported 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19500101 Well Depth: 714
Well Depth Units: ft Well Hole Depth: 744

Well Hole Depth Units: ft

Q82 SW CA WELLS CAUSGSN00018556

1/2 - 1 Mile Lower

Well ID: USGS-340434117162801 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340434117162801 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340434117162801&store\_num=

GeoTracker Data: Not Reported

Q83 WSW CA WELLS 933 1/2 - 1 Mile

Lower

Seq: 933 Prim sta c: 01S/04W-23C03 S

 Frds no:
 3310031080
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: RAUB WELL 04 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340435.7
 Longitude:
 1171629.0

 Precision:
 1
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

Zip: 92522 Zip ext: Not Reported

Pop serv: 245000 Connection: 58586 Area serve: RIVERSIDE

Sample date: 22-JAN-15 Finding: 3.4 Chemical: GROSS ALPHA Report units: PCI/L

Chemical: GROSS ALPHA Report units: PCI/L DIr: 3.

Sample date: 22-JAN-15 Finding: 3.1

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 22-JAN-15 Finding: 5.5

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 22-JAN-15 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 22-JAN-15 Finding: 0.92

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 22-JAN-15 Finding: 0.53 Chemical: TETRACHLOROETHYLENE Report units: UG/L

Dir: 0.5

Sample date: 07-NOV-14 Finding: 4.1
Chemical: PERCHLORATE Report units: UG/L

Dir: 4.

Sample date: 07-NOV-14 Finding: 20.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 09-OCT-14 Finding: 5.2 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 09-OCT-14 Finding: 2.9
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 09-OCT-14 Finding: 0.7

Chemical: TRICHLOROETHYLENE Report units: LIG/L

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 09-OCT-14 Finding: 21.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 09-OCT-14 Finding: 4.5

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 09-OCT-14 Finding: 3.

Chemical: Dlr:	GROSS ALPHA MDA95 0.	Report units:	PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	18-SEP-14 PERCHLORATE 4.	Finding: Report units:	4.4 UG/L
Sample date: Chemical: Dlr:	07-AUG-14 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	07-AUG-14 NITRATE (AS NO3) 2.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA 3.	Finding: Report units:	4.9 PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 PERCHLORATE 4.	Finding: Report units:	4.5 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	10-JUL-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.67 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	5. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	16-MAY-14 PERCHLORATE 4.	Finding: Report units:	4.6 UG/L
Sample date: Chemical: Dlr:	16-MAY-14 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	03-APR-14 GROSS ALPHA 3.	Finding: Report units:	4. PCI/L
Sample date: Chemical: Dlr:	03-APR-14 URANIUM (PCI/L) 1.	Finding: Report units:	5.9 PCI/L

Sample date: Chemical: Dlr:	03-APR-14 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	03-APR-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.3e-002 UG/L
Sample date: Chemical: Dlr:	03-APR-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.7 UG/L
Sample date: Chemical: Dlr:	03-APR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	03-APR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	03-APR-14 PERCHLORATE 4.	Finding: Report units:	5.8 UG/L
Sample date: Chemical: Dlr:	07-MAR-14 PERCHLORATE 4.	Finding: Report units:	5.3 UG/L
Sample date: Chemical: Dlr:	06-MAR-14 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	06-MAR-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.e-002 UG/L
Sample date: Chemical: Dlr:	13-FEB-14 PERCHLORATE 4.	Finding: Report units:	5.7 UG/L
Sample date: Chemical: Dlr:	13-FEB-14 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	09-JAN-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.75 UG/L
Sample date: Chemical: Dlr:	09-JAN-14 NITRATE (AS NO3) 2.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	09-JAN-14 PERCHLORATE 4.	Finding: Report units:	5.4 UG/L
Sample date: Chemical: Dlr:	09-JAN-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical:	09-JAN-14 GROSS ALPHA	Finding: Report units:	6.9 PCI/L

Dlr: 3.

Sample date: 09-JAN-14 Finding: PCI/L **GROSS ALPHA MDA95** Chemical: Report units:

DIr:

Sample date: 09-JAN-14 Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

12-DEC-13 Sample date: Finding: 25. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Finding: Sample date: 12-DEC-13 2.1e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr:

1.e-002

12-DEC-13 Sample date: Finding: 6.1 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

21-NOV-13 Sample date: Finding: 5.5 **PERCHLORATE** Report units: Chemical: UG/L

DIr:

21-NOV-13 Sample date: Finding: 24. Report units: MG/L

Chemical: NITRATE (AS NO3)

DIr:

Sample date: 21-NOV-13 Finding: 2.1e-002 Report units: UG/L

DIBROMOCHLOROPROPANE (DBCP) Chemical:

DIr: 1.e-002

Sample date: 11-OCT-13 Finding: 3.7

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

11-OCT-13 Finding: Sample date: 3.

**GROSS ALPHA MDA95** Chemical: Report units: PCI/L

DIr:

Sample date: 11-OCT-13 Finding: 5.5 **PERCHLORATE** Report units: UG/L Chemical:

DIr:

Sample date: 11-OCT-13 Finding: 24. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 11-OCT-13 Finding: 0.71

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 11-OCT-13 Finding: 6.3 PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr: 1.

Sample date: 11-OCT-13 Finding: 6.8 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr: 3.

Sample date: Chemical: Dlr:	19-SEP-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.6e-002 UG/L
Sample date: Chemical: Dlr:	19-SEP-13 NITRATE (AS NO3) 2.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	12-SEP-13 PERCHLORATE 4.	Finding: Report units:	5.8 UG/L
Sample date: Chemical: Dlr:	12-SEP-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.8e-002 UG/L
Sample date: Chemical: Dlr:	12-SEP-13 NITRATE (AS NO3) 2.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	15-AUG-13 TETRACHLOROETHYLENE 0.5	Finding: Report units:	0.51 UG/L
Sample date: Chemical: Dlr:	15-AUG-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.87 UG/L
Sample date: Chemical: Dlr:	15-AUG-13 NITRATE (AS NO3) 2.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	15-AUG-13 PERCHLORATE 4.	Finding: Report units:	6. UG/L
Sample date: Chemical: Dlr:	15-AUG-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.2e-002 UG/L
Sample date: Chemical: Dlr:	11-JUL-13 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical: Dlr:	11-JUL-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	380. US
Sample date: Chemical: Dlr:	11-JUL-13 PH, LABORATORY 0.	Finding: Report units:	8. Not Reported
Sample date: Chemical: Dlr:	11-JUL-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	68. MG/L
Sample date: Chemical:	11-JUL-13 BICARBONATE ALKALINITY	Finding: Report units:	82. MG/L

Dlr: 0. Sample date: 11-JUL-13 Finding: 190. HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 11-JUL-13 Finding: 63. Chemical: **CALCIUM** Report units: MG/L DIr: 11-JUL-13 7.6 Sample date: Finding: Chemical: **MAGNESIUM** Report units: MG/L DIr: 11-JUL-13 Sample date: Finding: 30. SODIUM Chemical: Report units: MG/L DIr: 11-JUL-13 Sample date: Finding: 2.5 Chemical: **POTASSIUM** Report units: MG/L DIr: 11-JUL-13 Sample date: Finding: 25. **CHLORIDE** Report units: MG/L Chemical: DIr: 11-JUL-13 Sample date: Finding: 41. Chemical: SULFATE Report units: MG/L DIr: 0.5 Sample date: 11-JUL-13 Finding: 0.45 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1 Sample date: 11-JUL-13 Finding: 5.2 Chemical: **VANADIUM** Report units: UG/L DIr: 3. 11-JUL-13 Sample date: Finding: 5.5 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3. Sample date: 11-JUL-13 2.9 Finding: GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical: DIr: Sample date: 11-JUL-13 Finding: 5.5 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1. Sample date: 3.5e-002 11-JUL-13 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L DIr: 1.e-002 Sample date: 11-JUL-13 Finding: 0.89 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 11-JUL-13 Finding: 330. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0.

11-JUL-13 Sample date: 0.72 Finding: Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: Sample date: 11-JUL-13 Finding: 26. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Finding: Sample date: 11-JUL-13 0.63 Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 11-JUL-13 Finding: 12. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: 11-JUL-13 Sample date: Finding: 6000. NITRATE + NITRITE (AS N) MG/L Chemical: Report units: DIr: 0.4 Sample date: 11-JUL-13 7. Finding: Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 11-JUL-13 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 06-JUN-13 Finding: 8.2 Chemical: **PERCHLORATE** Report units: UG/L DIr: 06-JUN-13 Sample date: Finding: 27. NITRATE (AS NO3) Report units: Chemical: MG/L DIr: 06-JUN-13 0.93 Sample date: Finding: TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 06-JUN-13 Finding: 3.2e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002 Sample date: 06-JUN-13 Finding: 5.8 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 06-JUN-13 2.7 Finding: Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 06-JUN-13 Finding: 3.9 Chemical: **GROSS ALPHA** Report units: PCI/L 06-JUN-13 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L Sample date: 11-APR-13 3.5e-002 Finding: Report units: Chemical: DIBROMOCHLOROPROPANE (DBCP) UG/L

Dlr: 1.e-002

Sample date: 11-APR-13 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 11-APR-13 Finding: 9.2 Chemical: PERCHLORATE Report units: UG/L

DIr:

15-MAR-13 Sample date: Finding: 9.2 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

Sample date: 15-MAR-13 30. Finding: NITRATE (AS NO3) Chemical: Report units: MG/L

DIr:

15-MAR-13 Sample date: Finding: UG/L Chemical: **TRICHLOROETHYLENE** Report units:

DIr: 0.5

Finding: 4.e-002 Sample date: 15-MAR-13 Chemical: UG/L

DIBROMOCHLOROPROPANE (DBCP) Report units: DIr: 1.e-002

6.2 Sample date: 15-MAR-13 Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 15-MAR-13 Finding: 3.

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

Sample date: 15-MAR-13 Finding: 6.5 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr: 3.

15-MAR-13 Finding: Sample date: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 16-OCT-12 Finding: **GROSS ALPHA MDA95** Report units: PCI/L Chemical:

DIr:

16-OCT-12 Sample date: Finding: 0.89 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 16-OCT-12 Finding: 27.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 16-OCT-12 Finding: 3.5e-002

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

1.e-002 DIr:

Sample date: 16-OCT-12 Finding: 5.9 PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: Chemical: Dlr:	16-OCT-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.6 PCI/L
Sample date: Chemical: Dlr:	16-OCT-12 PERCHLORATE 4.	Finding: Report units:	6.6 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.e-002 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	13-SEP-12 PERCHLORATE 4.	Finding: Report units:	7.5 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 PERCHLORATE 4.	Finding: Report units:	8. UG/L
Sample date: Chemical: Dlr:	02-AUG-12 NITRATE (AS NO3) 2.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	02-AUG-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.83 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.3e-002 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA 3.	Finding: Report units:	6.3 PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	6.1 PCI/L
Sample date: Chemical: Dlr:	07-JUN-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.4e-002 UG/L
Sample date: Chemical:	07-JUN-12 PERCHLORATE	Finding: Report units:	9.4 UG/L

07-JUN-12 Sample date: Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 10-MAY-12 Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

4.

Dlr:

10-MAY-12 Sample date: Finding: 1.4 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Finding: Sample date: 10-MAY-12 3.8e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002

Report units:

Report units:

10-MAY-12 Sample date: Finding: 8. PCI/L

DIr:

Chemical:

10-MAY-12 Sample date: Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical:

DIr:

URANIUM (PCI/L)

10-MAY-12 Sample date: Finding: 3.1 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 10-MAY-12 Finding: 8.3 **GROSS ALPHA** Report units: PCI/L

Chemical: DIr:

Sample date: 01-MAR-12 Finding: 20.

Chemical: NITRATE (AS NO3) DIr:

Finding: 4.2e-002 Sample date: 03-FEB-12 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Sample date: 03-FEB-12 Finding: 9.6 **PERCHLORATE** Report units: UG/L Chemical:

DIr:

03-FEB-12 Sample date: Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr: 2.

Sample date: 12-JAN-12 Finding: 9.1 **PERCHLORATE** Chemical: Report units: UG/L

DIr:

Sample date: 12-JAN-12 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 12-JAN-12 Finding: 1. TRICHLOROETHYLENE UG/L Chemical: Report units:

0.5 DIr:

MG/L

4.2e-002 Sample date: 12-JAN-12 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 12-JAN-12 Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units:

DIr:

Sample date: 12-JAN-12 Finding: 5.6 **GROSS ALPHA** Chemical: PCI/L Report units:

DIr:

Sample date: 12-JAN-12 Finding: 2.7

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr:

Sample date: 12-JAN-12 Finding: 6. URANIUM (PCI/L) Report units: PCI/L Chemical:

DIr:

84 WSW **CA WELLS** 910

1/2 - 1 Mile Lower

DIr:

01S/04W-14N09 S Seq: 910 Prim sta c:

Frds no: 3310031081 County: 33 District: 14 User id: WAT System no: 3310031 Water type:

**RAUB WELL 05** Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam:

340438.5 Latitude: Longitude: 1171631.1

Precision: Status: AR 1

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Not Reported 3900 MAIN STREET

Hqname: Address: City: RIVERSIDE State: CA

Zip: 92522 Zip ext: Not Reported 245000 58586 Pop serv:

Connection: **RIVERSIDE** Area serve:

Sample date: 19-MAR-15 Finding: 37. PCI/L Chemical: **GROSS ALPHA** Report units:

DIr:

Sample date: 19-MAR-15 Finding: 0.44 **GROSS ALPHA COUNTING ERROR** PCI/L Chemical: Report units:

Sample date: 19-MAR-15 Finding: 1.4

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 0.

Sample date: 19-MAR-15 1.5 Finding:

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 19-MAR-15 Finding: 7.1

Chemical: Dlr:	NITRATE (AS NO3) 2.	Report units:	MG/L
Sample date: Chemical: Dlr:	19-MAR-15 URANIUM (PCI/L) 1.	Finding: Report units:	37. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	7.5 MG/L
Sample date: Chemical: Dlr:	10-JUL-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.56 PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.35 PCI/L
Sample date: Chemical: Dlr:	22-MAY-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	16-MAY-14 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	16-MAY-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.3 PCI/L
Sample date: Chemical: Dlr:	16-MAY-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	04-APR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.5 PCI/L
Sample date: Chemical: Dlr:	04-APR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	04-APR-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.99 UG/L
Sample date: Chemical: Dlr:	04-APR-14 URANIUM (PCI/L) 1.	Finding: Report units:	15. PCI/L
Sample date: Chemical: Dlr:	04-APR-14 GROSS ALPHA 3.	Finding: Report units:	9.3 PCI/L

Sample date: Chemical: Dlr:	14-MAR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.9 PCI/L
Sample date: Chemical: Dlr:	14-MAR-14 URANIUM (PCI/L) 1.	Finding: Report units:	17. PCI/L
Sample date: Chemical: Dlr:	14-MAR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 URANIUM (PCI/L) 1.	Finding: Report units:	17. PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-JAN-14 GROSS ALPHA 3.	Finding: Report units:	9.6 PCI/L
Sample date: Chemical: Dlr:	09-JAN-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-JAN-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	09-JAN-14 URANIUM (PCI/L) 1.	Finding: Report units:	15. PCI/L
Sample date: Chemical: Dlr:	09-JAN-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1. UG/L
Sample date: Chemical: Dlr:	12-DEC-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.6 PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 URANIUM (PCI/L) 1.	Finding: Report units:	17. PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	21-NOV-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical:	21-NOV-13 URANIUM (PCI/L)	Finding: Report units:	15. PCI/L

DIr:	1.		
Sample date: Chemical: Dlr:	21-NOV-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.6 PCI/L
Sample date: Chemical: Dlr:	21-NOV-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	11-OCT-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	5.6 PCI/L
Sample date: Chemical: Dlr:	11-OCT-13 URANIUM (PCI/L) 1.	Finding: Report units:	22. PCI/L
Sample date: Chemical: Dlr:	11-OCT-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	19-SEP-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	5.2 PCI/L
Sample date: Chemical: Dlr:	19-SEP-13 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	19-SEP-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 GROSS ALPHA 3.	Finding: Report units:	37. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	7.2 PCI/L
Sample date: Chemical: Dlr:	21-AUG-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	2000. MG/L
Sample date: Chemical: Dlr:	21-AUG-13 SULFATE 0.5	Finding: Report units:	190. MG/L
Sample date: Chemical: Dlr:	21-AUG-13 NITRATE (AS NO3) 2.	Finding: Report units:	9. MG/L

21-AUG-13 Sample date: Finding: 19. Chemical: **CHLORIDE** Report units: MG/L DIr: Sample date: 16-AUG-13 Finding: 13. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported DIr: Finding: Sample date: 16-AUG-13 9.9e-002 Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 16-AUG-13 Finding: Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 16-AUG-13 Sample date: Finding: 550. TOTAL DISSOLVED SOLIDS MG/L Chemical: Report units: DIr: Sample date: 16-AUG-13 2.5 Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 16-AUG-13 31. Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 16-AUG-13 Finding: 4.4 Chemical: **VANADIUM** Report units: UG/L DIr: 16-AUG-13 Sample date: Finding: 120. **BORON** Report units: Chemical: UG/L DIr: 100. 16-AUG-13 Sample date: Finding: 0.4 FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1 Sample date: 16-AUG-13 Finding: 34. Chemical: SODIUM Report units: MG/L DIr: 0. Sample date: 16-AUG-13 Finding: 18. Chemical: MAGNESIUM Report units: MG/L DIr: Sample date: 16-AUG-13 Finding: 120. Chemical: **CALCIUM** Report units: MG/L DIr: 0. Sample date: 16-AUG-13 Finding: 370. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L 16-AUG-13 240. Sample date: Finding: **BICARBONATE ALKALINITY** Chemical: Report units: MG/L Sample date: 16-AUG-13 Finding: 200. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr: 0.

Sample date: 16-AUG-13 Finding: 7.7

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 16-AUG-13 Finding: 800.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

Sample date: 16-AUG-13 Finding: 2. Chemical: ODOR THRESHOLD @ 60 C Report units: TON

Chemical: ODOR THRESHOLD @ 60 C Report units: TON DIr: 1.

Sample date: 16-AUG-13 Finding: 2.96

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 16-AUG-13 Finding: 3.5

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 05-JUL-13 Finding: 3.52

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dir: 0.

Sample date: 05-JUL-13 Finding: 31.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 06-JUN-13 Finding: 4.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dir: 0.

Sample date: 06-JUN-13 Finding: 29.
Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr: 1.

Sample date: 06-JUN-13 Finding: 9.9
Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 06-JUN-13 Finding: 3.3

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 06-JUN-13 Finding: 2.4

Chamical: TRICHI OPOETHYLENE Papart units: LIG//

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 11-APR-13 Finding: 3.7

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 11-APR-13 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 11-APR-13 Finding: 19.

Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: Chemical: Dlr:	15-MAR-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	15-MAR-13 URANIUM (PCI/L) 1.	Finding: Report units:	18. PCI/L
Sample date: Chemical: Dlr:	15-MAR-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.5 PCI/L
Sample date: Chemical: Dlr:	15-MAR-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-NOV-12 GROSS ALPHA 3.	Finding: Report units:	9.1 PCI/L
Sample date: Chemical: Dlr:	09-NOV-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	09-NOV-12 URANIUM (PCI/L) 1.	Finding: Report units:	14. PCI/L
Sample date: Chemical: Dlr:	09-NOV-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-NOV-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	09-NOV-12 TETRACHLOROETHYLENE 0.5	Finding: Report units:	0.51 UG/L
Sample date: Chemical: Dlr:	12-OCT-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	12-OCT-12 URANIUM (PCI/L) 1.	Finding: Report units:	21. PCI/L
Sample date: Chemical: Dlr:	12-OCT-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical:	13-SEP-12 URANIUM (PCI/L)	Finding: Report units:	27. PCI/L

DIr:	1.		
Sample date: Chemical: Dlr:	13-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.2 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.81 PCI/L
Sample date: Chemical: Dlr:	07-JUN-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.95 PCI/L
Sample date: Chemical: Dlr:	07-JUN-12 URANIUM (PCI/L) 1.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	04-MAY-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	04-MAY-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	04-MAY-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical: Dlr:	04-MAY-12 URANIUM (PCI/L) 1.	Finding: Report units:	17. PCI/L
Sample date: Chemical: Dlr:	12-APR-12 PERCHLORATE 4.	Finding: Report units:	4.3 UG/L
Sample date: Chemical: Dlr:	12-APR-12 URANIUM (PCI/L) 1.	Finding: Report units:	16. PCI/L
Sample date: Chemical: Dlr:	12-APR-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	12-APR-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-MAR-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L

Sample date: 09-MAR-12 18. Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 09-MAR-12 Finding: PCI/L Chemical: **GROSS ALPHA MDA95** Report units:

DIr:

16-FEB-12 Sample date: Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units:

DIr:

Sample date: 16-FEB-12 Finding: 16. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 16-FEB-12 Finding: 2.1e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Sample date: 16-FEB-12 Finding: 1.6 Report units: UG/L

Chemical: TRICHLOROETHYLENE

DIr: 0.5

Sample date: 16-FEB-12 Finding: 3.6 PCI/L

Chemical: GROSS ALPHA COUNTING ERROR Report units:

DIr:

Sample date: 19-JAN-12 Finding: 3.

Chemical: **GROSS ALPHA MDA95** PCI/L Report units:

DIr:

19-JAN-12 Sample date: Finding: 16. URANIUM (PCI/L) Report units: PCI/L Chemical:

DIr:

Sample date: 19-JAN-12 Finding: 3.3 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr: 0.

85 South **CA WELLS** CADDW0000015965 1/2 - 1 Mile

Higher

Well ID: 3310031-108 Well Type: **MUNICIPAL** 

Department of Health Services Source:

Other Name: THORNE 06 - AGRICULTURAL GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-108&store\_num=

GeoTracker Data: Not Reported

86 NNW **CA WELLS** CADWR9000006718

1/2 - 1 Mile Lower

> State Well #: 01S04W14F008S Station ID: 26949

Well Name: Not Reported Basin Name: San Bernardino

Well Use: Unknown Well Type: Unknown Well Completion Rpt #: Well Depth: Not Reported

SSE **FED USGS** USGS40000140579

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23H001S Well Type:

Description: NAWQA DATA ENTRY COM + VER 06/21/2000 SNHAMLIN

Not Reported HUC: 18070203 Drainage Area: Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported

Contrib Drainage Area Unts: Not Reported Aquifer: California Coastal Basin aquifers Formation Type: Cenozoic Erathem Aquifer Type: Unconfined single aquifer

Construction Date: Not Reported Well Depth:

Well Depth Units: Well Hole Depth:

Not Reported

Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: 2 Level reading date: 2004-04-27 Feet to sea level: Feet below surface: 102.6 Not Reported

Note: Not Reported

2000-04-26 Level reading date: Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

U88 SSE **CA WELLS** CAUSGSN00000208

1/2 - 1 Mile Higher

1/2 - 1 Mile

Well ID: USGS-340423117155201 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340423117155201 **GAMA PFAS Testing:** Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s Groundwater Quality Data:

amp\_date=&global\_id=&assigned\_name=USGS-340423117155201&store\_num=

GeoTracker Data: Not Reported

V89 **FED USGS** USGS40000140821 NW

Lower

Organization ID: **USGS-CA** Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14F004S Well Type: HUC: 18070203 Description: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 80 Well Depth Units: ft Well Hole Depth: 80

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1953

Feet below surface: 25.00 Feet to sea level: Not Reported

Note: Not Reported

P90 South CA WELLS 924

1/2 - 1 Mile Higher

Seq: 924 Prim sta c: 01S/04W-22G18 S

 Frds no:
 3310031108
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: THORNE 06 - AGRICULTURAL Station ty: WELL/AMBNT Latitude: 340422.9 Longitude: 1171601.2 Precision: 1 Status: AG

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

 Zip:
 92522
 Zip ext:
 Not Reported

 Pop serv:
 245000
 Connection:
 58586

Area serve: RIVERSIDE

W91
East FED USGS USGS40000140723

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center 001S004W13N005S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: 19560101 Well Depth: 1104
Well Depth Units: ft Well Hole Depth: 1126

Well Hole Depth Units: ft

U92 SSE CA WELLS CADDW0000010686

1/2 - 1 Mile Higher

Well ID: 3310031-028 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 27-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-028&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

U93 SSE

CA WELLS CAPFAS000000687

1/2 - 1 Mile Higher

Well ID: 3310031-028 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 27-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-028&store\_num=

GeoTracker Data: Not Reported

W94
East CA WELLS CAUSGSN00016647

1/2 - 1 Mile Higher

Well ID: USGS-340448117152801 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340448117152801 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW\&s$ 

amp\_date=&global\_id=&assigned\_name=USGS-340448117152801&store\_num=

GeoTracker Data: Not Reported

X95
WSW CA WELLS CADDW000007822

1/2 - 1 Mile Lower

Well ID: 3310031-077 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 06 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/gamap/gamamap/gamamap/gamamap/gamamap/gama$ 

date=&global\_id=&assigned\_name=3310031-077&store\_num=

GeoTracker Data: Not Reported

WSW CA WELLS CAPFAS00000627

X96

1/2 - 1 Mile Lower

Well ID: 3310031-077 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 06 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-077&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

Q97 SW

1/2 - 1 Mile

Lower

Well ID: 01S04W23D003S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23D003S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

**CA WELLS** 

CADWR0000037884

date=&global\_id=&assigned\_name=01S04W23D003S&store\_num=

GeoTracker Data: Not Reported

Q98 SW CA WELLS CADWR0000031933

SW 1/2 - 1 Mile Lower

Well ID: 01S04W23D002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23D002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23D002S&store\_num=

GeoTracker Data: Not Reported

X99
WSW
CA WELLS CADDW000008767

1/2 - 1 Mile Lower

Well ID: 3310031-081 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 05 - DESTROYED GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-081&store\_num=

GeoTracker Data: Not Reported

X100
West CA WELLS CADDW000009474

1/2 - 1 Mile Lower

Well ID: 3310031-115 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RAUB WELL 08 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-115&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

X101 West

**CA WELLS** CAPFAS000000849

1/2 - 1 Mile Lower

> Well ID: 3310031-115 Well Type: MUNICIPAL

Department of Health Services Source:

**RAUB WELL 08** GAMA PFAS Testing: Other Name: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-115&store\_num=

GeoTracker Data: Not Reported

W102 **CA WELLS** CADDW0000011501 East

1/2 - 1 Mile Higher

> Well ID: 3310031-111 Well Type: **MUNICIPAL**

Source: Department of Health Services

GAGE WELL 92-1 GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-111&store\_num=

GeoTracker Data: Not Reported

W103

East 1/2 - 1 Mile Higher

> Well ID: 3310031-111 Well Type: MUNICIPAL

Department of Health Services Source:

Other Name: GAGE WELL 92-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-111&store\_num=

GeoTracker Data: Not Reported

T104 **CA WELLS** CADWR0000009005

1/2 - 1 Mile Lower

> Well ID: 01S04W14E007S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14E007S **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14E007S&store\_num=

GeoTracker Data: Not Reported **CA WELLS** 

CAPFAS00000019

Мар	ID
Direc	ction
Dista	nce
<b>-1</b>	_ 4:

Distance Elevation			Database	EDR ID Number
W105 East 1/2 - 1 Mile Higher			CA WELLS	902
Seq: Frds no: District:	902 3310031111 14	Prim sta c: County: User id:	01S/04W-1 33 WAT	3N07 S
System no: Source nam: Latitude: Precision:	3310031 GAGE WELL 92-1 340448.5 1	Water type: Station ty: Longitude: Status:	G WELL/AMB 1171527.8 AR	NT/MUN/INTAKE/SUPPLY
Comment 1: Comment 3: Comment 5: Comment 7:	Not Reported Not Reported Not Reported Not Reported	Comment 2: Comment 4: Comment 6:	Not Reporte Not Reporte Not Reporte	ed
System no: Hqname: City: Zip: Pop serv: Area serve:	3310031 Not Reported RIVERSIDE 92522 245000 RIVERSIDE	System nam: Address: State: Zip ext: Connection:	Riverside, 0 3900 MAIN CA Not Reporte 58586	STREET
Sample date: Chemical: Dlr:	01-MAR-18 NITRATE (AS N) 0.4	Finding: Report units:	4.2 MG/L	
Sample date: Chemical: Dlr:	01-FEB-18 NITRATE (AS N) 0.4	Finding: Report units:	4. MG/L	
Sample date: Chemical: Dlr:	11-JAN-18 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.1e-002 UG/L	
Sample date: Chemical: Dlr:	11-JAN-18 PERCHLORATE 4.	Finding: Report units:	9.4 UG/L	
Sample date: Chemical: Dlr:	11-JAN-18 RADIUM 226 MDA95 0.	Finding: Report units:	0.46 PCI/L	
Sample date: Chemical: Dlr:	11-JAN-18 RADIUM 228 MDA95 0.	Finding: Report units:	0.72 PCI/L	
Sample date: Chemical: Dlr:	11-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	3.8 MG/L	
Sample date: Chemical: Dlr:	11-JAN-18 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.93 UG/L	
Sample date: Chemical: Dlr:	13-DEC-17 NITRATE (AS N) 0.4	Finding: Report units:	3.8 MG/L	

Sample date: Chemical: Dlr:	08-NOV-17 NITRATE (AS N) 0.4	Finding: Report units:	4.9 MG/L
Sample date: Chemical: Dlr:	18-OCT-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.76 UG/L
Sample date: Chemical: Dlr:	18-OCT-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.7e-002 UG/L
Sample date: Chemical: Dlr:	18-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	22-SEP-17 NITRATE (AS N) 0.4	Finding: Report units:	4.6 MG/L
Sample date: Chemical: Dlr:	02-AUG-17 NITRATE (AS N) 0.4	Finding: Report units:	4.8 MG/L
Sample date: Chemical: Dlr:	14-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	14-JUL-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.95 UG/L
Sample date: Chemical: Dlr:	14-JUL-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.2e-002 UG/L
Sample date: Chemical: Dlr:	17-MAY-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.e-002 UG/L
Sample date: Chemical: Dlr:	12-MAY-17 NITRATE (AS N) 0.4	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	12-MAY-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.96 UG/L
Sample date: Chemical: Dlr:	06-APR-17 NITRATE (AS N) 0.4	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	01-MAR-17 NITRATE (AS N) 0.4	Finding: Report units:	4. MG/L
Sample date: Chemical: Dlr:	01-FEB-17 NITRATE (AS N) 0.4	Finding: Report units:	4.2 MG/L
Sample date: Chemical:	11-JAN-17 NITRATE (AS N)	Finding: Report units:	4. MG/L

Dlr: 0.4 Sample date: 11-JAN-17 Finding: 0.74 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 11-JAN-17 Finding: Chemical: PERCHLORATE Report units: UG/L DIr: 20-OCT-16 Sample date: Finding: 1. Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: Finding: 20-OCT-16 2.4e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002 20-OCT-16 Sample date: Finding: 1.8 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1. 20-OCT-16 Sample date: Finding: 5.3 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 06-OCT-16 2. Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 06-OCT-16 Finding: 1.2 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 06-OCT-16 Finding: 12. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 06-OCT-16 Finding: Sample date: 8.9 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 15-SEP-16 Finding: 5.5 Report units: Chemical: NITRATE (AS N) MG/L DIr: 0.4 15-SEP-16 Sample date: Finding: 0.97 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 14-JUL-16 Finding: 8.7 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 14-JUL-16 Finding: 5.9 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3. Sample date: 14-JUL-16 Finding: 3.3 **GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L

DIr:

14-JUL-16 Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 15-JUN-16 Finding: 5.4 NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4 Finding: Sample date: 15-JUN-16 12. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 15-JUN-16 Finding: 0.82 Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: Sample date: 15-JUN-16 Finding: 270. TOTAL DISSOLVED SOLIDS MG/L Chemical: Report units: DIr: Sample date: 15-JUN-16 Finding: 1.4 Chemical: TRICHLOROETHYLENE Report units: UG/L Dlr: 0.5 2.3e-002 Sample date: 15-JUN-16 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L DIr: 1.e-002 Sample date: 15-JUN-16 Finding: 6.2 Chemical: **VANADIUM** Report units: UG/L DIr: 15-JUN-16 0.6 Sample date: Finding: FLUORIDE (F) (NATURAL-SOURCE) Report units: Chemical: MG/L DIr: Sample date: 15-JUN-16 Finding: 14. CHLORIDE Chemical: Report units: MG/L DIr: 0. Sample date: 15-JUN-16 Finding: 2.4 Chemical: **POTASSIUM** Report units: MG/L Dlr: 0. Sample date: 15-JUN-16 Finding: 37. Chemical: **SODIUM** Report units: MG/L DIr: 0. Sample date: 15-JUN-16 6.4 Finding: Chemical: MAGNESIUM Report units: MG/L DIr: 0. 15-JUN-16 Sample date: Finding: 46. Chemical: **CALCIUM** Report units: MG/L 15-JUN-16 140. Sample date: Finding: HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L 15-JUN-16 Sample date: Finding: 5.4 Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 15-JUN-16 Finding: 170. Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 15-JUN-16 Finding: 140. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 15-JUN-16 Finding: 7.9

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 15-JUN-16 Finding: 440.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 15-JUN-16 Finding: 32. Chemical: SULFATE Report units: MG/L

Chemical: SULFATE Report units: MG/L Dir: 0.5

Sample date: 13-APR-16 Finding: 10.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 13-APR-16 Finding: 3.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 13-APR-16 Finding: 5.2

Chemical: GROSS ALPHA Report units: PCI/L DIr: 3.

Sample date: 13-APR-16 Finding: 3.

Sample date: 13-APR-16 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L
DIr: 0.

Sample date: 03-MAR-16 Finding: 5.4

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 03-MAR-16 Finding: 1.2
Chemical: TRICHLOROETHYLENE Report units: UG/L

Chemical: TRICHLOROETHYLENE Report units: UG/L
Dir: 0.5

Sample date: 03-MAR-16 Finding: 2.6e-002 Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L
DIr: 1.e-002

Sample date: 07-JAN-16 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dir: 0.

 Sample date:
 07-JAN-16
 Finding:
 9.4

 Chemical:
 URANIUM (PCI/L)
 Report units:
 PCI/L

 DIr:
 1.

Sample date: 07-JAN-16 Finding: 3.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: Chemical: Dlr:	07-JAN-16 GROSS ALPHA 3.	Finding: Report units:	5. PCI/L
Sample date: Chemical: Dlr:	09-DEC-15 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	09-DEC-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	09-DEC-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.6e-002 UG/L
Sample date: Chemical: Dlr:	09-DEC-15 NITRATE (AS N) 0.4	Finding: Report units:	5.6 MG/L
Sample date: Chemical: Dlr:	09-OCT-15 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	09-OCT-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	09-OCT-15 GROSS ALPHA 3.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	09-OCT-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	17-SEP-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.8e-002 UG/L
Sample date: Chemical: Dlr:	17-SEP-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	17-SEP-15 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	08-JUL-15 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	08-JUL-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	08-JUL-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical:	08-JUL-15 GROSS ALPHA	Finding: Report units:	6.6 PCI/L

Dlr: 3.

Sample date: 04-JUN-15 Finding: 2.7e-002 DIBROMOCHLOROPROPANE (DBCP) Report units: Chemical: UG/L

DIr: 1.e-002

Sample date: 04-JUN-15 Finding: 1.2 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

04-JUN-15 Sample date: Finding: 24. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 02-APR-15 Finding: 3. GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units:

DIr:

02-APR-15 Sample date: Finding: 3.

GROSS ALPHA MDA95 PCI/L Chemical: Report units: DIr:

02-APR-15 Finding: Sample date: 11. URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr:

02-APR-15 Sample date: Finding: 3.3

Chemical: **GROSS ALPHA** Report units: PCI/L DIr:

Sample date: 04-MAR-15 Finding: 20.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 04-MAR-15 Finding: 1.1

TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5

Finding: 2.4e-002 Sample date: 04-MAR-15

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002

Sample date: 08-JAN-15 Finding: 8. URANIUM (PCI/L) Report units: PCI/L Chemical:

DIr: 1. 2.4e-002 Sample date: 08-JAN-15 Finding:

Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 08-JAN-15 0.98 Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 08-JAN-15 Finding:

**GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0.

Sample date: 08-JAN-15 Finding: 5.9 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr: 3.

Sample date: Chemical: Dlr:	08-JAN-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	08-JAN-15 NITRATE (AS NO3) 2.	Finding: Report units:	21. MG/L
Sample date: Chemical: Dlr:	30-DEC-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical: Dlr:	30-DEC-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	30-DEC-14 NITRATE (AS NO3) 2.	Finding: Report units:	37. MG/L
Sample date: Chemical: Dlr:	30-DEC-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.9 UG/L
Sample date: Chemical: Dlr:	30-DEC-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.6e-002 UG/L
Sample date: Chemical: Dlr:	30-DEC-14 URANIUM (PCI/L) 1.	Finding: Report units:	15. PCI/L
Sample date: Chemical: Dlr:	25-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	25-SEP-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	25-SEP-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.2e-002 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	10-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	10-JUL-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	10-JUL-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.7e-002 UG/L
Sample date: Chemical:	10-JUL-14 URANIUM (PCI/L)	Finding: Report units:	8. PCI/L

Dlr: 1. Sample date: 10-JUL-14 Finding: 3.5 **GROSS ALPHA COUNTING ERROR** Report units: PCI/L Chemical: DIr: Sample date: 10-JUL-14 Finding: 9.4 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 02-APR-14 Sample date: Finding: 4.1 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 02-APR-14 Finding: 3.1 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 02-APR-14 Sample date: Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units: DIr: 02-APR-14 Sample date: Finding: 8.7 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 07-MAR-14 2.4e-002 Sample date: Finding: DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002 Sample date: 07-MAR-14 Finding: 1.2 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 16-JAN-14 Finding: 1.5 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 09-JAN-14 Sample date: Finding: 7.4 URANIUM (PCI/L) Chemical: Report units: PCI/L DIr: Sample date: 09-JAN-14 Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr: 09-JAN-14 Sample date: Finding: 3.6 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 09-JAN-14 Finding: 8.4 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 12-DEC-13 Finding: 1.2 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 12-DEC-13 Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units: DIr: 0.

Sample date: Chemical: DIr:	12-DEC-13 URANIUM (PCI/L) 1.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: DIr:	12-DEC-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.e-002 UG/L
Sample date: Chemical: DIr:	12-DEC-13 GROSS ALPHA 3.	Finding: Report units:	5.3 PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical: Dlr:	05-SEP-13 NITRATE (AS NO3) 2.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	05-SEP-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.4e-002 UG/L
Sample date: Chemical: Dlr:	05-SEP-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	11-JUL-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	250. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.6e-002 UG/L
Sample date: Chemical: Dlr:	06-JUN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	06-JUN-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	250. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical: Dlr:	06-JUN-13 NITRATE (AS NO3) 2.	Finding: Report units:	20. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.15 NTU
Sample date: Chemical: Dlr:	06-JUN-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical:	06-JUN-13 NITRATE + NITRITE (AS N)	Finding: Report units:	4500. MG/L

Dlr: 0.4 Sample date: 06-JUN-13 Finding: PCI/L **GROSS ALPHA MDA95** Report units: Chemical: DIr: Sample date: 06-JUN-13 Finding: 7.5 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 06-JUN-13 Finding: 3.1 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 06-JUN-13 Finding: 5.4 **GROSS ALPHA** PCI/L Chemical: Report units: DIr: 06-JUN-13 0.76 Sample date: Finding: FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1 06-JUN-13 Sample date: Finding: 30. Report units: MG/L Chemical: **SULFATE** DIr: 0.5 06-JUN-13 Sample date: Finding: 13. Chemical: **CHLORIDE** Report units: MG/L DIr: Sample date: 06-JUN-13 Finding: 2.6 Chemical: **POTASSIUM** Report units: MG/L DIr: Sample date: 06-JUN-13 Finding: 42. Chemical: SODIUM Report units: MG/L DIr: 0. 06-JUN-13 Sample date: Finding: 5.1 MAGNESIUM Chemical: Report units: MG/L DIr: 0. 06-JUN-13 Sample date: Finding: 41. CALCIUM Report units: MG/L Chemical: DIr: 0. 06-JUN-13 Sample date: Finding: 120. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 06-JUN-13 Finding: 2.3 Chemical: CARBONATE ALKALINITY Report units: MG/L DIr:

Sample date:

Sample date:

Chemical:

Chemical:

DIr:

DIr:

06-JUN-13

06-JUN-13

0.

0.

**BICARBONATE ALKALINITY** 

ALKALINITY (TOTAL) AS CACO3

150.

MG/L

130.

MG/L

Finding:

Finding:

Report units:

Report units:

Sample date: Chemical: Dlr:	06-JUN-13 PH, LABORATORY 0.	Finding: Report units:	8.4 Not Reported
Sample date: Chemical: Dlr:	06-JUN-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	410. US
Sample date: Chemical: Dlr:	06-JUN-13 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical: Dlr:	06-JUN-13 VANADIUM 3.	Finding: Report units:	6.9 UG/L
Sample date: Chemical: Dlr:	04-APR-13 NITRATE (AS NO3) 2.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	04-APR-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	2.9e-002 UG/L
Sample date: Chemical: Dlr:	04-APR-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Dlr:	01-FEB-13 URANIUM (PCI/L) 1.	Finding: Report units:	6.9 PCI/L
Sample date: Chemical: Dlr:	01-FEB-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.9 PCI/L
Sample date: Chemical: Dlr:	01-FEB-13 GROSS ALPHA 3.	Finding: Report units:	6.4 PCI/L
Sample date: Chemical: Dlr:	01-FEB-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	01-FEB-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	01-FEB-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.e-002 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	2. UG/L
Sample date: Chemical: Dlr:	13-DEC-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.3e-002 UG/L
Sample date: Chemical:	13-DEC-12 TRICHLOROETHYLENE	Finding: Report units:	1.1 UG/L

Dlr: 0.5 Sample date: 13-SEP-12 Finding: 1.9 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: Sample date: 13-SEP-12 Finding: 1.6 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 13-SEP-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: Finding: 13-SEP-12 3.8e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002 26-JUL-12 Sample date: Finding: 3. GROSS ALPHA MDA95 PCI/L Chemical: Report units: DIr: 26-JUL-12 Finding: Sample date: 6.4 URANIUM (PCI/L) PCI/L Chemical: Report units: DIr: 26-JUL-12 2.7 Sample date: Finding: GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 26-JUL-12 Finding: Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 01-JUN-12 Finding: 4.6e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L DIr: 1.e-002 Finding: Sample date: 01-JUN-12 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 01-JUN-12 Finding: 2. TRICHLOROETHYLENE Report units: UG/L Chemical: DIr: 0.5 01-MAR-12 Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 01-MAR-12 Finding: 5.9 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: Finding: 2.6 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 0. Sample date: 01-MAR-12 Finding: 4.5 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

3.

01-MAR-12 Sample date: Finding: 1.4 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

3.3e-002 Sample date: 01-MAR-12 Finding: DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Sample date: 02-FEB-12 Finding: 4.9 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Sample date: 02-FEB-12 Finding: 2.6 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

Sample date: 02-FEB-12 Finding: 6.8 URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr: 1.

Sample date: 02-FEB-12 Finding: 3.

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

4.1e-002 Sample date: 11-JAN-12 Finding: UG/L

Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units:

DIr: 1.e-002

Sample date: 11-JAN-12 Finding: 2.6

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr:

Lower

11-JAN-12 22. Sample date: Finding:

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

X106 WSW **CA WELLS** 908 1/2 - 1 Mile

01S/04W-14N01 S 908 Prim sta c: Seq:

3310031077 Frds no: County: 33 District: User id: WAT 14 System no: 3310031 Water type:

WELL/AMBNT/MUN/INTAKE **RAUB WELL 06** Station ty: Source nam:

Longitude: 340442.8 1171635.2 Latitude: Precision: Status: AR

Comment 1: Not Reported Comment 2: Not Reported Not Reported Comment 3: Comment 4: Not Reported Not Reported Comment 5: Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of 3900 MAIN STREET Hqname: Not Reported Address:

RIVERSIDE City: State: CA

92522 Not Reported Zip: Zip ext: Pop serv: 245000 Connection: 58586

Area serve: RIVERSIDE

Sample date: 20-JUL-17 Finding: 2.

Chemical: Dlr:	NITRATE (AS N) 0.4	Report units:	MG/L
Sample date: Chemical: Dlr:	20-JUL-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.54 UG/L
Sample date: Chemical: Dlr:	07-APR-17 NITRATE (AS N) 0.4	Finding: Report units:	2.1 MG/L
Sample date: Chemical: Dlr:	07-APR-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.52 UG/L
Sample date: Chemical: Dlr:	01-FEB-17 NITRATE (AS N) 0.4	Finding: Report units:	2.3 MG/L
Sample date: Chemical: Dlr:	01-FEB-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.66 UG/L
Sample date: Chemical: Dlr:	21-OCT-16 NITRATE (AS N) 0.4	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	21-OCT-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.59 UG/L
Sample date: Chemical: Dlr:	21-OCT-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2. UG/L
Sample date: Chemical: Dlr:	29-SEP-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	29-SEP-16 GROSS ALPHA 3.	Finding: Report units:	7.6 PCI/L
Sample date: Chemical: Dlr:	29-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	3.5 PCI/L
Sample date: Chemical: Dlr:	29-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	2.6 PCI/L
Sample date: Chemical: Dlr:	24-JUN-16 MAGNESIUM 0.	Finding: Report units:	3.9 MG/L
Sample date: Chemical: Dlr:	24-JUN-16 SODIUM 0.	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	24-JUN-16 CHLORIDE 0.	Finding: Report units:	16. MG/L

24-JUN-16 47. Sample date: Finding: Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 24-JUN-16 Finding: 260. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: Finding: Sample date: 24-JUN-16 0.86 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: Sample date: 24-JUN-16 Finding: Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 24-JUN-16 Finding: 2.1 NITRATE + NITRITE (AS N) MG/L Chemical: Report units: DIr: 0.4 Sample date: 24-JUN-16 37. Finding: Chemical: **CALCIUM** Report units: MG/L DIr: 0. Sample date: 24-JUN-16 110. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 24-JUN-16 Finding: 21 NITRATE (AS N) Chemical: Report units: MG/L DIr: 24-JUN-16 150. Sample date: Finding: **BICARBONATE ALKALINITY** Report units: Chemical: MG/L DIr: Sample date: 24-JUN-16 Finding: 130. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 24-JUN-16 Finding: 8.1 PH, LABORATORY Chemical: Report units: Not Reported DIr: 0. Sample date: 24-JUN-16 Finding: 420. Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: Sample date: 24-JUN-16 2. Finding: Chemical: **POTASSIUM** Report units: MG/L 0. DIr: 14-APR-16 Sample date: Finding: 2.1 Chemical: NITRATE (AS N) Report units: MG/L 0.4 Sample date: 17-MAR-16 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L Sample date: 17-MAR-16 Finding: 3.6 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1. Sample date: 17-MAR-16 Finding: 2.5 **GROSS ALPHA COUNTING ERROR** PCI/L Chemical: Report units: DIr: Sample date: 04-DEC-15 Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 04-DEC-15 Sample date: Finding: 3.1 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 04-DEC-15 Finding: 3. GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 24-SEP-15 4.9 Sample date: Finding: Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 24-SEP-15 Finding: Sample date: 3.3 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 24-SEP-15 Sample date: Finding: 3.5 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 24-SEP-15 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 12-JUN-15 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 0. Finding: Sample date: 12-JUN-15 2000. NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 12-JUN-15 2100. Finding: **CARBON DIOXIDE** Report units: Chemical: UG/L DIr: 6.2e-002 Sample date: 12-JUN-15 Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 12-JUN-15 Finding: 12. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 12-JUN-15 Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 12-JUN-15 Finding: 0.82 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

0.

DIr:

Sample date: Chemical: Dlr:	12-JUN-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	270. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.58 UG/L
Sample date: Chemical: Dlr:	12-JUN-15 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical: Dlr:	12-JUN-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	420. US
Sample date: Chemical: Dlr:	12-JUN-15 PH, LABORATORY 0.	Finding: Report units:	8.1 Not Reported
Sample date: Chemical: Dlr:	12-JUN-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	130. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	110. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 CALCIUM 0.	Finding: Report units:	37. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 MAGNESIUM 0.	Finding: Report units:	3.8 MG/L
Sample date: Chemical: Dlr:	12-JUN-15 SODIUM 0.	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 POTASSIUM 0.	Finding: Report units:	2.1 MG/L
Sample date: Chemical: Dlr:	12-JUN-15 CHLORIDE 0.	Finding: Report units:	15. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 SULFATE 0.5	Finding: Report units:	50. MG/L
Sample date: Chemical: Dlr:	12-JUN-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.81 MG/L
Sample date: Chemical:	12-JUN-15 ARSENIC	Finding: Report units:	6.6 UG/L

Dlr: 2. 12-JUN-15 Sample date: Finding: 140. **BORON** Report units: UG/L Chemical: DIr: 100. Sample date: 12-JUN-15 Finding: 8.7 Chemical: VANADIUM Report units: UG/L DIr: 12-JUN-15 5.3 Sample date: Finding: Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 12-JUN-15 Finding: 3.4 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 12-JUN-15 Sample date: Finding: 3.6 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 19-MAR-15 Finding: 3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 19-MAR-15 8.7 Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 19-MAR-15 Finding: 0.59 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 19-MAR-15 Finding: 4.1 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1. Finding: Sample date: 19-MAR-15 2.9 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 31-DEC-14 Finding: 3.6 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 1. 31-DEC-14 Sample date: Finding: 3.1 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 31-DEC-14 Finding: 4.3 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 31-DEC-14 Finding: **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 18-SEP-14 Finding: 3.4 URANIUM (PCI/L) PCI/L Chemical: Report units: DIr:

Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA 3.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	06-JUN-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	420. US
Sample date: Chemical: Dlr:	06-JUN-14 PH, LABORATORY 0.	Finding: Report units:	8. Not Reported
Sample date: Chemical: Dlr:	06-JUN-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	110. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	110. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 CALCIUM 0.	Finding: Report units:	37. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 MAGNESIUM 0.	Finding: Report units:	3.7 MG/L
Sample date: Chemical: Dlr:	06-JUN-14 SODIUM 0.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 POTASSIUM 0.	Finding: Report units:	1.9 MG/L
Sample date: Chemical: Dlr:	06-JUN-14 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 SULFATE 0.5	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	06-JUN-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.88 MG/L
Sample date: Chemical:	06-JUN-14 ARSENIC	Finding: Report units:	5.8 UG/L

Dlr: 2.

06-JUN-14 Sample date: Finding: 170. **BORON** Chemical: Report units: UG/L

DIr: 100.

Sample date: 06-JUN-14 Finding: 8.6 Chemical: VANADIUM Report units: UG/L

DIr: 3.

06-JUN-14 Sample date: Finding: 3.2 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Sample date: 06-JUN-14 Finding: 3. PCI/L

GROSS ALPHA COUNTING ERROR Chemical: Report units: DIr:

06-JUN-14 Sample date: Finding: 2.5 Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

06-JUN-14 Sample date: Finding: 0.64

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

06-JUN-14 230. Sample date: Finding:

TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L

DIr:

Sample date: 06-JUN-14 Finding: 0.72

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr:

Sample date: 06-JUN-14 Finding: 9.1 Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

06-JUN-14 Finding: 2300. Sample date:

Chemical: **CARBON DIOXIDE** Report units: UG/L

DIr: 0.

6.8e-002 Sample date: 06-JUN-14 Finding: TURBIDITY, LABORATORY Report units: Chemical: NTU

DIr: 0.1

Sample date: 06-JUN-14 Finding: 12.

Not Reported Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: DIr:

Sample date: 06-JUN-14 2000. Finding:

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 06-JUN-14 Finding:

**GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0.

Sample date: 14-MAR-14 Finding: 2.8

**GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L DIr:

Sample date: Chemical: Dlr:	14-MAR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	14-MAR-14 URANIUM (PCI/L) 1.	Finding: Report units:	2.5 PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 URANIUM (PCI/L) 1.	Finding: Report units:	2.7 PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.6 PCI/L
Sample date: Chemical: Dlr:	12-DEC-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	17-OCT-13 NITRATE (AS NO3) 2.	Finding: Report units:	9.2 MG/L
Sample date: Chemical: Dlr:	05-SEP-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	05-SEP-13 URANIUM (PCI/L) 1.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	05-SEP-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	05-SEP-13 GROSS ALPHA 3.	Finding: Report units:	5.2 PCI/L
Sample date: Chemical: Dlr:	06-JUN-13 SODIUM 0.	Finding: Report units:	48. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 POTASSIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	06-JUN-13 CHLORIDE 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 SULFATE 0.5	Finding: Report units:	42. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.86 MG/L
Sample date: Chemical:	06-JUN-13 ARSENIC	Finding: Report units:	5.2 UG/L

DIr: 2.

Sample date: 06-JUN-13 Finding: 140. Chemical: BORON Report units: UG/L

Dlr: 100.

Sample date: 06-JUN-13 Finding: 8.5 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 06-JUN-13 Finding: 2.5 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 06-JUN-13 Finding: 2.8 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 06-JUN-13 Finding: 270.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 06-JUN-13 Finding: 1.1

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 06-JUN-13 Finding: 9.9e-002

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 06-JUN-13 Finding: 13.
Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0.

Sample date: 06-JUN-13 Finding: 2300.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 06-JUN-13 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 06-JUN-13 Finding: 3.7

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 06-JUN-13 Finding: 36.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 06-JUN-13 Finding: 100.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 06-JUN-13 Finding: 2.2

Chemical: CARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 06-JUN-13 Finding: 140.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	06-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	06-JUN-13 PH, LABORATORY 0.	Finding: Report units:	8.4 Not Reported
Sample date: Chemical: Dlr:	06-JUN-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	410. US
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.5 PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 URANIUM (PCI/L) 1.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	13-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.6 UG/L
Sample date: Chemical: Dlr:	22-JUN-12 GROSS ALPHA 3.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	22-JUN-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.6 PCI/L
Sample date: Chemical: Dlr:	22-JUN-12 URANIUM (PCI/L) 1.	Finding: Report units:	2.7 PCI/L
Sample date: Chemical: Dlr:	22-JUN-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	08-MAR-12 URANIUM (PCI/L) 1.	Finding: Report units:	2.9 PCI/L
Sample date: Chemical: Dlr:	08-MAR-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.3 PCI/L
Sample date: Chemical: Dlr:	08-MAR-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	03-FEB-12 GROSS ALPHA 3.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical:	03-FEB-12 GROSS ALPHA COUNTING ERROR	Finding: Report units:	2.6 PCI/L

DIr: 0.

Sample date: 03-FEB-12 Finding: 3.1 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 03-FEB-12 Finding: 290. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0.

Sample date: 03-FEB-12 Finding: 0.61

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dlr: 0.

Sample date: 03-FEB-12 Finding: 0.13
Chemical: TURBIDITY LABORATORY Report units: NTIL

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 03-FEB-12 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0.

Sample date: 03-FEB-12 Finding: 2400.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 03-FEB-12 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

DII. 0.

Sample date: 03-FEB-12 Finding: 7.4
Chemical: VANADIUM Report units: UG/L

Dir: 3.

Sample date: 03-FEB-12 Finding: 160.

Chemical: BORON Report units: UG/L

Dir: 100.

Sample date: 03-FEB-12 Finding: 5.
Chemical: ARSENIC Report units: UG/L

Dlr: 2.

Sample date: 03-FEB-12 Finding: 0.83

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 03-FEB-12 Finding: 49.

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 03-FEB-12 Finding: 16.

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 03-FEB-12 Finding: 2.1

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 03-FEB-12 Finding: 48.

Chemical: SODIUM Report units: MG/L DIr: 0.

03-FEB-12 Sample date: Finding: Report units: Chemical: **MAGNESIUM** MG/L

DIr:

03-FEB-12 Sample date: Finding: 39. Chemical: **CALCIUM** Report units: MG/L

DIr: 0.

Sample date: 03-FEB-12 110. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

DIr:

Sample date: 03-FEB-12 Finding: 150.

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

DIr:

Sample date: 03-FEB-12 Finding: 120.

ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

Sample date: 03-FEB-12 7.8 Finding:

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

Finding: Sample date: 03-FEB-12 420.

Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr:

W107 **FED USGS** USGS40000140720

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W13N002S Well 18070203 HÜC: Description: Not Reported

Drainage Area: Not Reported Drainage Area Units: Not Reported Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Well Depth: Construction Date: 1929 286 Well Depth Units: Well Hole Depth: 297 ft

Well Hole Depth Units:

**FED USGS** USGS40000140605

SE 1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23H002S Well Type: Description: HUC: 18070203 Not Reported Drainage Area Units: Drainage Area: Not Reported Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Not Reported Construction Date: Well Depth: 675

Well Depth Units: ft Well Hole Depth: 675

Well Hole Depth Units: ft

Y109
NE CA WELLS CAUSGSN00004483

1/2 - 1 Mile Higher

Well ID: USGS-340507117153301 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340507117153301 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340507117153301&store\_num=

GeoTracker Data: Not Reported

W110
East CA WELLS CAUSGSN00008036

1/2 - 1 Mile Higher

Well ID: USGS-340447117152701 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340447117152701 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340447117152701&store\_num=

GeoTracker Data: Not Reported

Y111 NE FED USGS USGS40000140796

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13E002S Type: Well HUC: Description: Not Reported 18070203 Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area Unts: Contrib Drainage Area: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19040101 Well Depth: 284
Well Depth Units: ft Well Hole Depth: 300

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 2 Level reading date: 1945-01-05 Feet below surface: 12.40 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1939-08-22 Feet below surface: 14.30 Feet to sea level: Not Reported Note: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

Y112 ΝE

**CA WELLS** CADWR0000024908 1/2 - 1 Mile

Higher

Well ID: 01S04W13E002S Well Type: UNK

Department of Water Resources Source:

01S04W13E002S GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13E002S&store\_num=

GeoTracker Data: Not Reported

W113 **CA WELLS** CADDW0000021590 East

1/2 - 1 Mile Higher

> Well ID: 3310031-032 Well Type: **MUNICIPAL**

Source: Department of Health Services

GAGE WELL 29-3 **GAMA PFAS Testing:** Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-032&store\_num=

GeoTracker Data: Not Reported

W114 **CA WELLS** CAPFAS000000033

1/2 - 1 Mile Higher

> Well ID: 3310031-032 Well Type: MUNICIPAL

Department of Health Services Source:

Other Name: GAGE WELL 29-3 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-032&store\_num=

GeoTracker Data: Not Reported

T115 **FED USGS** USGS40000140802

1/2 - 1 Mile Lower

Organization ID: **USGS-CA** 

USGS California Water Science Center Organization Name:

Monitor Location: 001S004W14E009S Type: Well

Description: Not Reported HUC: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

20030303 Construction Date: Well Depth: 810 Well Depth Units: ft Well Hole Depth: 818

Well Hole Depth Units: ft

Ground water levels, Number of N		18	Level reading date:	2005-01-27
Feet below surface: Note:	101.52 Not Reported		Feet to sea level:	Not Reported
Note.	Not Reported			
Level reading date:	2005-01-06		Feet below surface:	113.29
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-11-22		Feet below surface:	115.01
Feet to sea level:	Not Reported		Note:	Not Reported
l aval na adiam data.	2004 40 22		Cook balanca surfaces	440.77
Level reading date: Feet to sea level:	2004-10-23 Not Reported		Feet below surface: Note:	113.77 Not Reported
Teet to sea level.	Not reported		Note.	Not reported
Level reading date:	2004-09-15		Feet below surface:	142.97
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-08-11		Feet below surface:	149.23
Feet to sea level:	Not Reported		Note:	Not Reported
l aval na adiam data.	0004.07.40		Cook balanca surfaces	440.70
Level reading date: Feet to sea level:	2004-07-16		Feet below surface: Note:	148.70 Not Reported
reet to sea level.	Not Reported		Note.	Not Reported
Level reading date:	2004-06-16		Feet below surface:	139.81
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-05-12		Feet below surface:	135.33
Feet to sea level:	Not Reported		Note:	Not Reported
	0004.04.00			00.50
Level reading date:	2004-04-22		Feet below surface:	98.50
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-04-08		Feet below surface:	107.27
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-03-23		Feet below surface:	121.06
Feet to sea level:	Not Reported		Note:	Not Reported
Laval naadina data	0004.00.00		Fact halow surface.	00.04
Level reading date: Feet to sea level:	2004-03-03 Not Reported		Feet below surface: Note:	83.01 Not Reported
i eet to sea ievei.	Not Reported		Note.	Not Reported
Level reading date:	2004-02-20		Feet below surface:	103.61
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-02-05		Feet below surface:	101.16
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date: Feet to sea level:	2004-01-22		Feet below surface: Note:	100.99
reet to sea level.	Not Reported		Note.	Not Reported
Level reading date:	2003-12-16		Feet below surface:	106.33
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2003-11-18		Feet below surface:	107.39
Feet to sea level:	Not Reported		Note:	Not Reported
	•			

Map ID Direction Distance

EDR ID Number Elevation Database

T116 NW 1/2 - 1 Mile Lower

**FED USGS** USGS40000140801

Organization ID: **USGS-CA** 

USGS California Water Science Center Organization Name:

Monitor Location: 001S004W14E008S Well Type:

Description: Not Reported HUC: Not Reported Not Reported Drainage Area Units: Not Reported Drainage Area: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: 20030210 Well Depth: 1165

Well Depth Units: ft Well Hole Depth: 1506

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 18 Level reading date: 2005-01-27

Feet below surface: 108.24 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: Feet below surface: 2005-01-06 115.78

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-11-22 Feet below surface: 130.53

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-10-23 Feet below surface: 123.58

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-09-15 Feet below surface: 168.26 Not Reported

Feet to sea level: Not Reported Note:

Level reading date: 2004-08-11 Feet below surface: 167.06

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-07-16 Feet below surface: 166.62

Feet to sea level: Not Reported Note: Not Reported

2004-06-16 Level reading date: Feet below surface: 156.94

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-05-12 Feet below surface: 152.74

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 2004-04-22 Feet below surface: 116.81

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-04-08 Feet below surface: 124.58 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-03-23 Feet below surface: 127.06

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-03-03 Feet below surface: 94.30

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 2004-02-20 Feet below surface: 114.59

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-02-05 Feet below surface: 110.04
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-01-22 Feet below surface: 111.59

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-12-16 Feet below surface: 120.75

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-11-18 Feet below surface: 127.08

Feet to sea level: Not Reported Note: Not Reported

T117
NW FED USGS USGS40000140805
1/2 - 1 Mile
Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14E012S Type: Well

Description: Not Reported HUC: Not Reported Drainage Area: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Units: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 20030303 Well Depth: 100
Well Depth Units: ft Well Hole Depth: 818

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 19 Level reading date: 2005-01-27 Feet below surface: 80.77 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 2005-01-06 Feet below surface: 81.54

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-12-09 Feet below surface: 81.67

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-11-22 Feet below surface: 81.44

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-10-23 Feet below surface: 80.87

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-09-15 Feet below surface: 78.85

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-08-11 Feet below surface: 76.42

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-07-16 Feet below surface: 74.62

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-06-16 Feet below surface: 72.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-05-12 Feet below surface: 70.87

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-04-22 Feet below surface: 69.64 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-04-08 Feet below surface: 69.51

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-03-23 Feet below surface: 69.34

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-03-03 Feet below surface: 68.86

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-02-20 Feet below surface: 69.39

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-02-05 Feet below surface: 69.78

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-01-22 Feet below surface: 69.97

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-12-16 Feet below surface: 70.38

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-11-18 Feet below surface: 70.28

Feet to sea level: Not Reported Note: Not Reported

T118
NW FED USGS USGS40000140806
1/2 - 1 Mile

Organization ID: USGS-CA

Lower

Organization Name: USGS California Water Science Center

Maritar Location: 0015004W14E013S Type: Wall

Monitor Location: 001S004W14E013S Type: Well

Description: Not Reported HUC: Not Reported Drainage Area: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Units: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 20030303 Well Depth: 55
Well Depth Units: ft Well Hole Depth: 818

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 18 Level reading date: 2005-01-27 Feet below surface: 46.25 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 2005-01-06 Feet below surface: 46.26

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-11-22 Feet below surface: 46.23

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-10-23 Feet below surface: 46.22

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-09-15 Feet below surface: 46.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-08-11 Feet below surface: 46.17 Feet to sea level: Not Reported Note: Not Reported 2004-07-16 Level reading date: Feet below surface: 46.15 Feet to sea level: Not Reported Not Reported Note: Level reading date: 2004-06-16 Feet below surface: 46.15 Feet to sea level: Not Reported Note: Not Reported 2004-05-12 Level reading date: Feet below surface: 46.13 Not Reported Feet to sea level: Not Reported Note: Level reading date: 2004-04-22 Feet below surface: 46.27 Feet to sea level: Not Reported Not Reported Note: Level reading date: 2004-04-08 Feet below surface: 46.25 Feet to sea level: Not Reported Note: Not Reported Level reading date: 2004-03-23 Feet below surface: 46.22 Feet to sea level: Not Reported Note: Not Reported Level reading date: 2004-03-03 Feet below surface: 46.24 Feet to sea level: Not Reported Note: Not Reported Level reading date: 2004-02-20 Feet below surface: 46.19 Feet to sea level: Not Reported Note: Not Reported 2004-02-05 Level reading date: Feet below surface: 46.13 Feet to sea level: Not Reported Note: Not Reported Level reading date: 2004-01-22 Feet below surface: 46.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 46.19 2003-12-16 Feet to sea level: Not Reported Note: Not Reported Level reading date: 2003-11-18 Feet below surface: Not Reported Feet to sea level: Not Reported

T119
NW FED USGS USGS40000140803
1/2 - 1 Mile

Organization ID: USGS-CA

Note:

Lower

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14E010S Type: Well

The site was dry (no water level recorded).

Description: Not Reported HUC: Not Reported Drainage Area: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Units: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 20030303 Well Depth: 480 Well Depth Units: ft Well Hole Depth: 818

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 18 Level reading date: 2005-01-27 Feet below surface: 89.93 Feet to sea level: Not Reported

Note: Not Reported

Level reading date:	2005-01-06	Feet below surface:	96.56
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-11-22	Feet below surface:	99.42
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-10-23	Feet below surface:	98.68
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-09-15	Feet below surface:	115.53
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-08-11	Feet below surface:	117.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-16	Feet below surface:	116.95
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-16	Feet below surface:	110.13
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-12	Feet below surface:	106.52
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-04-22	Feet below surface:	84.99
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-04-08	Feet below surface:	87.92
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-03-23	Feet below surface:	95.99
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-03-03	Feet below surface:	74.56
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-02-20	Feet below surface:	87.99
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-02-05	Feet below surface:	86.78
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-01-22	Feet below surface:	85.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-12-16	Feet below surface:	89.93
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-11-18	Feet below surface:	89.43
Feet to sea level:	Not Reported	Note:	Not Reported

T120 NW 1/2 - 1 Mile Lower **FED USGS** USGS40000140804

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14E011S Well

Type: HUC: Not Reported Description: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported

Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 20030303 Well Depth: 250 Well Depth Units: ft Well Hole Depth: 818

ft

Well Hole Depth Units:

2005-01-27 Ground water levels, Number of Measurements: 18 Level reading date:

Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2005-01-06 Feet below surface: 83.41

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-11-22 Feet below surface: 84.95

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-10-23 Feet below surface: 84.95

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-09-15 Feet below surface: 86.36

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-08-11 Feet below surface: 84.32

Feet to sea level: Not Reported Note: Not Reported

2004-07-16 Level reading date: Feet below surface: 82.59

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-06-16 Feet below surface: 79.52 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-05-12 Feet below surface: 76.33

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-04-22 Feet below surface: 72.83

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-04-08 Feet below surface: 72.46

Feet to sea level: Not Reported Note: Not Reported

2004-03-23 Feet below surface: Level reading date: 73.42

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-03-03 Feet below surface: 69.93

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 2004-02-20 Feet below surface: 72.14

Feet to sea level: Not Reported Note: Not Reported

72.47

Level reading date: 2004-02-05 Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2004-01-22 Feet below surface: Feet to sea level: Not Reported Note: Not Reported

2003-12-16 Feet below surface: 73.79 Level reading date:

Feet to sea level: Not Reported Note: Not Reported

2003-11-18 Level reading date: Feet below surface: 73.96

Feet to sea level: Not Reported Note: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

V121 NW

1/2 - 1 Mile Lower

> State Well #: 01S04W14F004S Station ID: 2493

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

T122 NW 1/2 - 1 Mile Lower

**CA WELLS** CADWR9000006706

State Well #: 01S04W14E010S 38782 Station ID: Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

T123 NW 1/2 - 1 Mile Lower

1/2 - 1 Mile

State Well #: 01S04W14E009S Station ID: 25882

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

T124 NW **CA WELLS** 1/2 - 1 Mile Lower

State Well #: 01S04W14E008S Station ID: 25881 Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported 0

T125 NW **CA WELLS** CADWR9000006709

Lower State Well #: 01S04W14E013S Station ID:

Well Name: Basin Name: Not Reported San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

25884

**CA WELLS** 

**CA WELLS** 

CADWR9000006715

CADWR900006705

CADWR9000006704

Map ID Direction Distance

Elevation Database EDR ID Number

T126 NW

CA WELLS CADWR9000006708

1/2 - 1 Mile Lower

State Well #: 01S04W14E012S Station ID: 38783

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

T127 NW 1/2 - 1 Mile

CA WELLS CADWR9000006707

Lower

Higher

State Well #:01S04W14E011SStation ID:25883Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:Unknown

Well Depth: 0 Well Completion Rpt #: Not Reported

Well ID: 01S04W13N004S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13N004S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13N004S&store\_num=

GeoTracker Data: Not Reported

Z129
ESE CA WELLS CADWR0000031395

ESE 1/2 - 1 Mile Higher

Well ID: 01S04W13N002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13N002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13N002S&store\_num=

GeoTracker Data: Not Reported

Z130 ESE CA WELLS CADWR0000027775

1/2 - 1 Mile Higher

Well ID: 01S04W13N005S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13N005S GAMA PFAS Testing: Not Reported

 $https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.co.gov/gamagroundwaterboards.co.go$ Groundwater Quality Data:

date=&global\_id=&assigned\_name=01S04W13N005S&store\_num=

GeoTracker Data: Not Reported

Z131 **ESE CA WELLS** CADWR0000028529

1/2 - 1 Mile Higher

> Well ID: 01S04W13N006S Well Type: UNK

Source: Department of Water Resources

01S04W13N006S Other Name: **GAMA PFAS Testing:** Not Reported Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13N006S&store\_num=

GeoTracker Data: Not Reported

**AA132** South **CA WELLS** CADWR0000037718

1/2 - 1 Mile Higher

> Well ID: 01S04W23G003 Well Type: UNK

Source: Department of Water Resources

01S04W23G003 GAMA PFAS Testing: Other Name: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_ Groundwater Quality Data:

date=&global\_id=&assigned\_name=01S04W23G003&store\_num=

GeoTracker Data: Not Reported

133 Site ID: 083601117T **AQUIFLOW** 

West WSW Groundwater Flow: 1/2 - 1 Mile

Shallow Water Depth: 25 ft Lower

Deep Water Depth: Not Reported Average Water Depth: Not Reported Date: 10/05/1998

**AA134** South 1/2 - 1 Mile **CA WELLS** CADWR0000001813

Higher

Well ID: 01S04W23G001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23G001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23G001S&store\_num=

GeoTracker Data: Not Reported 50208

Map ID Direction Distance

Database EDR ID Number Elevation

AA135 South

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center 001S004W23G001S Monitor Location: Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19000101 Well Depth: 576 Well Hole Depth: Well Depth Units: ft 576

Well Hole Depth Units: ft

136 **FED USGS** USGS40000140854 North 1/2 - 1 Mile

Higher

**USGS-CA** Organization ID:

Organization Name: USGS California Water Science Center Monitor Location: 001S004W14C003S Type: Well 18070203 Description: Not Reported HUC: Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19130101 Well Depth: 450 Well Depth Units: ft Well Hole Depth: 450

California Coastal Basin aquifers

Well Hole Depth Units: ft

**AA137 CA WELLS** CAUSGSN00015734 South

1/2 - 1 Mile Higher

> Well ID: USGS-340418117155501 Well Type: UNK

United States Geological Survey Source:

USGS-340418117155501 **GAMA PFAS Testing:** Not Reported Other Name:

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s Groundwater Quality Data:

amp\_date=&global\_id=&assigned\_name=USGS-340418117155501&store\_num=

GeoTracker Data: Not Reported

138 **FED USGS** USGS40000140626 SW

1/2 - 1 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23D004S Well Type:

**FED USGS** 

USGS40000140554

Description:Not ReportedHUC:18070203Drainage Area:Not ReportedDrainage Area Units:Not ReportedContrib Drainage Area:Not ReportedContrib Drainage Area Units:Not Reported

Aquifer:

California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 70 Well Depth Units: ft Well Hole Depth: 70

Well Hole Depth Units: ft

AB139
North CA WELLS CADWR0000008171

1/2 - 1 Mile Higher

Well ID: 01S04W14B001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14B001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14B001S&store\_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Higher

Well ID: 01S04W14B002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W14B002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W14B002S&store\_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Higher

Well ID: 3310031-038 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 66-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-038&store\_num=

GeoTracker Data: Not Reported

AA142 South CA WELLS CAPFAS000001365

1/2 - 1 Mile Higher

Well ID: 3310031-038 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 66-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-038&store\_num=

GeoTracker Data: Not Reported

**AA143** South 1/2 - 1 Mile Higher

Seq:

01S/04W-13N01 S 900 Prim sta c:

**CA WELLS** 

900

3310031031 Frds no: County: 33 District: User id: WAT 14 System no: 3310031 Water type: G

Source nam: GAGE WELL 29-2 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Longitude: 340417.9 1171556.0 Latitude: Precision: Status: AR 1

Comment 1: Not Reported Comment 2: Not Reported Not Reported Not Reported Comment 3: Comment 4: Not Reported Not Reported Comment 5: Comment 6: Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of 3900 MAIN STREET Hqname: Not Reported Address:

**RIVERSIDE** City: State: CA

92522 Zip ext: Not Reported Zip: Pop serv: 245000 Connection: 58586

Area serve: RIVERSIDE

Sample date: 01-MAR-18 Finding: 5 1 MG/L Report units:

NITRATE (AS N) Chemical:

DIr: 0.4

15-FEB-18 5.2 Sample date: Finding:

Report units: Chemical: NITRATE (AS N) MG/L DIr: 0.4

Sample date: 19-JAN-18 Finding: 319. TRITIUM COUNTING ERROR Chemical: Report units: PCI/L DIr:

Sample date: 19-JAN-18 Finding: 328.

**TRITIUM MDA95** Report units: Chemical: PCI/L

DIr: 0.

Sample date: 19-JAN-18 Finding: 660. Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr:

Sample date: 19-JAN-18 8.1 Finding: Chemical: PH, LABORATORY Not Reported

Report units:

0. DIr:

Sample date: 19-JAN-18 Finding: 180. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

210. Sample date: 19-JAN-18 Finding:

**BICARBONATE ALKALINITY** Chemical: Report units: MG/L

Sample date: 19-JAN-18 Finding: 5.2

NITRATE (AS N) Chemical: Report units: MG/L

Dlr: 0.4 Sample date: 19-JAN-18 Finding: 280. HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 19-JAN-18 Finding: 89. Chemical: **CALCIUM** Report units: MG/L DIr: 19-JAN-18 Sample date: Finding: 14. Chemical: **MAGNESIUM** Report units: MG/L DIr: 19-JAN-18 Sample date: Finding: 28. SODIUM Chemical: Report units: MG/L DIr: 19-JAN-18 Sample date: Finding: 3.2 Chemical: **POTASSIUM** Report units: MG/L DIr: 19-JAN-18 Sample date: Finding: 26. **CHLORIDE** Report units: MG/L Chemical: DIr: 19-JAN-18 Sample date: Finding: 95. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 19-JAN-18 Finding: 0.53 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1 Sample date: 19-JAN-18 Finding: 2. Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 19-JAN-18 Sample date: Finding: 3.6 Chemical: MOLYDBENDUM Report units: UG/L DIr: Sample date: 19-JAN-18 Finding: 3.6 **VANADIUM** Report units: UG/L Chemical: DIr: 19-JAN-18 Sample date: Finding: 1.2 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 19-JAN-18 Finding: 6.3 Chemical: **GROSS BETA** Report units: PCI/L DIr: 4. Sample date: 19-JAN-18 Finding: 0.59 GROSS BETA COUNTING ERROR Chemical: Report units: PCI/L DIr: 0. Sample date: 19-JAN-18 Finding: 27. URANIUM (PCI/L) Report units: PCI/L Chemical: DIr:

Sample date: Chemical: Dlr:	19-JAN-18 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.4 UG/L
Sample date: Chemical: Dlr:	19-JAN-18 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	430. MG/L
Sample date: Chemical: Dlr:	19-JAN-18 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.4 Not Reported
Sample date: Chemical: Dlr:	19-JAN-18 BROMIDE 0.	Finding: Report units:	0.11 MG/L
Sample date: Chemical: Dlr:	19-JAN-18 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	19-JAN-18 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	5.2 MG/L
Sample date: Chemical: Dlr:	19-JAN-18 CHLORATE 20.	Finding: Report units:	35. UG/L
Sample date: Chemical: Dlr:	19-JAN-18 GROSS ALPHA MDA95 0.	Finding: Report units:	2.1 PCI/L
Sample date: Chemical: Dlr:	19-JAN-18 RADIUM 226 MDA95 0.	Finding: Report units:	0.38 PCI/L
Sample date: Chemical: Dlr:	19-JAN-18 RADIUM 228 MDA95 0.	Finding: Report units:	0.66 PCI/L
Sample date: Chemical: Dlr:	19-JAN-18 GROSS BETA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	19-JAN-18 STRONTIUM - 90 MDA95 0.	Finding: Report units:	0.504 PCI/L
Sample date: Chemical: Dlr:	19-JAN-18 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.245 PCI/L
Sample date: Chemical: Dlr:	21-DEC-17 GROSS ALPHA MDA95 0.	Finding: Report units:	2.2 PCI/L
Sample date: Chemical: Dlr:	21-DEC-17 RADIUM 226 MDA95 0.	Finding: Report units:	0.41 PCI/L
Sample date: Chemical:	21-DEC-17 RADIUM 228 MDA95	Finding: Report units:	0.77 PCI/L

 Sample date:
 21-DEC-17
 Finding:
 1.4

 Chemical:
 GROSS BETA MDA95
 Report units:
 PCI/L

 Dlr:
 0.
 Finding:
 0.175

Dlr:

DIr:

0.

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 21-DEC-17 Finding: 0.453

Chemical: STRONTIUM - 90 MDA95 Report units: PCI/L DIr: 0.

Sample date: 21-DEC-17 Finding: 320.
Chemical: TRITIUM COUNTING ERROR Report units: PCI/L

Dlr: 0.

 Sample date:
 21-DEC-17
 Finding:
 333.

 Chemical:
 TRITIUM MDA95
 Report units:
 PCI/L

 DIr:
 0.

Sample date: 21-DEC-17 Finding: 2.

Chemical: ODOR THRESHOLD @ 60 C Report units: TON DIr: 1.

Sample date: 21-DEC-17 Finding: 670.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 21-DEC-17 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 21-DEC-17 Finding: 180.
Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L
DIr: 0.

Sample date: 21-DEC-17 Finding: 220.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 21-DEC-17 Finding: 5.6 Chemical: NITRATE (AS N) Report units: MG/L

Dir: 0.4 Report units. MIG/L

Sample date: 21-DEC-17 Finding: 280.

Chomical: HAPDNESS (TOTAL) AS CACO3 Poport units: MG/I

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 21-DEC-17 Finding: 88.
Chemical: CALCIUM Report units: MG/L

Sample date: 21-DEC-17 Finding: 14.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 21-DEC-17 Finding: 28. Chemical: SODIUM Report units: MG/L

Chemical: SODIUM Report units: MG DIr: 0.

Sample date: Chemical: Dlr:	21-DEC-17 POTASSIUM 0.	Finding: Report units:	2.9 MG/L
Sample date: Chemical: DIr:	21-DEC-17 CHLORIDE 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	21-DEC-17 SULFATE 0.5	Finding: Report units:	94. MG/L
Sample date: Chemical: Dlr:	21-DEC-17 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.54 MG/L
Sample date: Chemical: Dlr:	21-DEC-17 SILICA 0.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	21-DEC-17 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2. UG/L
Sample date: Chemical: Dlr:	21-DEC-17 MOLYDBENDUM 0.	Finding: Report units:	3.2 UG/L
Sample date: Chemical: Dlr:	21-DEC-17 VANADIUM 3.	Finding: Report units:	3.3 UG/L
Sample date: Chemical: Dlr:	21-DEC-17 LITHIUM 0.	Finding: Report units:	8.1e-003 UG/L
Sample date: Chemical: Dlr:	21-DEC-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.97 PCI/L
Sample date: Chemical: Dlr:	21-DEC-17 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	0.56 PCI/L
Sample date: Chemical: Dlr:	21-DEC-17 URANIUM (PCI/L) 1.	Finding: Report units:	20. PCI/L
Sample date: Chemical: Dlr:	21-DEC-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	21-DEC-17 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	440. MG/L
Sample date: Chemical: Dlr:	21-DEC-17 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.3 Not Reported
Sample date: Chemical:	21-DEC-17 BROMIDE	Finding: Report units:	0.12 MG/L

Report units:

Dlr: 0.

Sample date: 21-DEC-17 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) DIr: 0.

Chemical:

Sample date: 21-DEC-17 Finding: 5.6 Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

21-DEC-17 38. Sample date: Finding: Chemical: **CHLORATE** Report units: UG/L

DIr: 20.

06-OCT-17 Sample date: Finding: 6.5 Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

10-AUG-17 0.63 Sample date: Finding:

FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L

DIr: 0.1

10-AUG-17 Sample date: Finding: 100. Report units: Chemical: **SULFATE** MG/L

DIr: 0.5

10-AUG-17 Sample date: Finding: 3.5 UG/L

Chemical: MOLYDBENDUM Report units:

DIr:

Sample date: 10-AUG-17 Finding: 3.4 Chemical: VANADIUM Report units: UG/L

DIr: 3.

Sample date: 10-AUG-17 Finding: 30. Chemical: **GROSS ALPHA** Report units: PCI/L

DIr: 3.

10-AUG-17 Finding: Sample date: 1.4

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 10-AUG-17 0.61 Finding:

GROSS BETA COUNTING ERROR Report units: PCI/L Chemical: DIr:

Sample date: 10-AUG-17 Finding: 27. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 10-AUG-17 Finding: 1.9

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 10-AUG-17 Finding: 460.

TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 1.2

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

0. DIr:

Not Reported

Sample date: Chemical: Dlr:	10-AUG-17 1,2,3-TRICHLOROPROPANE 5.e-003	Finding: Report units:	6.7e-003 UG/L
Sample date: Chemical: Dlr:	10-AUG-17 BROMIDE 0.	Finding: Report units:	0.13 MG/L
Sample date: Chemical: Dlr:	10-AUG-17 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	10-AUG-17 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	6.2 MG/L
Sample date: Chemical: Dlr:	10-AUG-17 PERCHLORATE 4.	Finding: Report units:	4.2 UG/L
Sample date: Chemical: Dlr:	10-AUG-17 CHLORATE 20.	Finding: Report units:	45. UG/L
Sample date: Chemical: DIr:	10-AUG-17 GROSS ALPHA MDA95 0.	Finding: Report units:	2. PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 RADIUM 226 MDA95 0.	Finding: Report units:	0.44 PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 RADIUM 228 MDA95 0.	Finding: Report units:	0.8 PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 GROSS BETA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.609 PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 STRONTIUM - 90 MDA95 0.	Finding: Report units:	1.52 PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 TRITIUM COUNTING ERROR 0.	Finding: Report units:	257. PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 TRITIUM MDA95 0.	Finding: Report units:	272. PCI/L
Sample date: Chemical: Dlr:	10-AUG-17 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	700. US
Sample date: Chemical:	10-AUG-17 PH, LABORATORY	Finding: Report units:	7.8 Not Reported

DIr: 0.

Sample date: 10-AUG-17 Finding: 190. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 10-AUG-17 Finding: 230. Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dir: 0.

Sample date: 10-AUG-17 Finding: 6.2 Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 10-AUG-17 Finding: 6.8e-002

Chemical: PHOSPHATE (AS PO4) Report units: UG/L

DIr: 0.

Sample date: 10-AUG-17 Finding: 300.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 94.

Chemical: CALCIUM Report units: MG/L

Dir: 0.

Sample date: 10-AUG-17 Finding: 15.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 31.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 3.4

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 30.

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 10-AUG-17 Finding: 2.4

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1.

Sample date: 09-MAR-17 Finding: 5.1
Chemical: NITRATE (AS N) Report units: MG/L

Chemical: NTRATE (AS N) Report units: MG/L
Dir: 0.4

Sample date: 08-FEB-17 Finding: 0.8

Chamical: CPOSS BETA MDA05 Page tupits: PCI/I

Chemical: GROSS BETA MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-17 Finding: 0.507
Chemical: STRONTILIM - 90 MDA95 Report units: PCI/

Chemical: STRONTIUM - 90 MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-17 Finding: 292.

Chemical: TRITIUM COUNTING ERROR Report units: PCI/L DIr: 0.

08-FEB-17 296. Sample date: Finding: Chemical: **TRITIUM MDA95** Report units: PCI/L DIr: Sample date: 08-FEB-17 Finding: 690. SPECIFIC CONDUCTANCE US Chemical: Report units: DIr: Finding: Sample date: 08-FEB-17 8.2 Chemical: PH, LABORATORY Report units: Not Reported DIr: Sample date: 08-FEB-17 Finding: 190. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 08-FEB-17 Finding: 230. **BICARBONATE ALKALINITY** Report units: MG/L Chemical: DIr: Sample date: 08-FEB-17 2.4 Finding: Chemical: CARBONATE ALKALINITY Report units: MG/L Dlr: Sample date: 08-FEB-17 Finding: 5.2 Chemical: NITRATE (AS N) Report units: MG/L DIr: Sample date: 08-FEB-17 Finding: 300. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 08-FEB-17 95. Sample date: Finding: CALCIUM Report units: Chemical: MG/L DIr: 0. Sample date: 08-FEB-17 Finding: 15. Report units: Chemical: MAGNESIUM MG/L DIr: 0. Sample date: 08-FEB-17 Finding: 30. Chemical: SODIUM Report units: MG/L Dlr: 0. Sample date: 08-FEB-17 Finding: 3.4 Chemical: **POTASSIUM** Report units: MG/L DIr: 08-FEB-17 Sample date: Finding: 27. Chemical: **CHLORIDE** Report units: MG/L DIr: 0. Sample date: 08-FEB-17 Finding: 100. Chemical: **SULFATE** Report units: MG/L 0.5 08-FEB-17 0.6 Sample date: Finding: FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L 0.1 Sample date: 08-FEB-17 Finding: 2. Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

Dlr: 1. Sample date: 08-FEB-17 Finding: 3.4 **MOLYDBENDUM** UG/L Chemical: Report units: Dlr: 0. Sample date: 08-FEB-17 Finding: 3.9 Chemical: VANADIUM Report units: UG/L DIr: 08-FEB-17 0.37 Sample date: Finding: Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 08-FEB-17 Finding: Sample date: 7.4 **GROSS BETA** PCI/L Chemical: Report units: DIr: 08-FEB-17 Sample date: Finding: 1.2 GROSS BETA COUNTING ERROR Chemical: Report units: PCI/L DIr: 08-FEB-17 Sample date: Finding: 0.24 **RADIUM 226 COUNTING ERROR** Report units: PCI/L Chemical: DIr: 08-FEB-17 28. Sample date: Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 08-FEB-17 Finding: 2.1 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 08-FEB-17 Finding: 450. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0. 08-FEB-17 Finding: Sample date: 1.5 Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 08-FEB-17 Sample date: Finding: 0.12 TURBIDITY, LABORATORY Report units: Chemical: NTU DIr: Sample date: 08-FEB-17 Finding: 0.12 Chemical: **BROMIDE** Report units: MG/L DIr: 0. Sample date: 08-FEB-17 Finding: 13. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 08-FEB-17 Finding: 5.2 Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 Sample date: 08-FEB-17 Finding: 37. Chemical: **CHLORATE** Report units: UG/L

DIr:

20.

Sample date: Chemical: Dlr:	08-FEB-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	08-FEB-17 RADIUM 226 MDA95 0.	Finding: Report units:	0.49 PCI/L
Sample date: Chemical: Dlr:	08-FEB-17 RADIUM 228 MDA95 0.	Finding: Report units:	0.99 PCI/L
Sample date: Chemical: Dlr:	08-FEB-17 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.199 PCI/L
Sample date: Chemical: Dlr:	25-JAN-17 ARSENIC 2.	Finding: Report units:	5.6 UG/L
Sample date: Chemical: Dlr:	26-OCT-16 NITRATE (AS N) 0.4	Finding: Report units:	5. MG/L
Sample date: Chemical: Dlr:	25-OCT-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	25-OCT-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.4 UG/L
Sample date: Chemical: Dlr:	25-OCT-16 GROSS ALPHA MDA95 0.	Finding: Report units:	2. PCI/L
Sample date: Chemical: Dlr:	25-OCT-16 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	22-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	2.5 PCI/L
Sample date: Chemical: Dlr:	22-SEP-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	22-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	22-SEP-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.8 UG/L
Sample date: Chemical: Dlr:	31-AUG-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2. UG/L
Sample date: Chemical:	31-AUG-16 BROMIDE	Finding: Report units:	0.12 MG/L

Dlr: 0. Sample date: 31-AUG-16 Finding: 268. TRITIUM COUNTING ERROR PCI/L Chemical: Report units: Dlr: Sample date: 31-AUG-16 Finding: 282. Chemical: **TRITIUM MDA95** Report units: PCI/L DIr: 31-AUG-16 Sample date: Finding: 2. Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L DIr: Sample date: 31-AUG-16 Finding: 1.3 **GROSS BETA MDA95** PCI/L Chemical: Report units: DIr: 31-AUG-16 Sample date: Finding: 3.1 MOLYDBENDUM Chemical: Report units: UG/L DIr: 31-AUG-16 Sample date: Finding: 32. **CHLORATE** Report units: UG/L Chemical: DIr: 20. 17-MAR-16 Sample date: Finding: 3.8 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 17-MAR-16 Finding: 28. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 17-MAR-16 Finding: 4. Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 17-MAR-16 Sample date: Finding: 4.1 Chemical: **PERCHLORATE** Report units: UG/L Dlr: Sample date: 17-MAR-16 Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr: Sample date: 24-FEB-16 Finding: 0.59 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1 Sample date: 24-FEB-16 Finding: 2. CHROMIUM, HEXAVALENT Chemical: Report units: UG/L DIr: Sample date: 24-FEB-16 Finding: 2.9 Chemical: MOLYDBENDUM Report units: UG/L DIr: 0. Sample date: 24-FEB-16 Finding: 3.6 Chemical: VANADIUM Report units: UG/L

DIr:

3.

Sample date: Chemical: Dlr:	24-FEB-16 GROSS ALPHA 3.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.41 PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 GROSS BETA 4.	Finding: Report units:	7.2 PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.8 PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	3.2 UG/L
Sample date: Chemical: Dlr:	24-FEB-16 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	450. MG/L
Sample date: Chemical: Dlr:	24-FEB-16 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1. Not Reported
Sample date: Chemical: Dlr:	24-FEB-16 TURBIDITY, LABORATORY 0.1	Finding: Report units:	7.1e-002 NTU
Sample date: Chemical: Dlr:	24-FEB-16 BROMIDE 0.	Finding: Report units:	0.11 MG/L
Sample date: Chemical: Dlr:	24-FEB-16 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	12. Not Reported
Sample date: Chemical: Dlr:	24-FEB-16 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	4.8 MG/L
Sample date: Chemical: Dlr:	24-FEB-16 CHLORATE 20.	Finding: Report units:	26. UG/L
Sample date: Chemical: Dlr:	24-FEB-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 RADIUM 226 MDA95 0.	Finding: Report units:	0.25 PCI/L
Sample date: Chemical:	24-FEB-16 RADIUM 228 MDA95	Finding: Report units:	0.75 PCI/L

DIr: 0.

Sample date: 24-FEB-16 Finding: 1.1
Chemical: GROSS BETA MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 24-FEB-16 Finding: 110. Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 24-FEB-16 Finding: 26. Chemical: CHLORIDE Report units: MG/L

Dlr: 0.

Sample date: 24-FEB-16 Finding: 3.4

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 30. Chemical: SODIUM Report units: MG/L

Dir: 0.

Sample date: 24-FEB-16 Finding: 15.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 92.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 290.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 4.8

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 24-FEB-16 Finding: 220.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 180.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 24-FEB-16 Finding: 7.7

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

Sample date: 24-FEB-16 Finding: 690.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 24-FEB-16 Finding: 323. Chemical: TRITIUM MDA95 Report units: PCI/L

Dir: 0.

Sample date: 24-FEB-16 Finding: 323.
Chemical: TRITIUM MDA95 Report units: PCI/L

Dir: 0.

Sample date: Chemical: Dlr:	24-FEB-16 TRITIUM COUNTING ERROR 0.	Finding: Report units:	312. PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 TRITIUM COUNTING ERROR 0.	Finding: Report units:	312. PCI/L
Sample date: Chemical: Dlr:	24-FEB-16 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.1 PCI/L
Sample date: Chemical: Dlr:	07-JAN-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.9 UG/L
Sample date: Chemical: Dlr:	07-JAN-16 URANIUM (PCI/L) 1.	Finding: Report units:	31. PCI/L
Sample date: Chemical: Dlr:	07-JAN-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.39 PCI/L
Sample date: Chemical: Dlr:	07-JAN-16 GROSS ALPHA 3.	Finding: Report units:	30. PCI/L
Sample date: Chemical: Dlr:	07-JAN-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.7 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 SULFATE 0.5	Finding: Report units:	110. MG/L
Sample date: Chemical: Dlr:	03-DEC-15 RADIUM 228 MDA95 0.	Finding: Report units:	0.77 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 RADIUM 226 MDA95 0.	Finding: Report units:	0.28 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 CHLORATE 20.	Finding: Report units:	28. UG/L
Sample date: Chemical: Dlr:	03-DEC-15 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	4700. MG/L
Sample date: Chemical: Dlr:	03-DEC-15 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical:	03-DEC-15 BROMIDE	Finding: Report units:	0.11 MG/L

DIr: 0.

Sample date: 03-DEC-15 Finding: 7.6e-002 Chemical: TURBIDITY, LABORATORY Report units: NTU

Dlr: 0.1

Sample date: 03-DEC-15 Finding: 4700. Chemical: CARBON DIOXIDE Report units: UG/L

Dlr: 0.

Sample date: 03-DEC-15 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 03-DEC-15 Finding: 296.

Chemical: TRITIUM COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 03-DEC-15 Finding: 311.
Chemical: TRITIUM MDA95 Report units: PCI/L

Dir: 0.

Sample date: 03-DEC-15 Finding: 690.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 03-DEC-15 Finding: 7.9

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

DIr:

Sample date: 03-DEC-15 Finding: 180.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

0.

Sample date: 03-DEC-15 Finding: 230.
Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dir: 0.

Sample date: 03-DEC-15 Finding: 4.7

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 03-DEC-15 Finding: 0.16

Chemical: PHOSPHATE (AS PO4) Report units: UG/L DIr: 0.

Sample date: 03-DEC-15 Finding: 280.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 03-DEC-15 Finding: 89.
Chemical: CALCIUM Report units: MG/L

Dir: 0.

Sample date: 03-DEC-15 Finding: 14.
Chemical: MAGNESIUM Report units: MG/L

Sample date: 03-DEC-15 Finding: 28.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	03-DEC-15 POTASSIUM 0.	Finding: Report units:	3.2 MG/L
Sample date: Chemical: Dlr:	03-DEC-15 CHLORIDE 0.	Finding: Report units:	27. MG/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS BETA MDA95 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.6 MG/L
Sample date: Chemical: Dlr:	03-DEC-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2. UG/L
Sample date: Chemical: Dlr:	03-DEC-15 MOLYDBENDUM 0.	Finding: Report units:	3.1 UG/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS ALPHA 3.	Finding: Report units:	34. PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.42 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS BETA 4.	Finding: Report units:	8.8 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.8 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.13 PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	03-DEC-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.9 UG/L
Sample date: Chemical: Dlr:	03-DEC-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	470. MG/L
Sample date: Chemical: Dlr:	03-DEC-15 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical:	23-OCT-15 GROSS ALPHA	Finding: Report units:	31. PCI/L

Dlr: 3. Sample date: 23-OCT-15 Finding: 0.4 **GROSS ALPHA COUNTING ERROR** PCI/L Chemical: Report units: Dlr: Sample date: 23-OCT-15 Finding: 1.3 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 22-OCT-15 Sample date: Finding: 27. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 22-OCT-15 Finding: 2.9 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 17-SEP-15 0.36 Sample date: Finding: GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 17-SEP-15 Sample date: Finding: 26. URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 17-SEP-15 Sample date: Finding: 4.4 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 17-SEP-15 Finding: 4.1 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 17-SEP-15 Finding: 1.5 **GROSS ALPHA MDA95** Chemical: Report units: PCI/L DIr: 21-AUG-15 Finding: Sample date: 5100. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 Sample date: 21-AUG-15 Finding: 4.4 **PERCHLORATE** Report units: UG/L Chemical: DIr: Sample date: 21-AUG-15 Finding: 28. Chemical: **CHLORATE** Report units: UG/L DIr: 20. Sample date: 21-AUG-15 Finding: 1.3 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 21-AUG-15 Finding: 0.32 RADIUM 226 MDA95 Chemical: Report units: PCI/L DIr: 0. Sample date: 21-AUG-15 Finding: 0.6 RADIUM 228 MDA95 Chemical: Report units: PCI/L 0. DIr:

Sample date: Chemical: Dlr:	21-AUG-15 GROSS BETA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	21-AUG-15 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.311 PCI/L
Sample date: Chemical: Dlr:	21-AUG-15 TRITIUM COUNTING ERROR 0.	Finding: Report units:	319. PCI/L
Sample date: Chemical: Dlr:	21-AUG-15 TRITIUM MDA95 0.	Finding: Report units:	340. PCI/L
Sample date: Chemical: Dlr:	21-AUG-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	670. US
Sample date: Chemical: Dlr:	21-AUG-15 PH, LABORATORY 0.	Finding: Report units:	7.9 Not Reported
Sample date: Chemical: Dlr:	21-AUG-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	180. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 NITRATE (AS N) 0.4	Finding: Report units:	5.1 MG/L
Sample date: Chemical: Dlr:	21-AUG-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	270. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 CALCIUM 0.	Finding: Report units:	84. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 MAGNESIUM 0.	Finding: Report units:	14. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 SODIUM 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	21-AUG-15 POTASSIUM 0.	Finding: Report units:	3.2 MG/L
Sample date: Chemical: Dlr:	21-AUG-15 CHLORIDE 0.	Finding: Report units:	27. MG/L
Sample date: Chemical:	21-AUG-15 SULFATE	Finding: Report units:	100. MG/L

DIr: 0.5

Sample date: 21-AUG-15 Finding: 0.6 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 21-AUG-15 Finding: 1.9 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

Dlr: 1.

Sample date: 21-AUG-15 Finding: 3.1 Chemical: MOLYDBENDUM Report units: UG/L

DIr: 0.

Sample date: 21-AUG-15 Finding: 3.1 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 21-AUG-15 Finding: 0.37

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 21-AUG-15 Finding: 2.

Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 21-AUG-15 Finding: 0.14

Chemical: RADIUM 226 COUNTING ERROR Report units: PCI/L DIr: 0.

ווכ. ט.

Sample date: 21-AUG-15 Finding: 0.32

Chemical: RADIUM 228 COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 21-AUG-15 Finding: 27.
Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 21-AUG-15 Finding: 4.5

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 21-AUG-15 Finding: 450.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 21-AUG-15 Finding: 1.2

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 21-AUG-15 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L
DIr: 2.

Sample date: 21-AUG-15 Finding: 6.1e-002
Chemical: TURRIDITY LABORATORY Report units: NTU

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 21-AUG-15 Finding: 0.11
Chemical: BROMIDE Report units: MG/L

Chemical: BROMIDE Report units: MC Dir: 0.

Sample date: Chemical: Dlr:	21-AUG-15 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	09-JUL-15 MAGNESIUM 0.	Finding: Report units:	16. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 CALCIUM 0.	Finding: Report units:	98. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 POTASSIUM 0.	Finding: Report units:	3.4 MG/L
Sample date: Chemical: Dlr:	09-JUL-15 CHLORIDE 0.	Finding: Report units:	31. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.62 MG/L
Sample date: Chemical: Dlr:	09-JUL-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	2.5 UG/L
Sample date: Chemical: Dlr:	09-JUL-15 MOLYDBENDUM 0.	Finding: Report units:	3.7 UG/L
Sample date: Chemical: Dlr:	09-JUL-15 VANADIUM 3.	Finding: Report units:	3.3 UG/L
Sample date: Chemical: Dlr:	09-JUL-15 GROSS ALPHA 3.	Finding: Report units:	32. PCI/L
Sample date: Chemical: Dlr:	09-JUL-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.38 PCI/L
Sample date: Chemical: Dlr:	09-JUL-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	09-JUL-15 URANIUM (PCI/L) 1.	Finding: Report units:	31. PCI/L
Sample date: Chemical: Dlr:	09-JUL-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	8.8 UG/L
Sample date: Chemical:	09-JUL-15 TOTAL DISSOLVED SOLIDS	Finding: Report units:	470. MG/L

Dlr: 0.

Sample date: 09-JUL-15 Finding:

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

DIr:

Sample date: 09-JUL-15 Finding: 6.e-003 Chemical: 1,2,3-TRICHLOROPROPANE Report units: UG/L

DIr: 5.e-003

Sample date: 09-JUL-15 Finding: 0.16 Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: 09-JUL-15 0.15 Finding: **BROMIDE** Chemical: Report units: MG/L

DIr:

09-JUL-15 Sample date: Finding: 12.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

09-JUL-15 Sample date: Finding: 6300.

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

09-JUL-15 6. Sample date: Finding: Report units: UG/L

**PERCHLORATE** Chemical:

DIr:

Sample date: 09-JUL-15 Finding: 40. Chemical: **CHLORATE** Report units: UG/L

DIr: 20.

Sample date: 09-JUL-15 Finding: 1.2

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

09-JUL-15 Finding: Sample date: 0.4 Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr:

DIr:

Sample date: 09-JUL-15 0.87 Finding:

RADIUM 228 MDA95 Report units: PCI/L Chemical:

DIr:

Sample date: 09-JUL-15 Finding: 1.8

Chemical: **GROSS BETA MDA95** Report units: PCI/L

DIr:

Sample date: 09-JUL-15 0.505 Finding: PCI/L

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: DIr:

0.

Sample date: 09-JUL-15 Finding: 332.

TRITIUM COUNTING ERROR Chemical: Report units: PCI/L

Sample date: 09-JUL-15 Finding: 343.

**TRITIUM MDA95** Chemical: Report units: PCI/L DIr: 0.

Sample date: Chemical: Dlr:	09-JUL-15 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	730. US
Sample date: Chemical: Dlr:	09-JUL-15 PH, LABORATORY 0.	Finding: Report units:	7.6 Not Reported
Sample date: Chemical: Dlr:	09-JUL-15 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	190. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 BICARBONATE ALKALINITY 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 NITRATE (AS N) 0.4	Finding: Report units:	6.3 MG/L
Sample date: Chemical: Dlr:	09-JUL-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	310. MG/L
Sample date: Chemical: Dlr:	09-JUL-15 SODIUM 0.	Finding: Report units:	32. MG/L
Sample date: Chemical: Dlr:	30-JUN-15 NITRATE (AS NO3) 2.	Finding: Report units:	27. MG/L
Sample date: Chemical: Dlr:	23-APR-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	4.8 UG/L
Sample date: Chemical: Dlr:	23-APR-15 TOTAL TRIHALOMETHANES 0.	Finding: Report units:	1.5 UG/L
Sample date: Chemical: Dlr:	23-APR-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	23-APR-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	23-APR-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	4.8 UG/L
Sample date: Chemical: Dlr:	23-APR-15 TOTAL TRIHALOMETHANES 0.	Finding: Report units:	1.5 UG/L
Sample date: Chemical: Dlr:	23-APR-15 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical:	23-APR-15 URANIUM (PCI/L)	Finding: Report units:	26. PCI/L

Dlr: 1. Sample date: 13-FEB-15 Finding: 0.127 STRONTIUM - 90 COUNTING ERROR Report units: Chemical: PCI/L DIr: 0. Sample date: 13-FEB-15 Finding: 1.6 Chemical: **GROSS BETA MDA95** Report units: PCI/L DIr: 310. Sample date: 13-FEB-15 Finding: Chemical: TRITIUM COUNTING ERROR Report units: PCI/L DIr: Sample date: 13-FEB-15 Finding: 317. **TRITIUM MDA95** PCI/L Chemical: Report units: DIr: 13-FEB-15 670. Sample date: Finding: SPECIFIC CONDUCTANCE Chemical: Report units: US DIr: 13-FEB-15 Sample date: Finding: 7.7 PH, LABORATORY Chemical: Report units: Not Reported DIr: 0. 13-FEB-15 Sample date: Finding: 190. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 13-FEB-15 Finding: 240. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr: Sample date: 13-FEB-15 Finding: 280. HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: 13-FEB-15 Finding: Sample date: 89. Chemical: **CALCIUM** Report units: MG/L DIr: 0. 13-FEB-15 Sample date: Finding: 15. Report units: MG/L Chemical: MAGNESIUM DIr: Sample date: 13-FEB-15 Finding: 29. Chemical: SODIUM Report units: MG/L DIr: Sample date: 13-FEB-15 Finding: 3.3 Chemical: **POTASSIUM** Report units: MG/L DIr: 0. Sample date: 13-FEB-15 Finding: 24. Chemical: **CHLORIDE** Report units: MG/L DIr: 0. Sample date: 13-FEB-15 Finding: 99. Report units: Chemical: SULFATE MG/L

DIr:

0.5

Sample date: Chemical: Dlr:	13-FEB-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.43 MG/L
Sample date: Chemical: Dlr:	13-FEB-15 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	13-FEB-15 MOLYDBENDUM 0.	Finding: Report units:	2.9 UG/L
Sample date: Chemical: Dlr:	13-FEB-15 VANADIUM 3.	Finding: Report units:	3.2 UG/L
Sample date: Chemical: Dlr:	13-FEB-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.9 PCI/L
Sample date: Chemical: Dlr:	13-FEB-15 GROSS BETA 4.	Finding: Report units:	9.6 PCI/L
Sample date: Chemical: Dlr:	13-FEB-15 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	2.2 PCI/L
Sample date: Chemical: Dlr:	13-FEB-15 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.13 PCI/L
Sample date: Chemical: Dlr:	13-FEB-15 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	13-FEB-15 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	430. MG/L
Sample date: Chemical: Dlr:	13-FEB-15 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1. Not Reported
Sample date: Chemical: Dlr:	13-FEB-15 NITRATE (AS NO3) 2.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	13-FEB-15 CARBON DIOXIDE 0.	Finding: Report units:	7800. UG/L
Sample date: Chemical: Dlr:	13-FEB-15 N-NITROSODIETHYLAMINE (NDEA) 0.	Finding: Report units:	2.e-003 UG/L
Sample date: Chemical: Dlr:	13-FEB-15 TURBIDITY, LABORATORY 0.1	Finding: Report units:	5.6e-002 NTU
Sample date: Chemical:	13-FEB-15 BROMIDE	Finding: Report units:	0.11 MG/L

Dlr: 0.

Sample date: 13-FEB-15 Finding:

AGGRSSIVE INDEX (CORROSIVITY) Not Reported Chemical: Report units:

DIr: 0.

Sample date: 13-FEB-15 Finding: 5300. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 13-FEB-15 Finding: 5.4 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

13-FEB-15 Sample date: Finding: 28. **CHLORATE** Chemical: Report units: UG/L

DIr: 20.

13-FEB-15 Sample date: Finding: 3.

PCI/L Chemical: **GROSS ALPHA MDA95** Report units:

DIr:

13-FEB-15 Sample date: Finding: 0.35

RADIUM 226 MDA95 Report units: PCI/L Chemical:

DIr:

13-FEB-15 Sample date: Finding: 8.0

RADIUM 228 MDA95 Chemical: Report units: PCI/L

DIr:

Sample date: 13-FEB-15 Finding: 34.

Chemical: **TRITIUM** Report units: PCI/L

DIr: 1000.

Sample date: 09-JAN-15 Finding: 4.5

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

09-JAN-15 Sample date: Finding: 3.

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 09-JAN-15 7.9 Finding:

TRICHLOROETHYLENE Report units: UG/L Chemical:

DIr: 0.5

Sample date: 09-JAN-15 Finding: 8.6 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

Sample date: 09-JAN-15 Finding: 27.

Chemical: URANIUM (PCI/L) PCI/L Report units:

DIr:

Sample date: 10-DEC-14 Finding:

**GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0.

Sample date: 10-DEC-14 Finding:

PERCHLORATE UG/L Chemical: Report units:

DIr: 4.

	10 050 11	<b>-</b>	40
Sample date: Chemical: Dlr:	10-DEC-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	10. UG/L
Sample date: Chemical: Dlr:	10-DEC-14 URANIUM (PCI/L) 1.	Finding: Report units:	31. PCI/L
Sample date: Chemical: Dlr:	10-DEC-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4. PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	6000. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 CHLORATE 20.	Finding: Report units:	21. UG/L
Sample date: Chemical: Dlr:	19-NOV-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 RADIUM 226 MDA95 0.	Finding: Report units:	0.25 PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 RADIUM 228 MDA95 0.	Finding: Report units:	0.77 PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 GROSS BETA MDA95 0.	Finding: Report units:	1.1 PCI/L
Sample date: Chemical: Dlr:	19-NOV-14 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	19-NOV-14 BROMIDE 0.	Finding: Report units:	9.5e-002 MG/L
Sample date: Chemical: Dlr:	19-NOV-14 TURBIDITY, LABORATORY 0.1	Finding: Report units:	7.e-002 NTU
Sample date: Chemical: Dlr:	19-NOV-14 N-NITROSODI-N-BUTYLAMINE (NDBA) 0.	Finding: Report units:	3.e-003 UG/L
Sample date: Chemical: Dlr:	19-NOV-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	430. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.4 Not Reported
Sample date: Chemical:	19-NOV-14 NITRATE (AS NO3)	Finding: Report units:	27. MG/L

Dlr: 2. Sample date: 19-NOV-14 Finding: 8.5 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 19-NOV-14 Finding: 25. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 19-NOV-14 Sample date: Finding: 0.15 Chemical: **RADIUM 226 COUNTING ERROR** Report units: PCI/L DIr: Sample date: 19-NOV-14 Finding: 1.7 GROSS BETA COUNTING ERROR PCI/L Chemical: Report units: DIr: 19-NOV-14 Sample date: Finding: 7.8 Chemical: **GROSS BETA** Report units: PCI/L DIr: 19-NOV-14 Finding: Sample date: 5.2 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 19-NOV-14 Sample date: Finding: 31. Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 19-NOV-14 Finding: 2.8 Chemical: MOLYDBENDUM Report units: UG/L DIr: Sample date: 19-NOV-14 Finding: 0.52 FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L DIr: 0.1 19-NOV-14 Finding: Sample date: 98. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 Sample date: 19-NOV-14 120. Finding: TRITIUM COUNTING ERROR PCI/L Chemical: Report units: DIr: 19-NOV-14 Sample date: Finding: 0.186 Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: Sample date: 19-NOV-14 680. Finding: Chemical: SPECIFIC CONDUCTANCE US Report units: DIr: Sample date: 19-NOV-14 Finding: PH, LABORATORY Chemical: Report units: Not Reported DIr: 0. Sample date: 19-NOV-14 Finding: 200. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

0.

Sample date: Chemical: Dlr:	19-NOV-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	240. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	290. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 CALCIUM 0.	Finding: Report units:	92. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 MAGNESIUM 0.	Finding: Report units:	15. MG/L
Sample date: Chemical: Dlr:	19-NOV-14 SODIUM 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: DIr:	19-NOV-14 POTASSIUM 0.	Finding: Report units:	3.3 MG/L
Sample date: Chemical: Dlr:	19-NOV-14 CHLORIDE 0.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	10-OCT-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.6 PCI/L
Sample date: Chemical: Dlr:	10-OCT-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	8.2 UG/L
Sample date: Chemical: Dlr:	10-OCT-14 PERCHLORATE 4.	Finding: Report units:	9.5 UG/L
Sample date: Chemical: Dlr:	10-OCT-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: DIr:	19-SEP-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4. PCI/L
Sample date: Chemical: DIr:	19-SEP-14 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: DIr:	19-SEP-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	9. UG/L
Sample date: Chemical: Dlr:	19-SEP-14 PERCHLORATE 4.	Finding: Report units:	9.8 UG/L
Sample date: Chemical:	19-SEP-14 GROSS ALPHA MDA95	Finding: Report units:	3. PCI/L

DIr:	0.		
Sample date: Chemical: Dlr:	28-AUG-14 CALCIUM 0.	Finding: Report units:	92. MG/L
Sample date: Chemical: Dlr:	28-AUG-14 MAGNESIUM 0.	Finding: Report units:	15. MG/L
Sample date: Chemical: Dlr:	28-AUG-14 SODIUM 0.	Finding: Report units:	31. MG/L
Sample date: Chemical: Dlr:	28-AUG-14 POTASSIUM 0.	Finding: Report units:	3.3 MG/L
Sample date: Chemical: Dlr:	28-AUG-14 CHLORIDE 0.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	28-AUG-14 SULFATE 0.5	Finding: Report units:	93. MG/L
Sample date: Chemical: Dlr:	28-AUG-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.57 MG/L
Sample date: Chemical: Dlr:	28-AUG-14 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dlr:	28-AUG-14 MOLYDBENDUM 0.	Finding: Report units:	2.8 UG/L
Sample date: Chemical: Dlr:	28-AUG-14 VANADIUM 3.	Finding: Report units:	3.6 UG/L
Sample date: Chemical: Dlr:	28-AUG-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.4 PCI/L
Sample date: Chemical: Dlr:	28-AUG-14 GROSS BETA 4.	Finding: Report units:	9.8 PCI/L
Sample date: Chemical: Dlr:	28-AUG-14 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	28-AUG-14 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.13 PCI/L
Sample date: Chemical: Dlr:	28-AUG-14 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L

28-AUG-14 10. Sample date: Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 28-AUG-14 Finding: 450. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: Finding: Sample date: 28-AUG-14 1.3 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: Sample date: 28-AUG-14 Finding: 26. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 28-AUG-14 Finding: 8.5e-002 TURBIDITY, LABORATORY Chemical: Report units: NTU DIr: 0.1 Sample date: 28-AUG-14 9.4e-002 Finding: Chemical: **BROMIDE** Report units: MG/L DIr: 0. Sample date: 28-AUG-14 Finding: 13. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 28-AUG-14 Finding: 6000. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 28-AUG-14 Sample date: Finding: 8.9 **PERCHLORATE** Report units: Chemical: UG/L DIr: 28-AUG-14 Sample date: Finding: 3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 28-AUG-14 Finding: 0.34 Chemical: RADIUM 226 MDA95 Report units: PCI/L Dlr: 0. Sample date: 28-AUG-14 Finding: 0.7 Chemical: RADIUM 228 MDA95 Report units: PCI/L DIr: Sample date: 28-AUG-14 Finding: PCI/L Chemical: **GROSS BETA MDA95** Report units: DIr: Sample date: 28-AUG-14 Finding: 132. Chemical: TRITIUM COUNTING ERROR Report units: PCI/L 28-AUG-14 Sample date: Finding: 0.137 STRONTIUM - 90 COUNTING ERROR Chemical: Report units: PCI/L Sample date: 28-AUG-14 Finding: 680. Report units:

SPECIFIC CONDUCTANCE

Chemical:

US

Dlr: 0.

28-AUG-14 Sample date: Finding:

PH, LABORATORY Not Reported Chemical: Report units:

Dlr: 0.

Sample date: 28-AUG-14 Finding: 200.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr:

28-AUG-14 240. Sample date: Finding:

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

DIr:

Sample date: 28-AUG-14 290. Finding:

HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

10-JUL-14 Sample date: Finding: 8.6 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

10-JUL-14 Sample date: Finding: 8.4

TRICHLOROETHYLENE Report units: UG/L Chemical:

DIr: 0.5

10-JUL-14 27. Sample date: Finding:

Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 10-JUL-14 Finding:

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

Sample date: 10-JUL-14 Finding: 3.

**GROSS ALPHA MDA95** Chemical: Report units: PCI/L

DIr:

05-JUN-14 Sample date: Finding: 3.2 Chemical: VANADIUM Report units: UG/L

DIr: 3.

05-JUN-14 Sample date: 0.97 Finding: **GROSS BETA MDA95** Report units: PCI/L Chemical:

DIr:

Sample date: 05-JUN-14 Finding: 0.5

Chemical: RADIUM 228 MDA95 Report units: PCI/L

DIr:

Sample date: 05-JUN-14 0.36 Finding:

Chemical: RADIUM 226 MDA95 PCI/L Report units:

DIr:

Sample date: 05-JUN-14 Finding:

**GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0.

Sample date: 05-JUN-14 Finding: 21.

Chemical: **CHLORATE** Report units: UG/L

DIr: 20.

Finding:

Finding:

Finding:

Report units:

Report units:

05-JUN-14

05-JUN-14

05-JUN-14

SODIUM

**MAGNESIUM** 

Sample date:

Sample date:

Chemical:

Chemical:

Sample date:

Chemical: **PERCHLORATE** Report units: UG/L DIr: 05-JUN-14 5700. Sample date: Finding: NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 05-JUN-14 Finding: 12. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported DIr: Sample date: 05-JUN-14 Finding: 0.1 BROMIDE Chemical: Report units: MG/L DIr: 0. Sample date: 05-JUN-14 Finding: 7.4e-002 TURBIDITY, LABORATORY Report units: Chemical: NTU DIr: 0.1 Sample date: 05-JUN-14 6900. Finding: Chemical: **CARBON DIOXIDE** Report units: UG/L Dlr: Finding: Sample date: 05-JUN-14 126. Chemical: TRITIUM COUNTING ERROR Report units: PCI/L DIr: Sample date: 05-JUN-14 Finding: 0.168 Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 680. 05-JUN-14 Sample date: Finding: SPECIFIC CONDUCTANCE Report units: US Chemical: DIr: Sample date: 05-JUN-14 Finding: 7.7 PH, LABORATORY Chemical: Report units: Not Reported DIr: 0. Sample date: 05-JUN-14 Finding: 170. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L Dlr: 0. Sample date: 05-JUN-14 Finding: 210. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr: Sample date: 05-JUN-14 280. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 05-JUN-14 Sample date: Finding: 89. Chemical: **CALCIUM** Report units: MG/L

14.

28.

MG/L

MG/L

7.8

Dir: 0.

Sample date: 05-JUN-14 Finding: 3. Chemical: POTASSIUM Report units: MG/L

Dlr: 0.

Sample date: 05-JUN-14 Finding: 24. Chemical: CHLORIDE Report units: MG/L

Dlr: 0.

Sample date: 05-JUN-14 Finding: 94. Chemical: SULFATE Report units: MG/L

Dlr: 0.5

Sample date: 05-JUN-14 Finding: 0.59

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 05-JUN-14 Finding: 1.7

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1.

Sample date: 05-JUN-14 Finding: 2.9 Chemical: MOLYDBENDUM Report units: UG/L

Chemical: MOLYDBENDUM Report units: UG/DIr: 0.

Sample date: 05-JUN-14 Finding: 32.

Chemical: GROSS ALPHA Report units: PCI/L

Dlr: 3.

Sample date: 05-JUN-14 Finding: 5.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 05-JUN-14 Finding: 1.7

Chemical: GROSS BETA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 05-JUN-14 Finding: 0.2

Chemical: RADIUM 226 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 05-JUN-14 Finding: 0.26

Chemical: RADIUM 228 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 05-JUN-14 Finding: 29.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 05-JUN-14 Finding: 9.

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 05-JUN-14 Finding: 430.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 05-JUN-14 Finding: 0.96

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dir: 0.

Sample date: Chemical: Dlr:	05-JUN-14 NITRATE (AS NO3) 2.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	02-APR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.5 PCI/L
Sample date: Chemical: Dlr:	02-APR-14 URANIUM (PCI/L) 1.	Finding: Report units:	28. PCI/L
Sample date: Chemical: Dlr:	02-APR-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	4.5 UG/L
Sample date: Chemical: Dlr:	02-APR-14 PERCHLORATE 4.	Finding: Report units:	7.6 UG/L
Sample date: Chemical: Dlr:	02-APR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	06-MAR-14 PERCHLORATE 4.	Finding: Report units:	6.8 UG/L
Sample date: Chemical: Dlr:	06-MAR-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	6.1 UG/L
Sample date: Chemical: Dlr:	06-MAR-14 URANIUM (PCI/L) 1.	Finding: Report units:	24. PCI/L
Sample date: Chemical: Dlr:	06-MAR-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	06-MAR-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 TRITIUM COUNTING ERROR 0.	Finding: Report units:	127. PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 STRONTIUM - 90 COUNTING ERROR 0.	Finding: Report units:	0.278 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	660. US
Sample date: Chemical: Dlr:	13-FEB-14 PH, LABORATORY 0.	Finding: Report units:	7.7 Not Reported
Sample date: Chemical:	13-FEB-14 ALKALINITY (TOTAL) AS CACO3	Finding: Report units:	190. MG/L

DIr:	0.		
Sample date: Chemical: Dlr:	13-FEB-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	280. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 CALCIUM 0.	Finding: Report units:	88. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 MAGNESIUM 0.	Finding: Report units:	14. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 SODIUM 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 POTASSIUM 0.	Finding: Report units:	3.2 MG/L
Sample date: Chemical: Dlr:	13-FEB-14 CHLORIDE 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 SULFATE 0.5	Finding: Report units:	92. MG/L
Sample date: Chemical: Dlr:	13-FEB-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.55 MG/L
Sample date: Chemical: Dlr:	13-FEB-14 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	13-FEB-14 MOLYDBENDUM 0.	Finding: Report units:	2.6 UG/L
Sample date: Chemical: Dlr:	13-FEB-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.7 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.16 PCI/L
Sample date: Chemical: Dlr:	13-FEB-14 RADIUM 228 COUNTING ERROR 0.	Finding: Report units:	0.32 PCI/L

Sample date: 13-FEB-14 Finding: 26. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 13-FEB-14 Finding: 8.5 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Finding: Sample date: 13-FEB-14 410. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: Sample date: 13-FEB-14 Finding: Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 13-FEB-14 Sample date: Finding: 24. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Sample date: 13-FEB-14 0.14 Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Finding: Sample date: 13-FEB-14 0.1 Chemical: **BROMIDE** Report units: MG/L DIr: Sample date: 13-FEB-14 Finding: 12. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: 13-FEB-14 5400. Sample date: Finding: NITRATE + NITRITE (AS N) Report units: Chemical: MG/L DIr: 0.4 Sample date: 13-FEB-14 Finding: 6.4 Chemical: PERCHLORATE Report units: UG/L DIr: 4. Sample date: 13-FEB-14 Finding: 25. Chemical: **CHLORATE** Report units: UG/L DIr: 20. Sample date: 13-FEB-14 Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 13-FEB-14 0.41 Finding: Chemical: RADIUM 226 MDA95 Report units: PCI/L DIr: Sample date: 13-FEB-14 Finding: 0.61 Chemical: RADIUM 228 MDA95 Report units: PCI/L 13-FEB-14 Sample date: Finding: 1.1 Chemical: **GROSS BETA MDA95** Report units: PCI/L Sample date: 15-JAN-14 Finding: 5.1 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L

DIr: 0.

Sample date: 15-JAN-14 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 15-JAN-14 Finding: 13. Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 15-JAN-14 Finding: 5.7
Chemical: PERCHLORATE Report units: UG/L

Dlr: 4.

Sample date: 15-JAN-14 Finding: 28. Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 19-DEC-13 Finding: 5.8

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 19-DEC-13 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

DII. 0.

Sample date: 19-DEC-13 Finding: 12. Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

DIr:

Sample date: 19-DEC-13 Finding: 6.4

Chemical: PERCHLORATE Report units: UG/L

Dlr: 4.

Sample date: 19-DEC-13 Finding: 25.
Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 14-NOV-13 Finding: 2.

Chemical: ODOR THRESHOLD @ 60 C Report units: TON DIr: 1.

Sample date: 14-NOV-13 Finding: 1.

Chemical: GROSS BETA MDA95 Report units: PCI/L DIr: 0.

Sample date: 14-NOV-13 Finding: 8.1

Chemical: PH, LABORATORY Report units: Not Reported

Dir: 0.

Sample date: 14-NOV-13 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 14-NOV-13 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Sample date: 14-NOV-13 Finding: 270.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dir: 0.

Sample date: Chemical: Dlr:	14-NOV-13 CALCIUM 0.	Finding: Report units:	86. MG/L
Sample date: Chemical: Dlr:	14-NOV-13 MAGNESIUM 0.	Finding: Report units:	14. MG/L
Sample date: Chemical: Dlr:	14-NOV-13 SODIUM 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	14-NOV-13 POTASSIUM 0.	Finding: Report units:	3.1 MG/L
Sample date: Chemical: Dlr:	14-NOV-13 CHLORIDE 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	14-NOV-13 SULFATE 0.5	Finding: Report units:	96. MG/L
Sample date: Chemical: Dlr:	14-NOV-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.64 MG/L
Sample date: Chemical: Dlr:	14-NOV-13 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	14-NOV-13 MOLYDBENDUM 0.	Finding: Report units:	2.9 UG/L
Sample date: Chemical: Dlr:	14-NOV-13 VANADIUM 3.	Finding: Report units:	3.1 UG/L
Sample date: Chemical: Dlr:	14-NOV-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.3 PCI/L
Sample date: Chemical: Dlr:	14-NOV-13 GROSS BETA 4.	Finding: Report units:	7.8 PCI/L
Sample date: Chemical: Dlr:	14-NOV-13 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	14-NOV-13 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.12 PCI/L
Sample date: Chemical: Dlr:	14-NOV-13 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical:	14-NOV-13 TRICHLOROETHYLENE	Finding: Report units:	9.7 UG/L

Dlr: 0.5

Sample date: 14-NOV-13 Finding: 380. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L

DIr: 0.

Sample date: 14-NOV-13 Finding: 1.3

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr:

14-NOV-13 Sample date: Finding: 23. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 14-NOV-13 0.2 Finding: NTU

TURBIDITY, LABORATORY Chemical: Report units: DIr: 0.1

14-NOV-13 Sample date: Finding: 0.11 Chemical: **BROMIDE** Report units: MG/L

DIr:

14-NOV-13 Finding: Sample date: 13.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

14-NOV-13 Sample date: Finding: 5300.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: 14-NOV-13 Finding: 25. Chemical: **CHLORATE** Report units: UG/L

DIr: 20.

Sample date: 14-NOV-13 Finding: 3.

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr: 0.

14-NOV-13 Finding: Sample date: 0.3 Chemical: RADIUM 226 MDA95 Report units: PCI/L

DIr:

14-NOV-13 Sample date: 0.73 Finding:

Report units: PCI/L Chemical: RADIUM 228 MDA95 DIr:

Sample date: 14-NOV-13 Finding: 660.

SPECIFIC CONDUCTANCE Chemical: Report units: US

DIr: 0.

Sample date: 11-OCT-13 Finding: 6.2 Chemical: GROSS ALPHA COUNTING ERROR PCI/L Report units:

DIr:

Sample date: 11-OCT-13 Finding: **GROSS ALPHA MDA95** PCI/L Chemical:

Report units: DIr: 0.

Sample date: 11-OCT-13 Finding: 12.

TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5

Sample date: Chemical: Dlr:	11-OCT-13 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	11-OCT-13 URANIUM (PCI/L) 1.	Finding: Report units:	29. PCI/L
Sample date: Chemical: Dlr:	20-SEP-13 PERCHLORATE 4.	Finding: Report units:	6.2 UG/L
Sample date: Chemical: Dlr:	20-SEP-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	14. UG/L
Sample date: Chemical: Dlr:	20-SEP-13 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	20-SEP-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	5.3 PCI/L
Sample date: Chemical: Dlr:	20-SEP-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 PERCHLORATE 4.	Finding: Report units:	6.5 UG/L
Sample date: Chemical: Dlr:	12-SEP-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	15. UG/L
Sample date: Chemical: Dlr:	12-SEP-13 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	6.1 PCI/L
Sample date: Chemical: Dlr:	12-SEP-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	11-JUL-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	11-JUL-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	11-JUL-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	15. UG/L
Sample date: Chemical:	11-JUL-13 PERCHLORATE	Finding: Report units:	7.4 UG/L

Dlr: 4. Sample date: 11-JUL-13 Finding: 26. PCI/L Chemical: URANIUM (PCI/L) Report units: Dlr: Sample date: 14-JUN-13 Finding: Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: 14-JUN-13 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 14-JUN-13 Finding: 13. TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 14-JUN-13 Sample date: Finding: 26. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 14-JUN-13 Sample date: Finding: 30. URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 26-APR-13 3. Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 26-APR-13 Finding: Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 26-APR-13 Finding: 25. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 26-APR-13 Sample date: Finding: 13. TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 26-APR-13 Sample date: Finding: 26. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 26-APR-13 Finding: 7. Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 10-JAN-13 Finding: 3.7 Chemical: **GROSS ALPHA COUNTING ERROR** PCI/L Report units: DIr: Sample date: 10-JAN-13 Finding: **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 10-JAN-13 Finding: 11. TRICHLOROETHYLENE Chemical: Report units: UG/L 0.5 DIr:

Sample date: Chemical: Dlr:	10-JAN-13 NITRATE (AS NO3) 2.	Finding: Report units:	23. MG/L
Sample date: Chemical: Dlr:	10-JAN-13 PERCHLORATE 4.	Finding: Report units:	5.5 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 URANIUM (PCI/L) 1.	Finding: Report units:	27. PCI/L
Sample date: Chemical: Dlr:	13-DEC-12 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	13-DEC-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	13-DEC-12 PERCHLORATE 4.	Finding: Report units:	6.4 UG/L
Sample date: Chemical: Dlr:	13-DEC-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	13. UG/L
Sample date: Chemical: Dlr:	13-DEC-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	18-OCT-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	18-OCT-12 URANIUM (PCI/L) 1.	Finding: Report units:	25. PCI/L
Sample date: Chemical: Dlr:	18-OCT-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	15. UG/L
Sample date: Chemical: Dlr:	18-OCT-12 NITRATE (AS NO3) 2.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	18-OCT-12 PERCHLORATE 4.	Finding: Report units:	7.1 UG/L
Sample date: Chemical: Dlr:	27-SEP-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.9 PCI/L
Sample date: Chemical:	27-SEP-12 URANIUM (PCI/L)	Finding: Report units:	26. PCI/L

Dlr: 1. Sample date: 27-SEP-12 Finding: PCI/L Report units: Chemical: **GROSS ALPHA MDA95** Dlr: Sample date: 27-SEP-12 Finding: 5.6 Chemical: PERCHLORATE Report units: UG/L DIr: 27-SEP-12 20. Sample date: Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 26-JUL-12 Finding: 3.9 GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr: 26-JUL-12 Sample date: Finding: 28. PCI/L Chemical: URANIUM (PCI/L) Report units: DIr: 26-JUL-12 Sample date: Finding: 17. TRICHLOROETHYLENE Report units: UG/L Chemical: DIr: 0.5 26-JUL-12 25. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 26-JUL-12 Finding: 6.9 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 26-JUL-12 Finding: 3. **GROSS ALPHA MDA95** Chemical: Report units: PCI/L DIr: 0. 07-JUN-12 Finding: Sample date: 4.1 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 07-JUN-12 Finding: 25. URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: Sample date: 07-JUN-12 Finding: 16. Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 07-JUN-12 Finding: 7.5 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 07-JUN-12 Finding: **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 05-APR-12 Finding: 26. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

05-APR-12 5.8e-002 Sample date: Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: Sample date: 05-APR-12 Finding: 12. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported DIr: Finding: Sample date: 05-APR-12 6000. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 Sample date: 05-APR-12 Finding: 8.8 Chemical: **PERCHLORATE** Report units: UG/L DIr: 05-APR-12 Sample date: Finding: **GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr: Sample date: 05-APR-12 Finding: 630. Chemical: SPECIFIC CONDUCTANCE Report units: US Dlr: 05-APR-12 Finding: Sample date: 7.7 Chemical: PH, LABORATORY Report units: Not Reported DIr: Sample date: 05-APR-12 Finding: 190. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 05-APR-12 230. Sample date: Finding: **BICARBONATE ALKALINITY** Report units: Chemical: MG/L DIr: Sample date: 05-APR-12 270. Finding: HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 05-APR-12 Finding: 86. Chemical: **CALCIUM** Report units: MG/L Dlr: 0. Sample date: 05-APR-12 Finding: 14. Chemical: MAGNESIUM Report units: MG/L DIr: 05-APR-12 Sample date: Finding: 30. Chemical: SODIUM Report units: MG/L 0. DIr: 05-APR-12 Sample date: Finding: 3.3 Chemical: **POTASSIUM** Report units: MG/L 05-APR-12 Sample date: Finding: 21. Chemical: **CHLORIDE** Report units: MG/L 05-APR-12 Sample date: Finding: 83. Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 05-APR-12 Finding: 0.6 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 05-APR-12 Finding: 4. Chemical: MOLYDBENDUM Report units: UG/L

Dlr: 0.

Sample date: 05-APR-12 Finding: 3.3 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 05-APR-12 Finding: 4.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 05-APR-12 Finding: 29. Chemical: URANIUM (PCI/L) Report units: PCI/L

Chemical: URANIUM (PCI/L) Report units:

DIr: 1.

Sample date: 05-APR-12 Finding: 17.

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 05-APR-12 Finding: 420.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr: 0

Sample date: 05-APR-12 Finding: 0.99

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr: 0.

Sample date: 01-MAR-12 Finding: 7.
Chemical: PERCHLORATE Report units: UG/L

DIr: 4.

Sample date: 01-MAR-12 Finding: 23.

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dir: 0.5

Sample date: 01-MAR-12 Finding: 27. Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 01-MAR-12 Finding: 4.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 01-MAR-12 Finding: 30.

Chemical: GROSS ALPHA Report units: PCI/L

Dir: 3.

Sample date: 01-MAR-12 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-12 Finding: 3.2

Chemical: POTASSIUM Report units: MG/L DIr: 0.

Sample date: Chemical: Dlr:	08-FEB-12 CHLORIDE 0.	Finding: Report units:	22. MG/L
Sample date: Chemical: Dlr:	08-FEB-12 SULFATE 0.5	Finding: Report units:	83. MG/L
Sample date: Chemical: Dlr:	08-FEB-12 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.64 MG/L
Sample date: Chemical: Dlr:	08-FEB-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.9 UG/L
Sample date: Chemical: Dlr:	08-FEB-12 MOLYDBENDUM 0.	Finding: Report units:	2.7 UG/L
Sample date: Chemical: Dlr:	08-FEB-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	08-FEB-12 GROSS BETA COUNTING ERROR 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	08-FEB-12 RADIUM 226 COUNTING ERROR 0.	Finding: Report units:	0.14 PCI/L
Sample date: Chemical: Dlr:	08-FEB-12 URANIUM (PCI/L) 1.	Finding: Report units:	26. PCI/L
Sample date: Chemical: Dlr:	08-FEB-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	27. UG/L
Sample date: Chemical: Dlr:	08-FEB-12 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	410. MG/L
Sample date: Chemical: Dlr:	08-FEB-12 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1. Not Reported
Sample date: Chemical: Dlr:	08-FEB-12 NITRATE (AS NO3) 2.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	08-FEB-12 TURBIDITY, LABORATORY 0.1	Finding: Report units:	6.6e-002 NTU
Sample date: Chemical: Dlr:	08-FEB-12 BROMIDE 0.	Finding: Report units:	0.1 MG/L
Sample date: Chemical:	08-FEB-12 AGGRSSIVE INDEX (CORROSIVITY)	Finding: Report units:	12. Not Reported

DIr: 0.

Sample date: 08-FEB-12 Finding: 6700. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 08-FEB-12 Finding: 8.4 Chemical: PERCHLORATE Report units: UG/L

Dlr: 4.

Sample date: 08-FEB-12 Finding: 24. Chemical: CHLORATE Report units: UG/L

Dlr: 20.

Sample date: 08-FEB-12 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-12 Finding: 0.32

Chemical: RADIUM 226 MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-12 Finding: 0.81 Chemical: RADIUM 228 MDA95 Report units: PCI/L

Dir: 0.

Sample date: 08-FEB-12 Finding: 1.2

Chemical: GROSS BETA MDA95 Report units: PCI/L DIr: 0.

Sample date: 08-FEB-12 Finding: 29.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 08-FEB-12 Finding: 14.

Chemical: MAGNESIUM Report units: MG/L Dlr: 0.

Sample date: 08-FEB-12 Finding: 85.

Sample date: 08-FEB-12 Finding: 85. Chemical: CALCIUM Report units: MG/L

Dir: 0.

Sample date: 08-FEB-12 Finding: 270.
Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

 DIr:
 0.

 Sample date:
 08-FEB-12
 Finding:
 220.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dir: 0.

Sample date: 08-FEB-12 Finding: 180.
Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 08-FEB-12 Finding: 640.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Sample date: 08-FEB-12 Finding: 7.8

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

Map ID Direction Distance

Elevation Database EDR ID Number

AC144
NE FED U

FED USGS USGS40000140832

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center 001S004W13E008S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: Not Reported Well Depth: Not Reported Well Depth Units: Not Reported Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

AC145
NE CA WELLS CAUSGSN00005704
1/2 - 1 Mile

Higher

Well ID: USGS-340515117153401 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340515117153401 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340515117153401&store\_num=

GeoTracker Data: Not Reported

AA146 South FED USGS USGS40000140544

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23G003S Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 808

California Coastal Basin aquifers

Well Depth Units: 100 Not Reported Well Hole Depth: Not Reported Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

147
WSW FED USGS USGS40000140640

1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23D001S Type: Well

HUC: 18070203 Description: Not Reported Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported

Construction Date: 19410101 Well Depth: 125 Well Depth Units: ft Well Hole Depth: 125

Well Hole Depth Units: ft

**AD148** East 1/2 - 1 Mile **FED USGS** USGS40000140736

Aquifer Type:

Well Hole Depth:

Higher

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center Monitor Location: 001S004W13L002S Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Not Reported **Drainage Area Units:** Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 475

California Coastal Basin aquifers

Well Depth Units:

Well Hole Depth Units: Not Reported

AD149 East 1/2 - 1 Mile **CA WELLS** CAUSGSN00000158

Higher

Well ID: USGS-340453117152001 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340453117152001 **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340453117152001&store\_num=

GeoTracker Data: Not Reported

AD150 **FED USGS** USGS40000140740 East

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

USGS California Water Science Center Organization Name:

001S004W13L001S Monitor Location: Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: Not Reported Well Depth: Not Reported Well Depth Units: Not Reported Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported Not Reported

Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

AD151

**CA WELLS** CAUSGSN00009752

East 1/2 - 1 Mile Higher

> Well ID: USGS-340454117152001 Well Type: UNK

United States Geological Survey Source:

USGS-340454117152001 GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340454117152001&store\_num=

GeoTracker Data: Not Reported

AE152 **CA WELLS** CADWR0000008023 **WSW** 

1/2 - 1 Mile Lower

> Well ID: 01S04W22A005S Well Type: UNK

Source: Department of Water Resources

01S04W22A005S GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global id=&assigned name=01S04W22A005S&store num=

GeoTracker Data: Not Reported

153 **FED USGS** USGS40000140584

1/2 - 1 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23E002S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type:

Not Reported Construction Date: Not Reported Well Depth: 554 Well Depth Units: ft Well Hole Depth: 554

Well Hole Depth Units: ft

AF154 **CA WELLS** CADWR0000004962 **ENE** 

1/2 - 1 Mile Higher

> Well ID: 01S04W13E001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13E001S **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13E001S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

AF155 **ENE** 

**CA WELLS** CADWR0000012317 1/2 - 1 Mile

Higher

Well ID: 01S04W13E003S Well Type: UNK

Department of Water Resources Source:

01S04W13E003S GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13E003S&store\_num=

GeoTracker Data: Not Reported

AF156 **CA WELLS** CADWR0000019436 ENE

1/2 - 1 Mile Higher

> Well ID: 01S04W13E004S Well Type: UNK

Source: Department of Water Resources

01S04W13E004S GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13E004S&store\_num=

GeoTracker Data: Not Reported

**AG157** West **CA WELLS** CADDW000005151

1/2 - 1 Mile

Well ID: 3600331-001 Well Type: **MUNICIPAL** 

Department of Health Services Source:

WASHINGTON ST WELL Other Name: GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3600331-001&store\_num=

GeoTracker Data: Not Reported

AH158 **CA WELLS** CADWR0000026656

1/2 - 1 Mile Higher

> Well ID: 01S04W13M002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13M002S **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13M002S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

AH159 ENE 1/2 - 1 Mile Higher

Feet to sea level:

FED USGS USGS40000140782

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13M002S Well Type: Description: Not Reported HUC: 18070203 Not Reported Drainage Area Units: Not Reported Drainage Area: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: 19300101 Well Depth: 1106 Well Depth Units: ft Well Hole Depth: 937

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 281 Level reading date: 1970-03-31 Feet below surface: 103.00 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-18 Feet below surface: 136.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1969-04-29 Feet below surface: 113.85 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-10 Feet below surface: 168.25

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1968-04-28 Feet below surface: 169.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-12-02 Feet below surface: 111.90
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-09-06 Feet below surface: 147.50 Not Reported Note: Not Reported

Level reading date: 1967-08-15 Feet below surface: 187.30

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-07-11 Feet below surface: 177.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-06-13 Feet below surface: 175.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-05-09 Feet below surface: 121.00
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-04-20 Feet below surface: 127.20

Level reading date: 1967-03-10 Feet below surface: 162.50

Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Note:

Level reading date: 1967-02-14 Feet below surface: 130.50 Feet to sea level: Not Reported Note: Not Reported

Not Reported

Level reading date: 1967-01-10 Feet below surface: 120.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-12-13 Feet below surface: 128.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-11-15 Feet below surface: 174.60 Feet to sea level: Not Reported Note: The site was being pumped. 1966-10-17 Level reading date: Feet below surface: 179.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-09-27 Feet below surface: 150.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1966-09-21 Feet below surface: 183.60 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1966-09-13 Feet below surface: 181.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-09-06 Feet below surface: 181.20 Feet to sea level: Not Reported Note: The site was being pumped. 1966-08-30 Level reading date: Feet below surface: 180.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-23 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-08-16 Level reading date: Feet below surface: 180.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: Feet below surface: 1966-08-11 197.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-02 Feet below surface: 186.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1966-07-26 Feet below surface: 188.50 Feet to sea level: Not Reported Note: The site was being pumped. 1966-07-19 Level reading date: Feet below surface: 185.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-07-13 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1966-07-04 Feet below surface: 182.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-27 Feet below surface: 176.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-21 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-06-14 Feet below surface: Level reading date: 176.50 Feet to sea level: Not Reported Note: The site was being pumped. 1966-06-07 Level reading date: Feet below surface: 179.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-06-01 Feet below surface: 168.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-05-24 Feet below surface: 167.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1966-05-17 Feet below surface: 162.50 Feet to sea level: Not Reported Note: The site was being pumped. 1966-05-10 Level reading date: Feet below surface: 161.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-05-03 Feet below surface: 162.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1966-04-27 Feet below surface: 162.90 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1966-04-20 Feet below surface: 158.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-04-12 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-04-05 Level reading date: Feet below surface: 162.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-29 Feet below surface: 154.50 Feet to sea level: Not Reported Note: The site was being pumped. 1966-03-23 Feet below surface: Level reading date: 157.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-15 Feet below surface: 152.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-08 Feet below surface: 149.50 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1966-02-22 Feet below surface: 115.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-02-15 Feet below surface: 106.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-02-08 Feet below surface: 107.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1966-02-01 Feet below surface: 111.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-01-25 Feet below surface: 110.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-01-18 Feet below surface: 111.50 Feet to sea level: Not Reported Note: Not Reported 1966-01-11 Feet below surface: 114.80 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1966-01-04 Level reading date: Feet below surface: 109.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1965-12-28 Feet below surface: 112.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-12-21 Feet below surface: 110.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1965-12-14 Feet below surface: 114.50 Feet to sea level: Not Reported Note: Not Reported 1965-12-08 Level reading date: Feet below surface: 116.50 Not Reported Not Reported Feet to sea level: Note: Level reading date: 1965-11-30 Feet below surface: 115.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-11-23 Feet below surface: 119.50 Feet to sea level: Not Reported Not Reported Level reading date: 1965-11-17 Feet below surface: 165.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-11-09 Feet below surface: 171.50 Feet to sea level: Not Reported Note: The site was being pumped. 1965-11-02 Level reading date: Feet below surface: 171.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-10-26 Feet below surface: 177.00 Feet to sea level: Not Reported Note: The site was being pumped. 1965-10-17 Feet below surface: Level reading date: 175.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-10-05 Feet below surface: 176.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-09-28 Feet below surface: 173.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1965-09-22 Feet below surface: 152.10 Feet to sea level: Not Reported Note: The site was being pumped. 1965-09-16 Level reading date: Feet below surface: 168.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-09-08 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1965-08-31 Feet below surface: 165.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-24 Feet below surface: 169.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1965-08-10 Feet below surface: Level reading date: 163.50 Feet to sea level: Not Reported Note: The site was being pumped. 1965-08-03 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1965-07-27 Feet below surface: 166.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-07-19 Feet below surface: 169.20 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1965-07-13 Feet below surface: 165.30 Feet to sea level: Not Reported Note: The site was being pumped. 1965-07-06 Level reading date: Feet below surface: 162.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-03-20 Feet below surface: 104.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-06-18 Feet below surface: 173.50 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1964-05-18 Feet below surface: 175.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-04-14 Feet below surface: 142.50 Feet to sea level: Not Reported Note: Not Reported 1964-03-05 Level reading date: Feet below surface: 137.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-02-11 Feet below surface: 95.80 Feet to sea level: Not Reported Note: Not Reported 1964-01-13 Level reading date: Feet below surface: 151.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: Feet below surface: 1963-12-16 138.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-11-17 Feet below surface: 145.10 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-10-13 Feet below surface: 141.90 Feet to sea level: Not Reported Note: The site was being pumped. 1963-09-20 Level reading date: Feet below surface: 87.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-08-10 Feet below surface: 143.50 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-07-12 Feet below surface: 142.10 Feet to sea level: Not Reported Note: The site was being pumped. 1963-06-17 Level reading date: Feet below surface: 135.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-05-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-04-17 Feet below surface: Level reading date: 120.70 Feet to sea level: Not Reported Note: The site was being pumped. 1963-03-10 Level reading date: Feet below surface: 87.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-02-25 Feet below surface: 79.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-02-10 Feet below surface: 91.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1963-01-23 Feet below surface: 92.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-31 Feet below surface: 122.20 Not Reported The site was being pumped. Feet to sea level: Note: Level reading date: 1962-12-11 Feet below surface: 134.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-11-27 Feet below surface: 133.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1962-11-09 Feet below surface: 131.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-10-18 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-10-05 Level reading date: Feet below surface: 131.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-09-08 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-08-09 Feet below surface: Level reading date: 133.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-07-28 Feet below surface: 130.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-07-11 Feet below surface: 129.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-06-16 Feet below surface: 116.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-06-02 Level reading date: Feet below surface: 111.70 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-05-19 Feet below surface: 111.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-04-26 Feet below surface: 115.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-04-10 Feet below surface: 115.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-03-30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-03-15 Feet below surface: Level reading date: 93.20 Feet to sea level: Not Reported Note: The site was being pumped. 1962-02-27 Level reading date: Feet below surface: 103.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1962-02-10 Feet below surface: 102.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-29 Feet below surface: 125.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1961-09-15 Feet below surface: 127.20 Feet to sea level: Not Reported Note: The site was being pumped. 1961-08-26 Level reading date: Feet below surface: 132.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-12 Feet below surface: 127.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-07-29 Feet below surface: 129.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1961-07-15 Feet below surface: 125.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-07-01 Feet below surface: 122.50 Feet to sea level: Not Reported Note: The site was being pumped. 1961-06-14 Level reading date: Feet below surface: 109.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-06-03 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-05-20 Feet below surface: Level reading date: 96.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-05-05 Feet below surface: 93.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-04-22 Feet below surface: 94.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-04-09 Feet below surface: 88.20 Feet to sea level: Not Reported Note: The site was being pumped. 1961-03-18 Level reading date: Feet below surface: 66.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-06 Feet below surface: 68.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-02-11 Feet below surface: 63.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-02-06 Feet below surface: 59.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-01-19 Feet below surface: 71.70 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 69.00 Level reading date: 1960-12-31 Feet to sea level: Not Reported Note: Not Reported 1960-12-13 Level reading date: Feet below surface: 64.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-12-03 Feet below surface: 109.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-11-19 Feet below surface: 106.70 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-11-02 Feet below surface: 116.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-10-18 Feet below surface: 116.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-10-07 Feet below surface: 119.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-09-13 Feet below surface: 116.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-09-06 Feet below surface: 117.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-08-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-07-30 Level reading date: Feet below surface: 121.40 Feet to sea level: Not Reported Note: The site was being pumped. 1960-07-14 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-07-02 Feet below surface: Level reading date: 126.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-06-24 Feet below surface: 75.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-06-04 Feet below surface: 119.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-05-20 Feet below surface: 121.00 Feet to sea level: Not Reported Note: The site was being pumped. 1960-05-13 Level reading date: Feet below surface: 115.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-23 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-04-10 Feet below surface: 116.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-03-19 Feet below surface: 69.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-03-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-02-27 Feet below surface: 34.80 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1960-02-06 Level reading date: Feet below surface: 33.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-01-09 Feet below surface: 44.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-12-12 Feet below surface: 64.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-12-02 Feet below surface: 69.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-23 Feet below surface: 63.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-14 Feet below surface: 61.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-06 Feet below surface: 55.90 Feet to sea level: Not Reported Not Reported Level reading date: 1959-10-12 Feet below surface: 122.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-10-03 Feet below surface: 119.50 Feet to sea level: Not Reported Note: The site was being pumped. 1959-06-15 Feet below surface: Level reading date: 105.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-06-08 Feet below surface: 104.70 Feet to sea level: Not Reported Note: Not Reported 1959-06-01 Feet below surface: 95.40 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-16 Feet below surface: 92.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-11 Feet below surface: 91.50 Feet to sea level: Note: The site was being pumped. Not Reported Level reading date: 1959-05-02 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-04-27 Level reading date: Feet below surface: 90.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-04-18 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-04-04 Feet below surface: 90.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-03-21 Feet below surface: 96.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-02-09 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1959-01-31 Feet below surface: 40.80 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1959-01-17 Level reading date: Feet below surface: 36.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-12-29 Feet below surface: 48.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-13 Feet below surface: 52.10 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-12-06 Feet below surface: 51.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-01 Feet below surface: 48.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1958-11-22 Feet below surface: 50.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-11-14 Feet below surface: 45.30 Feet to sea level: Not Reported Not Reported Level reading date: 1958-11-08 Feet below surface: 52.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-31 Feet below surface: 121.10 Feet to sea level: Not Reported Note: The site was being pumped. 1958-10-25 119.40 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-16 Feet below surface: 121.10 Feet to sea level: Not Reported Note: The site was being pumped. 1958-10-11 Level reading date: Feet below surface: 92.90 Feet to sea level: Not Reported Note: The site was being pumped. 1958-10-04 Feet below surface: 97.70 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-29 Feet below surface: 97.20 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-09-20 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-14 Feet below surface: 96.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-06 Feet below surface: Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1958-08-30 Feet below surface: 98.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-23 Feet below surface: 96.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-08-16 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-09 Feet below surface: Level reading date: 98.40 Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-02 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

1958-07-26 Level reading date: Feet below surface: 86.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-18 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-07-12 Feet below surface: 87.40 Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-05 Level reading date: Feet below surface: 86.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-28 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: 87.80 Level reading date: 1958-06-21 Feet to sea level: Not Reported The site was being pumped. 1958-06-14 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-07 Feet below surface: 82.70 Feet to sea level: Not Reported Note: The site was being pumped. 1958-05-31 Level reading date: Feet below surface: 80.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-24 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1958-05-17 Level reading date: Feet below surface: 73.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-10 Feet below surface: 77.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-03 Feet below surface: 70.20 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-04-26 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-04-19 Level reading date: Feet below surface: 34.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-04-12 Feet below surface: 17.30 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1958-04-05 18.20 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-29 Feet below surface: 38.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-03-22 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1958-03-15 Feet below surface: Level reading date: 28.90 Feet to sea level: Not Reported Note: Not Reported 1958-03-08 Level reading date: Feet below surface: 42.70

Note:

Feet to sea level:

Not Reported

The site was being pumped.

1958-03-01 Level reading date: Feet below surface: 43.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-02-22 Feet below surface: 45.20 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-02-15 Feet below surface: 44.00 Feet to sea level: Not Reported Note: The site was being pumped. 1958-02-08 Level reading date: Feet below surface: 31.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-01-18 Feet below surface: 35.50 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1958-01-11 Feet below surface: 37.90 Feet to sea level: Not Reported Not Reported Level reading date: 1958-01-04 Feet below surface: 31.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-12-23 Feet below surface: 44.50 Feet to sea level: Not Reported Note: Not Reported 1957-12-14 Level reading date: Feet below surface: 46.20 Feet to sea level: Not Reported Note: Not Reported 1957-12-07 Level reading date: Feet below surface: 43.80 Feet to sea level: Not Reported Note: Not Reported 1957-11-30 Level reading date: Feet below surface: 43.50 Feet to sea level: Not Reported Note: The site was being pumped. 1957-11-23 Feet below surface: Level reading date: 84.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-11-16 Feet below surface: 39.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-11-09 Feet below surface: 41.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-02 Feet below surface: 44.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-10-26 Feet below surface: 47.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-10-19 48.00 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-10-05 Feet below surface: 91.30 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-09-28 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-09-20 Feet below surface: Level reading date: 90.80 Feet to sea level: Not Reported Note: The site was being pumped.

1957-09-10

Not Reported

Level reading date:

Feet to sea level:

The site was being pumped.

93.30

Feet below surface:

Note:

1957-09-04 Level reading date: Feet below surface: 93.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-24 Feet below surface: 92.50 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1957-08-09 Feet below surface: 104.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-26 Feet below surface: 114.80 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1957-07-18 Feet below surface: 114.80 Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-06 Feet below surface: Level reading date: 112.70 Feet to sea level: Not Reported The site was being pumped. 1957-06-29 Level reading date: Feet below surface: 113.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-22 Feet below surface: 105.20 Feet to sea level: Not Reported Note: The site was being pumped. 1957-06-15 Level reading date: Feet below surface: 104.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-04-06 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1957-02-21 Level reading date: Feet below surface: 23.10 Feet to sea level: Not Reported Note: Not Reported 46.50 Level reading date: 1956-12-31 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-12-07 Feet below surface: 107.30 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-11-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-16 Feet below surface: 101.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-09-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-08-17 107.50 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-07-30 Feet below surface: 62.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-07-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1956-05-26 88.90 Feet to sea level: Not Reported Note: The site was being pumped. 1956-05-19 Level reading date: Feet below surface: 89.80 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-04-28 Feet below surface: 27.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-03-31 Feet below surface: 39.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1956-01-20 Feet below surface: 28.80 Feet to sea level: Not Reported Note: Not Reported 1955-12-14 25.50 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-11-17 Feet below surface: 37.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1955-10-12 Feet below surface: 46.80 Feet to sea level: Not Reported Not Reported Level reading date: 1955-09-20 Feet below surface: 50.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-08-19 Feet below surface: 48.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-07-14 Feet below surface: 44.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-06-28 Feet below surface: 41.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-06-15 Feet below surface: 38.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-05-30 Feet below surface: 34.60 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1955-05-04 Feet below surface: 23.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1954-10-30 Feet below surface: 80.00 Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1954-10-02 78.00

AH160 ENE CA WELLS CADDW0000006130

1/2 - 1 Mile Higher

Feet to sea level:

Well ID: 3310031-112 Well Type: MUNICIPAL

Source: Department of Health Services

Not Reported

Other Name: GAGE WELL 92-2 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

Note:

date=&global\_id=&assigned\_name=3310031-112&store\_num=

GeoTracker Data: Not Reported

The site was being pumped.

Map ID Direction Distance

Elevation Database EDR ID Number

AH161 ENE

CA WELLS CAPFAS000000434

1/2 - 1 Mile Higher

Well ID: 3310031-112 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 92-2 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-112&store\_num=

GeoTracker Data: Not Reported

AH162
ENE CA WELLS CADDW0000001857

ENE 1/2 - 1 Mile Higher

 Well ID:
 3310031-033
 Well Type:
 MUNICIPAL

Source: Department of Health Services
Other Name: GAGE WELL 30-1 - DESTROYED

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-033&store\_num=

GeoTracker Data: Not Reported

AH163
ENE CA WELLS CAUSGSN00001413

1/2 - 1 Mile Higher

Well ID: USGS-340505117152201 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340505117152201 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340505117152201&store\_num=

GeoTracker Data: Not Reported

AG164
West CA WELLS CADWR0000024291
1/2 - 1 Mile

Lower

Well ID: 01S04W15R001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W15R001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W15R001S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

AF165 NE

CA WELLS CADWR9000006714

1/2 - 1 Mile Higher

State Well #: 01S04W13E007S Station ID: 2356

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

AH166
ENE CA WELLS CADWR0000012252
1/2 - 1 Mile

Higher

Well ID: 01S04W13F002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13F002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13F002S&store\_num=

GeoTracker Data: Not Reported

AE167
WSW
CA WELLS CAUSGSN00018148

1/2 - 1 Mile Lower

Well ID: USGS-340437117164301 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340437117164301 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340437117164301&store\_num=

GeoTracker Data: Not Reported

AH168
ENE FED USGS USGS40000140789

ENE 1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13F002S Type: Well 18070203 Description: Not Reported HUC: Not Reported Drainage Area: Not Reported **Drainage Area Units:** Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19310101 Well Depth: 422
Well Depth Units: ft Well Hole Depth: 422

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 194 Level reading date: 1970-03-31 Feet below surface: 114.20 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-18 Feet below surface: 130.76
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-04-29 Feet below surface: 131.06
Feet to sea level: Not Reported Note: Not Reported

Level reading date:1969-01-10Feet below surface:145.76Feet to sea level:Not ReportedNote:Not Reported

Level reading date: 1968-04-28 Feet below surface: 158.16

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-12-02 Feet below surface: 142.21
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-09-19 Feet below surface: 145.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-08-15 Feet below surface: 161.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1967-07-11 Feet below surface: 138.10
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-06-13 Feet below surface: 135.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-05-09 Feet below surface: 121.10
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-04-11 Feet below surface: 133.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-03-07 Feet below surface: 144.10
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-02-14 Feet below surface: 129.60 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-01-10 Feet below surface: 135.10
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-12-13 Feet below surface: 140.30
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-11-29 Feet below surface: 146.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-10-18 Feet below surface: 146.10
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-09-27 Feet below surface: 169.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-09-21 Feet below surface: 166.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-09-13 Feet below surface: 164.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-09-06 Feet below surface: 161.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-30 Feet below surface: 161.50 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1966-08-23 Feet below surface: 162.50 Feet to sea level: Not Reported Note: The site was being pumped. 1966-08-16 Level reading date: Feet below surface: 162.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-09 Feet below surface: 141.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-08-02 Feet below surface: 142.00 Feet to sea level: Not Reported Not Reported Level reading date: 1966-07-26 Feet below surface: 144.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-07-19 Feet below surface: 142.40 Feet to sea level: Not Reported Note: Not Reported 1966-07-04 Level reading date: Feet below surface: 155.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-28 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-06-21 Feet below surface: Level reading date: 161.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-07 Feet below surface: 155.80 Feet to sea level: Note: The site was being pumped. Not Reported Level reading date: 1966-05-24 Feet below surface: 131.90 Feet to sea level: Not Reported Note: Not Reported 1966-05-03 Level reading date: Feet below surface: 131.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-26 Feet below surface: 130.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-19 Feet below surface: 130.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-12 Feet below surface: 128.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-05 Feet below surface: 128.00 Feet to sea level: Not Reported Note: Not Reported 1966-03-29 Feet below surface: 128.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1966-03-23 127.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1966-03-15	Feet below surface:	125.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-03-08	Feet below surface:	123.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-03-01	Feet below surface:	122.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-22	Feet below surface:	122.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-15	Feet below surface:	121.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-08	Feet below surface:	122.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-01	Feet below surface:	124.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-25	Feet below surface:	124.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-18	Feet below surface:	123.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-11	Feet below surface:	125.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-04	Feet below surface:	126.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-28	Feet below surface:	127.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-21	Feet below surface:	127.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-14	Feet below surface:	122.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-08	Feet below surface:	125.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-30	Feet below surface:	121.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-23	Feet below surface:	132.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-16	Feet below surface:	140.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-09	Feet below surface:	142.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-02	Feet below surface:	156.10
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1965-10-24	Feet below surface:	150.10
Feet to sea level:	Not Reported	Note:	The site was being pumped.

Level reading date: 1965-10-17 Feet below surface: 149.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-10-05 Feet below surface: 139.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1965-09-28 Feet below surface: 138.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-09-23 Feet below surface: 136.60 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1965-09-16 Feet below surface: 138.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-09-08 Feet below surface: 142.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1965-08-31 Feet below surface: 145.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-24 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1965-08-17 Feet below surface: Level reading date: 144.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-10 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1965-08-03 Feet below surface: Level reading date: 150.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-07-27 Feet below surface: 130.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-07-20 Feet below surface: 129.30 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1965-07-13 Feet below surface: 129.00 Feet to sea level: Not Reported Note: Not Reported 1965-07-06 Level reading date: Feet below surface: 128.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-03-20 Feet below surface: 123.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1964-06-01 Feet below surface: 119.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-05-17 Feet below surface: 115.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-04-14 Feet below surface: 111.90 Feet to sea level: Not Reported Note: Not Reported 1964-03-05 Feet below surface: Level reading date: 116.30 Feet to sea level: Not Reported Note: Not Reported 1964-02-09 Level reading date: Feet below surface: 111.50

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1964-01-06 Feet below surface: 117.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-12-16 Feet below surface: 111.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1963-11-17 Feet below surface: 108.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-13 Feet below surface: 104.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-09-20 Feet below surface: 107.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-08-10 Feet below surface: 120.00 Feet to sea level: Not Reported Not Reported Level reading date: 1963-07-13 Feet below surface: 105.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-06-16 Feet below surface: 113.80 Feet to sea level: Not Reported Note: The site was being pumped. 1963-05-17 Feet below surface: Level reading date: 113.60 Feet to sea level: Not Reported Note: The site was being pumped. 1963-04-17 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-03-18 Feet below surface: Level reading date: 95.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-02-25 Feet below surface: 97.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-02-10 Feet below surface: 100.50 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1963-01-23 Feet below surface: 101.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-31 Feet below surface: 101.50 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1962-12-11 Feet below surface: 115.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-11-27 Feet below surface: 113.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-10-31 Feet below surface: 100.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-10-18 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1962-09-20 Feet below surface: Level reading date: 113.00 Feet to sea level: Not Reported Note: The site was being pumped. 1962-08-22 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1962-07-28 Feet below surface: 117.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-07-11 Feet below surface: 116.30 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-06-16 Feet below surface: 114.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-06-02 Feet below surface: 113.20 The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1962-05-19 Feet below surface: 112.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-05-05 Feet below surface: 109.90 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1962-04-21 Feet below surface: 106.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-03-30 Feet below surface: 73.10 Feet to sea level: Not Reported Note: Not Reported 1962-03-14 Level reading date: Feet below surface: 75.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-02-27 Feet below surface: 77.70 Feet to sea level: Not Reported Note: Not Reported 1962-02-09 Feet below surface: Level reading date: 81.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-07-15 Feet below surface: 88.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-04-22 Feet below surface: 88.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-04-09 Feet below surface: 87.00 Feet to sea level: Not Reported Note: Not Reported 1960-03-12 Level reading date: Feet below surface: 48.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1960-01-09 Feet below surface: 78.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-13 Feet below surface: 63.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-11 Feet below surface: 101.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-09-29 Feet below surface: Level reading date: 100.00 Feet to sea level: Not Reported Note: The site was being pumped. 1958-09-20 Level reading date: Feet below surface: 101.30 Feet to sea level:

Note:

Not Reported

The site was being pumped.

Level reading date: 1958-09-13 Feet below surface: 99.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-06 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-08-30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-23 Feet below surface: 101.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-16 Feet below surface: 99.70 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-08-09 Feet below surface: 99.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-08-02 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-26 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-19 Feet below surface: Level reading date: 88.88 Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-12 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-07-05 Feet below surface: Level reading date: 85.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-28 Feet below surface: 81.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-21 Feet below surface: 77.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-06-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-06-02 Level reading date: Feet below surface: 56.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-30 Feet below surface: 54.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-24 Feet below surface: 53.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-17 Feet below surface: 51.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-05-10 Feet below surface: 54.30 Feet to sea level: Not Reported Note: Not Reported 1958-05-03 Feet below surface: 43.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1958-04-26 Level reading date: Feet below surface: 45.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1958-04-19	Feet below surface:	35.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-04-12	Feet below surface:	33.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-04-05	Feet below surface:	36.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-29	Feet below surface:	40.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-22	Feet below surface:	40.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-15	Feet below surface:	42.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-08	Feet below surface:	45.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-01	Feet below surface:	47.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-02-22	Feet below surface:	45.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-02-15	Feet below surface:	47.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-02-08	Feet below surface:	49.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-01-18	Feet below surface:	58.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-01-11	Feet below surface:	61.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-12-23	Feet below surface:	54.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-12-14	Feet below surface:	63.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-12-07	Feet below surface:	65.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-30	Feet below surface:	66.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-23	Feet below surface:	86.30
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1957-11-16	Feet below surface:	65.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-09	Feet below surface:	68.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-02	Feet below surface:	96.20
Feet to sea level:	Not Reported	Note:	The site was being pumped.

Level reading date: 1957-10-26 Feet below surface: 95.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-10-19 Feet below surface: 97.20 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-10-10 Feet below surface: 102.90 Feet to sea level: Not Reported Note: The site was being pumped. 1956-12-07 Level reading date: Feet below surface: 105.10 Not Reported The site was being pumped. Feet to sea level: Note: Level reading date: 1956-11-14 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-10-16 Feet below surface: 105.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1956-09-19 Feet below surface: 103.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-08-18 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1956-07-08 Feet below surface: Level reading date: 58.90 Feet to sea level: Not Reported Note: Not Reported 1956-05-29 Level reading date: Feet below surface: 56.20 Feet to sea level: Not Reported Note: Not Reported 1956-04-28 Feet below surface: Level reading date: 50.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-03-31 Feet below surface: 48.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-01-20 Feet below surface: 54.30 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1955-12-14 Feet below surface: 51.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-11-17 Feet below surface: 53.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-10-12 Feet below surface: 55.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1955-09-20 Feet below surface: 55.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-08-19 Feet below surface: 54.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1955-07-14 Feet below surface: 52.50 Feet to sea level: Not Reported Note: Not Reported 1955-06-28 Feet below surface: 51.10 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1955-06-15 Level reading date: Feet below surface: 49.80 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1955-05-30 Feet below surface: 48.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1955-05-04 Feet below surface: 44.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-10-30 Feet below surface: 90.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-10-02 Feet below surface: 91.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-04 Feet below surface: 0.20

Feet to sea level: Not Reported Note: Not Reported

AH169
ENE CA WELLS CADDW0000012555

1/2 - 1 Mile Higher

Well ID: 3310031-034 Well Type: MUNICIPAL

Source: Department of Health Services
Other Name: GAGE WELL 31-1 - DESTROYED

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-034&store\_num=

GeoTracker Data: Not Reported

AE170 WSW FED USGS USGS40000140659

1/2 - 1 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W22A005S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19530101 Well Depth: 108
Well Depth Units: ft Well Hole Depth: 108

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1953-10-22 Feet below surface: 40.00 Feet to sea level: Not Reported

Note: Not Reported

AH171
ENE CA WELLS CAUSGSN00005708

1/2 - 1 Mile Higher

Well ID: USGS-340506117152201 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340506117152201 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340506117152201&store\_num=

GeoTracker Data: Not Reported

Higher

 Seq:
 936
 Prim sta c:
 01S/04W-23K01 S

 Frds no:
 3310031029
 County:
 33

 Frds no:
 3310031029
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: GAGE WELL 27-2 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340413.7
 Longitude:
 1171600.3

 Precision:
 1
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 6: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 6: Not Reported Comment 6: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 6: Not Reported Comment 6: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 6: Not Reported Commen

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

 Zip:
 92522
 Zip ext:
 Not Reported

 Pop serv:
 245000
 Connection:
 58586

Sample date: 29-MAR-18 Finding: 9.2 Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

**RIVERSIDE** 

Area serve:

DIr:

Sample date: 29-MAR-18 Finding: 8.4 Chemical: PERCHLORATE Report units: UG/L

Chemical: PERCHLORATE Report units: UG
DIr: 4.

Sample date: 28-FEB-18 Finding: 9.3

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 28-FEB-18 Finding: 9.4

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 25-JAN-18 Finding: 9.7
Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 25-JAN-18 Finding: 8.5 Chemical: PERCHLORATE Report units: UG/L

Sample date: 08-DEC-17 Finding: 8.4

Chemical: NITRATE (AS N) Report units: MG/L
DIr: 0.4

Sample date: 08-DEC-17 Finding: 8.1
Chemical: PERCHLORATE Report units: UG/L

Chemical: PERCHLORATE Report units: DIr: 4.

Sample date: Chemical: Dlr:	01-NOV-17 PERCHLORATE 4.	Finding: Report units:	8.9 UG/L
Sample date: Chemical: Dlr:	01-NOV-17 NITRATE (AS N) 0.4	Finding: Report units:	8.8 MG/L
Sample date: Chemical: Dlr:	05-OCT-17 PERCHLORATE 4.	Finding: Report units:	8.2 UG/L
Sample date: Chemical: Dlr:	05-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	8.6 MG/L
Sample date: Chemical: Dlr:	15-SEP-17 NITRATE (AS N) 0.4	Finding: Report units:	8.6 MG/L
Sample date: Chemical: Dlr:	15-SEP-17 PERCHLORATE 4.	Finding: Report units:	7.4 UG/L
Sample date: Chemical: Dlr:	09-AUG-17 NITRATE (AS N) 0.4	Finding: Report units:	8.4 MG/L
Sample date: Chemical: Dlr:	09-AUG-17 PERCHLORATE 4.	Finding: Report units:	7.5 UG/L
Sample date: Chemical: Dlr:	21-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	8.5 MG/L
Sample date: Chemical: Dlr:	21-JUL-17 PERCHLORATE 4.	Finding: Report units:	7.8 UG/L
Sample date: Chemical: Dlr:	14-JUN-17 PERCHLORATE 4.	Finding: Report units:	8.8 UG/L
Sample date: Chemical: Dlr:	14-JUN-17 NITRATE (AS N) 0.4	Finding: Report units:	9.1 MG/L
Sample date: Chemical: Dlr:	03-MAY-17 PERCHLORATE 4.	Finding: Report units:	7.9 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 NITRATE (AS N) 0.4	Finding: Report units:	10. MG/L
Sample date: Chemical: Dlr:	14-NOV-16 NITRATE (AS N) 0.4	Finding: Report units:	9.9 MG/L
Sample date: Chemical:	14-NOV-16 CHROMIUM, HEXAVALENT	Finding: Report units:	4.8 UG/L

DIr:	1.		
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.22 PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 URANIUM (PCI/L) 1.	Finding: Report units:	9.4 PCI/L
Sample date: Chemical: Dlr:	14-NOV-16 PERCHLORATE 4.	Finding: Report units:	9.2 UG/L
Sample date: Chemical: Dlr:	14-NOV-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 NITRATE (AS N) 0.4	Finding: Report units:	9.8 MG/L
Sample date: Chemical: Dlr:	21-JUL-16 GROSS ALPHA 3.	Finding: Report units:	8.6 PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	6.2 PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 PERCHLORATE 4.	Finding: Report units:	9.2 UG/L
Sample date: Chemical: Dlr:	21-JUL-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	10-JUN-16 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.64 MG/L
Sample date: Chemical: Dlr:	10-JUN-16 VANADIUM 3.	Finding: Report units:	4.4 UG/L
Sample date: Chemical: Dlr:	10-JUN-16 GROSS ALPHA 3.	Finding: Report units:	8.6 PCI/L
Sample date: Chemical: Dlr:	10-JUN-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	10-JUN-16 URANIUM (PCI/L) 1.	Finding: Report units:	6.1 PCI/L

10-JUN-16 570. Sample date: Finding: Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: Sample date: 10-JUN-16 Finding: 1.2 LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported DIr: Finding: Sample date: 10-JUN-16 0.57 Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1 Sample date: 10-JUN-16 Finding: Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: 10-JUN-16 Sample date: Finding: 9.9 NITRATE + NITRITE (AS N) MG/L Chemical: Report units: DIr: 0.4 Sample date: 10-JUN-16 9.1 Finding: Chemical: **PERCHLORATE** Report units: UG/L Dlr: Sample date: 10-JUN-16 Finding: 1.6 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 10-JUN-16 Finding: 110. Chemical: **SULFATE** Report units: MG/L DIr: 0.5 10-JUN-16 43. Sample date: Finding: CHLORIDE Report units: Chemical: MG/L DIr: 0. Sample date: 10-JUN-16 Finding: 3. Chemical: **POTASSIUM** Report units: MG/L DIr: 0. Sample date: 10-JUN-16 Finding: 68. Chemical: SODIUM Report units: MG/L DIr: 0. Sample date: 10-JUN-16 Finding: 27. Chemical: MAGNESIUM Report units: MG/L DIr: 10-JUN-16 Sample date: Finding: 94. Chemical: **CALCIUM** Report units: MG/L DIr: 0. Sample date: 10-JUN-16 Finding: 340. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L 10-JUN-16 Sample date: Finding: 9.9 Chemical: NITRATE (AS N) Report units: MG/L 0.4 Sample date: 10-JUN-16 Finding: 330. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

Dlr: 0.

Sample date: 10-JUN-16 Finding: 270. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

Sample date: 10-JUN-16 Finding: 7.7

Chemical: PH, LABORATORY Report units: Not Reported

DIr:

Sample date: 10-JUN-16 Finding: 2. Chemical: ODOR THRESHOLD @ 60 C Report units: TON

DIr:

DIr:

Sample date: 10-JUN-16 920. Finding:

SPECIFIC CONDUCTANCE Chemical: Report units: US

20-OCT-15 Sample date: Finding: 7.2 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

20-OCT-15 Sample date: Finding: 32. Chemical: MG/L

NITRATE (AS NO3) Report units: DIr:

20-OCT-15 Sample date: Finding: 1.7

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr:

Sample date: 20-OCT-15 Finding: 11.

Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 20-OCT-15 Finding: 0.29 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

17-SEP-15 Finding: Sample date: 0.28

Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr:

17-SEP-15 Sample date: Finding: 36. Report units: MG/L Chemical: NITRATE (AS NO3)

DIr:

Sample date: 17-SEP-15 Finding: 7.4 Chemical: **PERCHLORATE** Report units: UG/L DIr:

Sample date: 17-SEP-15 Finding: 1.8 GROSS ALPHA MDA95 Chemical: Report units: PCI/L

DIr:

Sample date: 17-SEP-15 Finding: 10.

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 06-AUG-15 Finding: 0.29

**GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L DIr:

Sample date: Chemical: Dlr:	06-AUG-15 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	06-AUG-15 NITRATE (AS NO3) 2.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	06-AUG-15 PERCHLORATE 4.	Finding: Report units:	7.4 UG/L
Sample date: Chemical: Dlr:	06-AUG-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	15-JUL-15 PERCHLORATE 4.	Finding: Report units:	7.2 UG/L
Sample date: Chemical: Dlr:	15-JUL-15 NITRATE (AS NO3) 2.	Finding: Report units:	35. MG/L
Sample date: Chemical: Dlr:	15-JUL-15 URANIUM (PCI/L) 1.	Finding: Report units:	9.4 PCI/L
Sample date: Chemical: Dlr:	15-JUL-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	15-JUL-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.3 PCI/L
Sample date: Chemical: Dlr:	23-JUN-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.3 PCI/L
Sample date: Chemical: Dlr:	23-JUN-15 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	23-JUN-15 NITRATE (AS NO3) 2.	Finding: Report units:	36. MG/L
Sample date: Chemical: Dlr:	23-JUN-15 PERCHLORATE 4.	Finding: Report units:	7.3 UG/L
Sample date: Chemical: Dlr:	23-JUN-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.8 PCI/L
Sample date: Chemical: Dlr:	29-MAY-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical:	29-MAY-15 URANIUM (PCI/L)	Finding: Report units:	11. PCI/L

Dlr: 1. Sample date: 29-MAY-15 Finding: 37. NITRATE (AS NO3) MG/L Chemical: Report units: DIr: Sample date: 29-MAY-15 Finding: Chemical: **PERCHLORATE** Report units: UG/L DIr: 29-MAY-15 Sample date: Finding: 1.3 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 02-APR-15 Finding: 0.28 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: 02-APR-15 Sample date: Finding: 9.4 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1. 02-APR-15 Sample date: Finding: 36. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: 02-APR-15 7.9 Sample date: Finding: **PERCHLORATE** Chemical: Report units: UG/L DIr: Sample date: 02-APR-15 Finding: 1.8 Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 13-MAR-15 Finding: 8.4 Chemical: **PERCHLORATE** Report units: UG/L DIr: 13-MAR-15 Sample date: Finding: 37. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 13-MAR-15 Finding: 8.7 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: 1. 13-MAR-15 Sample date: Finding: 0.25 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 13-MAR-15 Finding: 6.5 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 13-MAR-15 Finding: 1.4 **GROSS ALPHA MDA95** PCI/L Chemical: Report units: DIr: 0. Sample date: 29-JAN-15 Finding: UG/L PERCHLORATE Chemical: Report units: DIr: 4.

Sample date: Chemical: Dlr:	29-JAN-15 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	29-JAN-15 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical: Dlr:	29-JAN-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	29-JAN-15 GROSS ALPHA MDA95 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 URANIUM (PCI/L) 1.	Finding: Report units:	9.4 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	0.52 UG/L
Sample date: Chemical: Dlr:	18-SEP-14 PERCHLORATE 4.	Finding: Report units:	7.2 UG/L
Sample date: Chemical: Dlr:	18-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA 3.	Finding: Report units:	4.5 PCI/L
Sample date: Chemical: Dlr:	18-SEP-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.32 PCI/L
Sample date: Chemical: Dlr:	15-AUG-14 GROSS ALPHA 3.	Finding: Report units:	4.4 PCI/L
Sample date: Chemical: Dlr:	15-AUG-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.29 PCI/L
Sample date: Chemical: Dlr:	15-AUG-14 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical: Dlr:	15-AUG-14 NITRATE (AS NO3) 2.	Finding: Report units:	35. MG/L
Sample date: Chemical:	15-AUG-14 PERCHLORATE	Finding: Report units:	7.2 UG/L

DIr:	4.		
Sample date: Chemical: Dlr:	15-AUG-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.33 PCI/L
Sample date: Chemical: Dlr:	11-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.33 PCI/L
Sample date: Chemical: Dlr:	11-JUL-14 GROSS ALPHA 3.	Finding: Report units:	5.8 PCI/L
Sample date: Chemical: Dlr:	11-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	8. PCI/L
Sample date: Chemical: Dlr:	11-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.3 PCI/L
Sample date: Chemical: Dlr:	11-JUL-14 PERCHLORATE 4.	Finding: Report units:	7.4 UG/L
Sample date: Chemical: Dlr:	11-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	35. MG/L
Sample date: Chemical: Dlr:	23-MAY-14 PERCHLORATE 4.	Finding: Report units:	7.1 UG/L
Sample date: Chemical: Dlr:	23-MAY-14 GROSS ALPHA 3.	Finding: Report units:	4.1 PCI/L
Sample date: Chemical: Dlr:	23-MAY-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.27 PCI/L
Sample date: Chemical: Dlr:	23-MAY-14 URANIUM (PCI/L) 1.	Finding: Report units:	6.7 PCI/L
Sample date: Chemical: Dlr:	23-MAY-14 NITRATE (AS NO3) 2.	Finding: Report units:	37. MG/L
Sample date: Chemical: Dlr:	23-MAY-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.35 PCI/L
Sample date: Chemical: Dlr:	28-FEB-14 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical: Dlr:	28-FEB-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.31 PCI/L

Sample date: Chemical: Dlr:	28-FEB-14 GROSS ALPHA 3.	Finding: Report units:	5.8 PCI/L
Sample date: Chemical: Dlr:	28-FEB-14 NITRATE (AS NO3) 2.	Finding: Report units:	37. MG/L
Sample date: Chemical: Dlr:	28-FEB-14 TOTAL TRIHALOMETHANES 0.	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Dlr:	28-FEB-14 GROSS ALPHA MDA95 0.	Finding: Report units:	0.35 PCI/L
Sample date: Chemical: DIr:	28-FEB-14 PERCHLORATE 4.	Finding: Report units:	6.9 UG/L
Sample date: Chemical: DIr:	20-JUN-13 GROSS ALPHA 3.	Finding: Report units:	4.68 PCI/L
Sample date: Chemical: DIr:	20-JUN-13 PERCHLORATE 4.	Finding: Report units:	7.5 UG/L
Sample date: Chemical: DIr:	20-JUN-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	870. US
Sample date:	20-JUN-13	Finding:	7.8
Chemical: Dlr:	PH, LABORATORY 0.	Report units:	Not Reported
	•		Not Reported 250. MG/L
Dir: Sample date: Chemical:	0. 20-JUN-13 ALKALINITY (TOTAL) AS CACO3	Report units: Finding:	250.
DIr: Sample date: Chemical: DIr: Sample date: Chemical:	0.  20-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.  20-JUN-13 BICARBONATE ALKALINITY	Report units:  Finding: Report units:  Finding:	250. MG/L 310.
DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical:	0.  20-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.  20-JUN-13 BICARBONATE ALKALINITY 0.  20-JUN-13 HARDNESS (TOTAL) AS CACO3	Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding:	250. MG/L 310. MG/L 320.
DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:	0.  20-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.  20-JUN-13 BICARBONATE ALKALINITY 0.  20-JUN-13 HARDNESS (TOTAL) AS CACO3 0.  20-JUN-13 CALCIUM	Report units:  Finding: Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding: Report units:	250. MG/L 310. MG/L 320. MG/L
Dir:  Sample date: Chemical: Dir:	0.  20-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.  20-JUN-13 BICARBONATE ALKALINITY 0.  20-JUN-13 HARDNESS (TOTAL) AS CACO3 0.  20-JUN-13 CALCIUM 0.  20-JUN-13 MAGNESIUM	Report units:  Finding: Finding: Finding: Finding: Finding: Finding:	250. MG/L 310. MG/L 320. MG/L 90. MG/L

DIr: 0.

Sample date: 20-JUN-13 Finding: 40. Chemical: CHLORIDE Report units: MG/L

Dlr: 0.

Sample date: 20-JUN-13 Finding: 95. Chemical: SULFATE Report units: MG/L

Dlr: 0.5

Sample date: 20-JUN-13 Finding: 0.64 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 20-JUN-13 Finding: 4.4 Chemical: VANADIUM Report units: UG/L

DIr: 3.

Sample date: 20-JUN-13 Finding: 6.9 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

Sample date: 20-JUN-13 Finding: 550.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr: 0.

Sample date: 20-JUN-13 Finding: 1.3

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr: 0

Sample date: 20-JUN-13 Finding: 37.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 20-JUN-13 Finding: 7600. Chemical: CARBON DIOXIDE Report units: UG/L

Dlr: 0.

Sample date: 20-JUN-13 Finding: 0.12

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 20-JUN-13 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0.

Sample date: 20-JUN-13 Finding: 8400.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dir: 0.4

Sample date: 20-JUN-13 Finding: 1.6

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 06-DEC-12 Finding: 34.

Chemical: NITRATE (AS NO3) Report units: MG/L
DIr: 2.

Sample date: 06-DEC-12 Finding: 9.2

Chemical: URANIUM (PCI/L) Report units: PCI/L
DIr: 1.

Sample date: Chemical: Dlr:	06-DEC-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	4. UG/L
Sample date: Chemical: Dlr:	06-DEC-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.16 PCI/L
Sample date: Chemical: Dlr:	06-DEC-12 GROSS ALPHA 3.	Finding: Report units:	7.49 PCI/L
Sample date: Chemical: Dlr:	06-DEC-12 PERCHLORATE 4.	Finding: Report units:	7.6 UG/L
Sample date: Chemical: Dlr:	11-MAY-12 GROSS ALPHA 3.	Finding: Report units:	8.89 PCI/L
Sample date: Chemical: Dlr:	11-MAY-12 PERCHLORATE 4.	Finding: Report units:	7.8 UG/L
Sample date: Chemical: Dlr:	11-MAY-12 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: Dlr:	11-MAY-12 URANIUM (PCI/L) 1.	Finding: Report units:	8.2 PCI/L
Sample date: Chemical: Dlr:	11-MAY-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.29 PCI/L
Sample date: Chemical: DIr:	08-MAR-12 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: DIr:	08-MAR-12 NITRATE (AS NO3) 2.	Finding: Report units:	39. MG/L
Sample date: Chemical: DIr:	08-MAR-12 PERCHLORATE 4.	Finding: Report units:	6.3 UG/L
Sample date: Chemical: Dlr:	08-MAR-12 GROSS ALPHA 3.	Finding: Report units:	8.94 PCI/L
Sample date: Chemical: Dlr:	08-MAR-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.98 PCI/L
Sample date: Chemical: Dlr:	16-FEB-12 GROSS ALPHA 3.	Finding: Report units:	5.86 PCI/L
Sample date: Chemical:	16-FEB-12 GROSS ALPHA COUNTING ERROR	Finding: Report units:	1.92 PCI/L

DIr: 0.

Sample date: 16-FEB-12 Finding: 10. Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 16-FEB-12 Finding: 37.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 16-FEB-12 Finding: 6.6 Chemical: PERCHLORATE Report units: UG/L

Dlr: 4.

173 NNW FED USGS USGS40000140871

1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W14C00AS Type: Well HUC: Description: Not Reported 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19510101 Well Depth: 117
Well Depth Units: ft Well Hole Depth: 125

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1951-12-14
Feet below surface: 18.00 Feet to sea level: Not Reported

Note: Not Reported

Al174
South CA WELLS CADDW0000016725

1/2 - 1 Mile Higher

Well ID: 3310031-029 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 27-2 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-029&store\_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Higher

Well ID: 3310031-029 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 27-2 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-029&store\_num=

GeoTracker Data: Not Reported

AE176
WSW CA WELLS CADWR900006652

1/2 - 1 Mile Lower

State Well #: 01S04W22A005S Station ID: 29005

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

Al177 South FED USGS USGS40000140514

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23K001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 418

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

Al178
South
CA WELLS CAUSGSN00017599

South 1/2 - 1 Mile Higher

Well ID: USGS-340412117155601 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340412117155601 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW\&s$ 

amp\_date=&global\_id=&assigned\_name=USGS-340412117155601&store\_num=

GeoTracker Data: Not Reported

AH179

ENE CA WELLS 893 1/2 - 1 Mile

Higher

Seq: 893 Prim sta c: 01S/04W-13F02 S

 Frds no:
 3310031034
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: GAGE WELL 31-1 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340507.6
 Longitude:
 1171520.9

 Precision:
 1
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported

Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of 3900 MAIN STREET Hqname: Not Reported Address:

City: **RIVERSIDE** State: CA

Zip: 92522 Zip ext: Not Reported 245000 Connection: 58586 Pop serv:

**RIVERSIDE** Area serve:

Sample date: 02-JUL-14 Finding: 6300. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

02-JUL-14 Sample date: Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

AF180 ENE 1/2 - 1 Mile CADWR9000006713 **CA WELLS** 

Higher

State Well #: 01S04W13F003S Station ID: 26947

San Bernardino Well Name: Not Reported Basin Name: Well Use: Unknown Unknown Well Type: Well Depth: Well Completion Rpt #: Not Reported

181 **CA WELLS** CADWR0000017605 South 1/2 - 1 Mile

Higher

UNK Well ID: 01S04W23C003S Well Type:

Source: Department of Water Resources

01S04W23C003S Other Name: **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23C003S&store\_num=

GeoTracker Data: Not Reported

AH182

**ENE CA WELLS** CAPFAS000001280 1/2 - 1 Mile Higher

3310031-176 Well ID: **MUNICIPAL** Well Type:

Source: Department of Health Services

GAGE WELL 31-1R **GAMA PFAS Testing:** Other Name: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-176&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

AH183 ENE

CA WELLS CADDW0000009735

1/2 - 1 Mile Higher

Well ID: 3310031-176 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 31-1R GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-176&store\_num=

GeoTracker Data: Not Reported

AF184 ENE CA WELLS CADWR0000029047

1/2 - 1 Mile Higher

Well ID: 01S04W13E007S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13E007S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13E007S&store\_num=

GeoTracker Data: Not Reported

185 ESE CA WELLS 940

1/2 - 1 Mile Higher

Seq: 940 Prim sta c: 01S/04W-24C01 S

 Frds no:
 3610013009
 County:
 36

 District:
 13
 User id:
 TAN

 System no:
 3610013
 Water type:
 G

Source nam: RICHARDSON ST. WELL 01 Station ty: WELL/AMBNT/MUN/INTAKE

Latitude: 340431.0 Longitude: 1171520.0
Precision: 3 Status: AR
Comment 1: Not Reported Comment 2: Not Reported

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3610013 System nam: City Of Loma Linda

Hqname: Not Reported Address: 11134 ANDERSON STREET

City: LOMA LINDA State: CA

 Zip:
 92354
 Zip ext:
 Not Reported

 Pop serv:
 20000
 Connection:
 3994

Area serve: LOMA LINDA

186 SSW CA WELLS 929

1/2 - 1 Mile Lower

Seq: 929 Prim sta c: 01S/04W-22H04 S

Frds no: 3310031100 County: 33

14 WAT District: User id: System no: Water type: 3310031 G WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam: WARREN WELL 01 Station ty: Latitude: 340417.8 Longitude: 1171628.4 Precision: Status: AR Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported Not Reported Comment 7: Riverside, City Of System no: 3310031 System nam: Hqname: Not Reported Address: 3900 MAIN STREET City: RIVERSIDE State: CA 92522 Zip ext: Not Reported Zip: 245000 Connection: 58586 Pop serv: **RIVERSIDE** Area serve: Sample date: 26-MAR-18 5.5 Finding: Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 05-OCT-17 Finding: 6.6 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 27-JUL-17 Finding: 4.4 PERCHLORATE Chemical: Report units: UG/L DIr: 27-JUL-17 Sample date: Finding: 6.6 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 20-APR-17 Sample date: 6.8 Finding: Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 20-APR-17 4.9 Sample date: Finding: Chemical: **PERCHLORATE** Report units: UG/L DIr: 4. 29-MAR-17 Sample date: Finding: 5.9 NITRATE (AS N) Report units: Chemical: MG/L 0.4 Sample date: 29-MAR-17 Finding: 4.9 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 12-JAN-17 Finding: 0.75 NITRATE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 28-OCT-16 Finding: 4.6 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 28-OCT-16 4.8 Finding: Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr:

Finding:

Sample date:

28-OCT-16

0.81

Chemical: Dlr:	TRICHLOROETHYLENE 0.5	Report units:	UG/L
Sample date: Chemical: Dlr:	28-OCT-16 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	30-SEP-16 PERCHLORATE 4.	Finding: Report units:	4.4 UG/L
Sample date: Chemical: Dlr:	31-AUG-16 PERCHLORATE 4.	Finding: Report units:	4.9 UG/L
Sample date: Chemical: Dlr:	14-JUL-16 NITRATE (AS N) 0.4	Finding: Report units:	7. MG/L
Sample date: Chemical: Dlr:	14-JUL-16 GROSS ALPHA 3.	Finding: Report units:	7. PCI/L
Sample date: Chemical: Dlr:	14-JUL-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	14-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	14-JUL-16 PERCHLORATE 4.	Finding: Report units:	4.8 UG/L
Sample date: Chemical: Dlr:	14-JUL-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	10-JUN-16 PERCHLORATE 4.	Finding: Report units:	5.4 UG/L
Sample date: Chemical: Dlr:	13-MAY-16 PERCHLORATE 4.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dlr:	21-APR-16 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	21-APR-16 URANIUM (PCI/L) 1.	Finding: Report units:	4.6 PCI/L
Sample date: Chemical: Dlr:	21-APR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	21-APR-16 GROSS ALPHA 3.	Finding: Report units:	3.8 PCI/L

Sample date: Chemical: Dlr:	21-APR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: DIr:	21-APR-16 NITRATE (AS N) 0.4	Finding: Report units:	7.2 MG/L
Sample date: Chemical: Dlr:	04-MAR-16 PERCHLORATE 4.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	04-MAR-16 URANIUM (PCI/L) 1.	Finding: Report units:	4. PCI/L
Sample date: Chemical: Dlr:	04-MAR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	04-MAR-16 NITRATE (AS N) 0.4	Finding: Report units:	6.8 MG/L
Sample date: Chemical: Dlr:	04-MAR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	18-DEC-15 PERCHLORATE 4.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	29-OCT-15 NITRATE (AS N) 0.4	Finding: Report units:	6.7 MG/L
Sample date: Chemical: Dlr:	29-OCT-15 PERCHLORATE 4.	Finding: Report units:	5.1 UG/L
Sample date: Chemical: Dlr:	29-OCT-15 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	29-OCT-15 URANIUM (PCI/L) 1.	Finding: Report units:	4.3 PCI/L
Sample date: Chemical: Dlr:	29-OCT-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	29-OCT-15 GROSS ALPHA 3.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical: Dlr:	29-OCT-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical:	24-SEP-15 PERCHLORATE	Finding: Report units:	5.4 UG/L

Dlr: 4.

Sample date: 27-AUG-15 Finding: 5.6 **PERCHLORATE** UG/L Chemical: Report units:

DIr:

Sample date: 16-JUL-15 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 16-JUL-15 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 16-JUL-15 3.3 Finding:

GROSS ALPHA COUNTING ERROR PCI/L Chemical: Report units: DIr:

16-JUL-15 Sample date: Finding: 4.8 Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

16-JUL-15 Sample date: Finding: 5.3 **GROSS ALPHA** PCI/L Chemical: Report units:

DIr:

16-JUL-15 Sample date: Finding: 5.9

**PERCHLORATE** Chemical: Report units: UG/L

DIr:

Sample date: 19-JUN-15 Finding: 4.8 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

Sample date: 21-MAY-15 Finding: 5.3 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

09-APR-15 Finding: Sample date: 0.2

FOAMING AGENTS (MBAS) Chemical: Report units: MG/L

DIr:

09-APR-15 Sample date: Finding:

LANGELIER INDEX @ 60 C Report units: Chemical: Not Reported

DIr:

09-APR-15 Sample date: Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr: 2.

Sample date: 09-APR-15 5.3e-002 Finding: Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: Finding: 12. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Not Reported

Report units: DIr: 0.

Sample date: 09-APR-15 Finding: 7000.

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: Chemical: Dlr:	09-APR-15 PERCHLORATE 4.	Finding: Report units:	5.7 UG/L
Sample date: Chemical: Dlr:	09-APR-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	09-APR-15 URANIUM (PCI/L) 1.	Finding: Report units:	4.2 PCI/L
Sample date: Chemical: Dlr:	09-APR-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	09-APR-15 VANADIUM 3.	Finding: Report units:	8. UG/L
Sample date: Chemical: Dlr:	09-APR-15 BORON 100.	Finding: Report units:	180. UG/L
Sample date: Chemical: Dlr:	09-APR-15 ARSENIC 2.	Finding: Report units:	9.3 UG/L
Sample date: Chemical: Dlr:	09-APR-15 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.57 MG/L
Sample date: Chemical: Dlr:	09-APR-15 SULFATE 0.5	Finding: Report units:	73. MG/L
Sample date: Chemical: Dlr:	09-APR-15 CHLORIDE 0.	Finding: Report units:	42. MG/L
Sample date: Chemical: Dlr:	09-APR-15 POTASSIUM 0.	Finding: Report units:	1.8 MG/L
Sample date: Chemical: Dlr:	09-APR-15 SODIUM 0.	Finding: Report units:	74. MG/L
Sample date: Chemical: Dlr:	09-APR-15 MAGNESIUM 0.	Finding: Report units:	2.2 MG/L
Sample date: Chemical: Dlr:	09-APR-15 CALCIUM 0.	Finding: Report units:	50. MG/L
Sample date: Chemical: Dlr:	09-APR-15 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	130. MG/L
Sample date: Chemical:	09-APR-15 BICARBONATE ALKALINITY	Finding: Report units:	180. MG/L

DIr: 0.

Sample date: 09-APR-15 Finding: 140. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 09-APR-15 Finding: 8.1

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 09-APR-15 Finding: 630. Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

Sample date: 09-APR-15 Finding: 380.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Sample date: 13-MAR-15 Finding: 5.1

Chemical: PERCHLORATE Report units: UG/L DIr: 4.

Sample date: 13-MAR-15 Finding: 23.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 13-MAR-15 Finding: 3.2 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 13-MAR-15 Finding: 3.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 13-MAR-15 Finding: 3.3

Chamical: CPOSS ALDHA Property units: POUT

Chemical: GROSS ALPHA Report units: PCI/L DIr: 3.

Sample date: 13-MAR-15 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 09-OCT-14 Finding: 3.5

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 09-OCT-14 Finding: 5.2 Chemical: PERCHLORATE Report units: UG/L

Dir: 4.

Sample date: 09-OCT-14 Finding: 8.6 Chemical: GROSS ALPHA Report units: PCI/L

Chemical: GROSS ALPHA Report units: PCI/L
DIr: 3.

Sample date: 09-OCT-14 Finding: 3.

Chomical: CPOSS ALPHA MDA95 Poport units: PC///

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 09-OCT-14 Finding: 3.8 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1. Report units:

Sample date: Chemical: Dlr:	09-OCT-14 NITRATE (AS NO3) 2.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	17-SEP-14 PERCHLORATE 4.	Finding: Report units:	5.4 UG/L
Sample date: Chemical: Dlr:	06-AUG-14 PERCHLORATE 4.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	09-JUL-14 GROSS ALPHA 3.	Finding: Report units:	5.4 PCI/L
Sample date: Chemical: Dlr:	09-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	09-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: Dlr:	09-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	33. MG/L
Sample date: Chemical: Dlr:	09-JUL-14 PERCHLORATE 4.	Finding: Report units:	5.2 UG/L
Sample date: Chemical: Dlr:	09-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	05-JUN-14 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	620. US
Sample date: Chemical: Dlr:	05-JUN-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	05-JUN-14 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	130. MG/L
Sample date: Chemical: Dlr:	05-JUN-14 BICARBONATE ALKALINITY 0.	Finding: Report units:	150. MG/L
Sample date: Chemical: Dlr:	05-JUN-14 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	05-JUN-14 CALCIUM 0.	Finding: Report units:	50. MG/L
Sample date: Chemical:	05-JUN-14 MAGNESIUM	Finding: Report units:	2.6 MG/L

DIr: 0.

Sample date: 05-JUN-14 Finding: 76. Chemical: SODIUM Report units: MG/L

DIr: 0.

Sample date: 05-JUN-14 Finding: 2.1 Chemical: POTASSIUM Report units: MG/L

Dlr: 0.

Sample date: 05-JUN-14 Finding: 40.
Chemical: CHLORIDE Report units: MG/L

DIr: 0.

Sample date: 05-JUN-14 Finding: 72. Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 05-JUN-14 Finding: 0.56

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L
DIr: 0.1

Sample date: 05-JUN-14 Finding: 5.6 Chemical: ARSENIC Report units: UG/L

Chemical: ARSENIC Report units: UCDIr: 2.

Sample date: 05-JUN-14 Finding: 160.

Chemical: BORON Report units: UG/L DIr: 100.

Sample date: 05-JUN-14 Finding: 5.4

Chemical: VANADIUM Report units: UG/L DIr: 3.

Sample date: 05-JUN-14 Finding: 5.9

Chemical: GROSS ALPHA Report units: PCI/L DIr: 3.

Sample date: 05-JUN-14 Finding: 3.2
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dir: 0.

 Sample date:
 05-JUN-14
 Finding:
 4.2

 Chemical:
 URANIUM (PCI/L)
 Report units:
 PCI/L

 Dir:
 1.

Sample date: 05-JUN-14 Finding: 380.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 05-JUN-14 Finding: 0.87

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

o.

Sample date: 05-JUN-14 Finding: 31.
Chemical: NITRATE (AS NO3) Report units: MG/L
DIr: 2.

Sample date: 05-JUN-14 Finding: 2500.

Chemical: CARBON DIOXIDE Report units: UG/L DIr: 0.

05-JUN-14 Sample date: Finding: 0.11 Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: Sample date: 05-JUN-14 Finding: 12. AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported DIr: Finding: Sample date: 05-JUN-14 7100. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 Sample date: 05-JUN-14 Finding: 5.7 **PERCHLORATE** Chemical: Report units: UG/L DIr: 05-JUN-14 Sample date: Finding: PH, LABORATORY Not Reported Chemical: Report units: DIr: 0. Sample date: 19-SEP-13 5. Finding: Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 12-SEP-13 Finding: 5.2 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 13-AUG-13 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 13-AUG-13 Sample date: Finding: 3.8 URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: Sample date: 13-AUG-13 5.2 Finding: Chemical: PERCHLORATE Report units: UG/L DIr: 4. Sample date: 13-AUG-13 Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units: DIr: 0. Sample date: 13-AUG-13 Finding: 3.3 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 13-AUG-13 5.8 Finding: Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 05-JUL-13 Finding: 5.2 Chemical: **PERCHLORATE** Report units: UG/L 05-JUN-13 Sample date: Finding: 2.8 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L 05-JUN-13 Sample date: Finding: 4.1 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 05-JUN-13 Finding: 34. NITRATE (AS NO3) MG/L Chemical: Report units:

DIr: 2.

Sample date: 05-JUN-13 Finding: 5.5 Chemical: **PERCHLORATE** Report units: UG/L

DIr:

05-JUN-13 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

11-APR-13 Sample date: Finding: 5.2 **PERCHLORATE** Chemical: Report units: UG/L

DIr:

11-APR-13 7600. Sample date: Finding:

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

11-APR-13 Finding: Sample date: 12.

AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported Chemical:

DIr:

11-APR-13 Sample date: Finding: 0.26

TURBIDITY, LABORATORY Chemical: Report units: NTU

DIr: 0.1

Sample date: 11-APR-13 Finding: 33. NITRATE (AS NO3) Report units:

Chemical: MG/L

DIr:

Sample date: 11-APR-13 Finding: 1.1

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr: 0.

11-APR-13 Finding: 180. Sample date: Chemical: **BORON** Report units: UG/L

DIr: 100.

11-APR-13 Sample date: Finding: 5.8 **VANADIUM** Report units: UG/L Chemical:

DIr: 3.

11-APR-13 Sample date: Finding: 410.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

Sample date: 11-APR-13 Finding: 6. Chemical: **ARSENIC** Report units: UG/L

DIr: 2.

Sample date: 11-APR-13 Finding: 0.5 FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L

DIr: 0.1

Sample date: 11-APR-13 Finding: 68.

Report units: Chemical: **SULFATE** MG/L DIr: 0.5

Sample date: Chemical: Dlr:	11-APR-13 CHLORIDE 0.	Finding: Report units:	43. MG/L
Sample date: Chemical: Dlr:	11-APR-13 POTASSIUM 0.	Finding: Report units:	2.3 MG/L
Sample date: Chemical: Dlr:	11-APR-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	630. US
Sample date: Chemical: Dlr:	11-APR-13 PH, LABORATORY 0.	Finding: Report units:	8.1 Not Reported
Sample date: Chemical: Dlr:	11-APR-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	11-APR-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	11-APR-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	160. MG/L
Sample date: Chemical: Dlr:	11-APR-13 CALCIUM 0.	Finding: Report units:	61. MG/L
Sample date: Chemical: Dlr:	11-APR-13 MAGNESIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	11-APR-13 SODIUM 0.	Finding: Report units:	91. MG/L
Sample date: Chemical: Dlr:	05-MAR-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	05-MAR-13 PERCHLORATE 4.	Finding: Report units:	5.1 UG/L
Sample date: Chemical: Dlr:	05-MAR-13 NITRATE (AS NO3) 2.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	05-MAR-13 URANIUM (PCI/L) 1.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	05-MAR-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.6 PCI/L
Sample date: Chemical:	04-OCT-12 PERCHLORATE	Finding: Report units:	4.8 UG/L

Dlr: 4. 04-OCT-12 Sample date: Finding: 34. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Sample date: 04-OCT-12 Finding: 4.9 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 04-OCT-12 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 04-OCT-12 Sample date: Finding: 4.2 **GROSS ALPHA** PCI/L Chemical: Report units: DIr: 04-OCT-12 Sample date: Finding: 3.5 Chemical: CHROMIUM, HEXAVALENT Report units: UG/L DIr: 1. 04-OCT-12 Sample date: Finding: 2.8 GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical: DIr: 03-AUG-12 Sample date: Finding: 5.6 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 21-JUN-12 Finding: 2.7 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 21-JUN-12 Finding: 3. **GROSS ALPHA MDA95** Chemical: Report units: PCI/L DIr: 21-JUN-12 Sample date: Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 21-JUN-12 Finding: URANIUM (PCI/L) Report units: PCI/L Chemical: DIr: Sample date: 20-JUN-12 Finding: 5.4 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 16-MAY-12 Finding: 5.1 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 19-APR-12 Finding: 5.2 Chemical: **PERCHLORATE** Report units: UG/L DIr: 4. Sample date: 19-APR-12 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 19-APR-12 Finding: 2.6 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 19-APR-12 Finding: 3. Chemical: GROSS ALPHA MDA95 Report units: PCI/L

DIr: 0.

Sample date: 19-APR-12 Finding: 0.54
Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

Dlr: 0.1

Sample date: 19-APR-12 Finding: 4.3 Chemical: ARSENIC Report units: UG/L

Dlr: 2.

Sample date: 19-APR-12 Finding: 130. Chemical: BORON Report units: UG/L

Dlr: 100.

Sample date: 19-APR-12 Finding: 3.6 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

AH187
ENE FED USGS USGS40000140788
1/2 - 1 Mile

Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

001S004W13F001S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area Units: Drainage Area: Not Reported Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date:19020101Well Depth:120Well Depth Units:ftWell Hole Depth:120

Well Hole Depth Units: ft

AF188
ENE FED USGS USGS40000140820

1/2 - 1 Mile Higher

Organization ID: USGS-CA

California Coastal Basin aquifers

Organization Name: USGS California Water Science Center Monitor Location: 001S004W13E007S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19560101 Well Depth: 145
Well Depth Units: ft Well Hole Depth: 148

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1956-07-23 Feet below surface: 70.00 Feet to sea level: Not Reported

Note: Not Reported

AF189
ENE CA WELLS CAUSGSN00000788

1/2 - 1 Mile Higher

Well ID: USGS-340511117152101 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340511117152101 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340511117152101&store\_num=

GeoTracker Data: Not Reported

190

SW 1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W23E001S Type: Well Description: HUC: 18070203 Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19280101 Well Depth: 250 Well Depth Units: ft Well Hole Depth: 730

California Coastal Basin aguifers

Well Hole Depth Units: ft

191 FED USGS USGS40000140828

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W13D008S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19160101 Well Depth: 124 Well Depth Units: 19160101 Well Depth: 124

California Coastal Basin aquifers

Well Hole Depth Units: ft

**FED USGS** 

USGS40000140569

Map ID Direction Distance

Elevation Database EDR ID Number

AJ192 SW CA WELLS CAUSGSN00000930

1/2 - 1 Mile Lower

Well ID: USGS-340426117164101 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340426117164101 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340426117164101&store\_num=

GeoTracker Data: Not Reported

AJ193 SW CA WELLS CADDW0000016346

1/2 - 1 Mile Lower

Well ID: 3310031-101 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WARREN WELL 02 - INACTIVE GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp\_index.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/public/GamaDataDisplay.asp.gov/gama/gamamap/gamap/$ 

date=&global\_id=&assigned\_name=3310031-101&store\_num=

GeoTracker Data: Not Reported

AJ194 SW FED USGS USGS40000140607

1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: **USGS** California Water Science Center Monitor Location: 001S004W22H001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19300101 Well Depth: 486

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: 390 Level reading date: 1970-05-31 Feet below surface: 87.00 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-28 Feet below surface: 91.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-03 Feet below surface: 102.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1968-05-03 Feet below surface: 117.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-11-30 Feet below surface: 97.50

Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-09-08 Feet below surface: 128.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-08-11 Feet below surface: 100.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-07-07 Feet below surface: 96.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-06-02 Feet below surface: 92.00 Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1967-05-05 87.00 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 92.00 Level reading date: 1967-04-07 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-03-03 Feet below surface: 93.00 Feet to sea level: Not Reported Not Reported Note: Feet below surface: Level reading date: 1967-02-03 90.00 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1967-01-06 Feet below surface: 93.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-12-02 Feet below surface: 101.00 Feet to sea level: Not Reported Not Reported Note: Feet below surface: 102.00 Level reading date: 1966-11-11 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1966-10-07 Feet below surface: 105.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-09-30 Feet below surface: 105.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-08-20 Feet below surface: 141.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-07-15 Feet below surface: 127.00 Feet to sea level: Not Reported Note: The site was being pumped. 1966-06-10 Feet below surface: 97.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1966-05-26 96.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 92.60 1966-04-22 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-03-25 Feet below surface: 88.00 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1966-02-25 Feet below surface: 81.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1966-01-28	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-24	Feet below surface:	90.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-19	Feet below surface:	98.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-10-15	Feet below surface:	100.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-09-10	Feet below surface:	98.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-06-11	Feet below surface:	90.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-05-07	Feet below surface:	79.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-16	Feet below surface:	81.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-02	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-19	Feet below surface:	85.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-05	Feet below surface:	89.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-19	Feet below surface:	91.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-05	Feet below surface:	89.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-15	Feet below surface:	85.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-02	Feet below surface:	87.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-18	Feet below surface:	92.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-04	Feet below surface:	90.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-20	Feet below surface:	89.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-06	Feet below surface:	96.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-23	Feet below surface:	95.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-02	Feet below surface:	95.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1964-09-11 Feet below surface: 162.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-08-11 Feet below surface: 160.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1964-07-12 Feet below surface: 158.30 Feet to sea level: Not Reported Note: The site was being pumped. 1964-06-19 Level reading date: Feet below surface: 152.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-05-15 Feet below surface: 148.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-05-01 Feet below surface: 83.00 Feet to sea level: Not Reported Not Reported Level reading date: 1964-04-10 Feet below surface: 133.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-03-13 Feet below surface: 82.00 Feet to sea level: Not Reported Note: Not Reported 1964-02-14 Feet below surface: Level reading date: 76.90 Feet to sea level: Not Reported Note: Not Reported 1964-01-10 Level reading date: Feet below surface: 149.00 Feet to sea level: Not Reported Note: The site was being pumped. 1963-12-13 Feet below surface: Level reading date: 81.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 77.90 1963-11-29 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-15 Feet below surface: 83.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1963-11-01 Feet below surface: 83.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-18 Feet below surface: 85.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-04 Feet below surface: 81.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-09-13 Feet below surface: 148.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-30 Feet below surface: 149.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-16 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-08-01 Feet below surface: Level reading date: 147.30 Feet to sea level: Not Reported Note: The site was being pumped.

1963-07-12

Not Reported

Level reading date:

Feet to sea level:

The site was being pumped.

Feet below surface:

Level reading date: 1963-06-21 Feet below surface: 148.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-06-07 Feet below surface: 147.90 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-05-24 Feet below surface: 77.00 Feet to sea level: Not Reported Note: Not Reported 1963-05-10 77.60 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: Level reading date: 1963-04-26 Feet below surface: 70.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-29 Feet below surface: 61.00 Feet to sea level: Not Reported Not Reported Level reading date: 1963-03-15 Feet below surface: 146.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-03-01 Feet below surface: 66.00 Feet to sea level: Not Reported Note: Not Reported 1963-02-08 Level reading date: Feet below surface: 78.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-01-26 Feet below surface: 134.00 Feet to sea level: Not Reported Note: The site was being pumped. 1962-12-21 Feet below surface: Level reading date: 73.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-08 Feet below surface: 144.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-11-23 Feet below surface: 142.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-11-09 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-10-26 Feet below surface: 148.30 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-10-12 Feet below surface: 149.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-09-28 Feet below surface: 78.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-09-14 Feet below surface: 144.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-08-31 Feet below surface:

Note:

Note:

Note:

Feet below surface:

Feet below surface:

Feet to sea level:

Level reading date:

Level reading date:

Feet to sea level:

Feet to sea level:

Not Reported

1962-08-17

1962-08-03

Not Reported

Not Reported

The site was being pumped.

The site was being pumped.

142.60

71.60

Not Reported

Level reading date: 1962-07-20 Feet below surface: 137.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-06-29 Feet below surface: 141.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-06-15 Feet below surface: 69.00 Feet to sea level: Not Reported Note: Not Reported 1962-06-01 Level reading date: Feet below surface: 68.30 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1962-05-18 Feet below surface: 65.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-05-04 Feet below surface: 65.50 Feet to sea level: Not Reported Not Reported Level reading date: 1962-04-13 Feet below surface: 54.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-30 Feet below surface: 41.00 Feet to sea level: Not Reported Note: Not Reported 1962-03-16 Level reading date: Feet below surface: 44.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-02 Feet below surface: 46.00 Feet to sea level: Not Reported Note: Not Reported 1962-02-22 Feet below surface: 48.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 1962-02-02 116.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-01-05 Feet below surface: 71.00 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1961-12-22 Feet below surface: 97.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-12-09 Feet below surface: 62.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-17 Feet below surface: 75.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-03 Feet below surface: 120.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-10-13 Feet below surface: 132.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-09-15 Feet below surface: Level reading date: 138.00 Feet to sea level: Not Reported Note: The site was being pumped.

1961-09-01

Not Reported

Level reading date:

Feet to sea level:

73.00

Not Reported

Feet below surface:

Level reading date: 1961-08-18 Feet below surface: 139.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-04 Feet below surface: 140.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-07-14 Feet below surface: 141.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-06-30 Feet below surface: 110.00 The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1961-06-16 Feet below surface: 140.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-06-02 Feet below surface: 63.00 Feet to sea level: Not Reported Not Reported Level reading date: 1961-05-12 Feet below surface: 123.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-05-05 Feet below surface: 58.00 Feet to sea level: Not Reported Note: Not Reported 1961-04-14 Feet below surface: Level reading date: 60.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-31 Feet below surface: 55.00 Feet to sea level: Not Reported Note: Not Reported 1961-03-16 Feet below surface: Level reading date: 60.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-03 Feet below surface: 131.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-02-17 Feet below surface: 60.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-02-03 Feet below surface: 50.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-01-20 Feet below surface: 133.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-01-06 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-12-23 Feet below surface: 132.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-11-25 Feet below surface: 56.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-11-11 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1960-10-28 Feet below surface: 139.00 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. 1960-10-14 Level reading date: Feet below surface: 59.00

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1960-09-30 Feet below surface: 112.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-09-14 Feet below surface: 62.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-09-02 Feet below surface: 136.90 Feet to sea level: Not Reported Note: The site was being pumped. 1960-08-19 Level reading date: Feet below surface: 138.60 The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1960-08-05 Feet below surface: 131.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-07-15 Feet below surface: 131.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-07-01 Feet below surface: 134.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-06-24 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-06-10 Feet below surface: 52.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1960-05-27 Level reading date: Feet below surface: 134.80 Feet to sea level: Not Reported Note: The site was being pumped. 1960-05-20 Feet below surface: Level reading date: 123.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-29 Feet below surface: 42.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-04-15 Feet below surface: 123.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-01 Feet below surface: 121.30 Feet to sea level: Not Reported Note: The site was being pumped. 1960-03-18 Level reading date: Feet below surface: 110.50 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1960-03-04 Feet below surface: 20.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-02-19 Feet below surface: 23.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-01-29 Feet below surface: 28.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-01-15 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1960-01-03 Feet below surface: 37.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1959-12-18

Not Reported

Level reading date:

Feet to sea level:

56.80

Not Reported

Feet below surface:

Level reading date: 1959-12-04 Feet below surface: 137.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-11-13 Feet below surface: 101.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1959-11-02 Feet below surface: 118.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-10-19 Feet below surface: 136.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-10-02 Feet below surface: 56.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-09-25 Feet below surface: 56.80 Feet to sea level: Not Reported Not Reported Level reading date: 1959-09-18 Feet below surface: 56.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-09-11 Feet below surface: 105.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-09-04 Feet below surface: 111.00 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-28 Feet below surface: 109.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-08-21 Feet below surface: Level reading date: 139.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-07 Feet below surface: 53.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-07-31 Feet below surface: 140.50 Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-24 Level reading date: Feet below surface: 140.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-17 Feet below surface: 54.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-07-10 Feet below surface: 139.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-03 Feet below surface: 139.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-26 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1959-06-19 Feet below surface: Level reading date: 138.60 Feet to sea level: Not Reported Note: The site was being pumped.

1959-06-12

Not Reported

Level reading date:

Feet to sea level:

139.90

The site was being pumped.

Feet below surface:

Level reading date: 1959-06-05 Feet below surface: 138.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-22 Feet below surface: 116.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1959-05-15 Feet below surface: 102.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-05-01 44.90 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-04-24 Feet below surface: 113.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-04-17 Feet below surface: 42.60 Feet to sea level: Not Reported Not Reported Level reading date: 1959-04-10 Feet below surface: 114.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-03-27 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-03-13 Feet below surface: Level reading date: 21.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-02-20 Feet below surface: 25.00 Feet to sea level: Not Reported Note: Not Reported 1959-02-06 Feet below surface: Level reading date: 43.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-01-23 Feet below surface: 38.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-01-02 Feet below surface: 41.60 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1958-12-19 Feet below surface: 117.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-12-05 Feet below surface: 46.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-11-21 Feet below surface: 118.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-11-07 Feet below surface: 127.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-24 Feet below surface: 48.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-10-10 Feet below surface: 49.60 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1958-10-03

Not Reported

Level reading date:

Feet to sea level:

121.30

The site was being pumped.

Feet below surface:

Level reading date: 1958-09-26 Feet below surface: 118.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-09-19 Feet below surface: 126.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-09-13 Feet below surface: 121.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-09-05 Feet below surface: 126.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-29 Feet below surface: 126.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-22 Feet below surface: 122.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-16 Feet below surface: 119.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-08 Feet below surface: 118.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-01 Feet below surface: 129.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-25 Feet below surface: 130.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-18 Feet below surface: 126.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-11 Feet below surface: 118.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-04 Feet below surface: 124.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-06-27 Feet below surface: 112.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-06-20 Feet below surface: 118.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-06-13 Feet below surface: 119.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-06-06 Feet below surface: 118.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-30 Feet below surface: 115.80

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-23 Feet below surface: 116.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-16 Feet below surface: 115.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-09 Feet below surface: 33.80

Feet to sea level: Not Reported Note: Not Reported

1958-04-25 17.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-04-10 Feet below surface: 8.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-29 Feet below surface: 8.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-14 Feet below surface: 13.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-02-21 Feet below surface: 18.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-02-07 Feet below surface: 22.80 Feet to sea level: Not Reported Not Reported Level reading date: 1958-01-24 Feet below surface: 44.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-01-13 Feet below surface: 32.50 Feet to sea level: Not Reported Note: Not Reported 1957-12-27 Level reading date: Feet below surface: 26.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-12-13 Feet below surface: 126.00 Feet to sea level: Not Reported Note: The site was being pumped. 1957-11-29 Level reading date: Feet below surface: 49.00 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 35.30 Level reading date: 1957-11-15 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-01 Feet below surface: 44.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-10-18 Feet below surface: 109.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-10-04 Feet below surface: 55.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-09-28 Feet below surface: 137.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-20 Feet below surface: 136.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-13 Feet below surface: 140.30 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-09-06 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-08-30 Feet below surface: Level reading date: 105.80 Feet to sea level: Not Reported Note: The site was being pumped. 1957-08-25 Level reading date: Feet below surface: 54.80

Note:

Feet to sea level:

Not Reported

Not Reported

1957-08-23 105.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note:

The site was being pumped.

Level reading date: 1957-08-16 Feet below surface: 105.00

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1957-08-09 Feet below surface: 101.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-08-02 Feet below surface: 102.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-07-26 Feet below surface: 105.50

Feet to sea level: Not Reported Note: The site was being pumped.

1957-07-19 Feet below surface: 104.30 Level reading date:

Feet to sea level: Not Reported The site was being pumped.

Level reading date: 1957-07-12 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-07-05 Feet below surface: 102.30

Feet to sea level: Not Reported Note: The site was being pumped.

1957-06-28 Level reading date: Feet below surface: 109.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-06-21 Feet below surface: 47.50

Feet to sea level: Not Reported Not Reported Note:

1957-06-12 Level reading date: Feet below surface: 119.60

Feet to sea level: Not Reported Note: The site was being pumped.

1957-05-25 Feet below surface: 97.00 Level reading date:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1957-05-10 Feet below surface: 147.80 Note:

Feet to sea level: Not Reported Not Reported

Level reading date: 1957-05-08 Feet below surface: 42.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-04-28 Feet below surface: 34.00 Note:

Not Reported Feet to sea level: Not Reported

Level reading date: 1957-04-26 Feet below surface: 32.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-04-16 138.00 Feet below surface: Feet to sea level: Not Reported

Note: The site was being pumped.

Level reading date: 1957-04-12 Feet below surface: 142.50

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1957-04-01 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

1957-03-15 Feet below surface: Level reading date: 99.30

Feet to sea level: Not Reported Note: The site was being pumped.

1957-03-01 Level reading date: Feet below surface: 15.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-02-15 Feet below surface: 16.80
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-02-04 Feet below surface: 16.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-01-21 Feet below surface: 22.40 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-01-04 Feet below surface: 42.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-12-14 Feet below surface: 46.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-11-30 Feet below surface: 99.30 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-11-16 Feet below surface: 52.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-11-02 Feet below surface: 50.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-10-19 Feet below surface: 51.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-09-21 Feet below surface: 100.00 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-09-07 Feet below surface: 99.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-24 Feet below surface: 100.30 Feet to sea level: Not Reported Note: The site was being pumped.

Total Source Was some partipole.

Level reading date: 1956-08-10 Feet below surface: 99.00 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-27 Feet below surface: 49.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-07-13 Feet below surface: 98.30 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-06-29 Feet below surface: 102.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-06-15 Feet below surface: 48.80 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-06-05 Feet below surface: 45.80 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-04-01 Feet below surface: 3.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-03-01 Feet below surface: 2.00 Feet to sea level: Not Reported Note: Not Reported

\_\_\_\_\_

Level reading date: 1954-02-01 Feet below surface: 1.00
Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1954-01-04	Feet below surface:	20.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-12-01	Feet below surface:	25.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-07-01	Feet below surface:	31.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-05-01	Feet below surface:	11.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-03-02	Feet below surface:	12.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-02-02	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-01-05	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-12-01	Feet below surface:	8.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-05-01	Feet below surface:	9.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-04-01	Feet below surface:	17.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-03-03	Feet below surface:	6.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-02-01	Feet below surface:	13.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-01-02	Feet below surface:	9.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-12-03	Feet below surface:	19.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-11-01	Feet below surface:	24.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-08-15	Feet below surface:	20.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-05-01	Feet below surface:	8.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-03-01	Feet below surface:	4.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-02-01	Feet below surface:	8.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-01-02	Feet below surface:	5.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-12-01	Feet below surface:	4.90
Feet to sea level:	Not Reported	Note:	Not Reported

1950-11-15 10.40 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1950-10-02 Feet below surface: 15.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1950-09-15 Feet below surface: 21.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1950-05-01 Feet below surface: 5.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1950-04-14 Feet below surface: 1.10 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1950-03-01 Feet below surface: 24.30 Feet to sea level: Not Reported Not Reported Level reading date: 1950-02-01 Feet below surface: 18.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1950-01-03 Feet below surface: 9.20 Feet to sea level: Not Reported Note: Not Reported 1949-12-01 Level reading date: Feet below surface: 1.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1949-11-01 Feet below surface: 6.90 Feet to sea level: Not Reported Note: Not Reported 1949-10-01 Level reading date: Feet below surface: 98.30 Feet to sea level: Not Reported Note: The site was being pumped. 1949-09-01 Feet below surface: Level reading date: 98.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1949-08-01 Feet below surface: 98.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1949-07-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1949-06-01 Feet below surface: 98.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1949-05-16 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1949-04-01 8.10 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1949-03-01 Feet below surface: 27.70 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1949-02-01 Feet below surface: 30.00 Feet to sea level: Not Reported Note: Not Reported 1949-01-14 Feet below surface: Level reading date: 11.60 Feet to sea level: Not Reported Note: Not Reported 1948-12-01 Level reading date: Feet below surface: 2.70 Feet to sea level: Not Reported Note: Not Reported

1948-10-01 97.70 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1948-09-15 Feet below surface: 97.90

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1948-08-02 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

1948-07-01 Level reading date: Feet below surface: 97.40 Feet to sea level: Not Reported Note:

The site was being pumped.

Feet below surface:

2.70

0.40

Level reading date: Feet below surface: Not Reported Not Reported Feet to sea level: Note:

1948-06-01

1948-05-01

1946-07-01

Level reading date: Feet to sea level: Not Reported Not Reported

Level reading date: 1948-04-01 Feet below surface: 11.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1948-02-02 Feet below surface: 8.10 Feet to sea level: Not Reported Note: Not Reported

1948-01-02 Level reading date: Feet below surface: 6.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1947-12-01 Feet below surface: 3.50 Feet to sea level: Not Reported Note: Not Reported

1947-11-01 Level reading date: Feet below surface: 0.40

Feet to sea level: Not Reported Note: Not Reported

1947-10-01 Feet below surface: 4.50 Level reading date:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1947-06-02 Feet below surface: 4.60 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1947-04-01 Feet below surface: 8.10 Feet to sea level: Not Reported Note:

Not Reported

Level reading date: 1947-03-03 Feet below surface: 9.20 Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1947-02-01 Feet below surface: 16.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1947-01-02 27.70 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1946-12-02 Feet below surface: 26.60

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1946-11-01 Feet below surface: 6.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

131.00

TC6958905.2s Page A-381

1946-06-01 Level reading date: Feet below surface: 27.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1946-05-01 Feet below surface: 4.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-04-01 Feet below surface: 11.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1946-03-01 Feet below surface: 24.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-02-01 Feet below surface: 6.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-01-15 Feet below surface: 25.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1945-12-14 Feet below surface: 6.90 Feet to sea level: Not Reported Not Reported Level reading date: 1945-11-01 Feet below surface: 5.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1945-10-01 Feet below surface: 124.00 Feet to sea level: Not Reported Note: Not Reported 1945-09-04 Level reading date: Feet below surface: 121.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1945-08-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1945-07-02 Level reading date: Feet below surface: 128.00 Feet to sea level: Not Reported Note: The site was being pumped. 1945-06-01 Feet below surface: Level reading date: 9.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1945-05-01 Feet below surface: 6.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1945-04-02 Feet below surface: 28.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1945-03-01 Feet below surface: 27.70 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1945-02-01 Feet below surface: 13.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1945-01-02 18.50 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1944-12-01 Feet below surface: 23.10 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1944-11-01 Feet below surface: 3.50 Feet to sea level: Not Reported Note: Not Reported 1944-07-01 Feet below surface: Level reading date: 101.50

Note:

Note:

Feet below surface:

Feet to sea level:

Level reading date:

Feet to sea level:

Not Reported

1944-06-01

Not Reported

Not Reported

5.80

The site was being pumped.

Level reading date:1944-05-17Feet below surface:5.80Feet to sea level:Not ReportedNote:Not Reported

Level reading date: 1944-04-01 Feet below surface: 25.40 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1944-03-02 Feet below surface: 28.90
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1944-02-16 Feet below surface: 27.70 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1944-01-02 Feet below surface: 25.40
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-12-01 Feet below surface: 4.60
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-11-01 Feet below surface: 6.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-10-01 Feet below surface: 99.50
Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1943-09-15 Feet below surface: 11.00
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-08-13 Feet below surface: 104.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1943-07-15 Feet below surface: 106.00 Feet to sea level: Not Reported Note: The site was being pumped.

eet to sea level. Not reported note. The site was being pumped.

Level reading date:1943-06-01Feet below surface:6.90Feet to sea level:Not ReportedNote:Not Reported

Level reading date:1943-05-01Feet below surface:17.30Feet to sea level:Not ReportedNote:Not Reported

Level reading date: 1943-04-02 Feet below surface: 30.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-03-02 Feet below surface: 27.70 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-02-01 Feet below surface: 25.40
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1943-01-15 Feet below surface: 6.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1942-12-16 Feet below surface: 9.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date:

1942-08-03

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

Level reading date: 1942-07-16 Feet below surface: 108.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1940-10-05 Feet below surface: 5.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-09-03 Feet below surface: 11.00
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-08-01 Feet below surface: 108.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1940-07-16 Feet below surface: 8.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-09-02 Feet below surface: 3.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-08-01 Feet below surface: 2.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-07-15 Feet below surface: 106.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1939-06-30 Feet below surface: 2.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-06-16 Feet below surface: 1.00

Feet to sea level: Not Reported Note: Not Reported

AJ195
SW CA WELLS CADWR0000029470

1/2 - 1 Mile Lower

Well ID: 01S04W22H001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W22H001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W22H001S&store\_num=

GeoTracker Data: Not Reported

AK196
WSW CA WELLS CADWR000027471

1/2 - 1 Mile Lower

Well ID: 01S04W22A006S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W22A006S GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR\&samp\_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp.gamagroundwater.waterboards.co.gov/gama/gamamap/public/GamaDataDisplay.asp.gamagroundwater.waterboards.co.gov/gama/gamagroundwater.waterboards.co.gov/gama/gamamap/public/GamaDataDisplay.gamagroundwater.waterboards.co.gov/gama/gamamap/public/GamaDataDisplay.gamagroundwater.waterboards.gov/gamagroundwater.waterboards.gov/gamagroundwaterboards.g$ 

date=&global\_id=&assigned\_name=01S04W22A006S&store\_num=

GeoTracker Data: Not Reported

AL197
ENE CA WELLS CADWR000026646

1/2 - 1 Mile Higher

Well ID: 01S04W13F003S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13F003S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13F003S&store\_num=

GeoTracker Data: Not Reported

198
WNW CA WELLS CADWR0000021772

1/2 - 1 Mile Lower

Well ID: 01S04W15H003S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W15H003S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W15H003S&store\_num=

GeoTracker Data: Not Reported

AJ199 SW CA WELLS 926 1/2 - 1 Mile

Lower

Lower

 Seq:
 926
 Prim sta c:
 01S/04W-22H01 S

 Frds no:
 3310031101
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: WARREN WELL 02 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 340426.5 Longitude: 1171642.3 Precision: 1 Status: AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

 City.
 RIVERSIDE
 State.
 CA

 Zip:
 92522
 Zip ext:
 Not Reported

 Pop serv:
 245000
 Connection:
 58586

Area serve: RIVERSIDE

AJ200 SW CA WELLS 927 1/2 - 1 Mile

Seq: 927 Prim sta c: 01S/04W-22H02 S

 Frds no:
 3310031103
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: WARREN WELL 04 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 340427.2 Longitude: 1171643.2 Precision: 1 Status: AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

**RIVERSIDE** City: State: CA Zip: 92522 Zip ext: Not Reported Pop serv: 245000 Connection: 58586 **RIVERSIDE** Area serve: Finding: Sample date: 11-JAN-18 0.55 Chemical: RADIUM 226 MDA95 Report units: PCI/L DIr: Sample date: 11-JAN-18 4.9 Finding: **ARSENIC** Chemical: Report units: UG/L DIr: Sample date: 11-JAN-18 Finding: 8.0 Report units: Chemical: MG/L NITRATE (AS N) DIr: 0.4 Sample date: 11-JAN-18 0.93 Finding: Chemical: RADIUM 228 MDA95 Report units: PCI/L DIr: 0. Sample date: 27-DEC-17 Finding: 0.83 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 18-MAY-17 Finding: 2.5 CARBONATE ALKALINITY Chemical: Report units: MG/L DIr: 18-MAY-17 0.93 Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 0.79 Sample date: 18-MAY-17 Finding: Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4 18-MAY-17 Sample date: Finding: 12. AGGRSSIVE INDEX (CORROSIVITY) Report units: Chemical: Not Reported DIr: 18-MAY-17 Sample date: Finding: 0.66 LANGELIER INDEX @ 60 C Report units: Chemical: Not Reported Sample date: 18-MAY-17 Finding: 230. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: Sample date: 18-MAY-17 Finding: 1.7 URANIUM (PCI/L) PCI/L Chemical: Report units: DIr: Sample date: 18-MAY-17 0.34 Finding: Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 18-MAY-17 4.4 Finding: Chemical: **ARSENIC** Report units: UG/L DIr: Sample date: 18-MAY-17 Finding: 0.95

FLUORIDE (F) (NATURAL-SOURCE) MG/L Chemical: Report units: DIr: 18-MAY-17 Sample date: Finding: 41. Chemical: SULFATE Report units: MG/L DIr: 0.5 18-MAY-17 Sample date: Finding: 25. Chemical: **CHLORIDE** Report units: MG/L DIr: Sample date: 18-MAY-17 Finding: 1.6 Chemical: **POTASSIUM** Report units: MG/L DIr: 18-MAY-17 Finding: 70. Sample date: Chemical: SODIUM Report units: MG/L DIr: 0. 18-MAY-17 Finding: Sample date: 0.53 Chemical: **MAGNESIUM** Report units: MG/L DIr: 0. 18-MAY-17 Sample date: Finding: 13. Chemical: **CALCIUM** Report units: MG/L DIr: Sample date: 18-MAY-17 Finding: 35. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 18-MAY-17 Finding: 0.79 Chemical: NITRATE (AS N) Report units: MG/L Dlr: 0.4 380. Sample date: 18-MAY-17 Finding: SPECIFIC CONDUCTANCE US Chemical: Report units: DIr: 0. Sample date: 18-MAY-17 Finding: 8.5 Chemical: PH, LABORATORY Report units: Not Reported DIr: 0. 18-MAY-17 Sample date: Finding: 100. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L Sample date: 18-MAY-17 Finding: 120. **BICARBONATE ALKALINITY** Report units: Chemical: MG/L DIr: Finding: Sample date: 02-NOV-16 0.68 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 12-MAY-16 Finding: 2.7 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: 0. Sample date: 12-MAY-16 Finding: 0.58 Chemical: NITRATE (AS N) Report units: MG/L

DIr:

0.4

Sample date: Chemical: Dlr:	12-MAY-16 URANIUM (PCI/L) 1.	Finding: Report units:	1.7 PCI/L
Sample date: Chemical: Dlr:	12-MAY-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 NITRATE (AS N) 0.4	Finding: Report units:	0.56 MG/L
Sample date: Chemical: Dlr:	12-FEB-16 URANIUM (PCI/L) 1.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	12-FEB-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 NITRATE (AS N) 0.4	Finding: Report units:	0.58 MG/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.9 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 NITRATE (AS NO3) 2.	Finding: Report units:	2.6 MG/L
Sample date: Chemical: Dlr:	10-DEC-15 URANIUM (PCI/L) 1.	Finding: Report units:	1.5 PCI/L
Sample date: Chemical: Dlr:	10-DEC-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	27-AUG-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	27-AUG-15 GROSS ALPHA 3.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	27-AUG-15 URANIUM (PCI/L) 1.	Finding: Report units:	1.6 PCI/L
Sample date: Chemical: Dlr:	27-AUG-15 NITRATE (AS NO3) 2.	Finding: Report units:	2.5 MG/L
Sample date: Chemical:	27-AUG-15 GROSS ALPHA MDA95	Finding: Report units:	3. PCI/L

DIr: 0.

Sample date: 21-MAY-15 Finding: 3. Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 21-MAY-15 Finding: 2.8 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 21-MAY-15 Finding: 1.7 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 21-MAY-15 Finding: 2.6 Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 10-MAR-15 Finding: 2.6

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 10-MAR-15 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 10-MAR-15 Finding: 1.4

Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 06-AUG-14 Finding: 2.9

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr: 0.

Sample date: 06-AUG-14 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 06-AUG-14 Finding: 1.5

Chemical: URANIUM (PCI/L) Report units: PCI/L

Dir: 1.

 Sample date:
 06-AUG-14
 Finding:
 2.8

 Chemical:
 NITRATE (AS NO3)
 Report units:
 MG/L

Dir: 2. Report units: MG/L

Sample date: 15-MAY-14 Finding: 8.4

Chemical: PH, LABORATORY Report units: Not Reported

DIr: 0.

Sample date: 15-MAY-14 Finding: 78.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 15-MAY-14 Finding: 94.
Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dir: 0.

Sample date: 15-MAY-14 Finding: 29.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dir: 0.

Sample date: Chemical: Dlr:	15-MAY-14 CALCIUM 0.	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	15-MAY-14 MAGNESIUM 0.	Finding: Report units:	0.42 MG/L
Sample date: Chemical: Dlr:	15-MAY-14 SODIUM 0.	Finding: Report units:	69. MG/L
Sample date: Chemical: Dlr:	15-MAY-14 POTASSIUM 0.	Finding: Report units:	1.5 MG/L
Sample date: Chemical: Dlr:	15-MAY-14 CHLORIDE 0.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	15-MAY-14 SULFATE 0.5	Finding: Report units:	41. MG/L
Sample date: Chemical: Dlr:	15-MAY-14 ARSENIC 2.	Finding: Report units:	4.6 UG/L
Sample date: Chemical: Dlr:	15-MAY-14 GROSS ALPHA 3.	Finding: Report units:	3.6 PCI/L
Sample date: Chemical: Dlr:	15-MAY-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	15-MAY-14 URANIUM (PCI/L) 1.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	15-MAY-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	15-MAY-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	0.41 Not Reported
Sample date: Chemical: Dlr:	15-MAY-14 TURBIDITY, LABORATORY 0.1	Finding: Report units:	7.6e-002 NTU
Sample date: Chemical: Dlr:	15-MAY-14 RADON 222 COUNTING ERROR 0.	Finding: Report units:	22. PCI/L
Sample date: Chemical: Dlr:	15-MAY-14 RADON 222 100.	Finding: Report units:	660. PCI/L
Sample date: Chemical:	15-MAY-14 AGGRSSIVE INDEX (CORROSIVITY)	Finding: Report units:	12. Not Reported

DIr: 0.

Sample date: 15-MAY-14 Finding: 420. Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 15-MAY-14 Finding: 3. Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dlr: 0.

Sample date: 15-MAY-14 Finding: 380. Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr: 0.

Sample date: 15-MAY-14 Finding: 3. Chemical: COLOR Report units: UNITS

Dir: 0.

Sample date: 15-MAY-14 Finding: 0.149

Chemical: STRONTIUM - 90 COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 15-MAY-14 Finding: 0.94

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 21-MAR-14 Finding: 1.5 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 21-MAR-14 Finding: 2.8

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 21-MAR-14 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 19-SEP-13 Finding: 4.6
Chemical: ARSENIC Report units: UG/L

Chemical: ARSENIC Report units: UG/I
DIr: 2.

Sample date: 19-SEP-13 Finding: 220.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 19-SEP-13 Finding: 0.45
Chamical: LANGELIER INDEX @ 60 C Papert unite: Net Reported

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 19-SEP-13 Finding: 3.5

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 19-SEP-13 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0.

Sample date: 19-SEP-13 Finding: 800.
Chemical: NITRATE + NITRITE (AS N) Report units: MG//

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: Chemical: Dlr:	19-SEP-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	380. US
Sample date: Chemical: Dlr:	19-SEP-13 PH, LABORATORY 0.	Finding: Report units:	8.3 Not Reported
Sample date: Chemical: Dlr:	19-SEP-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	92. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	110. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	32. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 CALCIUM 0.	Finding: Report units:	12. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 MAGNESIUM 0.	Finding: Report units:	0.49 MG/L
Sample date: Chemical: Dlr:	19-SEP-13 SODIUM 0.	Finding: Report units:	68. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 POTASSIUM 0.	Finding: Report units:	1.7 MG/L
Sample date: Chemical: Dlr:	19-SEP-13 CHLORIDE 0.	Finding: Report units:	26. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 SULFATE 0.5	Finding: Report units:	38. MG/L
Sample date: Chemical: Dlr:	19-SEP-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.92 MG/L
Sample date: Chemical: Dlr:	12-SEP-13 SODIUM 0.	Finding: Report units:	67. MG/L
Sample date: Chemical: Dlr:	12-SEP-13 NITRATE (AS NO3) 2.	Finding: Report units:	3.6 MG/L
Sample date: Chemical: Dlr:	12-SEP-13 CALCIUM 0.	Finding: Report units:	12. MG/L
Sample date: Chemical:	12-SEP-13 HARDNESS (TOTAL) AS CACO3	Finding: Report units:	33. MG/L

DIr: 0.

Sample date: 12-SEP-13 Finding: 110. Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 12-SEP-13 Finding: 89. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 12-SEP-13 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 12-SEP-13 Finding: 380.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 12-SEP-13 Finding: 0.5
Chemical: MAGNESIUM Report units: MG/L

Dlr: 0.

Sample date: 12-SEP-13 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported Dir: 0.

Sample date: 12-SEP-13 Finding: 1.7 Chemical: POTASSIUM Report units: MG/L

Dir: 0.

Sample date: 12-SEP-13 Finding: 26.

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 12-SEP-13 Finding: 39.

Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 12-SEP-13 Finding: 0.85
Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

DIr: 0.1

Sample date: 12-SEP-13 Finding: 3.9
Chemical: ARSENIC Report units: UG/L

Dlr: 2.

Sample date: 12-SEP-13 Finding: 820.
Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dir: 0.4

Sample date: 12-SEP-13 Finding: 230.
Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dir: 0.

Sample date: 12-SEP-13 Finding: 0.15
Chemical: LANCELIER INDEX @ 60 C Paport units: Not Reported

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 13-AUG-13 Finding: 2.8
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L
DIr: 0.

Sample date: Chemical: Dlr:	13-AUG-13 URANIUM (PCI/L) 1.	Finding: Report units:	1.4 PCI/L
Sample date: Chemical: Dlr:	13-AUG-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	05-JUL-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	750. MG/L
Sample date: Chemical: Dlr:	05-JUL-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	12. Not Reported
Sample date: Chemical: Dlr:	05-JUL-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.17 NTU
Sample date: Chemical: Dlr:	05-JUL-13 NITRATE (AS NO3) 2.	Finding: Report units:	3.3 MG/L
Sample date: Chemical: Dlr:	05-JUL-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	230. MG/L
Sample date: Chemical: Dlr:	05-JUL-13 ARSENIC 2.	Finding: Report units:	4.1 UG/L
Sample date: Chemical: Dlr:	05-JUL-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.93 MG/L
Sample date: Chemical: Dlr:	05-JUL-13 SULFATE 0.5	Finding: Report units:	38. MG/L
Sample date: Chemical: Dlr:	05-JUL-13 CHLORIDE 0.	Finding: Report units:	25. MG/L
Sample date: Chemical: Dlr:	05-JUL-13 POTASSIUM 0.	Finding: Report units:	1.9 MG/L
Sample date: Chemical: Dlr:	05-JUL-13 SODIUM 0.	Finding: Report units:	78. MG/L
Sample date: Chemical: Dlr:	05-JUL-13 MAGNESIUM 0.	Finding: Report units:	0.55 MG/L
Sample date: Chemical: Dlr:	05-JUL-13 CALCIUM 0.	Finding: Report units:	14. MG/L
Sample date: Chemical:	05-JUL-13 HARDNESS (TOTAL) AS CACO3	Finding: Report units:	37. MG/L

Dlr: 0.

Sample date: 05-JUL-13 Finding: 110. **BICARBONATE ALKALINITY** Chemical: Report units: MG/L

DIr: 0.

Sample date: 05-JUL-13 Finding: 92. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr:

05-JUL-13 Sample date: Finding: 8.3

Chemical: PH, LABORATORY Report units: Not Reported

DIr:

Sample date: 05-JUL-13 370. Finding:

SPECIFIC CONDUCTANCE Chemical: Report units: US

05-JUL-13 Sample date: Finding: 0.52

LANGELIER INDEX @ 60 C Chemical: Report units: Not Reported

DIr:

05-JUN-13 Finding: Sample date: 5.9 **GROSS ALPHA** PCI/L Chemical: Report units:

DIr:

05-JUN-13 2.8 Sample date: Finding:

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 05-JUN-13 Finding: 1.6 Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 05-JUN-13 Finding: 3.2 Report units: MG/L

Chemical: NITRATE (AS NO3)

DIr:

05-JUN-13 Finding: Sample date: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 05-MAR-13 Finding: 3.2

**GROSS ALPHA** Report units: PCI/L Chemical: DIr:

05-MAR-13 Sample date: Finding: 2.5

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 05-MAR-13 Finding: 1.6

Chemical: URANIUM (PCI/L) PCI/L Report units:

DIr:

Sample date: 05-MAR-13 Finding: **GROSS ALPHA MDA95** PCI/L Chemical: Report units:

DIr: 0.

Sample date: 18-OCT-12 Finding: 2.4 **GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L

DIr:

18-OCT-12 Sample date:

Finding: Report units: Chemical: **GROSS ALPHA MDA95** PCI/L

DIr:

Sample date: 18-OCT-12 Finding: 1.5 PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: 04-OCT-12 3.3 Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 03-AUG-12 Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 03-AUG-12 Finding: 1.5 URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr:

Sample date: 03-AUG-12 2.4 Finding: Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L

DIr:

Finding: Sample date: 10-MAY-12 2.8 Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

AM201 **FED USGS** USGS40000140594

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W24E001S Well HUC: 18070203 Description: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Well Depth: Construction Date: Not Reported 527 Well Depth Units: Well Hole Depth: ft 527

Well Hole Depth Units: ft

**AL202 FED USGS** USGS40000140815 1/2 - 1 Mile

Higher

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center Monitor Location: 001S004W13F003S Type:

Well Description: HUC: 18070203 Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19260101 Well Depth: 120

Well Depth Units: ft Well Hole Depth: 123

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 2 Level reading date: 1951-03-15 Feet below surface: 42.79 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1926 Feet below surface: 28.00

Feet to sea level: Not Reported Note: Not Reported

AL203
ENE CA WELLS CAUSGSN00019038
1/2 - 1 Mile

1/2 - 1 Mile Higher

Well ID: USGS-340510117151801 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340510117151801 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340510117151801&store\_num=

GeoTracker Data: Not Reported

AM204
SE CA WELLS CAUSGSN00003868

1/2 - 1 Mile Higher

Well ID: USGS-340425117152201 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340425117152201 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340425117152201&store\_num=

GeoTracker Data: Not Reported

205
East CA WELLS CADWR0000015869

East 1/2 - 1 Mile Higher

Higher

Well ID: 01S04W13P001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13P001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13P001S&store\_num=

GeoTracker Data: Not Reported

 AN206
 Site ID:
 083601353T

 North
 Groundwater Flow:
 SSE

 1/2 - 1 Mile
 Shallow Water Depth:
 Not Reported

Shallow Water Depth: Not Reported Deep Water Depth: Not Reported Average Water Depth: 36.29

Average Water Depth: 36.29
Date: 03/25/1999

AQUIFLOW

52045

Map ID Direction Distance

Elevation Database EDR ID Number

AO207 Fast

CA WELLS CADWR0000012322

1/2 - 1 Mile Higher

Well ID: 01S04W13L001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13L001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13L001S&store\_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Higher

Well ID: 01S04W13L002S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13L002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W13L002S&store\_num=

GeoTracker Data: Not Reported

AK209
WSW
CA WELLS CADWR0000023183

1/2 - 1 Mile

Well ID: 01S04W22A001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W22A001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W22A001S&store\_num=

GeoTracker Data: Not Reported

AK210
WSW
CA WELLS CAUSGSN00016370

1/2 - 1 Mile Lower

Well ID: USGS-340433117164901 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340433117164901 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW\&s$ 

amp\_date=&global\_id=&assigned\_name=USGS-340433117164901&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

EDR ID Number Elevation Database

AP211 WSW 1/2 - 1 Mile Lower

**FED USGS** USGS40000140641

Not Reported

USGS40000140727

Organization ID: **USGS-CA** 

USGS California Water Science Center Organization Name:

Monitor Location: 001S004W22A001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: 19010101 Well Depth: 642 Well Depth Units: ft Well Hole Depth: 642

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1916-04-15 9 Level reading date:

Feet below surface: 86.30 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: Feet below surface: 1916-03-22 96.00

Feet to sea level: Not Reported Note: Not Reported

1916-02-24 Level reading date: Feet below surface: 93.90 Not Reported

Feet to sea level: Not Reported Note:

Level reading date: 1916-01-14 Feet below surface: 90.00 Not Reported

Feet to sea level: Not Reported Note:

Level reading date: Feet below surface: 86.50 1915-12-27

Feet to sea level: Not Reported Note:

Level reading date: 1915-11-29 Feet below surface: 66.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-09-13 Feet below surface: 54.70

Feet to sea level: Not Reported Note: Not Reported

1915-06-02 Feet below surface: Level reading date: 77.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-04-19 Feet below surface: 87.00

Feet to sea level: Not Reported Not Reported Note:

**FED USGS** 1/2 - 1 Mile Higher

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13P001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

California Coastal Basin aquifers Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 528 Well Depth Units: Well Hole Depth: 528

Well Hole Depth Units: ft

**AJ213 CA WELLS** CAUSGSN00015705

1/2 - 1 Mile Lower

> Well ID: USGS-340425117164401 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340425117164401 **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340425117164401&store\_num=

GeoTracker Data: Not Reported

AJ214 **FED USGS** USGS40000140595

1/2 - 1 Mile Lower

> Organization ID: **USGS-CA**

USGS California Water Science Center Organization Name:

Monitor Location: 001S004W22H002S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported Construction Date: 19480101 Well Depth: 1106

Well Depth Units: ft Well Hole Depth: 1106

Well Hole Depth Units: ft

Level reading date: Ground water levels, Number of Measurements: 296 1991-04-29 Feet below surface: Not Reported Feet to sea level: Not Reported

Note: The site was being pumped.

1969-11-28

Feet below surface: Level reading date: 1990-10-29 Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1990-04-17 Feet below surface: Not Reported

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1989-10-24 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1989-04-25 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1988-10-13 Feet below surface: Not Reported

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

Level reading date: 1970-03-31 Feet below surface: 50.50

Not Reported Feet to sea level: Not Reported Note:

Level reading date: Feet to sea level: Not Reported Note: Not Reported

42.10

Level reading date: 1969-01-03 Feet below surface: 144.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1968-05-05 Feet below surface: 61.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1967-11-30 Feet below surface: 65.90 Feet to sea level: Not Reported Note: Not Reported 72.00 Level reading date: 1967-05-05 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-04-01 Feet below surface: 67.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-03-10 Feet below surface: 72.00 Feet to sea level: Not Reported Not Reported Level reading date: 1967-02-03 Feet below surface: 54.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-01-06 Feet below surface: 59.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-12-16 Feet below surface: 68.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-11-11 Feet below surface: 83.00 Feet to sea level: Not Reported Note: Not Reported 1966-10-14 Feet below surface: Level reading date: 86.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-09-16 Feet below surface: 160.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-20 Feet below surface: 161.00 Feet to sea level: Note: The site was being pumped. Not Reported Level reading date: 1966-07-22 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1966-06-17 Level reading date: Feet below surface: 156.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-05-26 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-04-08 Feet below surface: 149.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-03-11 Feet below surface: 64.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-02-11 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1966-01-14 Feet below surface: 56.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1965-12-17 Level reading date: Feet below surface: 59.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1965-11-19	Feet below surface:	69.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-10-15	Feet below surface:	84.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-09-24	Feet below surface:	81.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-06-11	Feet below surface:	79.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-05-14	Feet below surface:	47.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-09	Feet below surface:	47.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-19	Feet below surface:	57.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-12	Feet below surface:	61.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-08	Feet below surface:	52.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-18	Feet below surface:	69.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-04	Feet below surface:	58.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-12	Feet below surface:	90.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-02	Feet below surface:	69.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-09-11	Feet below surface:	150.30
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-08-14	Feet below surface:	149.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-07-10	Feet below surface:	147.00
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-06-19	Feet below surface:	143.00
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-05-15	Feet below surface:	135.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-05-01	Feet below surface:	137.60
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-04-10	Feet below surface:	132.60
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-03-13	Feet below surface:	139.60
Feet to sea level:	Not Reported	Note:	The site was being pumped.

Level reading date: 1964-02-14 Feet below surface: 136.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-01-10 Feet below surface: 140.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-12-13 Feet below surface: 138.30 Feet to sea level: Not Reported Note: The site was being pumped. 1963-11-29 Level reading date: Feet below surface: 137.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-11-15 Feet below surface: 51.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-01 Feet below surface: 137.30 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1963-10-18 Feet below surface: 59.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-04 Feet below surface: 52.60 Feet to sea level: Not Reported Note: Not Reported 1963-09-13 Level reading date: Feet below surface: 140.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-30 Feet below surface: 142.60 Feet to sea level: Not Reported Note: The site was being pumped. 1963-08-16 Feet below surface: Level reading date: 138.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-01 Feet below surface: 137.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-07-12 Feet below surface: 138.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-06-21 Feet below surface: 132.80 Feet to sea level: Not Reported Note: The site was being pumped. 1963-06-07 Level reading date: Feet below surface: 134.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-05-24 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-05-10 Feet below surface: 132.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-04-26 Feet below surface: 36.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-03-15 Feet below surface: Level reading date: 129.80 Feet to sea level: Not Reported Note: The site was being pumped. 1963-03-01 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1963-02-08 Feet below surface: 130.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-01-26 Feet below surface: 117.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-12-21 Feet below surface: 118.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-12-08 Level reading date: Feet below surface: 132.40 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-11-23 Feet below surface: 130.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-11-09 Feet below surface: 132.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1962-10-26 Feet below surface: 136.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-10-12 Feet below surface: 132.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-09-28 Level reading date: Feet below surface: 49.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-09-14 Feet below surface: 128.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-08-31 Feet below surface: Level reading date: 129.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-08-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-08-03 Feet below surface: 129.70 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-07-20 Feet below surface: 130.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-06-29 Level reading date: Feet below surface: 138.80 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-06-15 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-06-01 Feet below surface: 123.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-05-18 Feet below surface: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-05-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-04-13 Feet below surface: Level reading date: 138.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-03-30 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1962-03-16 Feet below surface: 126.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-03-02 Feet below surface: 10.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1962-02-22 Feet below surface: 10.80 Feet to sea level: Not Reported Note: Not Reported 1962-02-02 Level reading date: Feet below surface: 126.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-01-05 Feet below surface: 116.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1961-12-08 Feet below surface: 19.30 Feet to sea level: Not Reported Not Reported Level reading date: 1961-11-17 Feet below surface: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-11-03 Feet below surface: 127.80 Feet to sea level: Not Reported Note: The site was being pumped. 1961-10-13 Feet below surface: Level reading date: 133.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-09-15 Feet below surface: Level reading date: 136.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-01 Feet below surface: 136.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-18 Feet below surface: 134.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-08-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-07-14 Level reading date: Feet below surface: 134.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-06-30 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-06-16 Feet below surface: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-06-02 Feet below surface: 126.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-05-12 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-05-05 Feet below surface: 22.80 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1961-04-14 Level reading date: Feet below surface: 121.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-03-31 Feet below surface: 13.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-16 Feet below surface: 17.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-03-03 Feet below surface: 121.80 Feet to sea level: Not Reported Note: The site was being pumped. 1961-02-17 Level reading date: Feet below surface: 118.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-02-02 Feet below surface: 118.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1961-01-20 Feet below surface: 122.40 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1961-01-06 Feet below surface: 123.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-12-23 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-11-25 Level reading date: Feet below surface: 122.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-11-11 Feet below surface: 8.40 Feet to sea level: Not Reported Note: Not Reported 1960-10-28 Feet below surface: Level reading date: 126.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-10-14 Feet below surface: 123.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-09-30 Feet below surface: 30.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-09-14 Feet below surface: 121.70 Feet to sea level: Not Reported Note: The site was being pumped. 1960-09-02 Level reading date: Feet below surface: 127.10 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1960-08-19 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-08-05 Feet below surface: 128.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-07-15 Feet below surface: 127.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-07-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-06-24 Feet below surface: Level reading date: 120.10 Feet to sea level: Not Reported Note: The site was being pumped. 1960-06-10 Level reading date: Feet below surface: 122.60 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-05-27 Feet below surface: 124.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-05-20 Feet below surface: 122.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-04-29 Feet below surface: 123.10 Feet to sea level: Not Reported Note: The site was being pumped. 1960-04-15 Level reading date: Feet below surface: 123.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-01 Feet below surface: 125.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-03-18 Feet below surface: 115.30 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-12-18 Feet below surface: 127.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-12-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-11-13 Level reading date: Feet below surface: 126.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-11-02 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-10-19 Feet below surface: Level reading date: 127.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-10-02 Feet below surface: 120.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-09-25 Feet below surface: 20.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-09-11 Feet below surface: 119.80 Feet to sea level: Not Reported Note: The site was being pumped. 1959-09-04 Level reading date: Feet below surface: 122.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-28 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-08-21 Feet below surface: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-14 Feet below surface: 126.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-31 Feet below surface: Level reading date: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-24 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-07-17 Feet below surface: 126.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-03 Feet below surface: 125.10 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1959-06-26 Feet below surface: 122.80 Feet to sea level: Not Reported Note: The site was being pumped. 1959-06-19 Level reading date: Feet below surface: 125.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-12 Feet below surface: 122.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-06-05 Feet below surface: 121.10 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-05-22 Feet below surface: 116.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-15 Feet below surface: 115.70 Feet to sea level: Not Reported Note: The site was being pumped. 1959-05-01 117.10 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-04-24 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-04-17 Level reading date: Feet below surface: 118.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-04-10 Feet below surface: 109.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-03-27 Feet below surface: 112.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-03-13 Feet below surface: 97.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-02-20 Feet below surface: 100.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-02-06 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-01-23 Feet below surface: 109.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-01-02 Feet below surface: 110.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-12-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-12-05 Feet below surface: Level reading date: 117.10 Feet to sea level: Not Reported Note: The site was being pumped. 1958-11-21 Level reading date: Feet below surface: 115.40 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-11-07 Feet below surface: 118.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-24 Feet below surface: 5.10 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-10-17 Feet below surface: 114.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-10 Feet below surface: 121.80 The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1958-10-03 Feet below surface: 119.40 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-09-26 Feet below surface: 118.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-09-19 Feet below surface: 122.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-09-05 124.80 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-22 Level reading date: Feet below surface: 122.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-16 Feet below surface: 16.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-08-08 Feet below surface: 120.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-08-01 Feet below surface: 119.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-25 Feet below surface: 121.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-18 Feet below surface: The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1958-07-11 Feet below surface: 117.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-04 Feet below surface: 119.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-27 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-06-20 Feet below surface: Level reading date: 117.80 Feet to sea level: Not Reported Note: The site was being pumped.

1958-06-13

Not Reported

Level reading date:

Feet to sea level:

The site was being pumped.

Feet below surface:

Note:

1958-06-06 Level reading date: Feet below surface: 117.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-30 Feet below surface: 117.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-05-23 Feet below surface: 118.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-16 Feet below surface: 120.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-05-09 Feet below surface: 113.30 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1958-04-25 Feet below surface: 106.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-04-10 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-29 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported 1958-03-18 Level reading date: Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-03-14 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported 1958-02-21 Level reading date: Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported 1958-02-07 Feet below surface: Level reading date: 107.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-01-24 Feet below surface: 108.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-01-13 Feet below surface: 108.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-12-27 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-12-13 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-29 117.10 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-11-15 Level reading date: Feet below surface: 62.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-11-01 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-10-18 Feet below surface: Level reading date: 62.80 Feet to sea level: Not Reported Note: Not Reported

1957-10-04

Not Reported

Level reading date:

Feet to sea level:

125.80

The site was being pumped.

Feet below surface:

Note:

1957-09-28 125.30 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-20 Feet below surface: 124.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1957-09-13 Feet below surface: 124.30 Feet to sea level: Not Reported Note: The site was being pumped. 1957-09-06 Level reading date: Feet below surface: 126.30 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1957-08-30 Feet below surface: 127.30 Not Reported Feet to sea level: Note: The site was being pumped. 1957-08-25 Feet below surface: 29.80 Level reading date: Feet to sea level: Not Reported Not Reported Level reading date: 1957-08-23 Feet below surface: 127.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-16 Feet below surface: 126.30 Feet to sea level: Not Reported Note: The site was being pumped. 1957-08-09 Level reading date: Feet below surface: 126.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-02 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1957-07-26 Level reading date: Feet below surface: 126.30 Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-19 Feet below surface: Level reading date: 125.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-12 Feet below surface: 124.30 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-07-05 Feet below surface: 124.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-29 Feet below surface: 107.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-28 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-21 52.60 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1957-06-12 Level reading date: Feet below surface: 117.10 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-05-25 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-05-10 Level reading date: Feet below surface: 113.60 Feet to sea level: Not Reported Note: The site was being pumped.

1957-05-01

Not Reported

Level reading date:

Feet to sea level:

The site was being pumped.

Feet below surface:

Note:

1957-04-26 108.60 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-04-12 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1957-04-01 Feet below surface: 106.40 Feet to sea level: Not Reported Note: The site was being pumped. 1957-01-04 Level reading date: Feet below surface: 118.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-12-14 Feet below surface: 117.30 Not Reported Feet to sea level: Note: The site was being pumped. 1956-11-30 Feet below surface: 120.80 Level reading date: Feet to sea level: Not Reported The site was being pumped. 1956-11-16 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-11-02 Feet below surface: 121.10 Feet to sea level: Not Reported Note: The site was being pumped. 1956-10-19 Level reading date: Feet below surface: 121.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-05 Feet below surface: 2.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1956-09-21 Feet below surface: 121.10 Feet to sea level: Not Reported Note: The site was being pumped. 1956-09-07 Feet below surface: Level reading date: 119.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-08-24 Feet below surface: 120.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-08-10 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-07-27 Feet below surface: 90.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-07-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-06-29 Feet below surface: 114.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-06-15 Feet below surface: 115.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-06-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1953-06-02 7.90 Feet to sea level: Not Reported Note: The site was being pumped. 1953-05-01 Level reading date: Feet below surface: 57.60

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1953-04-01 Feet below surface: 11.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1953-03-02 Feet below surface: 62.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1953-02-02 Feet below surface: 25.20 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1953-01-05 Feet below surface: 69.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-12-01 Feet below surface: 62.20 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-09-02 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1952-08-01 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1952-07-02 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1952-06-04 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1952-05-01 Feet below surface: 69.10
Feet to sea level: Not Reported Note: Not Reported

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-04-01 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1952-03-03 Feet below surface: 62.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-02-01 Feet below surface: 67.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1952-01-02 Feet below surface: 57.60 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1951-12-03 Feet below surface: 4.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-11-01 Feet below surface: 4.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-10-01 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-09-18 Feet below surface: 5.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-08-01 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-07-02 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-06-01 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-05-01 Feet below surface: 63.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1951-04-02 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1951-03-01 Feet below surface: 71.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1951-02-01 Feet below surface: 73.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1951-01-02 Feet below surface: 64.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1950-12-01 Feet below surface: 69.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1950-11-01 Feet below surface: 7.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-10-02 Feet below surface: 7.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-09-01 Feet below surface: 7.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-08-01 Feet below surface: 50.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1950-07-14 Feet below surface: 9.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-06-01 Feet below surface: 10.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-05-01 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-04-14 Feet below surface: 6.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1950-03-01 Feet below surface: 91.00 Feet to sea level: Not Reported Note: Not Reported

AJ215 SW 1/2 - 1 Mile Lower

CA WELLS CADDW0000004249

Well ID: 3310031-103 Well Type: MUNICIPAL

Source: Department of Health Services
Other Name: WARREN WELL 04 - DESTROYED

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-103&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

AJ216 SW

**CA WELLS** CADWR0000010293

1/2 - 1 Mile Lower

> Well ID: 01S04W22H002S Well Type: UNK

Source: Department of Water Resources

01S04W22H002S GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W22H002S&store\_num=

GeoTracker Data: Not Reported

217 **CA WELLS** CADWR0000009889

1/2 - 1 Mile Higher

> Well ID: 01S04W24E001S Well Type: UNK

Source: Department of Water Resources

GAMA PFAS Testing: Other Name: 01S04W24E001S Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W24E001S&store\_num=

GeoTracker Data: Not Reported

**FED USGS** USGS40000140604

1/2 - 1 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center 001S004W24F001S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers

Formation Type: Not Reported Not Reported Aquifer Type:

Construction Date: Not Reported Well Depth: 531 Well Depth Units: ft Well Hole Depth: 531

Well Hole Depth Units: ft

**AQ219 CA WELLS** CADWR0000034974

1/2 - 1 Mile Higher

> Well ID: 01S04W13D005S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W13D005S **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global id=&assigned name=01S04W13D005S&store num=

GeoTracker Data: Not Reported

Map ID Direction Distance

EDR ID Number Elevation Database

220 North 1/2 - 1 Mile Higher

**FED USGS** USGS40000140917

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center

001S004W11Q001S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19290101 Well Depth: 174 Well Depth Units: ft Well Hole Depth: 188

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1965-02-12 214 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported

Note: An obstruction was encountered in the well above the water surface (no water level recorded).

Level reading date: 1964-08-13 Feet below surface: 103.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1964-04-07 Feet below surface: 94.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1964-02-27 Feet below surface: 94.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-11-29 Feet below surface: 94.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-10-11 Feet below surface: 94.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-08-02 Feet below surface: 92.50

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: Level reading date: 1963-03-21 87.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1963-01-17 Feet below surface: 88.50

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1962-10-05 Feet below surface: 84.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1962-06-15 Feet below surface: 77.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1962-03-13 Feet below surface: 74.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1961-12-15 Feet below surface: 79.50

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1961-09-21 Feet below surface: 77.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1961-06-15	Feet below surface:	77.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1961-03-07	Feet below surface:	68.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-12-09	Feet below surface:	68.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-09-27	Feet below surface:	72.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1960-03-15	Feet below surface:	48.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-12-17	Feet below surface:	62.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-09-10	Feet below surface:	60.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1959-01-16	Feet below surface:	50.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-05-16	Feet below surface:	47.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-03-14	Feet below surface:	43.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1958-01-22	Feet below surface:	49.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-11-27	Feet below surface:	53.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-09-26	Feet below surface:	57.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-12-19	Feet below surface:	49.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-10-26	Feet below surface:	50.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-09-13	Feet below surface:	50.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-07-26	Feet below surface:	45.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-06-11	Feet below surface:	43.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-04-19	Feet below surface:	37.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-03-06	Feet below surface:	29.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1956-01-11	Feet below surface:	42.60
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1955-11-16	Feet below surface:	43.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-09-29	Feet below surface:	44.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-08-16	Feet below surface:	43.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-05-13	Feet below surface:	34.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-03-30	Feet below surface:	30.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1955-01-31	Feet below surface:	23.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-12-17	Feet below surface:	25.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-10-22	Feet below surface:	40.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-07-23	Feet below surface:	38.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-04-29	Feet below surface:	26.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-03-18	Feet below surface:	22.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1954-02-04	Feet below surface:	22.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-12-22	Feet below surface:	33.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-11-12	Feet below surface:	35.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-10-06	Feet below surface:	36.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1953-07-09	Feet below surface:	32.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-05-09	Feet below surface:	10.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1952-03-20	Feet below surface:	9.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-12-04	Feet below surface:	27.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-10-01	Feet below surface:	27.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-03-10	Feet below surface:	17.70
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1950-11-07 Feet below surface: 28.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1950-04-25 Feet below surface: 18.70 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1950-02-21 Feet below surface: 5.10 Feet to sea level: Not Reported Note: Not Reported 21.20 Level reading date: 1949-12-13 Feet below surface: Not Reported Not Reported Feet to sea level: Note: Level reading date: 1949-09-12 Feet below surface: 48.60 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1949-04-25 Feet below surface: 15.90 Feet to sea level: Not Reported Not Reported Level reading date: 1949-02-08 Feet below surface: 3.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1948-11-10 Feet below surface: 15.70 Feet to sea level: Not Reported Note: Not Reported 1948-06-29 Feet below surface: Level reading date: 15.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1948-04-06 Feet below surface: 8.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1947-12-31 Feet below surface: 7.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1947-09-16 Feet below surface: 15.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1947-06-12 Feet below surface: 12.90 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1947-03-26 Feet below surface: 9.10 Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1946-12-13 0.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-08-29 Feet below surface: 14.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1946-05-29 Feet below surface: 11.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-03-25 Feet below surface: 9.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1946-01-17 Feet below surface: 3.10 Feet to sea level: Not Reported Note: Not Reported 1945-10-19 Feet below surface: 10.60 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1945-08-13 Level reading date: Feet below surface: 13.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1945-06-08	Feet below surface:	9.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1945-01-25	Feet below surface:	4.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-11-16	Feet below surface:	2.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-09-27	Feet below surface:	12.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-08-04	Feet below surface:	13.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-06-21	Feet below surface:	10.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-05-05	Feet below surface:	5.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-01-03	Feet below surface:	0.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-11-09	Feet below surface:	9.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-09-20	Feet below surface:	12.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-08-06	Feet below surface:	12.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-06-07	Feet below surface:	7.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-04-27	Feet below surface:	1.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-02-05	Feet below surface:	0.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-12-21	Feet below surface:	8.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-02-17	Feet below surface:	5.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-11-13	Feet below surface:	1.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-09-29	Feet below surface:	9.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-08-25	Feet below surface:	9.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-07-15	Feet below surface:	8.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-06-02	Feet below surface:	3.10
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1941-01-22	Feet below surface:	0.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-12-06	Feet below surface:	9.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-10-25	Feet below surface:	13.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-09-26	Feet below surface:	15.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-08-27	Feet below surface:	15.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-07-22	Feet below surface:	15.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-06-27	Feet below surface:	12.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-05-23	Feet below surface:	10.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-04-23	Feet below surface:	8.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-03-21	Feet below surface:	6.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-02-23	Feet below surface:	0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-01-25	Feet below surface:	1.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-12-28	Feet below surface:	7.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-11-30	Feet below surface:	10.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-10-25	Feet below surface:	11.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-09-28	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-08-30	Feet below surface:	13.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-07-31	Feet below surface:	12.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-07-01	Feet below surface:	12.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-05-23	Feet below surface:	10.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-04-25	Feet below surface:	5.60
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1939-03-23	Feet below surface:	5.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date: Feet to sea level:	1939-01-23 Not Reported	Feet below surface: Note:	0.60 Not Reported
Level reading date: Feet to sea level:	1939-01-04 Not Reported	Feet below surface: Note:	1.10 Not Reported
Level reading date:	1938-12-27	Feet below surface:	1.90
Feet to sea level:  Level reading date:	Not Reported 1938-11-30	Note: Feet below surface:	Not Reported 10.10
Feet to sea level:	Not Reported 1938-11-07	Note: Feet below surface:	Not Reported
Level reading date: Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-10-24	Feet below surface:	10.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-09-27	Feet below surface:	11.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-08-30	Feet below surface:	11.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-07-26	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-06-24	Feet below surface:	5.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-06-01	Feet below surface:	4.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-04-28	Feet below surface:	9.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-03-31	Feet below surface:	1.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-02-24	Feet below surface:	3.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-01-26	Feet below surface:	7.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-12-28	Feet below surface:	5.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-10-26	Feet below surface:	16.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-09-27	Feet below surface:	16.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-09-02	Feet below surface:	10.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-08-02	Feet below surface:	16.60
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1937-08-01	Feet below surface:	9.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-07-02	Feet below surface:	14.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-04-07	Feet below surface:	4.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-03-04	Feet below surface:	6.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-01-30	Feet below surface:	9.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-01-04	Feet below surface:	10.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-12-02	Feet below surface:	19.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-11-02	Feet below surface:	13.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-10-01	Feet below surface:	25.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-09-02	Feet below surface:	25.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-06-02	Feet below surface:	22.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-04-30	Feet below surface:	18.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-03-30	Feet below surface:	16.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-03-02	Feet below surface:	8.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-02-04	Feet below surface:	13.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-01-02	Feet below surface:	15.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-12-02	Feet below surface:	20.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-10-31	Feet below surface:	22.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-10-02	Feet below surface:	23.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-09-03	Feet below surface:	22.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-08-02	Feet below surface:	23.60
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1935-06-01	Feet below surface:	18.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-05-08	Feet below surface:	16.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-04-09	Feet below surface:	7.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-03-13	Feet below surface:	6.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-02-11	Feet below surface:	7.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-01-16	Feet below surface:	8.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-11-05	Feet below surface:	18.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-09-04	Feet below surface:	23.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-07-31	Feet below surface:	23.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-06-28	Feet below surface:	20.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-06-06	Feet below surface:	19.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-05-09	Feet below surface:	18.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-04-06	Feet below surface:	18.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-03-05	Feet below surface:	5.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-02-07	Feet below surface:	9.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-01-03	Feet below surface:	6.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-11-07	Feet below surface:	17.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-10-05	Feet below surface:	18.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-09-06	Feet below surface:	18.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-08-05	Feet below surface:	19.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-07-07	Feet below surface:	17.40
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1933-06-12	Feet below surface:	17.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-10-03	Feet below surface:	20.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-26	Feet below surface:	20.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-18	Feet below surface:	18.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-11	Feet below surface:	18.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-10	Feet below surface:	17.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-09	Feet below surface:	17.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-08	Feet below surface:	17.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-07	Feet below surface:	17.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-06	Feet below surface:	17.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-05	Feet below surface:	18.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-04	Feet below surface:	16.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-03	Feet below surface:	15.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-01	Feet below surface:	14.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-31	Feet below surface:	11.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-29	Feet below surface:	20.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-28	Feet below surface:	21.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-27	Feet below surface:	21.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-26	Feet below surface:	20.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-25	Feet below surface:	22.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-22	Feet below surface:	20.30
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1931-08-21 Feet below surface: 21.80
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-19 Feet below surface: 20.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-14 Feet below surface: 20.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-13 Feet below surface: 20.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-12 Feet below surface: 21.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-11 Feet below surface: 21.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-07 Feet below surface: 19.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-04 Feet below surface: 21.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-08-03 Feet below surface: 20.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-07-30 Feet below surface: 63.30

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1931-07-29 Feet below surface: 20.30

Feet to sea level: Not Reported Note: The site was being pumped.

1/2 - 1 Mile Higher

Well ID: 01S04W23H001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23H001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23H001S&store\_num=

GeoTracker Data: Not Reported

AN222
North CA WELLS CADWR9000006754

1/2 - 1 Mile Higher

State Well #: 01S04W11Q001S Station ID: 26796

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

AP223 WSW

1/2 - 1 Mile Lower

> State Well #: 01S04W22A001S Station ID: 4252

Well Name: Not Reported San Bernardino Basin Name: Well Use: Unknown Well Type: Unknown Well Depth: 0 Well Completion Rpt #: Not Reported

**AR224** SW **CA WELLS** CADDW0000017993

1/2 - 1 Mile Lower

> 3310031-102 MUNICIPAL Well ID: Well Type:

Source: Department of Health Services

Other Name: WARREN WELL 03 - INACTIVE GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-102&store\_num=

GeoTracker Data: Not Reported

**AS225** 

South 1/2 - 1 Mile Higher

> Well ID: 01S04W23K002S UNK Well Type:

Source: Department of Water Resources

Other Name: 01S04W23K002S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23K002S&store\_num=

GeoTracker Data: Not Reported

**AS226 CA WELLS** CADWR0000002738 South 1/2 - 1 Mile

Higher

Well ID: 01S04W23K001S Well Type: UNK

Source: Department of Water Resources

Other Name: 01S04W23K001S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W23K001S&store\_num=

GeoTracker Data: Not Reported **CA WELLS** 

**CA WELLS** 

CADWR9000006649

CADWR0000000464

Map ID Direction Distance

Elevation Database EDR ID Number

AR227 SW

CA WELLS CAUSGSN00008406

1/2 - 1 Mile Lower

Well ID: USGS-340421117164401 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340421117164401 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340421117164401&store\_num=

GeoTracker Data: Not Reported

AR228 SW FED USGS USGS40000140562 1/2 - 1 Mile

1/2 - 1 N Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W22H003S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19480101 Well Depth: 861
Well Depth Units: ft Well Hole Depth: 861

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 303 Level reading date: 1970-03-31

Feet below surface: 82.80 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-28 Feet below surface: 110.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-03 Feet below surface: 114.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1968-05-03 Feet below surface: 102.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-11-30 Feet below surface: 97.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-09-08 Feet below surface: 128.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-08-04 Feet below surface: 117.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-07-07 Feet below surface: 107.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-06-02 Feet below surface: 95.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1967-05-05	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-04-07	Feet below surface:	90.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-03-03	Feet below surface:	96.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-02-03	Feet below surface:	82.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1967-01-06	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-12-02	Feet below surface:	104.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-11-04	Feet below surface:	114.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-10-07	Feet below surface:	110.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-09-23	Feet below surface:	119.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-08-26	Feet below surface:	120.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-07-29	Feet below surface:	122.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-06-03	Feet below surface:	90.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-05-06	Feet below surface:	99.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-04-15	Feet below surface:	99.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-03-18	Feet below surface:	87.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-02-18	Feet below surface:	81.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1966-01-14	Feet below surface:	87.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-12-24	Feet below surface:	88.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-11-19	Feet below surface:	93.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-10-22	Feet below surface:	103.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-09-03	Feet below surface:	113.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1965-06-11	Feet below surface:	96.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-05-14	Feet below surface:	78.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-16	Feet below surface:	78.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-04-02	Feet below surface:	83.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-19	Feet below surface:	81.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-03-05	Feet below surface:	89.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-19	Feet below surface:	92.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-02-05	Feet below surface:	91.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-15	Feet below surface:	83.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1965-01-02	Feet below surface:	85.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-18	Feet below surface:	89.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-12-04	Feet below surface:	89.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-20	Feet below surface:	87.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-11-04	Feet below surface:	97.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-10-23	Feet below surface:	96.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-09-25	Feet below surface:	109.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-09-11	Feet below surface:	111.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-08-28	Feet below surface:	107.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-08-14	Feet below surface:	107.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1964-07-17	Feet below surface:	180.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1964-06-19	Feet below surface:	176.00
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1964-05-15 Feet below surface: 171.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-05-01 Feet below surface: 84.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1964-04-10 Feet below surface: 74.00 Feet to sea level: Not Reported Note: Not Reported 1964-03-13 82.00 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-02-14 Feet below surface: 76.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-01-10 Feet below surface: 84.30 Feet to sea level: Not Reported Not Reported Level reading date: 1963-12-13 Feet below surface: 87.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-29 Feet below surface: 75.00 Feet to sea level: Not Reported Note: Not Reported 1963-11-15 Feet below surface: Level reading date: 85.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-01 Feet below surface: 85.30 Feet to sea level: Not Reported Note: Not Reported 1963-10-18 Feet below surface: Level reading date: 86.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-04 Feet below surface: 79.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-09-13 Feet below surface: 175.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-08-30 Feet below surface: 177.30 Feet to sea level: Not Reported Note: The site was being pumped. 1963-08-16 Level reading date: Feet below surface: 176.60 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1963-08-01 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-07-12 Feet below surface: 173.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-06-21 Feet below surface: 82.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-06-07 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1963-05-24 Feet below surface: 76.60 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1963-05-10 Level reading date: Feet below surface: 76.00

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1963-04-26 Feet below surface: 68.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-29 Feet below surface: 60.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1963-03-15 Feet below surface: 70.60 Feet to sea level: Not Reported Note: Not Reported 1963-03-01 Level reading date: Feet below surface: 66.90 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1963-02-08 Feet below surface: 84.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-01-26 Feet below surface: 77.00 Feet to sea level: Not Reported Not Reported Level reading date: 1962-12-21 Feet below surface: 75.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-12-08 Feet below surface: 72.00 Feet to sea level: Not Reported Note: Not Reported 1962-11-23 Level reading date: Feet below surface: 70.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-11-09 Feet below surface: 162.30 Feet to sea level: Not Reported Note: The site was being pumped. 1962-10-26 Feet below surface: Level reading date: 163.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: Feet below surface: 1962-10-12 164.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-09-28 Feet below surface: 76.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1962-09-14 Feet below surface: 166.00 Feet to sea level: Not Reported Note: The site was being pumped. 1962-08-31 Level reading date: Feet below surface: 164.60 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-08-17 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-08-03 Feet below surface: 165.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-07-20 Feet below surface: 79.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-06-29 Feet below surface: 75.50 Feet to sea level: Not Reported Note: Not Reported 1962-06-15 Feet below surface: 68.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1962-06-01 Level reading date: Feet below surface: 68.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1962-05-18 Feet below surface: 63.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-05-04 Feet below surface: 160.50 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-04-13 Feet below surface: 163.00 Feet to sea level: Not Reported Note: The site was being pumped. 1962-03-30 Level reading date: Feet below surface: 39.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-16 Feet below surface: 41.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-02 Feet below surface: 45.30 Feet to sea level: Not Reported Not Reported Level reading date: 1962-02-22 Feet below surface: 46.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-02-02 Feet below surface: 158.00 Feet to sea level: Not Reported Note: The site was being pumped. 1962-01-05 Feet below surface: Level reading date: 60.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-12-08 Feet below surface: 59.00 Feet to sea level: Not Reported Note: Not Reported 1961-11-17 Feet below surface: Level reading date: 73.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-03 Feet below surface: 75.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-10-13 Feet below surface: 162.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-15 Feet below surface: 163.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-09-01 Feet below surface: 80.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-08-18 Feet below surface: 167.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-04 Feet below surface: 79.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-07-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1961-06-30 Feet below surface: 83.50 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1961-06-16 Level reading date: Feet below surface: 168.00

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date: 1961-06-02 Feet below surface: 65.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-05-12 Feet below surface: 63.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-05-05 Feet below surface: 62.00 Feet to sea level: Not Reported Note: Not Reported 1961-04-14 Level reading date: Feet below surface: 60.60 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1961-03-31 Feet below surface: 54.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-03-16 Feet below surface: 57.60 Feet to sea level: Not Reported Not Reported Level reading date: 1961-03-03 Feet below surface: 165.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-02-17 Feet below surface: 60.00 Feet to sea level: Not Reported Note: Not Reported 1961-02-02 Feet below surface: 49.60 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-01-20 Feet below surface: 165.00 Feet to sea level: Not Reported Note: The site was being pumped. 1961-01-06 Feet below surface: Level reading date: 58.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 1960-12-23 61.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-11-25 Feet below surface: 55.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-11-11 Feet below surface: 50.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-10-28 Feet below surface: 61.60 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1960-10-14 Feet below surface: 59.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-09-30 Feet below surface: 59.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-09-14 Feet below surface: 68.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-09-02 Feet below surface: 62.90 Feet to sea level: Not Reported Note: Not Reported 1960-08-19 Feet below surface: 160.00 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. 1960-08-05 Level reading date: Feet below surface:

Note:

Feet to sea level:

Not Reported

The site was being pumped.

Level reading date: 1960-07-15 Feet below surface: 161.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-07-01 Feet below surface: 158.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1960-06-24 Feet below surface: 151.00 Feet to sea level: Not Reported Note: The site was being pumped. 1960-06-10 Level reading date: Feet below surface: 53.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-05-27 Feet below surface: 163.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-05-20 Feet below surface: 158.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-04-29 Feet below surface: 39.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-04-15 Feet below surface: 165.00 Feet to sea level: Not Reported Note: The site was being pumped. 1960-04-01 Feet below surface: Level reading date: 160.00 Feet to sea level: Not Reported Note: The site was being pumped. 1960-03-18 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-03-04 Feet below surface: Level reading date: 16.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-02-19 Feet below surface: 22.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-01-29 Feet below surface: 25.50 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1960-01-15 Feet below surface: 29.00 Feet to sea level: Not Reported Note: Not Reported 1960-01-03 Level reading date: Feet below surface: 38.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1959-12-18 Feet below surface: 56.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-12-04 Feet below surface: 58.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-13 Feet below surface: 57.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-11-02 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1959-10-19 Feet below surface: 61.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1959-10-02 Level reading date: Feet below surface: 53.00

Note:

Feet to sea level:

Not Reported

Not Reported

Feet below surface:

55.30

1959-09-25

1959-05-15

1959-05-01

1959-04-24

Not Reported

Not Reported

Not Reported

Level reading date:

Level reading date:

Level reading date: Feet to sea level:

Level reading date:

Feet to sea level:

Feet to sea level:

Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-09-18 Feet below surface: 54.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-09-11 Feet below surface: 154.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-09-04 Level reading date: Feet below surface: 156.00 The site was being pumped. Feet to sea level: Not Reported Note: Level reading date: 1959-08-28 Feet below surface: 156.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-08-21 Feet below surface: 158.80 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-08-14 Feet below surface: 159.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-31 Level reading date: Feet below surface: 159.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-24 Level reading date: Feet below surface: 159.00 Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-17 Feet below surface: Level reading date: 159.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-10 Feet below surface: 159.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-03 Feet below surface: 158.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-06-26 Feet below surface: 51.60 Feet to sea level: Not Reported Note: Not Reported 1959-06-19 Level reading date: Feet below surface: 157.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-12 Feet below surface: 154.60 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-06-05 Feet below surface: 50.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-05-22 Feet below surface: 152.00 Feet to sea level: Not Reported Note: The site was being pumped.

43.30

46.30

Not Reported

Not Reported

The site was being pumped.

Feet below surface:

Feet below surface:

Feet below surface:

Note:

Note:

Note:

Level reading date: 1959-04-17 Feet below surface: 39.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-04-10 Feet below surface: 40.90 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1959-03-27 Feet below surface: 36.60 Feet to sea level: Not Reported Note: Not Reported 1959-03-13 Level reading date: Feet below surface: 17.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-02-20 Feet below surface: 20.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-02-06 Feet below surface: 41.90 Feet to sea level: Not Reported Not Reported Level reading date: 1959-01-23 Feet below surface: 33.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1959-01-02 Feet below surface: 38.60 Feet to sea level: Not Reported Note: Not Reported 1958-12-19 Level reading date: Feet below surface: 41.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-12-05 Feet below surface: 44.30 Feet to sea level: Not Reported Note: Not Reported 1958-11-21 Feet below surface: 45.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-11-07 Feet below surface: 151.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-24 Feet below surface: 42.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-10-17 Feet below surface: 155.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-10 Feet below surface: 45.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-10-03 Feet below surface: 155.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-09-26 Feet below surface: 156.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-19 Feet below surface: 157.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-13 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-09-05 Feet below surface: Level reading date: 158.60 Feet to sea level: Not Reported Note: The site was being pumped.

1958-08-29

Not Reported

Level reading date:

Feet to sea level:

The site was being pumped.

Feet below surface:

Note:

1958-08-22 48.60 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-08-16 Feet below surface: 48.00 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1958-08-08 Feet below surface: 160.60 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-08-01 Feet below surface: 161.60

Not Reported Feet to sea level: Note: The site was being pumped.

Level reading date: 1958-07-25 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-18 Feet below surface: 160.00 Feet to sea level: Not Reported The site was being pumped.

1958-07-11 Level reading date: Feet below surface: 156.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-07-04 Feet below surface: 156.00

Feet to sea level: Not Reported Note: The site was being pumped.

1958-06-27 Level reading date: Feet below surface: 152.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-06-20 Feet below surface: Note:

Feet to sea level: Not Reported The site was being pumped.

1958-06-13 Level reading date: Feet below surface: 41.50 Feet to sea level: Not Reported Note: Not Reported

1958-06-06 Feet below surface: 41.30 Level reading date:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-05-30 Feet below surface: 149.30

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1958-05-23 Feet below surface: 142.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-16 Feet below surface: 146.30 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-09 Feet below surface: 31.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-04-25 15.30 Feet below surface: Feet to sea level: Not Reported Note: Not Reported

1958-04-10 Level reading date: Feet below surface: 2.50

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1958-03-29 Feet below surface: 8.00 Feet to sea level: Not Reported Note: Not Reported

1958-03-14 Feet below surface: Level reading date: 7.50

Feet to sea level: Not Reported Note: Not Reported

1958-02-21 Level reading date: Feet below surface: 13.80 Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 1958-02-07 18.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1958-01-24 Feet below surface: 41.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1958-01-13 Feet below surface: 34.30 Feet to sea level: Not Reported Note: Not Reported 1957-12-27 Level reading date: Feet below surface: 22.00 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1957-12-13 Feet below surface: 40.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-29 Feet below surface: 47.00 Feet to sea level: Not Reported Not Reported 1957-11-15 Level reading date: Feet below surface: 30.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-01 Feet below surface: 39.30 Feet to sea level: Not Reported Note: Not Reported 1957-10-18 Level reading date: Feet below surface: 46.30 Feet to sea level: Not Reported Note: Not Reported 1957-10-04 Level reading date: Feet below surface: 54.80 Feet to sea level: Not Reported Note: Not Reported 1957-09-28 Level reading date: Feet below surface: 56.30 Feet to sea level: Not Reported Note: Not Reported 1957-09-20 Feet below surface: Level reading date: 53.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-09-13 Feet below surface: 161.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-09-06 Feet below surface: 162.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-30 Feet below surface: 162.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-25 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-08-23 158.30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-16 Feet below surface: 168.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-08-09 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-08-02 Feet below surface: Level reading date: 164.50 Feet to sea level: Not Reported Note: The site was being pumped. 1957-07-26 Level reading date: Feet below surface: 162.00 Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

163.50

1957-07-19

Level reading date:

Feet to sea level:

Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-12 Feet below surface: 164.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1957-07-05 Feet below surface: 161.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-29 Feet below surface: 51.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1957-06-28 Feet below surface: 169.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-06-21 Feet below surface: 163.00 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1957-06-12 Feet below surface: 159.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-05-25 Feet below surface: 148.20 Feet to sea level: Not Reported Note: The site was being pumped. 1957-05-10 Level reading date: Feet below surface: 160.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-05-08 Feet below surface: 32.80 Feet to sea level: Not Reported Note: Not Reported 1957-04-28 Level reading date: Feet below surface: 144.00 Feet to sea level: Not Reported Note: The site was being pumped. 1957-04-26 Feet below surface: 30.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-04-01 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-03-15 Feet below surface: 10.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-03-01 13.30

Feet below surface: Not Reported Not Reported Note:

Level reading date: 1957-02-15 Feet below surface: 15.30 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1957-02-04 13.00 Feet below surface: Feet to sea level: Not Reported Note: Not Reported

1957-01-21 Level reading date: Feet below surface: 28.80 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1957-01-12 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

1957-01-04 Feet below surface: 40.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1956-12-14 Level reading date: Feet below surface: 44.50 Feet to sea level: Not Reported Note: Not Reported

1956-11-30 Feet below surface: 51.00 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-11-16 Feet below surface: 51.30 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1956-11-02 Feet below surface: 48.30 Feet to sea level: Not Reported Note: Not Reported 1956-10-19 Level reading date: Feet below surface: 50.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-10-05 Feet below surface: 51.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1956-09-21 Feet below surface: 155.50 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1956-09-07 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-08-24 Feet below surface: 170.00 Feet to sea level: Not Reported Note: The site was being pumped. 1956-08-10 Level reading date: Feet below surface: 167.00 Feet to sea level: Not Reported Note: The site was being pumped. 1956-07-27 Level reading date: Feet below surface: 49.00 Feet to sea level: Not Reported Note: Not Reported 1956-07-13 97.30 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Feet below surface: 101.70 Level reading date: 1956-06-29 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-06-15 Feet below surface: 98.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1956-06-05 Feet below surface: 98.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1953-02-02 Feet below surface: 17.50 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1953-01-05 Feet below surface: 18.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1952-12-01 8.20 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1952-05-01 Feet below surface: 8.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1952-04-01 Feet below surface: 12.90 Feet to sea level: Not Reported Note: Not Reported 1952-03-03 Feet below surface: Level reading date: 8.20 Feet to sea level: Not Reported Note: Not Reported

1952-02-01

Not Reported

Level reading date:

Feet to sea level:

Not Reported

17.50

Feet below surface:

Note:

Level reading date:	1952-01-02	Feet below surface:	9.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-12-03	Feet below surface:	16.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-11-01	Feet below surface:	20.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-08-01	Feet below surface:	19.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-05-01	Feet below surface:	5.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-04-02	Feet below surface:	11.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-02-01	Feet below surface:	12.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-01-02	Feet below surface:	0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-11-01	Feet below surface:	12.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-10-02	Feet below surface:	11.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-09-15	Feet below surface:	12.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-08-01	Feet below surface:	15.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-06-15	Feet below surface:	8.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-05-01	Feet below surface:	4.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-04-14	Feet below surface:	7.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-03-01	Feet below surface:	32.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-02-01	Feet below surface:	25.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-01-03	Feet below surface:	15.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-10-01	Feet below surface:	0.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1948-06-01	Feet below surface:	32.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1948-05-01	Feet below surface:	37.10
Feet to sea level:	Not Reported	Note:	Not Reported

Map ID Direction Distance

Database EDR ID Number Elevation

SW

**AR229** 

**FED USGS** USGS40000140563

1/2 - 1 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center 001S004W22H004S Monitor Location: Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Well Depth: Not Reported 965

Well Depth Units: Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

**AR230 CA WELLS** 928 1/2 - 1 Mile

Lower

01S/04W-22H03 S Seq: 928 Prim sta c:

Frds no: 3310031102 County: 33 District: 14 User id: WAT System no: 3310031 Water type:

Source nam: WARREN WELL 03 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 340421.1 Longitude: 1171644.7 Precision: Status: AR 1

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Haname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

Zip: 92522 Zip ext: Not Reported 245000 58586 Pop serv: Connection:

Area serve: **RIVERSIDE** 

AT231 WSW **FED USGS** USGS40000140676

1/2 - 1 Mile Lower

> **USGS-CA** Organization ID:

Organization Name: USGS California Water Science Center Monitor Location: 001S004W22A007S Type:

Well Description: Not Reported 18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area Unts: Contrib Drainage Area: Not Reported Not Reported

Aquifer:

California Coastal Basin aquifers Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19570101 Well Depth: 145 Well Depth Units: Well Hole Depth: ft 150 Well Hole Depth Units: ft

1957-06-07 Ground water levels, Number of Measurements: Level reading date: 1 Feet below surface: 44.00 Feet to sea level: Not Reported

Note: Not Reported

**AS232** South 1/2 - 1 Mile **CA WELLS** CADDW0000002471

Higher

**MUNICIPAL** Well ID: 3310031-030 Well Type:

Source: Department of Health Services Other Name: GAGE WELL 29-1 GAMA PFAS Testing:

Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-030&store\_num=

GeoTracker Data: Not Reported

**AS233 CA WELLS** CAPFAS000001074 South

1/2 - 1 Mile Higher

> Well ID: 3310031-030 Well Type: **MUNICIPAL**

Source: Department of Health Services

Other Name: GAGE WELL 29-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-030&store\_num=

GeoTracker Data: Not Reported

**AS234** South **FED USGS** USGS40000140461

1/2 - 1 Mile Higher

> Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23K003S Type: Well HUC: Description: Not Reported 18070203

Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 640 Well Depth Units: Well Hole Depth: 640 ft

Well Hole Depth Units: ft

**AU235 FED USGS** USGS40000140881

1/2 - 1 Mile Higher

> Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

001S004W13D002S Monitor Location: Well Type: HUC: Not Reported 18070203 Description: Drainage Area: Not Reported Drainage Area Units: Not Reported

Contrib Drainage Area: Not Reported Contrib Drainage Area Unts:

Aquifer:

California Coastal Basin aguifers

Not Reported

109

109

Well

Not Reported

Formation Type: Not Reported Construction Date: 19230101

Well Depth: Well Hole Depth:

Aquifer Type:

Well Depth Units: ft Well Hole Depth Units: ft

**FED USGS** USGS40000140637

1/2 - 1 Mile Higher

> USGS-CA Organization ID:

Organization Name: USGS California Water Science Center Monitor Location: 001S004W24A001S Type: HUC: Description: Not Reported

18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Not Reported Contrib Drainage Area: Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 746

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

**AR237** CADWR0000022355 **CA WELLS** 

1/2 - 1 Mile Lower

> 01S04W22H003S UNK Well ID: Well Type:

Source: Department of Water Resources

Other Name: 01S04W22H003S GAMA PFAS Testing: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_ Groundwater Quality Data:

date=&global\_id=&assigned\_name=01S04W22H003S&store\_num=

GeoTracker Data: Not Reported

238 West **FED USGS** USGS40000140746

1/2 - 1 Mile Lower

> USGS-CA Organization ID:

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W15K002S Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Not Reported Aquifer Type:

Construction Date: 19370101 Well Depth: 262 Well Depth Units: ft Well Hole Depth: 274

California Coastal Basin aquifers

Well Hole Depth Units: ft

Level reading date: Ground water levels, Number of Measurements: 1940-09-02 8 Feet below surface: 9.00 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1940-08-15 Feet below surface: 8.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-07-02 Feet below surface: 8.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1940-05-04 Feet below surface: 2.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1939-09-30 Feet below surface: 2.00

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: Level reading date: 1939-08-20 6.80

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 5.00 Level reading date: 1939-08-01

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1937-07-16 Feet below surface: 10.80

Feet to sea level: Not Reported Note: Not Reported

AV239 ENE **CA WELLS** CAPFAS000001075

Higher MUNICIPAL

Well ID: 3310031-113 Source: Department of Health Services

Other Name: GAGE WELL 92-3 **GAMA PFAS Testing:** Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

Well Type:

date=&global\_id=&assigned\_name=3310031-113&store\_num=

GeoTracker Data: Not Reported

AV240 **CA WELLS** CADDW0000022484 ENE

1/2 - 1 Mile Higher

1/2 - 1 Mile

3310031-113 Well ID: Well Type: **MUNICIPAL** 

Source: Department of Health Services

Other Name: GAGE WELL 92-3 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-113&store\_num=

GeoTracker Data: Not Reported

AW241 **ESE FED USGS** USGS40000140693

1/2 - 1 Mile Higher

> Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13P002S Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported

Contrib Drainage Area: Not Reported

Aquifer:

California Coastal Basin aquifers

Not Reported

Formation Type:

Not Reported Not Reported

Aquifer Type: Well Depth:

Not Reported

Construction Date: Well Depth Units: Well Hole Depth Units:

ft ft Well Hole Depth:

Contrib Drainage Area Unts:

505 505

**AU242** 

NNE 1/2 - 1 Mile Higher

**CA WELLS** 

CADWR9000006740

State Well #: Well Name: Well Use:

Well Depth:

01S04W13D011S Not Reported Unknown

0

Station ID: Basin Name: Well Type: Well Completion Rpt #:

San Bernardino Unknown

26801

Not Reported

AX243

1/2 - 1 Mile Lower

**CA WELLS** CAPFAS000000426

**MUNICIPAL** 

Well ID:

3310031-100

Well Type:

Source:

Department of Health Services

Yes

WARREN WELL 01 Other Name: Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

GAMA PFAS Testing:

date=&global id=&assigned name=3310031-100&store num=

GeoTracker Data:

Not Reported

**CA WELLS** 

CADDW0000010486

1/2 - 1 Mile Lower

**AX244** 

Well ID:

3310031-100

Well Type:

MUNICIPAL

Source:

Department of Health Services

Not Reported

Other Name: Groundwater Quality Data: WARREN WELL 01

GAMA PFAS Testing:

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-100&store\_num=

GeoTracker Data:

Not Reported

**FED USGS** USGS40000140783

1/2 - 1 Mile

Organization ID:

**USGS-CA** 

Not Reported

Not Reported

Organization Name: Monitor Location:

USGS California Water Science Center 001S004W15H002S

Type: HUC: Drainage Area Units:

Contrib Drainage Area Unts:

Well 18070203 Not Reported

Drainage Area: Contrib Drainage Area:

Description:

Aquifer: Formation Type: California Coastal Basin aquifers

Not Reported Not Reported

Aquifer Type:

Not Reported Not Reported

Construction Date: 19300101 Well Depth: 80
Well Depth Units: ft Well Hole Depth: 80

Well Hole Depth Units: ft

AY246
WSW FED USGS USGS40000140618

1/2 - 1 Mile Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W22A00AS Well Type: HUC: Description: 18070203 Not Reported Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19530101 Well Depth: 196
Well Depth Units: ft Well Hole Depth: 203

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1953-04-16 Feet below surface: 26.70 Feet to sea level: Not Reported

Note: Not Reported

SSW 1/2 - 1 Mile Lower

Well ID: L10005495846-WA-1 Well Type: MONITORING

Source: EDF Other Name: WA-1

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp\_

date=&global\_id=L10005495846&assigned\_name=WA-1&store\_num=

GeoTracker Data: https://geotracker.waterboards.ca.gov/profile\_report.asp?cmd=MWEDFResults&global\_id=L10005495846&ass

igned\_name=WA-1

248 East FED USGS USGS40000140726

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center
Monitor Location: 001S004W13Q001S Type:

Monitor Location:001S004W13Q001SType:WellDescription:Not ReportedHUC:18070203Drainage Area:Not ReportedDrainage Area Units:Not ReportedContrib Drainage Area:Not ReportedContrib Drainage Area Units:Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19000101 Well Depth: 587
Well Depth Units: ft Well Hole Depth: 587

Well Hole Depth Units: ft

**CA WELLS** 

CAEDF0000128121

Map ID Direction Distance

Elevation Database EDR ID Number

AU249 NNE

**CA WELLS** CADWR9000006743

CADWR9000006757

CADWR9000006734

**CA WELLS** 

**CA WELLS** 

2349

2353

1/2 - 1 Mile Higher

> State Well #: 01S04W13D006S Station ID: 26800

Well Name: Not Reported Basin Name: San Bernardino Well Type: Well Use: Unknown Unknown Well Depth: Well Completion Rpt #: Not Reported

01S04W11R001S

01S04W13C001S

AZ250 NNE 1/2 - 1 Mile Higher

State Well #:

Station ID:

Station ID:

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

AQ251 NE 1/2 - 1 Mile Higher

State Well #:

Well Name: Not Reported Basin Name: San Bernardino Well Use: Unknown Well Type: Unknown Well Depth: Well Completion Rpt #: Not Reported

AZ252 **FED USGS** USGS40000140921 NNE 1/2 - 1 Mile Higher

USGS-CA Organization ID:

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W11R001S Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Not Reported Drainage Area Units: Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported California Coastal Basin aquifers

Aquifer:

Not Reported Formation Type: Not Reported Aquifer Type:

Construction Date: 19140101 Well Depth: 187 Well Hole Depth: Well Depth Units: ft 187

Well Hole Depth Units: ft

135 Ground water levels, Number of Measurements: Level reading date: 1943-02-05 Feet below surface: 5.20 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1942-12-21 Feet below surface: 9.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1942-10-26	Feet below surface:	10.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-09-09	Feet below surface:	10.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-08-10	Feet below surface:	10.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-07-01	Feet below surface:	9.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-05-06	Feet below surface:	6.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-04-01	Feet below surface:	5.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-02-17	Feet below surface:	5.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-01-15	Feet below surface:	3.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-12-15	Feet below surface:	5.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-11-13	Feet below surface:	6.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-09-29	Feet below surface:	8.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-08-25	Feet below surface:	8.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-07-15	Feet below surface:	6.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-06-02	Feet below surface:	5.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-03-14	Feet below surface:	3.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-02-26	Feet below surface:	5.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-01-22	Feet below surface:	5.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-12-06	Feet below surface:	10.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-10-25	Feet below surface:	13.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-09-26	Feet below surface:	13.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-08-27	Feet below surface:	12.80
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1940-07-22	Feet below surface:	13.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-06-27	Feet below surface:	11.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-05-23	Feet below surface:	10.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-04-23	Feet below surface:	7.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-03-21	Feet below surface:	7.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-02-23	Feet below surface:	4.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-01-25	Feet below surface:	5.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-12-28	Feet below surface:	9.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-11-30	Feet below surface:	10.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-10-25	Feet below surface:	11.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-09-28	Feet below surface:	11.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-08-30	Feet below surface:	11.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-07-31	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-07-01	Feet below surface:	10.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-05-23	Feet below surface:	9.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-04-25	Feet below surface:	7.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-03-23	Feet below surface:	6.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-02-24	Feet below surface:	4.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-01-23	Feet below surface:	4.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-01-04	Feet below surface:	6.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-12-27	Feet below surface:	6.80
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1938-11-30	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-11-07	Feet below surface:	10.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-10-24	Feet below surface:	10.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-09-27	Feet below surface:	12.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-08-30	Feet below surface:	10.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-07-26	Feet below surface:	9.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-06-24	Feet below surface:	7.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-06-01	Feet below surface:	7.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-04-28	Feet below surface:	10.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-03-31	Feet below surface:	6.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-02-24	Feet below surface:	8.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-01-26	Feet below surface:	11.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-12-28	Feet below surface:	10.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-12-02	Feet below surface:	16.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-10-26	Feet below surface:	16.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-09-27	Feet below surface:	16.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-08-26	Feet below surface:	15.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-08-02	Feet below surface:	15.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-07-02	Feet below surface:	13.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-06-02	Feet below surface:	12.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-05-01	Feet below surface:	12.10
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1937-04-06	Feet below surface:	19.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-03-04	Feet below surface:	14.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-01-30	Feet below surface:	17.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-01-04	Feet below surface:	19.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-12-02	Feet below surface:	22.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-11-02	Feet below surface:	21.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-10-01	Feet below surface:	29.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-09-02	Feet below surface:	30.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-07-30	Feet below surface:	25.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-06-29	Feet below surface:	24.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-06-02	Feet below surface:	22.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-04-30	Feet below surface:	19.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-03-30	Feet below surface:	18.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-03-02	Feet below surface:	16.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-02-04	Feet below surface:	21.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-01-02	Feet below surface:	22.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-12-02	Feet below surface:	24.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-10-02	Feet below surface:	24.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-09-03	Feet below surface:	23.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-08-02	Feet below surface:	22.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-06-01	Feet below surface:	19.40
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:  Feet to sea level:  Not Reported  Note:  Level reading date:  Level reading date:  1935-04-09  Not Reported  Note:  Feet below surface:  Feet below surface:  Not Reported  Note:	13.90 Not Reported 14.10 Not Reported
3	Not Reported 15.30
Level reading date: 1935-02-11 Feet below surface: Feet to sea level: Not Reported Note:	Not Reported
Level reading date: 1935-01-16 Feet below surface: Feet to sea level: Not Reported Note:	17.00 Not Reported
Level reading date: 1934-12-06 Feet below surface: Feet to sea level: Not Reported Note:	20.90 Not Reported
Level reading date: 1934-11-05 Feet below surface: Feet to sea level: Not Reported Note:	23.10 Not Reported
Level reading date: 1934-10-04 Feet below surface: Feet to sea level: Not Reported Note:	27.90 Not Reported
Level reading date: 1934-09-04 Feet below surface: Feet to sea level: Not Reported Note:	24.90 Not Reported
Level reading date: 1934-06-28 Feet below surface: Feet to sea level: Not Reported Note:	22.10 Not Reported
Level reading date: 1934-06-06 Feet below surface: Feet to sea level: Not Reported Note:	20.70 Not Reported
Level reading date: 1934-05-09 Feet below surface: Feet to sea level: Not Reported Note:	18.90 Not Reported
Level reading date: 1934-04-06 Feet below surface: Feet to sea level: Not Reported Note:	17.80 Not Reported
Level reading date: 1934-03-05 Feet below surface: Feet to sea level: Not Reported Note:	12.30 Not Reported
Level reading date: 1934-02-07 Feet below surface: Feet to sea level: Not Reported Note:	13.90 Not Reported
Level reading date: 1934-01-03 Feet below surface: Feet to sea level: Not Reported Note:	13.70 Not Reported
Level reading date: 1933-11-07 Feet below surface: Feet to sea level: Not Reported Note:	19.80 Not Reported
Level reading date: 1933-10-06 Feet below surface: Feet to sea level: Not Reported Note:	20.00 Not Reported
Level reading date: 1933-09-06 Feet below surface: Feet to sea level: Not Reported Note:	21.20 Not Reported
Level reading date: 1933-08-05 Feet below surface: Feet to sea level: Not Reported Note:	21.60 Not Reported
Level reading date: 1933-07-07 Feet below surface: Feet to sea level: Not Reported Note:	19.10 Not Reported

Level reading date:	1933-06-07	Feet below surface:	17.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-05-01	Feet below surface:	15.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-04-10	Feet below surface:	14.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-03-09	Feet below surface:	11.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-02-13	Feet below surface:	8.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1933-01-04	Feet below surface:	11.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-11-18	Feet below surface:	18.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-09-17	Feet below surface:	19.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-08-16	Feet below surface:	18.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-06-06	Feet below surface:	13.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-05-09	Feet below surface:	12.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-04-02	Feet below surface:	11.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-03-07	Feet below surface:	8.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-02-05	Feet below surface:	10.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1932-01-04	Feet below surface:	11.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-11-16	Feet below surface:	16.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-10-05	Feet below surface:	18.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-09-02	Feet below surface:	17.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-08-03	Feet below surface:	18.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-07-02	Feet below surface:	16.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1931-06-03	Feet below surface:	15.80
Feet to sea level:	Not Reported	Note:	Not Reported

1931-05-04 Level reading date: Feet below surface: 14.50 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1931-04-01 Feet below surface: 14.10

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1931-03-10 Feet below surface: 9.70

Feet to sea level: Not Reported Note: Not Reported

1916-04-04 Level reading date: Feet below surface: 1.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-12-15 Feet below surface: 3.10

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1915-06-09 Feet below surface: 2.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1915-04-14 Feet below surface: 1.20

Feet to sea level: Not Reported Note: Not Reported

AU253 **CA WELLS** CADWR0000015866

1/2 - 1 Mile Higher

> 01S04W13D011S UNK Well ID: Well Type:

Source: Department of Water Resources

Other Name: 01S04W13D011S GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp

date=&global\_id=&assigned\_name=01S04W13D011S&store\_num=

GeoTracker Data: Not Reported

**CA WELLS** CADWR0000037734 SW

AR254

1/2 - 1 Mile Lower

> Well ID: 01S04W22H004S Well Type: UNK

Source: Department of Water Resources

GAMA PFAS Testing: Other Name: 01S04W22H004S Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W22H004S&store\_num=

GeoTracker Data: Not Reported

BA255 WSW **CA WELLS** CADWR0000007693

1/2 - 1 Mile Lower

Well ID:

01S04W22B003S Well Type: UNK

Source: Department of Water Resources

01S04W22B003S **GAMA PFAS Testing:** Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W22B003S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

EDR ID Number Elevation Database

AY256 WSW

**FED USGS** USGS40000140619

1/2 - 1 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center 001S004W22A00BS Monitor Location:

Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported California Coastal Basin aquifers

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19530101 Well Depth: 228 Well Hole Depth: Well Depth Units: ft 238

Well Hole Depth Units: ft

**AU257 CA WELLS** CAUSGSN00013589

1/2 - 1 Mile Higher

> USGS-340530117152801 Well ID: Well Type: UNK

Source: United States Geological Survey

GAMA PFAS Testing: Other Name: USGS-340530117152801 Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s Groundwater Quality Data:

amp date=&global id=&assigned name=USGS-340530117152801&store num=

GeoTracker Data: Not Reported

**AU258** NNE 1/2 - 1 Mile **FED USGS** USGS40000140895

Higher

Organization ID: **USGS-CA** 

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13D006S Well Type: 18070203 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Not Reported Aquifer Type: Not Reported Formation Type:

Construction Date: 19360101 Well Depth: 100 Well Depth Units: ft Well Hole Depth: 102

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1939-09-20 1 Feet below surface: Feet to sea level: Not Reported

Note: Not Reported

Map ID Direction Distance

EDR ID Number Elevation Database

**AU259** 

**FED USGS** USGS40000140890

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

001S004W13D011S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

19570101 Well Depth: Construction Date: 164 Well Depth Units: ft Well Hole Depth: 170

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1957-11-18 1 Feet below surface: 70.00 Feet to sea level: Not Reported

Note: Not Reported

**BA260** CADDW0000021837 **CA WELLS** 

1/2 - 1 Mile Lower

> Well Type: Well ID: 3310031-089 MUNICIPAL

Department of Health Services Source: THORNE WELL 10 - AGRICULTURAL Other Name:

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-089&store\_num=

GeoTracker Data: Not Reported

AW261 **CA WELLS** 941 **ESE** 

1/2 - 1 Mile Higher

> Seq: 941 Prim sta c: 01S/04W-24C03 S

Frds no: 3610013010 County: 36 District: User id: TAN 13 Water type: System no: 3610013

RICHARDSON ST. WELL 02 Source nam: Station ty: WELL/AMBNT/MUN/INTAKE

340437.0 1171505.0 Latitude: Longitude: Precision: 2 Status: AR

Comment 1: Not Reported Comment 2: Not Reported Not Reported Comment 3: Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 3610013 System nam: City Of Loma Linda

Hqname: Not Reported Address: 11134 ANDERSON STREET

City: LOMA LINDA State: CA

92354 Zip: Zip ext: Not Reported Pop serv: 20000 Connection: 3994

LOMA LINDA Area serve:

**BB262 CA WELLS** ENE 1/2 - 1 Mile 894

Higher

894 Prim sta c: 01S/04W-13G02 S Seq:

Frds no: 3310031035 County: WAT District: 14 User id: System no: 3310031 Water type: G

Source nam: GAGE WELL 46-1 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 340510.1 Longitude: 1171508.7 Precision: Status: AR Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Not Reported Comment 5: Not Reported Comment 6:

Comment 7: Not Reported

3310031 System nam: Riverside, City Of System no: Hqname: Not Reported Address: 3900 MAIN STREET

RIVERSIDE City: State: CA

Zip: 92522 Zip ext: Not Reported 245000 Connection: 58586 Pop serv:

Area serve: **RIVERSIDE** 

BC263 **FED USGS** USGS40000140449 South 1/2 - 1 Mile

Higher

**USGS-CA** Organization ID:

Organization Name: USGS California Water Science Center Monitor Location: 001S004W23K002S Type: Well HUC: 18070203 Description: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

California Coastal Basin aquifers Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19290101 Well Depth: 303 Well Hole Depth: Well Depth Units: 303 ft

Well Hole Depth Units: ft

AT264 **CA WELLS** CADWR0000032990 **WSW** 1/2 - 1 Mile

Lower

Well Type: Well ID: 01S04W22B001S UNK

Department of Water Resources Source:

Other Name: 01S04W22B001S GAMA PFAS Testing: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_ Groundwater Quality Data:

date=&global\_id=&assigned\_name=01S04W22B001S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

AT265 WSW

1/2 - 1 Mile Lower

State Well #: 01S04W22A007S Station ID: 4253

Well Name:Not ReportedBasin Name:San BernardinoWell Use:UnknownWell Type:UnknownWell Depth:0Well Completion Rpt #:Not Reported

Higher

Lower

Well ID: USGS-340401117160101 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340401117160101 GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW\&s$ 

amp\_date=&global\_id=&assigned\_name=USGS-340401117160101&store\_num=

GeoTracker Data: Not Reported

BA267 WSW FED USGS USGS40000140635 1/2 - 1 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: USGS California Water Science Center

Well Well

Description: reported depth 200 ft.;sounded depth 295 ft 10/03

HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported

Contrib Drainage Area Unts: Not Reported Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 295

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: 549 Level reading date: 2004-10-19 Feet below surface: 71.42 Feet to sea level: Not Reported

Feet below surface: 71.42 Note: Not Reported

Level reading date: 2004-04-20 Feet below surface: 56.89

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-10-20 Feet below surface: 61.33

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2003-04-21 Feet below surface: 46.42

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 2002-10-28 Feet below surface: 54.37

Feet to sea level: Not Reported Note: Not Reported

Level reading date:	2002-04-08	Feet below surface:	44.88
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2001-10-23	Feet below surface:	40.78
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2001-04-16	Feet below surface:	27.35
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2000-10-24	Feet below surface:	36.48
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2000-04-12	Feet below surface:	36.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1999-10-18	Feet below surface:	42.64
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1999-04-13	Feet below surface:	21.34
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1998-10-19	Feet below surface:	33.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1998-04-07	Feet below surface:	17.49
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1997-10-27	Feet below surface:	48.62
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1997-04-14	Feet below surface:	41.99
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1996-10-07	Feet below surface:	50.26
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1996-04-22	Feet below surface:	37.29
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1995-10-23	Feet below surface:	45.92
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1995-04-18	Feet below surface:	41.25
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1994-10-20	Feet below surface:	53.82
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1994-04-18	Feet below surface:	31.86
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1993-10-18	Feet below surface:	48.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1993-04-13	Feet below surface:	23.71
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1992-10-26	Feet below surface:	52.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1992-06-17	Feet below surface:	41.89
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1991-11-29 Feet below surface: 72.98 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1991-06-18 Feet below surface: 36.46 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1990-11-28 Feet below surface: 28.11 Feet to sea level: Not Reported Note: Not Reported 34.34 Level reading date: 1990-06-28 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1989-11-27 Feet below surface: 21.24 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1989-09-21 Feet below surface: 30.75 Feet to sea level: Not Reported Not Reported Level reading date: 1988-11-28 Feet below surface: 26.68 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1988-06-29 Feet below surface: 34.87 Feet to sea level: Not Reported Note: Not Reported 1988-04-12 Level reading date: Feet below surface: 29.71 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1987-06-18 Feet below surface: 28.35 Feet to sea level: Not Reported Note: Not Reported 1986-11-20 Feet below surface: Level reading date: 17.54 Feet to sea level: Not Reported Note: Not Reported Feet below surface: 24.07 Level reading date: 1986-06-20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1985-12-17 Feet below surface: Not Reported Feet to sea level: Not Reported Note: The site was flowing, but the head could not be measured without additional equipment. Level reading date: 1985-11-08 Feet below surface: 29.22 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1984-03-09 Feet below surface: Not Reported Feet to sea level: Not Reported The site was flowing, but the head could not be measured without additional equipment. 1983-05-10 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: The site was flowing, but the head could not be measured without additional equipment. Level reading date: 1983-03-22 Feet below surface: Not Reported Feet to sea level: Not Reported Note: The site was flowing, but the head could not be measured without additional equipment. Level reading date: 1982-03-30 Feet below surface: Not Reported Feet to sea level: Not Reported Note: The site was flowing, but the head could not be measured without additional equipment. 1982-02-02 Level reading date: Feet below surface: Not Reported Feet to sea level: Not Reported Note: The site was flowing, but the head could not be measured without additional equipment.

Level reading date:	1972-07-24	Feet below surface:	86.06
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-06-22	Feet below surface:	81.91
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-05-22	Feet below surface:	79.04
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-04-24	Feet below surface:	80.12
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-03-22	Feet below surface:	77.55
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-02-23	Feet below surface:	75.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1972-01-26	Feet below surface:	67.25
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-12-30	Feet below surface:	73.86
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-11-18	Feet below surface:	79.09
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-10-21	Feet below surface:	84.93
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-09-02	Feet below surface:	87.46
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-06-15	Feet below surface:	74.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-06-01	Feet below surface:	75.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-03-10	Feet below surface:	68.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1971-02-03	Feet below surface:	70.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-12-11	Feet below surface:	83.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-10-06	Feet below surface:	88.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-08-17	Feet below surface:	85.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-07-01	Feet below surface:	84.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-05-15	Feet below surface:	80.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1970-03-23	Feet below surface:	74.50
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: 1969-11-13 Feet below surface: 87.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1969-09-24 Feet below surface: 96.50 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1969-04-24 Feet below surface: 90.00 Feet to sea level: Not Reported Note: Not Reported 1969-01-09 Level reading date: Feet below surface: 102.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1968-12-11 Feet below surface: 107.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1967-04-27 Feet below surface: 83.10 Feet to sea level: Not Reported Not Reported Level reading date: 1966-12-13 Feet below surface: 95.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-09-27 Feet below surface: 102.60 Feet to sea level: Not Reported Note: Not Reported 1966-09-16 Feet below surface: Level reading date: 101.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-08-19 Feet below surface: 100.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-07-15 Feet below surface: 98.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1966-06-24 Feet below surface: 91.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-05-20 Feet below surface: 88.00 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1966-04-15 Feet below surface: 85.50 Feet to sea level: Not Reported Note: Not Reported 1966-04-13 Level reading date: Feet below surface: 86.60 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1966-03-11 Feet below surface: 82.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-02-18 Feet below surface: 81.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-02-10 Feet below surface: 78.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1966-01-21 Feet below surface: Feet to sea level: Not Reported Note: Not Reported 1965-12-17 Feet below surface: 89.40 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1965-11-19 Level reading date: Feet below surface: 92.60 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1965-11-18 Feet below surface: 91.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-10-22 Feet below surface: 97.80 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1965-09-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-08-13 Feet below surface: 105.30 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1965-07-30 Feet below surface: 88.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-06-18 Feet below surface: 92.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-05-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1965-04-30 Feet below surface: 81.50 Feet to sea level: Not Reported Note: Not Reported 1965-04-15 Feet below surface: Level reading date: 82.00 Feet to sea level: Not Reported Note: Not Reported 1965-04-07 Level reading date: Feet below surface: 82.00 Feet to sea level: Not Reported Note: Not Reported 1965-04-02 Feet below surface: 84.90 Level reading date: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-03-18 Feet below surface: 86.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1965-02-26 Feet below surface: 87.40 Feet to sea level: Note: Not Reported Not Reported Level reading date: 1965-01-22 Feet below surface: 88.10 Feet to sea level: Not Reported Note: Not Reported 1965-01-08 Level reading date: Feet below surface: 86.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-12-24 Feet below surface: 89.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-12-04 Feet below surface: 88.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-11-24 Feet below surface: 88.00 Feet to sea level: Not Reported Note: A nearby site that taps the same aquifer was being pumped. Level reading date: 1964-11-20 Feet below surface: 89.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-10-16 Feet below surface:

Note:

Feet below surface:

Feet to sea level:

Level reading date:

Not Reported

1964-09-25

90.40

The site was being pumped.

Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-08-14 Feet below surface: 94.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-07-03 Feet below surface: 94.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-06-26 Feet below surface: 91.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-06-12 Feet below surface: 89.90 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1964-06-05 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: 86.90 Level reading date: 1964-05-15 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-05-01 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Feet below surface: Level reading date: 1964-04-17 82.60 Feet to sea level: Note: Not Reported The site was being pumped. Level reading date: 1964-04-07 Feet below surface: 69.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-04-03 Feet below surface: 75.10 Feet to sea level: Not Reported Not Reported Note: Feet below surface: Level reading date: 1964-03-13 77.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-03-06 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1964-02-14 Feet below surface: 73.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-02-07 Feet below surface: 73.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1964-01-16 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1964-01-03 Feet below surface: 77.40 Level reading date: Feet to sea level: Not Reported Note: Not Reported Feet below surface: Level reading date: 1963-12-12 75.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: Feet below surface: 1963-12-06 75.30 Feet to sea level: Not Reported Note: Not Reported 1963-11-29 Level reading date: Feet below surface: 71.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-11-14 Feet below surface: 88.40 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1963-11-07 Feet below surface: 79.40 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-10-17 Feet below surface: 89.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-10-04 Feet below surface: 86.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-09-13 Feet below surface: 91.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-09-06 Feet below surface: 90.70 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1963-08-16 Feet below surface: 90.30 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1963-08-02 Feet below surface: 90.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-07-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-07-05 Level reading date: Feet below surface: 88.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-06-28 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-06-14 Feet below surface: Level reading date: 85.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-05-31 Feet below surface: 84.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-05-17 Feet below surface: 83.00 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-05-03 Feet below surface: 80.10 Feet to sea level: Not Reported Note: The site was being pumped. 1963-04-19 Level reading date: Feet below surface: 80.00 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1963-04-05 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1963-03-22 Feet below surface: 62.80 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-21 Feet below surface: 61.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1963-03-08 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1963-02-21 Feet below surface: 70.50 Level reading date: Feet to sea level: Not Reported Note: Not Reported 1963-02-08 Level reading date: Feet below surface: 86.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1963-01-25 Feet below surface: 85.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1963-01-11 Feet below surface: 77.00 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1962-12-28 Feet below surface: 83.80 Feet to sea level: Not Reported Note: The site was being pumped. 1962-12-14 Level reading date: Feet below surface: 87.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-11-30 Feet below surface: 87.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1962-11-16 Feet below surface: 78.10 Feet to sea level: Not Reported Not Reported Level reading date: 1962-11-02 Feet below surface: 88.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-10-19 Feet below surface: 78.20 Feet to sea level: Not Reported Note: Not Reported 1962-10-05 Level reading date: Feet below surface: 88.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-09-21 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-09-07 Feet below surface: Level reading date: 86.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-08-31 Feet below surface: 85.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-08-17 Feet below surface: 84.10 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-08-03 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-07-20 Level reading date: Feet below surface: 82.50 Not Reported Feet to sea level: Note: The site was being pumped. Level reading date: 1962-07-06 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1962-06-01 Feet below surface: 76.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-05-25 Feet below surface: 75.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1962-05-04 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1962-04-20 Feet below surface: Level reading date: 67.60 Feet to sea level: Not Reported Note: The site was being pumped. 1962-04-06 Level reading date: Feet below surface: 43.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1962-03-16 Feet below surface: 42.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-03-13 Feet below surface: 41.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1962-03-02 Feet below surface: 46.20 Feet to sea level: Not Reported Note: Not Reported 1962-02-16 Level reading date: Feet below surface: 50.10 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1962-02-02 Feet below surface: 56.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1962-01-19 Feet below surface: 77.50 Feet to sea level: Not Reported The site was being pumped. Level reading date: 1962-01-05 Feet below surface: 74.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-12-29 Feet below surface: 59.70 Feet to sea level: Not Reported Note: Not Reported 1961-12-15 Feet below surface: Level reading date: 63.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-11-24 Feet below surface: 85.10 Feet to sea level: Not Reported Note: Not Reported 1961-11-10 Feet below surface: Level reading date: 86.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-10-27 Feet below surface: 87.30 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-10-13 Feet below surface: 87.10 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-09-29 Feet below surface: 87.00 Feet to sea level: Not Reported Note: The site was being pumped. 1961-09-15 Level reading date: Feet below surface: 80.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1961-08-25 Feet below surface: 73.40 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1961-08-11 Feet below surface: 78.70 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-07-28 Feet below surface: 78.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1961-07-14 Feet below surface: 77.30 Feet to sea level: Not Reported Note: Not Reported 1961-06-16 Feet below surface: 75.50 Level reading date: Feet to sea level: Not Reported Note: The site was being pumped. 1961-06-02 Level reading date: Feet below surface: 74.30 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-05-19 Feet below surface: 74.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-05-05 Feet below surface: 73.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-04-14 Feet below surface: 71.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-04-07 Feet below surface: 71.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-03-17 Feet below surface: 72.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-03-02 Feet below surface: 68.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-02-17 Feet below surface: 70.30

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-02-10 Feet below surface: 69.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-01-13 Feet below surface: 63.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1961-01-07 Feet below surface: 69.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-12-15 Feet below surface: 68.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-12-02 Feet below surface: 54.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-11-18 Feet below surface: 68.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-11-04 Feet below surface: 71.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-10-21 Feet below surface: 71.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-10-07 Feet below surface: 72.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-09-16 Feet below surface: 70.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-09-02 Feet below surface: 68.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-08-19 Feet below surface: 70.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-08-05 Feet below surface: 69.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-07-15 Feet below surface: 68.30

Feet to sea level: Not Reported Note: The site was being pumped.

1960-07-01 Level reading date: Feet below surface: 67.70 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-06-10 Feet below surface: 63.50 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1960-06-03 Feet below surface: 63.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-05-27 Feet below surface: 62.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-05-20 Feet below surface: 61.50 Feet to sea level: Not Reported Note: The site was being pumped. 1960-05-13 Feet below surface: 61.70 Level reading date: Feet to sea level: Not Reported The site was being pumped. Level reading date: 1960-05-06 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-04-22 Level reading date: Feet below surface: 58.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-04-15 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1960-04-08 Level reading date: Feet below surface: 57.10 Feet to sea level: Not Reported Note: The site was being pumped. 1960-04-01 Feet below surface: Level reading date: 53.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1960-03-25 Feet below surface: 30.60 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-03-18 Feet below surface: 25.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-03-15 Feet below surface: 19.00 Not Reported Feet to sea level: Not Reported Note: Level reading date: 1960-03-11 Feet below surface: 22.50 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-03-04 22.00 Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1960-02-26 Feet below surface: 24.20 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1960-02-19 Feet below surface: 25.00 Feet to sea level: Not Reported Note: Not Reported 1960-02-12 Feet below surface: Level reading date: 26.90 Feet to sea level: Not Reported Note: Not Reported 1960-02-05 Level reading date: Feet below surface: 27.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-01-29 Feet below surface: 46.10 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1960-01-22 Feet below surface: 33.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-01-15 Feet below surface: 35.50
Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-01-08 Feet below surface: 40.10 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-12-28 Feet below surface: 47.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-12-18 Feet below surface: 68.40 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-12-11 Feet below surface: 68.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-12-04 Feet below surface: 69.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-11-27 Feet below surface: 69.30

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-11-20 Feet below surface: 68.70 Feet to sea level: Not Reported Note: The site was being pumped.

.....gr....gr....

Level reading date: 1959-11-13 Feet below surface: 69.40 Feet to sea level: Not Reported Note: The site was being pumped.

,

Level reading date: 1959-11-06 Feet below surface: 69.60 Feet to sea level: Not Reported Note: The site was being pumped.

Total Source Was some partipole.

Level reading date: 1959-10-30 Feet below surface: 70.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-10-23 Feet below surface: 70.30 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-10-16 Feet below surface: 70.40 Feet to sea level: Not Reported Note: The site was being pumped.

•

Level reading date: 1959-10-09 Feet below surface: 68.70 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-10-02 Feet below surface: 68.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-09-25 Feet below surface: 68.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-09-18 Feet below surface: 68.90 Feet to sea level: Not Reported Note: The site was being pumped.

Total bod love.

Level reading date: 1959-09-11 Feet below surface: 70.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-09-04 Feet below surface: 69.20

Feet to sea level: Not Reported Note: The site was being pumped.

1959-08-28 Level reading date: Feet below surface: 68.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-08-21 Feet below surface: 68.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1959-08-14 Feet below surface: 68.70 Feet to sea level: Not Reported Note: The site was being pumped. 1959-08-07 Level reading date: Feet below surface: 67.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-31 Feet below surface: 67.70 The site was being pumped. Feet to sea level: Not Reported Note: 1959-07-24 Feet below surface: 66.90 Level reading date: Feet to sea level: Not Reported The site was being pumped. Level reading date: 1959-07-17 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-07-10 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-07-03 Level reading date: Feet below surface: 65.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-26 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1959-06-19 Level reading date: Feet below surface: 64.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-12 Feet below surface: 63.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-06-05 Feet below surface: 62.50 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1959-05-29 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-22 Feet below surface: 62.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-15 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-08 59.90 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1959-05-01 Feet below surface: 59.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1959-04-24 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1959-04-17 Level reading date: Feet below surface: 57.20 Feet to sea level: Not Reported Note: The site was being pumped. 1959-04-10 Level reading date: Feet below surface: 55.90 Feet to sea level: Not Reported

Note:

The site was being pumped.

1959-04-03 Level reading date: Feet below surface: 52.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1959-03-27 Feet below surface:

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1959-03-20 Feet below surface: 23.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-03-13 Feet below surface: 25.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-03-06 Feet below surface: 26.10 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-02-27 Feet below surface: 29.40 Feet to sea level: Not Reported Not Reported

Level reading date: 1959-02-20 Feet below surface: 34.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-02-13 Feet below surface: 56.50

Feet to sea level: Not Reported Note: The site was being pumped.

1959-02-06 Level reading date: Feet below surface: 40.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-01-30 Feet below surface: 38.90

Feet to sea level: Not Reported Note: Not Reported

1959-01-23 Level reading date: Feet below surface: 38.50

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 39.40 Level reading date: 1959-01-16

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1959-01-09 Feet below surface: 56.00

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1959-01-02 Feet below surface: 39.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-12-26 Feet below surface: 60.80 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-12-19 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-12-12 60.30 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-12-05 Feet below surface: 46.60

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1958-11-28 Feet below surface:

1958-11-14

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface: Level reading date: 1958-11-21 62.50

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

Level reading date: Feet to sea level: Not Reported Note: The site was being pumped.

1958-10-31 Level reading date: Feet below surface: 63.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-10-24 Feet below surface: Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1958-10-17 Feet below surface: 62.50 Feet to sea level: Not Reported Note: The site was being pumped. 1958-10-03 Level reading date: Feet below surface: 63.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-26 Feet below surface: Not Reported The site was being pumped. Feet to sea level: Note: 1958-09-19 Feet below surface: 64.60 Level reading date: Feet to sea level: Not Reported The site was being pumped. Level reading date: 1958-09-12 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-09-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1958-08-29 Level reading date: Feet below surface: 63.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-22 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1958-08-15 Level reading date: Feet below surface: 63.90 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-08-01 Feet below surface: 63.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-25 Feet below surface: 62.40 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-07-11 Feet below surface: 61.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-07-04 Feet below surface: 59.00 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-27 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-20 56.00 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1958-06-13 Feet below surface: 54.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1958-06-06 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1958-05-23 51.80 Feet to sea level: Not Reported Note: The site was being pumped. 1958-05-16 Level reading date: Feet below surface: 49.60 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-09 48.00 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-05-02 Feet below surface: 43.70

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1958-04-26 Feet below surface: 16.40

Feet to sea level: Not Reported Note: Not Reported

1958-04-19 Level reading date: Feet below surface: 10.10 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-04-11 Feet below surface: 8.90

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1958-04-04 Feet below surface: 10.70

Feet to sea level: Not Reported Not Reported

Level reading date: 1958-03-28 Feet below surface: 12.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-03-21 Feet below surface: 12.90

Feet to sea level: Not Reported Note: Not Reported

1958-03-14 Level reading date: Feet below surface: 8.80

Feet to sea level: Not Reported Note: Not Reported

1958-03-07 Level reading date: Feet below surface: 15.90

Feet to sea level: Not Reported Note: Not Reported

1958-02-28 Level reading date: Feet below surface: 17.30

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 19.30 Level reading date: 1958-02-21 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-02-14 Feet below surface: 21.90

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1958-02-07 Feet below surface: 21.00 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-01-31 Feet below surface: 31.90 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-01-24 Feet below surface: 57.90

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1958-01-10 31.90 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1958-01-03 Feet below surface: 27.20 Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1957-12-27 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

1957-12-20 Feet below surface: 34.50 Level reading date: Feet to sea level: Not Reported Note: Not Reported

1957-12-06 Level reading date: Feet below surface: 61.30

Feet to sea level: Not Reported Note: The site was being pumped.

1957-11-22 Level reading date: Feet below surface: 55.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-11-15 Feet below surface: 50.30 Feet to sea level: The site was being pumped. Not Reported Note: Level reading date: 1957-11-08 Feet below surface: 36.60 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-11-01 Feet below surface: 49.20 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-10-25 Feet below surface: 56.90 Feet to sea level: Not Reported Note: Not Reported 1957-10-18 Feet below surface: 50.90 Level reading date: Feet to sea level: Not Reported Not Reported 1957-10-11 Level reading date: Feet below surface: 68.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-27 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-09-20 Level reading date: Feet below surface: 68.20 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-09-13 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1957-09-06 Level reading date: Feet below surface: 66.80 Feet to sea level: Not Reported Note: The site was being pumped. Feet below surface: Level reading date: 1957-08-30 67.40 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-23 Feet below surface: 67.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-08-16 Feet below surface: 66.30 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-08-01 Feet below surface: 65.60 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-26 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1957-07-12 Feet below surface: 63.80 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1957-07-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1957-06-28 Feet below surface: Level reading date: 61.10 Feet to sea level: Not Reported Note: Not Reported

1957-06-21

Not Reported

Level reading date:

Feet to sea level:

Not Reported

60.00

Feet below surface:

Note:

Level reading date:	1957-06-14	Feet below surface:	58.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-06-07	Feet below surface:	59.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-31	Feet below surface:	55.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-24	Feet below surface:	52.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-17	Feet below surface:	54.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-10	Feet below surface:	56.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-05-03	Feet below surface:	52.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-04-26	Feet below surface:	47.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-04-19	Feet below surface:	51.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1957-04-12	Feet below surface:	50.90
Feet to sea level:	Not Reported	Note:	The site was being pumped.
Level reading date:	1957-04-05	Feet below surface:	27.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-29	Feet below surface:	22.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-22	Feet below surface:	14.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-15	Feet below surface:	16.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-08	Feet below surface:	17.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-03-01	Feet below surface:	18.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-25	Feet below surface:	18.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-18	Feet below surface:	18.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-08	Feet below surface:	20.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-02-01	Feet below surface:	19.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1957-01-25	Feet below surface:	23.70
Feet to sea level:	Not Reported	Note:	Not Reported

1957-01-18 28.60 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: Not Reported Level reading date: 1957-01-11 Feet below surface: 32.80 Feet to sea level: Not Reported Not Reported Note: Level reading date: 1957-01-04 Feet below surface: 40.90 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-12-28 Feet below surface: 42.30 Not Reported Feet to sea level: Note: Not Reported Level reading date: 1956-12-21 Feet below surface: 45.50 Feet to sea level: Not Reported Note: Not Reported 1956-12-14 Feet below surface: 46.90 Level reading date: Feet to sea level: Not Reported Not Reported Level reading date: 1956-12-07 Feet below surface: 49.00 Feet to sea level: Not Reported Note: Not Reported Level reading date: 1956-11-30 Feet below surface: 66.50 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-11-23 Feet below surface: 65.80 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-11-16 Feet below surface: Feet to sea level: Not Reported The site was being pumped. Note: 1956-11-09 Level reading date: Feet below surface: 67.00 Feet to sea level: Not Reported Note: The site was being pumped. 1956-11-02 Level reading date: Feet below surface: 65.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-26 Feet below surface: 66.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-10-19 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-12 Feet below surface: 65.10 Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-10-05 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-09-28 67.30 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. Level reading date: 1956-09-21 Feet below surface: 67.00 Feet to sea level: Not Reported The site was being pumped. Note: Level reading date: 1956-09-14 Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped. 1956-09-07 Feet below surface: Level reading date: 66.20 Feet to sea level: Not Reported Note: The site was being pumped. 1956-08-31 Level reading date: Feet below surface: 63.70 Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-24 Feet below surface: 64.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-17 Feet below surface: 64.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-10 Feet below surface: 64.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-08-03 Feet below surface: 63.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-27 Feet below surface: 64.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-20 Feet below surface: 64.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-13 Feet below surface: 63.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-07-06 Feet below surface: 61.40

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-06-12 Feet below surface: 25.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-06-08 Feet below surface: 58.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-05-04 Feet below surface: 51.30

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-04-06 Feet below surface: 51.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-03-06 Feet below surface: 2.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1956-03-02 Feet below surface: 6.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-02-06 Feet below surface: 14.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1956-01-06 Feet below surface: 33.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1955-12-09 Feet below surface: 33.70

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1955-11-11 Feet below surface: 60.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1955-10-07 Feet below surface: 61.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1955-09-09 Feet below surface: 62.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1955-08-05 Feet below surface: 60.10

Feet to sea level: Not Reported Note: The site was being pumped.

1955-07-08 Level reading date: Feet below surface: 56.60

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1955-06-03 Feet below surface:

Feet to sea level: The site was being pumped. Not Reported Note:

Level reading date: 1955-05-06 Feet below surface: 31.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1955-03-04 Feet below surface: 1.80

Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1955-01-31 Feet below surface: 3.70

Not Reported Feet to sea level: Not Reported Note:

1955-01-07 Feet below surface: 6.80 Level reading date:

Feet to sea level: Not Reported Not Reported

Level reading date: 1954-12-03 Feet below surface: 8.00

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-11-05 Feet below surface: 49.40

Feet to sea level: Not Reported Note: The site was being pumped.

1954-10-01 Level reading date: Feet below surface: 39.70

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1954-09-03 Feet below surface:

Feet to sea level: Not Reported The site was being pumped. Note:

1954-08-06 Level reading date: Feet below surface: 51.60

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface: 48.70 Level reading date: 1954-07-23

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1954-07-02 Feet below surface: 48.30

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1954-06-04 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1954-05-07 Feet below surface: 39.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1954-04-23 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1954-03-12 4.40 Feet below surface:

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1954-02-05 Feet below surface: 0.90 Feet to sea level: Not Reported Not Reported Note:

Level reading date:

1954-01-01

Feet to sea level: Not Reported Note: The site was being pumped.

Feet below surface:

1953-11-12 Feet below surface: 44.50

Level reading date: Feet to sea level: Not Reported Note: The site was being pumped.

1952-03-20 Level reading date: Feet below surface: 17.60 Feet to sea level: Not Reported Note: Not Reported

Level reading date:	1951-12-04	Feet below surface:	15.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-10-01	Feet below surface:	25.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-05-10	Feet below surface:	11.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-03-10	Feet below surface:	1.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1951-01-11	Feet below surface:	7.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-07-13	Feet below surface:	9.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-04-26	Feet below surface:	3.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1950-02-21	Feet below surface:	21.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-12-30	Feet below surface:	17.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-10-27	Feet below surface:	4.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-09-12	Feet below surface:	7.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-07-15	Feet below surface:	6.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1949-02-08	Feet below surface:	24.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1948-04-09	Feet below surface:	8.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1948-01-07	Feet below surface:	6.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1947-09-15	Feet below surface:	2.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1947-06-12	Feet below surface:	0.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1947-03-27	Feet below surface:	5.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1946-12-13	Feet below surface:	23.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1946-05-29	Feet below surface:	3.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1946-03-25	Feet below surface:	9.50
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1946-01-17	Feet below surface:	25.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1945-10-19	Feet below surface:	5.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1945-06-08	Feet below surface:	8.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1945-04-10	Feet below surface:	29.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1945-01-30	Feet below surface:	18.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-11-22	Feet below surface:	26.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-10-04	Feet below surface:	1.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-06-28	Feet below surface:	4.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-05-05	Feet below surface:	18.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-03-13	Feet below surface:	33.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1944-01-06	Feet below surface:	29.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-11-12	Feet below surface:	7.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-08-10	Feet below surface:	0.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-06-09	Feet below surface:	8.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-04-29	Feet below surface:	19.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-03-22	Feet below surface:	29.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1943-02-11	Feet below surface:	29.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-12-23	Feet below surface:	8.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-08-12	Feet below surface:	0.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-07-06	Feet below surface:	1.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-05-08	Feet below surface:	8.90
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1942-04-06	Feet below surface:	12.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-03-04	Feet below surface:	19.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1942-01-28	Feet below surface:	30.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-12-17	Feet below surface:	29.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-11-18	Feet below surface:	27.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-07-18	Feet below surface:	6.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-04-21	Feet below surface:	31.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-03-11	Feet below surface:	30.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1941-01-30	Feet below surface:	29.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-12-20	Feet below surface:	25.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-06-04	Feet below surface:	2.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-05-01	Feet below surface:	10.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-03-29	Feet below surface:	11.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-03-01	Feet below surface:	30.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1940-01-31	Feet below surface:	28.50
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-10-03	Feet below surface:	6.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-08-03	Feet below surface:	1.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-07-10	Feet below surface:	0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-05-31	Feet below surface:	8.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-05-02	Feet below surface:	8.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-03-30	Feet below surface:	20.50
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1939-02-21	Feet below surface:	29.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1939-02-01	Feet below surface:	28.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1938-09-30	Feet below surface:	4.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-05-05	Feet below surface:	2.90
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-04-09	Feet below surface:	25.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-03-10	Feet below surface:	21.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-02-05	Feet below surface:	21.60
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1937-01-07	Feet below surface:	17.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-12-09	Feet below surface:	1.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-11-05	Feet below surface:	14.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-03-06	Feet below surface:	21.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-02-07	Feet below surface:	15.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1936-01-06	Feet below surface:	11.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-04-11	Feet below surface:	17.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-03-19	Feet below surface:	22.80
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1935-02-13	Feet below surface:	22.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-11-07	Feet below surface:	2.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-10-27	Feet below surface:	0.70
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-10-12	Feet below surface:	15.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-10-04	Feet below surface:	16.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1934-09-20	Feet below surface:	15.00
Feet to sea level:	Not Reported	Note:	Not Reported

1934-09-15 Level reading date: Feet below surface: 16.50

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1934-09-06 Feet below surface: 15.70

Feet to sea level: Not Reported The site was being pumped. Note:

Level reading date: 1934-09-01 Feet below surface: 17.30

Feet to sea level: Not Reported Note: Not Reported

1934-08-25 Level reading date: Feet below surface: 14.10 Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1934-08-11 Feet below surface: 15.30 Not Reported Feet to sea level: Note: Not Reported

Level reading date: 1934-08-04 Feet below surface: 15.40 Feet to sea level: Not Reported Not Reported

Level reading date: 1934-07-28 Feet below surface: 15.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1934-07-21 Feet below surface: 8.90 Feet to sea level: Not Reported Note: Not Reported

1934-07-14 Level reading date: Feet below surface: 13.50 Feet to sea level: Not Reported Note: The site was being pumped.

1934-07-07 Level reading date: Feet below surface: Feet to sea level: Not Reported Note: The site was being pumped.

1934-06-25 Level reading date: Feet below surface: 6.40

Feet to sea level: Not Reported Note: Not Reported

Feet below surface: 5.70 Level reading date: 1934-06-19 Note:

Feet to sea level: Not Reported Not Reported

Level reading date: 1934-06-11 Feet below surface: 6.40

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1934-06-04 Feet below surface: 8.10 Feet to sea level: Not Reported Note:

Not Reported

Level reading date: 1934-05-17 Feet below surface: 5.70 Not Reported Feet to sea level: Not Reported Note:

Level reading date: 1934-05-07 Feet below surface: 4.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1934-04-09 3.70 Feet below surface:

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1933-11-09 Feet below surface: 1.10

Feet to sea level: Not Reported Not Reported Note:

Level reading date: 1933-10-06 Feet below surface: 3.80

Feet to sea level: Not Reported Note: Not Reported

1933-09-11 Feet below surface: Level reading date: 4.90

Feet to sea level: Not Reported Note: Not Reported

1933-08-05 Level reading date: Feet below surface: 5.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1933-07-08 Feet below surface: 2.60

Feet to sea level: Not Reported Note: Not Reported

BD268
WSW
CA WELLS CAUSGSN00005954

1/2 - 1 Mile Lower

Well ID: USGS-340439117170001 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340439117170001 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340439117170001&store\_num=

GeoTracker Data: Not Reported

BD269
WSW FED USGS USGS40000140677
1/2 - 1 Mile

1/2 - 1 N Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W22B001S Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 190
Well Depth Units: ft Well Hole Depth: 192

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 20 Level reading date: 1970-04-02

Feet below surface: 77.30 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 1969-11-24 Feet below surface: 84.30

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-04-25 Feet below surface: 86.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1969-01-03 Feet below surface: 102.50

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1968-05-24 Feet below surface: 90.80

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1967-12-01 Feet below surface: 95.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-09-16 Feet below surface: 107.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-08-19 Feet below surface: 106.10

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-07-22 Feet below surface: 104.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-06-17 Feet below surface: 100.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1966-05-20 Feet below surface: 90.60

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-04-15 Feet below surface: 88.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-03-11 Feet below surface: 83.10

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-02-18 Feet below surface: 78.20

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1966-01-28 Feet below surface: 80.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1965-12-23 Feet below surface: 86.90

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1965-11-19 Feet below surface: 90.40

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1965-10-22 Feet below surface: 102.20

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1965-08-20 Feet below surface: 101.00

Feet to sea level: Not Reported Note: The site was being pumped.

Level reading date: 1965-07-30 Feet below surface: 92.10

Feet to sea level: Not Reported Note: Not Reported

270 NE FED USGS USGS40000140866

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13C001S Type: Well Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19360101 Well Depth: 180
Well Depth Units: ft Well Hole Depth: 196

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1936

Feet below surface: 47.00 Feet to sea level: Not Reported

Note: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

271 NNE 1/2 - 1 Mile

FED USGS USGS40000140907

1/2 - 1 Mile Higher

Higher

Organization ID: USGS-CA

 Organization Name:
 USGS California Water Science Center

 Monitor Location:
 001S004W12N002S
 Type:
 Well

 Description:
 Not Reported
 HUC:
 18070203

Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Units: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19360101 Well Depth: 102
Well Depth Units: ft Well Hole Depth: 102

Well Hole Depth Units: ft

BC272
South CA WELLS 934
1/2 - 1 Mile

Seq: 934 Prim sta c: 01S/04W-23G03 S

 Frds no:
 3310031038
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: GAGE WELL 66-1 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340400.0
 Longitude:
 1171600.0

 Precision:
 8
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 5: Not Reported Comment 7: Not Reported

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

City: RIVERSIDE State: CA

 Zip:
 92522
 Zip ext:
 Not Reported

 Pop serv:
 245000
 Connection:
 58586

Area serve: RIVERSIDE

Sample date: 01-FEB-18 Finding: 2.5

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dlr: 0.5

Sample date: 01-FEB-18 Finding: 11.
Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 11-JAN-18 Finding: 7.e-002 Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

Chemical: DIBROMOCHLOROPROPANE (DBCP)
DIr: 1.e-002

Sample date: 11-JAN-18 Finding: 2.5

Chemical: TRICHLOROETHYLENE Report units: UG/L

Dir: 0.5

Sample date: 11-JAN-18 Finding: 0.44

RADIUM 226 MDA95 PCI/L Chemical: Report units: DIr: 11-JAN-18 Sample date: Finding: 0.83 RADIUM 228 MDA95 Chemical: Report units: PCI/L DIr: Sample date: 11-JAN-18 Finding: 11. Chemical: NITRATE (AS N) Report units: MG/L DIr: Sample date: 13-DEC-17 Finding: 3. Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 13-DEC-17 Finding: Sample date: 11. Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 28-NOV-17 Finding: Sample date: 11. Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 7.8e-002 Sample date: 28-NOV-17 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L DIr: 1.e-002 Sample date: 28-NOV-17 2.6 Finding: Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 21-SEP-17 Finding: 11. Chemical: Report units: NITRATE (AS N) MG/L DIr: 0.4 21-SEP-17 2.2 Sample date: Finding: TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 18-AUG-17 Finding: 4.67 Chemical: **GROSS BETA** Report units: PCI/L Dlr: 18-AUG-17 Sample date: Finding: 1.99 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L Finding: Sample date: 18-AUG-17 6.37 **GROSS ALPHA** Report units: Chemical: PCI/L DIr: 18-AUG-17 Sample date: Finding: 2.76 **GROSS ALPHA MDA95** Chemical: Report units: PCI/L DIr: 18-AUG-17 Sample date: Finding: 2.1 Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5 Sample date: 18-AUG-17 0.851 Finding: GROSS BETA COUNTING ERROR Chemical: Report units: PCI/L DIr:

Sample date: Chemical: Dlr:	18-AUG-17 GROSS BETA MDA95 0.	Finding: Report units:	1.21 PCI/L
Sample date: Chemical: Dlr:	18-AUG-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	18-AUG-17 URANIUM (PCI/L) 1.	Finding: Report units:	8. PCI/L
Sample date: Chemical: Dlr:	26-JUL-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	26-JUL-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.4 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	03-MAY-17 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	03-MAY-17 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.4 Not Reported
Sample date: Chemical: Dlr:	03-MAY-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.5 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	5.6e-002 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 VANADIUM 3.	Finding: Report units:	5.6 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	8.7 UG/L
Sample date: Chemical: Dlr:	03-MAY-17 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.91 MG/L
Sample date: Chemical: Dlr:	03-MAY-17 SULFATE 0.5	Finding: Report units:	61. MG/L
Sample date: Chemical: Dlr:	03-MAY-17 CHLORIDE 0.	Finding: Report units:	34. MG/L
Sample date: Chemical:	03-MAY-17 POTASSIUM	Finding: Report units:	2.8 MG/L

DIr: 0.

Sample date: 03-MAY-17 Finding: 41.
Chemical: SODIUM Report units: MG/L

Dlr: 0.

Sample date: 03-MAY-17 Finding: 12. Chemical: MAGNESIUM Report units: MG/L

Dlr: 0.

Sample date: 03-MAY-17 Finding: 74. Chemical: CALCIUM Report units: MG/L

Dlr: 0.

Sample date: 03-MAY-17 Finding: 230.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 03-MAY-17 Finding: 11.
Chemical: NITRATE (AS N) Report units: MG/L

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 03-MAY-17 Finding: 2.3

Chemical: CARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 03-MAY-17 Finding: 220.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 03-MAY-17 Finding: 180. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 03-MAY-17 Finding: 8.2

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 03-MAY-17 Finding: 640.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: 03-MAY-17 Finding: 2.

Chemical: ODOR THRESHOLD @ 60 C Report units: TON DIr: 1.

Sample date: 03-MAY-17 Finding: 420.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 06-APR-17 Finding: 2.

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: 06-APR-17 Finding: 11.

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 01-MAR-17 Finding: 2.1

Chemical: TRICHLOROETHYLENE Report units: UG/L DIr: 0.5

Sample date: Chemical: Dlr:	01-MAR-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	01-FEB-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	01-FEB-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	5.5e-002 UG/L
Sample date: Chemical: Dlr:	01-FEB-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.6 UG/L
Sample date: Chemical: Dlr:	11-JAN-17 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	11-JAN-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dlr:	11-JAN-17 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.8e-002 UG/L
Sample date: Chemical: Dlr:	16-NOV-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	9.4 UG/L
Sample date: Chemical: Dlr:	27-OCT-16 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	5.8e-002 UG/L
Sample date: Chemical: Dlr:	27-OCT-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	9.4 UG/L
Sample date: Chemical: Dlr:	05-OCT-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.3 UG/L
Sample date: Chemical: Dlr:	05-OCT-16 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	6.1e-002 UG/L
Sample date: Chemical: Dlr:	05-OCT-16 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	15-SEP-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	15-SEP-16 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical:	15-SEP-16 DIBROMOCHLOROPROPANE (DBCP)	Finding: Report units:	4.9e-002 UG/L

Dlr: 1.e-002

Sample date: 15-SEP-16 Finding: 1.6 TRICHLOROETHYLENE Chemical: Report units: UG/L

Dlr: 0.5

Sample date: 15-SEP-16 Finding: 2.8 PCI/L Chemical: **GROSS ALPHA COUNTING ERROR** Report units:

DIr:

15-SEP-16 Sample date: Finding: 11. Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

Sample date: Finding: 12-AUG-16 11. Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

5.1e-002 12-AUG-16 Sample date: Finding: UG/L

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units:

DIr: 1.e-002

Sample date: 12-AUG-16 Finding: 2.1 TRICHLOROETHYLENE Report units: UG/L Chemical:

DIr: 0.5

21-JUL-16 Sample date: Finding: 11. Report units: MG/L

Chemical: NITRATE (AS N) DIr: 0.4

Sample date: 21-JUL-16 Finding: 1.9

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

Sample date: 21-JUL-16 Finding: 5.7e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Finding: Sample date: 09-JUN-16 2.3

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr:

09-JUN-16 Sample date: 0.95 Finding:

**GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr:

Sample date: 09-JUN-16 Finding: 10. NITRATE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: 09-JUN-16 Finding: 6.7

Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 1.

Sample date: 09-JUN-16 Finding: 5.7e-002

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L 1.e-002 DIr:

Sample date: 09-JUN-16 Finding: 1.6

TRICHLOROETHYLENE Chemical: Report units: UG/L

0.5 DIr:

Sample date: Chemical: Dlr:	06-MAY-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	06-MAY-16 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	5.1e-002 UG/L
Sample date: Chemical: Dlr:	06-MAY-16 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	08-APR-16 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.7e-002 UG/L
Sample date: Chemical: Dlr:	08-APR-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	08-APR-16 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	11-MAR-16 NITRATE (AS N) 0.4	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	11-MAR-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	2.8 PCI/L
Sample date: Chemical: Dlr:	11-MAR-16 URANIUM (PCI/L) 1.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: Dlr:	11-MAR-16 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.7e-002 UG/L
Sample date: Chemical: Dlr:	11-MAR-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	11-MAR-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	27-JAN-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	27-JAN-16 URANIUM (PCI/L) 1.	Finding: Report units:	6.7 PCI/L
Sample date: Chemical: Dlr:	27-JAN-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical:	27-JAN-16 NITRATE (AS N)	Finding: Report units:	11. MG/L

Dlr: 0.4

Sample date: 27-JAN-16 Finding: 5.3e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

Dlr: 1.e-002

Sample date: 27-JAN-16 Finding: 1.1 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

4.9e-002 Sample date: 22-OCT-15 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: Finding: 22-OCT-15 1. TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

22-OCT-15 49. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

22-OCT-15 Finding: Sample date: 11. Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

17-SEP-15 Sample date: Finding: 3.3

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 17-SEP-15 Finding: 5.6 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Sample date: 17-SEP-15 Finding: 7.4 Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

17-SEP-15 Finding: Sample date: 1.2

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 17-SEP-15 50. Finding: Report units: MG/L Chemical: NITRATE (AS NO3)

DIr:

17-SEP-15 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 17-SEP-15 4.9e-002 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 07-AUG-15 Finding: 49. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 07-AUG-15 Finding: 0.82 TRICHLOROETHYLENE Chemical: Report units: UG/L

0.5 DIr:

Sample date: Chemical: Dlr:	07-AUG-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	5.5e-002 UG/L
Sample date: Chemical: Dlr:	07-MAY-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.7e-002 UG/L
Sample date: Chemical: Dlr:	07-MAY-15 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	07-MAY-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	02-APR-15 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	02-APR-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	02-APR-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.5e-002 UG/L
Sample date: Chemical: Dlr:	04-MAR-15 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.6e-002 UG/L
Sample date: Chemical: Dlr:	04-MAR-15 URANIUM (PCI/L) 1.	Finding: Report units:	8.7 PCI/L
Sample date: Chemical: Dlr:	04-MAR-15 GROSS ALPHA 3.	Finding: Report units:	6.3 PCI/L
Sample date: Chemical: Dlr:	04-MAR-15 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dlr:	04-MAR-15 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	04-MAR-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	04-MAR-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical: Dlr:	06-FEB-15 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical:	06-FEB-15 TRICHLOROETHYLENE	Finding: Report units:	1. UG/L

Dlr: 0.5

Sample date: 06-FEB-15 Finding: 4.2e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

Dlr: 1.e-002

Sample date: 08-JAN-15 Finding: 4.e-002 Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

08-JAN-15 Sample date: Finding: 1.2 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 08-JAN-15 47. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

09-DEC-14 Sample date: Finding: 1.2 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

09-DEC-14 Finding: Sample date: 3.6e-002

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

09-DEC-14 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 14-NOV-14 Finding: 46. MG/L

Chemical: NITRATE (AS NO3) Report units:

DIr:

Sample date: 14-NOV-14 Finding: 1.1 Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

3.7e-002 Sample date: 14-NOV-14 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 22-OCT-14 45. Finding:

Report units: MG/L Chemical: NITRATE (AS NO3) DIr:

Sample date: 22-OCT-14 Finding: 0.99

Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

DIr:

Sample date: 22-OCT-14 3.7e-002 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 25-SEP-14 Finding: 5.2

PCI/L Chemical: **GROSS ALPHA** Report units: DIr: 3.

Sample date: 25-SEP-14 Finding: 3.1 **GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L

Sample date: Chemical: DIr:	25-SEP-14 URANIUM (PCI/L) 1.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: DIr:	25-SEP-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.2e-002 UG/L
Sample date: Chemical: Dlr:	25-SEP-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	1. UG/L
Sample date: Chemical: Dlr:	25-SEP-14 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	25-SEP-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	15-AUG-14 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	15-AUG-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.82 UG/L
Sample date: Chemical: Dlr:	15-AUG-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.3e-002 UG/L
Sample date: Chemical: Dlr:	02-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 GROSS ALPHA 3.	Finding: Report units:	6. PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.3e-002 UG/L
Sample date: Chemical: Dlr:	02-JUL-14 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	02-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	47. MG/L
Sample date: Chemical: Dlr:	02-JUL-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.73 UG/L
Sample date: Chemical:	29-MAY-14 AGGRSSIVE INDEX (CORROSIVITY)	Finding: Report units:	12. Not Reported

DIr: 0.

Sample date: 29-MAY-14 Finding: 10000.
Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 29-MAY-14 Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2

Sample date: 29-MAY-14 Finding: 1.

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dlr: 0.

Sample date: 29-MAY-14 Finding: 420.
Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/I

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

Sample date: 29-MAY-14 Finding: 3.1e-002

Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L
DIr: 1.e-002

Sample date: 29-MAY-14 Finding: 5.8 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 29-MAY-14 Finding: 0.9

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

5.1

Sample date: 29-MAY-14 Finding: 61.
Chemical: SULFATE Report units: MG/L

DIr: 0.5

Sample date: 29-MAY-14 Finding: 39.
Chemical: CHLORIDE Report units: MG/L

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 29-MAY-14 Finding: 2.9
Chemical: POTASSIUM Report units: MG/L

DIr: 0.

Sample date: 29-MAY-14 Finding: 42.
Chemical: SODIUM Report units: MG/L
DIr: 0.

Sample date: 29-MAY-14 Finding: 12.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 29-MAY-14 Finding: 77.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 29-MAY-14 Finding: 240.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 29-MAY-14 Finding: 190.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

160. Sample date: 29-MAY-14 Finding: Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 29-MAY-14 Finding: 7.8 Chemical: PH, LABORATORY Report units: Not Reported DIr: 0. Sample date: Finding: 29-MAY-14 670. SPECIFIC CONDUCTANCE Chemical: Report units: US DIr: Sample date: 29-MAY-14 Finding: 4900. Chemical: **CARBON DIOXIDE** Report units: UG/L DIr: Sample date: 23-MAY-14 Finding: 0.69 TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5 Sample date: 23-MAY-14 46. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L Dlr: Sample date: 23-MAY-14 Finding: 9.9 Chemical: **PERCHLORATE** Report units: UG/L DIr: Sample date: 23-MAY-14 Finding: 3.6e-002 DIBROMOCHLOROPROPANE (DBCP) Report units: Chemical: UG/L DIr: 1.e-002 04-APR-14 3.7e-002 Sample date: Finding: DIBROMOCHLOROPROPANE (DBCP) Report units: Chemical: UG/L DIr: 1.e-002 04-APR-14 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 07-MAR-14 Finding: 5.7 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: 3. Sample date: 07-MAR-14 3.2 Finding: Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L DIr: Sample date: 07-MAR-14 6.7 Finding: Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 07-MAR-14 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L Sample date: 07-MAR-14 Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L Sample date: 07-MAR-14 3.7e-002 Finding: Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

Dlr: 1.e-002

Sample date: 01-NOV-13 Finding: 3.9e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Sample date: 01-NOV-13 Finding: 47. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

01-NOV-13 Sample date: Finding: 1. Chemical: TRICHLOROETHYLENE Report units: UG/L

DIr: 0.5

Sample date: 03-OCT-13 0.96 Finding: TRICHLOROETHYLENE UG/L

Chemical: Report units: DIr: 0.5

03-OCT-13 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

03-OCT-13 Finding: Sample date: 4.1e-002

DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

05-SEP-13 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 05-SEP-13 Finding: 0.92

Chemical: TRICHLOROETHYLENE Report units: UG/L 0.5

DIr:

Sample date: 05-SEP-13 Finding: 3.6e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Finding: Sample date: 06-AUG-13 1.3

TRICHLOROETHYLENE Chemical: Report units: UG/L DIr: 0.5

Sample date: 06-AUG-13 3.9e-002 Finding:

DIBROMOCHLOROPROPANE (DBCP) Report units: Chemical: UG/L DIr: 1.e-002

Sample date: 06-AUG-13 Finding: 7.8

Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr: 1.

Sample date: 06-AUG-13 Finding: 3.6 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L

DIr:

Sample date: 06-AUG-13 Finding: 7.5 PCI/L Chemical: **GROSS ALPHA** Report units:

DIr: 3.

Sample date: 06-AUG-13 Finding: 3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units:

DIr: 0.

Sample date: Chemical: Dlr:	06-AUG-13 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: DIr:	03-JUL-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.8e-002 UG/L
Sample date: Chemical: Dlr:	03-JUL-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1. UG/L
Sample date: Chemical: Dlr:	03-JUL-13 NITRATE (AS NO3) 2.	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	07-JUN-13 URANIUM (PCI/L) 1.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: Dlr:	07-JUN-13 GROSS ALPHA 3.	Finding: Report units:	5. PCI/L
Sample date: Chemical: Dlr:	07-JUN-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: DIr:	07-JUN-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.8 UG/L
Sample date: Chemical: DIr:	07-JUN-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: DIr:	07-JUN-13 NITRATE (AS NO3) 2.	Finding: Report units:	45. MG/L
Sample date: Chemical: DIr:	07-JUN-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.9e-002 UG/L
Sample date: Chemical: DIr:	01-MAY-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	11000. MG/L
Sample date: Chemical: DIr:	01-MAY-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: DIr:	01-MAY-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.33 NTU
Sample date: Chemical: DIr:	01-MAY-13 NITRATE (AS NO3) 2.	Finding: Report units:	48. MG/L
Sample date: Chemical:	01-MAY-13 LANGELIER INDEX @ 60 C	Finding: Report units:	1.2 Not Reported

DIr: 0.

Sample date: 01-MAY-13 Finding: 410. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0.

Sample date: 01-MAY-13 Finding: 3.9e-002 Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

Dlr: 1.e-002

Sample date: 01-MAY-13 Finding: 6.1 Chemical: VANADIUM Report units: UG/L

Dlr: 3.

Sample date: 01-MAY-13 Finding: 0.85

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 01-MAY-13 Finding: 63. Chemical: SULFATE Report units: MG/L

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 01-MAY-13 Finding: 40.

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 2.8 Chemical: POTASSIUM Report units: MG/L

Dir: 0.

Sample date: 01-MAY-13 Finding: 41.

Chemical: SODIUM Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 12.

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 77.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 240.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 210.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 170.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 01-MAY-13 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 01-MAY-13 Finding: 670.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

Sample date: Chemical: Dlr:	01-MAY-13 COLOR 0.	Finding: Report units:	5. UNITS
Sample date: Chemical: Dlr:	01-MAY-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1. UG/L
Sample date: Chemical: Dlr:	04-APR-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.86 UG/L
Sample date: Chemical: Dlr:	04-APR-13 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	04-APR-13 PERCHLORATE 4.	Finding: Report units:	9.1 UG/L
Sample date: Chemical: Dlr:	04-APR-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.6e-002 UG/L
Sample date: Chemical: Dlr:	04-APR-13 URANIUM (PCI/L) 1.	Finding: Report units:	7.1 PCI/L
Sample date: Chemical: Dlr:	04-APR-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.1 PCI/L
Sample date: Chemical: Dlr:	04-APR-13 GROSS ALPHA 3.	Finding: Report units:	8.6 PCI/L
Sample date: Chemical: Dlr:	04-APR-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	01-FEB-13 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.6e-002 UG/L
Sample date: Chemical: Dlr:	01-FEB-13 TRICHLOROETHYLENE 0.5	Finding: Report units:	1.2 UG/L
Sample date: Chemical: Dlr:	01-FEB-13 NITRATE (AS NO3) 2.	Finding: Report units:	44. MG/L
Sample date: Chemical: Dlr:	01-FEB-13 PERCHLORATE 4.	Finding: Report units:	9.6 UG/L
Sample date: Chemical: Dlr:	10-JAN-13 NITRATE (AS NO3) 2.	Finding: Report units:	45. MG/L
Sample date: Chemical:	10-JAN-13 TRICHLOROETHYLENE	Finding: Report units:	1. UG/L

Dlr: 0.5

Sample date: 10-JAN-13 Finding: 3.7e-002 DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

Sample date: 10-JAN-13 Finding: 9.7 Chemical: PERCHLORATE Report units: UG/L

DIr:

13-DEC-12 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 13-DEC-12 9.6 Finding: **PERCHLORATE** Chemical: Report units: UG/L

DIr:

4.1e-002 13-DEC-12 Sample date: Finding: DIBROMOCHLOROPROPANE (DBCP) Chemical: Report units: UG/L

DIr: 1.e-002

13-DEC-12 Finding: Sample date: 0.83

TRICHLOROETHYLENE Report units: Chemical: UG/L

DIr: 0.5

20-NOV-12 Sample date: Finding: 3.7e-002 Chemical: Report units: UG/L

DIBROMOCHLOROPROPANE (DBCP) DIr: 1.e-002

Sample date: 20-NOV-12 Finding: 0.96

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

Sample date: 20-NOV-12 Finding: 46.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

18-OCT-12 Finding: Sample date: 3.8

**GROSS ALPHA** Chemical: Report units: PCI/L DIr: 3.

Sample date: 18-OCT-12 Finding: 3.1 GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical:

DIr:

Sample date: 18-OCT-12 Finding: 7.8 Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr: 1.

Sample date: 18-OCT-12 3.6e-002 Finding:

Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

DIr: 1.e-002

Sample date: 18-OCT-12 Finding: 45.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 18-OCT-12 Finding: 3.1

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 0.

Sample date: Chemical: Dlr:	18-OCT-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.85 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 NITRATE (AS NO3) 2.	Finding: Report units:	46. MG/L
Sample date: Chemical: Dlr:	13-SEP-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.71 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	4.e-002 UG/L
Sample date: Chemical: Dlr:	13-SEP-12 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	8.8 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.96 PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 NITRATE (AS NO3) 2.	Finding: Report units:	45. MG/L
Sample date: Chemical: Dlr:	02-AUG-12 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.56 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 DIBROMOCHLOROPROPANE (DBCP) 1.e-002	Finding: Report units:	3.3e-002 UG/L
Sample date: Chemical: Dlr:	02-AUG-12 URANIUM (PCI/L) 1.	Finding: Report units:	7.3 PCI/L
Sample date: Chemical: Dlr:	02-AUG-12 GROSS ALPHA 3.	Finding: Report units:	6.58 PCI/L
Sample date: Chemical: Dlr:	14-JUN-12 BICARBONATE ALKALINITY 0.	Finding: Report units:	180. MG/L
Sample date: Chemical: Dlr:	14-JUN-12 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.17 NTU
Sample date: Chemical: Dlr:	14-JUN-12 PH, LABORATORY 0.	Finding: Report units:	8.2 Not Reported
Sample date: Chemical: Dlr:	14-JUN-12 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	610. US
Sample date: Chemical:	14-JUN-12 LANGELIER INDEX @ 60 C	Finding: Report units:	1.3 Not Reported

Dir: 0.

Sample date: 14-JUN-12 Finding: 380. Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0.

Sample date: 14-JUN-12 Finding: 4.8e-002 Chemical: DIBROMOCHLOROPROPANE (DBCP) Report units: UG/L

Dlr: 1.e-002

Sample date: 14-JUN-12 Finding: 6.1 Chemical: URANIUM (PCI/L) Report units: PCI/L

Dlr: 1.

Sample date: 14-JUN-12 Finding: 2.9

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: 0.

Sample date: 14-JUN-12 Finding: 3.3 Chemical: GROSS ALPHA Report units: PCI/L

Dir: 3.

Sample date: 14-JUN-12 Finding: 5.4

Chemical: VANADIUM Report units: UG/L DIr: 3.

Sample date: 14-JUN-12 Finding: 0.92

Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L DIr: 0.1

Sample date: 14-JUN-12 Finding: 52.

Chemical: SULFATE Report units: MG/L DIr: 0.5

Sample date: 14-JUN-12 Finding: 33.

Chemical: CHLORIDE Report units: MG/L DIr: 0.

Sample date: 14-JUN-12 Finding: 2.8 Chemical: POTASSIUM Report units: MG/L

Dir: 0.

 Sample date:
 14-JUN-12
 Finding:
 36.

 Chemical:
 SODIUM
 Report units:
 MG/L

 DIr:
 0.

Sample date: 14-JUN-12 Finding: 12.
Chemical: MAGNESIUM Report units: MG/L

Chemical: MAGNESIUM Report units: MG/L DIr: 0.

Sample date: 14-JUN-12 Finding: 230.
Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

DIr: 0.

Sample date: 14-JUN-12 Finding: 45.
Chemical: NITRATE (AS NO3) Report units: MG/L

Sample date: 14-JUN-12 Finding: 73.

Chemical: CALCIUM Report units: MG/L

Dir: 0.

DIr:

14-JUN-12 Sample date:

Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 14-JUN-12 Finding: 10000. NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

Sample date: 14-JUN-12 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Higher

Sample date: 14-JUN-12 Finding: 150. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

AV273 **CA WELLS** 895 **ENE** 1/2 - 1 Mile

01S/04W-13G03 S Seq: 895 Prim sta c:

3310031037 Frds no: County: 33 District: User id: WAT 14 Water type: System no: 3310031

GAGE WELL 56-1 WELL/AMBNT/MUN/INTAKE/SUPPLY Source nam: Station ty:

340508.0 Longitude: 1171505.7 Latitude: Precision: Status: AR

Not Reported Not Reported Comment 1: Comment 2: Not Reported Comment 4: Not Reported Comment 3: Not Reported Comment 5: Comment 6: Not Reported

Not Reported Comment 7:

System no: 3310031 System nam: Riverside, City Of 3900 MAIN STREET Hqname: Not Reported Address:

RIVERSIDE State: CA City: Not Reported Zip: 92522 Zip ext:

Pop serv: 245000 Connection: 58586 **RIVERSIDE** Area serve:

18-OCT-17 Sample date: Finding: 4.

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 14-JUL-17 Finding: 3.9

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 06-APR-17 Finding: 3.9

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 27-JAN-17 Finding: 3.9 Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 26-OCT-16 9.9 Finding: Chemical: MAGNESIUM Report units: MG/L

DIr: 0.

Sample date: 26-OCT-16 Finding: 4.8

VANADIUM UG/L Chemical: Report units:

DIr: 3.

26-OCT-16 Sample date: Finding: 200. HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr:

Sample date: 26-OCT-16 Finding: 3.8 Chemical: NITRATE (AS N) Report units: MG/L

DIr:

Sample date: 26-OCT-16 Finding: 180.

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

DIr:

26-OCT-16 Sample date: Finding: 150. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr:

26-OCT-16 Sample date: Finding: 8.1 Chemical:

PH, LABORATORY Report units: Not Reported DIr: 0.

26-OCT-16 Sample date: Finding:

SPECIFIC CONDUCTANCE Chemical: Report units: US

DIr:

Sample date: 26-OCT-16 2300. Finding: Chemical: **CARBON DIOXIDE** Report units: UG/L

DIr:

Sample date: 26-OCT-16 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Sample date: 26-OCT-16 Finding: 3.8

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L DIr: 0.4

Sample date: 26-OCT-16 Finding: 29.

Chemical: SODIUM Report units: MG/L Dlr: 0.

26-OCT-16 Sample date: Finding: 3.

Chemical: **POTASSIUM** Report units: MG/L

Sample date: 26-OCT-16 Finding:

3. **GROSS ALPHA MDA95** PCI/L Chemical: Report units:

DIr:

26-OCT-16 Finding: Sample date: 35.

Chemical: **CHLORIDE** Report units: MG/L DIr:

26-OCT-16 Sample date: Finding: 31.

Chemical: Report units: **SULFATE** MG/L DIr: 0.5

Sample date: 26-OCT-16 Finding: 0.56

FLUORIDE (F) (NATURAL-SOURCE) Chemical: Report units: MG/L

DIr: 0.1 520.

Sample date: Chemical: Dlr:	26-OCT-16 BORON 100.	Finding: Report units:	110. UG/L
Sample date: Chemical: Dlr:	26-OCT-16 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.1 Not Reported
Sample date: Chemical: Dlr:	26-OCT-16 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	330. MG/L
Sample date: Chemical: Dlr:	26-OCT-16 URANIUM (PCI/L) 1.	Finding: Report units:	13. PCI/L
Sample date: Chemical: Dlr:	26-OCT-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	1.2 PCI/L
Sample date: Chemical: Dlr:	26-OCT-16 GROSS ALPHA 3.	Finding: Report units:	9. PCI/L
Sample date: Chemical: Dlr:	26-OCT-16 CALCIUM 0.	Finding: Report units:	63. MG/L
Sample date: Chemical: Dlr:	05-OCT-16 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	4. MG/L
Sample date: Chemical: Dlr:	05-OCT-16 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Chemical: DIr: Sample date: Chemical:	AGGRSSIVE INDEX (CORROSIVITY) 0. 05-OCT-16 LANGELIER INDEX @ 60 C	Report units: Finding:	Not Reported
Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical:	AGGRSSIVE INDEX (CORROSIVITY) 0. 05-OCT-16 LANGELIER INDEX @ 60 C 0. 05-OCT-16 TOTAL DISSOLVED SOLIDS	Report units:  Finding: Report units:  Finding:	Not Reported  1.2 Not Reported  300.
Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:  Sample date: Chemical: DIr:	AGGRSSIVE INDEX (CORROSIVITY) 0.  05-OCT-16 LANGELIER INDEX @ 60 C 0.  05-OCT-16 TOTAL DISSOLVED SOLIDS 0.  05-OCT-16 VANADIUM	Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding:	1.2 Not Reported 300. MG/L
Chemical: DIr:  Sample date: Chemical: DIr:	AGGRSSIVE INDEX (CORROSIVITY) 0.  05-OCT-16 LANGELIER INDEX @ 60 C 0.  05-OCT-16 TOTAL DISSOLVED SOLIDS 0.  05-OCT-16 VANADIUM 3.  05-OCT-16 FLUORIDE (F) (NATURAL-SOURCE)	Report units:  Finding: Report units:  Finding: Report units:  Finding: Report units:  Finding: Finding: Finding:	Not Reported  1.2 Not Reported  300. MG/L  5.2 UG/L  0.54
Chemical: DIr:  Sample date: Chemical: DIr:	AGGRSSIVE INDEX (CORROSIVITY) 0.  05-OCT-16 LANGELIER INDEX @ 60 C 0.  05-OCT-16 TOTAL DISSOLVED SOLIDS 0.  05-OCT-16 VANADIUM 3.  05-OCT-16 FLUORIDE (F) (NATURAL-SOURCE) 0.1  05-OCT-16 SULFATE	Report units:  Finding: Finding: Finding: Finding: Finding: Finding:	Not Reported  1.2 Not Reported  300. MG/L  5.2 UG/L  0.54 MG/L  32.

Dlr: 0.

05-OCT-16 Sample date: Finding: 27. SODIUM Report units: MG/L Chemical:

DIr: 0.

Sample date: 05-OCT-16 Finding: 9.4 Chemical: MAGNESIUM Report units: MG/L

DIr:

05-OCT-16 Sample date: Finding: 60. Chemical: **CALCIUM** Report units: MG/L

DIr:

DIr:

Sample date: 05-OCT-16 190. Finding:

HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

05-OCT-16 Sample date: Finding: 4. Chemical: NITRATE (AS N) Report units: MG/L

DIr: 0.4

05-OCT-16 Sample date: Finding: 180.

**BICARBONATE ALKALINITY** Chemical: Report units: MG/L DIr:

05-OCT-16 Sample date: Finding: 150. ALKALINITY (TOTAL) AS CACO3 Chemical: MG/L

Report units: DIr:

Sample date: 05-OCT-16 Finding: 8.2

Chemical: PH, LABORATORY Report units: Not Reported

Sample date: 05-OCT-16 Finding: 520. SPECIFIC CONDUCTANCE Chemical: Report units: US

DIr:

05-OCT-16 Sample date: Finding: 110. Chemical: **BORON** Report units: UG/L

DIr: 100.

Sample date: 12-AUG-16 Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical:

DIr:

Sample date: 12-AUG-16 Finding: 8.4 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr: 3.

Sample date: 12-AUG-16 Finding: 3.6 Chemical: **GROSS ALPHA COUNTING ERROR** Report units: PCI/L

DIr:

Sample date: 12-AUG-16 Finding: 9.4 URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr: 1.

Sample date: 14-JUL-16 Finding: 3.9

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: Chemical: Dlr:	04-MAY-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	04-MAY-16 GROSS ALPHA MDA95 0.	Finding: Report units:	1.81 PCI/L
Sample date: Chemical: Dlr:	04-MAY-16 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	08-APR-16 NITRATE (AS N) 0.4	Finding: Report units:	4. MG/L
Sample date: Chemical: Dlr:	04-FEB-16 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	04-FEB-16 URANIUM (PCI/L) 1.	Finding: Report units:	1.1 PCI/L
Sample date: Chemical: Dlr:	04-FEB-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.2 PCI/L
Sample date: Chemical: Dlr:	04-FEB-16 GROSS ALPHA 3.	Finding: Report units:	5. PCI/L
Sample date: Chemical: Dlr:	04-FEB-16 NITRATE (AS N) 0.4	Finding: Report units:	4. MG/L
Sample date: Chemical: Dlr:	04-NOV-15 URANIUM (PCI/L) 1.	Finding: Report units:	12. PCI/L
Sample date: Chemical: Dlr:	04-NOV-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.8 PCI/L
Sample date: Chemical: Dlr:	04-NOV-15 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	08-OCT-15 NITRATE (AS N) 0.4	Finding: Report units:	3.9 MG/L
Sample date: Chemical: Dlr:	07-AUG-15 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	4.4 PCI/L
Sample date: Chemical: Dlr:	07-AUG-15 URANIUM (PCI/L) 1.	Finding: Report units:	13. PCI/L
Sample date: Chemical:	07-AUG-15 GROSS ALPHA MDA95	Finding: Report units:	3. PCI/L

Dlr: 0. Sample date: 30-JUL-15 Finding: 4.1 **GROSS ALPHA COUNTING ERROR** PCI/L Chemical: Report units: DIr: Sample date: 30-JUL-15 Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 30-JUL-15 Sample date: Finding: 15. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 21-NOV-14 Finding: 13. URANIUM (PCI/L) PCI/L Chemical: Report units: DIr: 21-NOV-14 Sample date: Finding: 4.6 **GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L DIr: 21-NOV-14 Sample date: Finding: 3. **GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr: 06-AUG-14 Sample date: Finding: 5.1 Chemical: **GROSS ALPHA** Report units: PCI/L DIr: Sample date: 06-AUG-14 Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: Sample date: 06-AUG-14 Finding: 12. Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: 06-AUG-14 Finding: Sample date: 3.1 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 02-JUL-14 3800. Finding: NITRATE + NITRITE (AS N) Report units: Chemical: MG/L DIr: 0.4 23-MAY-14 Sample date: Finding: 0.36 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr: Sample date: 23-MAY-14 Finding: 8.4 Chemical: **GROSS ALPHA** PCI/L Report units: DIr: Sample date: 23-MAY-14 Finding: 12. URANIUM (PCI/L) Chemical: Report units: PCI/L DIr: 1. Sample date: 23-MAY-14 Finding: 0.36 **GROSS ALPHA MDA95** Chemical: Report units: PCI/L

DIr:

0.

Sample date: Chemical: Dlr:	19-NOV-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.4 PCI/L
Sample date: Chemical: Dlr:	19-NOV-13 URANIUM (PCI/L) 1.	Finding: Report units:	11. PCI/L
Sample date: Chemical: Dlr:	19-NOV-13 GROSS ALPHA 3.	Finding: Report units:	7.4 PCI/L
Sample date: Chemical: Dlr:	19-NOV-13 GROSS ALPHA MDA95 0.	Finding: Report units:	3. PCI/L
Sample date: Chemical: Dlr:	11-OCT-13 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reported
Sample date: Chemical: Dlr:	11-OCT-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	300. MG/L
Sample date: Chemical: Dlr:	11-OCT-13 VANADIUM 3.	Finding: Report units:	5. UG/L
Sample date: Chemical: Dlr:	11-OCT-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.57 MG/L
Sample date: Chemical: Dlr:	11-OCT-13 CHLORIDE 0.	Finding: Report units:	32. MG/L
Sample date: Chemical: Dlr:	11-OCT-13 POTASSIUM 0.	Finding: Report units:	2.8 MG/L
Sample date: Chemical: Dlr:	11-OCT-13 SODIUM 0.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	11-OCT-13 MAGNESIUM 0.	Finding: Report units:	9.6 MG/L
Sample date: Chemical: Dlr:	11-OCT-13 CALCIUM 0.	Finding: Report units:	57. MG/L
Sample date: Chemical: Dlr:	11-OCT-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	180. MG/L
Sample date: Chemical: Dlr:	11-OCT-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	170. MG/L
Sample date: Chemical:	11-OCT-13 ALKALINITY (TOTAL) AS CACO3	Finding: Report units:	140. MG/L

Dlr: 0.

Sample date: 11-OCT-13 Finding: 8.2

Not Reported Chemical: PH, LABORATORY Report units:

DIr: 0.

Sample date: 11-OCT-13 Finding: 490. Chemical: SPECIFIC CONDUCTANCE Report units: US

DIr:

Sample date: 11-OCT-13 Finding: 0.17 Chemical: TURBIDITY, LABORATORY Report units: NTU

DIr: 0.1

Sample date: 11-OCT-13 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

11-OCT-13 3600. Sample date: Finding:

NITRATE + NITRITE (AS N) Chemical: Report units: MG/L

DIr: 0.4

11-OCT-13 Finding: Sample date: 31. Chemical: **SULFATE** Report units: MG/L

DIr: 0.5

15-AUG-13 Sample date: Finding: 4.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

Sample date: 15-AUG-13 Finding: 3.

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 15-AUG-13 Finding: 11. Report units: PCI/L

Chemical: URANIUM (PCI/L)

DIr:

Finding: Sample date: 18-JUL-13 3.5 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

Sample date: 18-JUL-13 3.1 Finding:

**GROSS ALPHA MDA95** Report units: PCI/L Chemical:

DIr:

Sample date: 11-JUL-13 Finding: 0.87

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr:

Sample date: 11-JUL-13 300. Finding:

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

Sample date: 11-JUL-13 Finding: 13. URANIUM (PCI/L) PCI/L Chemical: Report units:

DIr: 1.

Sample date: 11-JUL-13 Finding: 4.7 Chemical: VANADIUM Report units: UG/L

DIr: 3.

Sample date: Chemical: Dlr:	11-JUL-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.51 MG/L
Sample date: Chemical: Dlr:	11-JUL-13 CHLORIDE 0.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 POTASSIUM 0.	Finding: Report units:	2.8 MG/L
Sample date: Chemical: Dlr:	11-JUL-13 SODIUM 0.	Finding: Report units:	29. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 MAGNESIUM 0.	Finding: Report units:	9.1 MG/L
Sample date: Chemical: Dlr:	11-JUL-13 CALCIUM 0.	Finding: Report units:	55. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 PH, LABORATORY 0.	Finding: Report units:	7.9 Not Reported
Sample date: Chemical: Dlr:	11-JUL-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	510. US
Sample date: Chemical: Dlr:	11-JUL-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.22 NTU
Sample date: Chemical: Dlr:	11-JUL-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	12. Not Reported
Sample date: Chemical: Dlr:	11-JUL-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	3700. MG/L
Sample date: Chemical: Dlr:	11-JUL-13 SULFATE 0.5	Finding: Report units:	31. MG/L
Sample date: Chemical:	20-NOV-12 GROSS ALPHA COUNTING ERROR	Finding: Report units:	3.1 PCI/L

Dlr: 0.

Sample date: 20-NOV-12 Finding: 11. PCI/L Chemical: URANIUM (PCI/L) Report units:

DIr:

Sample date: 20-NOV-12 Finding: 7.4 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

20-NOV-12 Sample date: Finding: 3. Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 04-APR-12 Finding: 3.

**GROSS ALPHA MDA95** Chemical: Report units: PCI/L

04-APR-12 Sample date: Finding: 2.8 **GROSS ALPHA COUNTING ERROR** Chemical: Report units: PCI/L

DIr:

04-APR-12 Finding: Sample date: 5.1

**GROSS ALPHA** PCI/L Chemical: Report units:

DIr:

04-APR-12 Sample date: Finding: 11. Report units: PCI/L

Chemical: URANIUM (PCI/L)

DIr:

Sample date: 11-JAN-12 Finding: 11. Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Sample date: 11-JAN-12 Finding: 2.9

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

11-JAN-12 Finding: Sample date: 9.1 Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Groundwater Quality Data:

Sample date: 11-JAN-12 Finding: 3.

**GROSS ALPHA MDA95** Report units: PCI/L Chemical: DIr:

NNW **CA WELLS** CADWR0000015862 1/2 - 1 Mile Lower

01S04W11N001S UNK Well ID: Well Type:

Source: Department of Water Resources

Other Name: 01S04W11N001S GAMA PFAS Testing: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp\_

date=&global\_id=&assigned\_name=01S04W11N001S&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

BE275 **ESE** 

**CA WELLS** CADDW0000014976

1/2 - 1 Mile Higher

> Well ID: 3610013-030 Well Type: MUNICIPAL

Department of Health Services Source:

**RICHARDSON WELL 05** GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610013-030&store\_num=

GeoTracker Data: Not Reported

**BE276 CA WELLS** CAPFAS000000766

**ESE** 1/2 - 1 Mile Higher

> Well ID: 3610013-030 Well Type: **MUNICIPAL**

Source: Department of Health Services

**RICHARDSON WELL 05 GAMA PFAS Testing:** Other Name: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610013-030&store\_num=

GeoTracker Data: Not Reported

**BE277 CA WELLS** CADDW000003819

1/2 - 1 Mile

Well ID: 3610013-025 Well Type: **MUNICIPAL** 

Department of Health Services Source: PURCHASED-CITY OF SB Other Name:

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610013-025&store\_num=

GeoTracker Data: Not Reported

**CA WELLS** CADDW0000012728

1/2 - 1 Mile Higher

> Well ID: 3610013-009 Well Type: **MUNICIPAL**

Source: Department of Health Services RICHARDSON ST. WELL 01 - INAC Other Name:

**GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610013-009&store\_num=

GeoTracker Data: Not Reported

Мар	ID
Direc	ction
Dista	nce
<b>-1</b>	- 4:

Distance Elevation			Database	EDR ID Number
BA279 WSW 1/2 - 1 Mile Lower			CA WELLS	920
Seq: Frds no: District: System no: Source nam: Latitude: Precision:	920 3310031089 14 3310031 THORNE WELL 10 - AGRICULTURAL 340432.0	Prim sta c: County: User id: Water type: Station ty: Longitude: Status:	01S/04W-2: 33 WAT G WELL/AMB 1171659.5 AG	2B03 S NT/MUN/INTAKE/SUPPLY
Comment 1: Comment 3: Comment 5: Comment 7:	Not Reported Not Reported Not Reported Not Reported	Comment 2: Comment 4: Comment 6:	Not Reporte Not Reporte Not Reporte	ed ed
System no: Hqname: City: Zip: Pop serv: Area serve:	3310031 Not Reported RIVERSIDE 92522 245000 RIVERSIDE	System nam: Address: State: Zip ext: Connection:	Riverside, C 3900 MAIN CA Not Reporte 58586	STREET
Sample date: Chemical: Dlr:	27-JUN-13 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reporte	ed
Sample date: Chemical: Dlr:	27-JUN-13 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	1400. MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 NITRATE (AS NO3) 2.	Finding: Report units:	6.3 MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.2 Not Reporte	ed
Sample date: Chemical: DIr:	27-JUN-13 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	700. MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 SULFATE 0.5	Finding: Report units:	200. MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 CHLORIDE 0.	Finding: Report units:	38. MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 POTASSIUM 0.	Finding: Report units:	4.7 MG/L	
Sample date: Chemical: Dlr:	27-JUN-13 SODIUM 0.	Finding: Report units:	45. MG/L	

Sample date: Chemical: Dlr:	27-JUN-13 MAGNESIUM 0.	Finding: Report units:	24. MG/L
Sample date: Chemical: Dlr:	27-JUN-13 CALCIUM 0.	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	27-JUN-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	450. MG/L
Sample date: Chemical: Dlr:	27-JUN-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	340. MG/L
Sample date: Chemical: Dlr:	27-JUN-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	280. MG/L
Sample date: Chemical: Dlr:	27-JUN-13 PH, LABORATORY 0.	Finding: Report units:	7.5 Not Reported
Sample date: Chemical: Dlr:	27-JUN-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	1000. US
Sample date: Chemical: Dlr:	27-JUN-13 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.13 NTU
Sample date: Chemical: Dlr:	27-JUN-12 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	1100. MG/L
Sample date: Chemical: Dlr:	27-JUN-12 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	13. Not Reported
Sample date: Chemical: Dlr:	27-JUN-12 TURBIDITY, LABORATORY 0.1	Finding: Report units:	0.15 NTU
Sample date: Chemical: Dlr:	27-JUN-12 NITRATE (AS NO3) 2.	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	27-JUN-12 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.6 Not Reported
Sample date: Chemical: Dlr:	27-JUN-12 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	670. MG/L
Sample date: Chemical: Dlr:	27-JUN-12 ALUMINUM 50.	Finding: Report units:	56. UG/L
Sample date: Chemical:	27-JUN-12 SULFATE	Finding: Report units:	170. MG/L

DIr: 0.5

Sample date: 27-JUN-12 Finding: 32. Chemical: CHLORIDE Report units: MG/L

Dlr: 0.

Sample date: 27-JUN-12 Finding: 5.1 Chemical: POTASSIUM Report units: MG/L

Dlr: 0.

Sample date: 27-JUN-12 Finding: 48. Chemical: SODIUM Report units: MG/L

Dlr: 0.

Sample date: 27-JUN-12 Finding: 24.
Chemical: MAGNESIUM Report units: MG/L

DIr: 0.

Sample date: 27-JUN-12 Finding: 120.

Chemical: CALCIUM Report units: MG/L DIr: 0.

Sample date: 27-JUN-12 Finding: 410.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 27-JUN-12 Finding: 320.

Chemical: BICARBONATE ALKALINITY Report units: MG/L

DIr: 0

Sample date: 27-JUN-12 Finding: 260.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dir: 0.

Sample date: 27-JUN-12 Finding: 8.

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 27-JUN-12 Finding: 920.

Chemical: SPECIFIC CONDUCTANCE Report units: US

Dlr: 0.

BA280

WSW 1/2 - 1 Mile Lower

Seq: 921 Prim sta c: 01S/04W-22B07 S

 Frds no:
 3310031090
 County:
 33

 District:
 14
 User id:
 WAT

 System no:
 3310031
 Water type:
 G

Source nam: THORNE WELL 12 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 340432.0
 Longitude:
 1171659.5

 Precision:
 1
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 8: Not Reported Comment 9: Not Reported Commen

System no: 3310031 System nam: Riverside, City Of Hqname: Not Reported Address: 3900 MAIN STREET

**CA WELLS** 

921

City: **RIVERSIDE** State: CA Zip: 92522 Zip ext: Not Reported Pop serv: 245000 Connection: 58586 **RIVERSIDE** Area serve: Sample date: 24-JAN-18 Finding: 4.2 Chemical: **ARSENIC** Report units: UG/L DIr: Sample date: 24-JAN-18 4.8 Finding: **GROSS ALPHA** PCI/L Chemical: Report units: DIr: Sample date: 24-JAN-18 Finding: 1. GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 24-JAN-18 0.12 Finding: Chemical: **RADIUM 226 COUNTING ERROR** Report units: PCI/L DIr: Sample date: 24-JAN-18 Finding: 0.84 RADIUM 228 MDA95 Chemical: Report units: PCI/L DIr: 0. Sample date: 24-JAN-18 Finding: 14. URANIUM (PCI/L) PCI/L Chemical: Report units: DIr: 24-JAN-18 2.9 Sample date: Finding: Chemical: **GROSS ALPHA MDA95** Report units: PCI/L DIr: 0.26 Sample date: 24-JAN-18 Finding: Chemical: RADIUM 226 MDA95 Report units: PCI/L DIr: 20-JUL-17 700. Sample date: Finding: SPECIFIC CONDUCTANCE Chemical: Report units: US DIr: 20-JUL-17 Sample date: Finding: 7.7 PH, LABORATORY Chemical: Report units: Not Reported Sample date: 20-JUL-17 Finding: 200. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 20-JUL-17 Finding: 250. **BICARBONATE ALKALINITY** Report units: Chemical: MG/L DIr: Sample date: 20-JUL-17 Finding: 1.1 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 20-JUL-17 300. Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: Sample date: 20-JUL-17 Finding: 97.

Chemical: Dlr:	CALCIUM 0.	Report units:	MG/L
Sample date: Chemical: Dlr:	20-JUL-17 MAGNESIUM 0.	Finding: Report units:	13. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 SODIUM 0.	Finding: Report units:	31. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 POTASSIUM 0.	Finding: Report units:	2.7 MG/L
Sample date: Chemical: Dlr:	20-JUL-17 CHLORIDE 0.	Finding: Report units:	21. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.46 MG/L
Sample date: Chemical: Dlr:	20-JUL-17 ARSENIC 2.	Finding: Report units:	4.1 UG/L
Sample date: Chemical: Dlr:	20-JUL-17 BORON 100.	Finding: Report units:	180. UG/L
Sample date: Chemical: Dlr:	20-JUL-17 VANADIUM 3.	Finding: Report units:	6.6 UG/L
Sample date: Chemical: Dlr:	20-JUL-17 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.85 PCI/L
Sample date: Chemical: Dlr:	20-JUL-17 URANIUM (PCI/L) 1.	Finding: Report units:	12. PCI/L
Sample date: Chemical: Dlr:	20-JUL-17 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	470. MG/L
Sample date: Chemical: Dlr:	20-JUL-17 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.1 Not Reported
Sample date: Chemical: Dlr:	20-JUL-17 AGGRSSIVE INDEX (CORROSIVITY) 0.	Finding: Report units:	12. Not Reported
Sample date: Chemical: Dlr:	20-JUL-17 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	1.1 MG/L

Sample date: Chemical: Dlr:	20-JUL-17 GROSS ALPHA MDA95 0.	Finding: Report units:	1.8 PCI/L
Sample date: Chemical: Dlr:	15-FEB-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.57 UG/L
Sample date: Chemical: Dlr:	21-OCT-16 CHROMIUM, HEXAVALENT 1.	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dlr:	21-OCT-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.64 UG/L
Sample date: Chemical: Dlr:	21-OCT-16 NITRATE (AS N) 0.4	Finding: Report units:	1.1 MG/L
Sample date: Chemical: Dlr:	23-SEP-16 NITRATE (AS N) 0.4	Finding: Report units:	1.1 MG/L
Sample date: Chemical: Dlr:	21-JUL-16 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.67 UG/L
Sample date: Chemical: Dlr:	21-JUL-16 URANIUM (PCI/L) 1.	Finding: Report units:	10. PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 GROSS ALPHA 3.	Finding: Report units:	7. PCI/L
Sample date: Chemical: Dlr:	21-JUL-16 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	21-JUL-16 CHLORIDE 0.	Finding: Report units:	20. MG/L
Sample date: Chemical: Dlr:	21-JUL-16 POTASSIUM 0.	Finding: Report units:	2.6 MG/L
Sample date: Chemical: Dlr:	21-JUL-16 SODIUM 0.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	21-JUL-16 MAGNESIUM 0.	Finding: Report units:	12. MG/L
Sample date: Chemical:	21-JUL-16 CALCIUM	Finding: Report units:	89. MG/L

DIr: 0.

Sample date: 21-JUL-16 Finding: 270. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 21-JUL-16 Finding: 1.1 Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 21-JUL-16 Finding: 220. Chemical: BICARBONATE ALKALINITY Report units: MG/L

DIr: 0.

Sample date: 21-JUL-16 Finding: 180. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 0.

Sample date: 21-JUL-16 Finding: 7.8

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0.

Sample date: 21-JUL-16 Finding: 660.

Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: 0.

ווכ:. ט

Sample date: 21-JUL-16 Finding: 460.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L DIr: 0.

<del>-</del>"

Sample date: 21-JUL-16 Finding: 1.1
Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr: 0.

Sample date: 21-JUL-16 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0.

Sample date: 21-JUL-16 Finding: 1.1

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 21-JUL-16 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 29-JUN-16 Finding: 1.

Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

Sample date: 12-MAY-16 Finding: 1.6

Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dir: 0.

Sample date: 12-MAY-16 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: 0.

Sample date: 12-MAY-16 Finding: 0.16 Chemical: TURBIDITY, LABORATORY Report units: NTU

Dir: 0.1

Sample date: Chemical: Dlr:	12-MAY-16 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.5 Not Reported
Sample date: Chemical: Dlr:	12-MAY-16 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	500. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 URANIUM (PCI/L) 1.	Finding: Report units:	12. PCI/L
Sample date: Chemical: Dlr:	12-MAY-16 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	0.32 PCI/L
Sample date: Chemical: Dlr:	12-MAY-16 VANADIUM 3.	Finding: Report units:	5.9 UG/L
Sample date: Chemical: Dlr:	12-MAY-16 BORON 100.	Finding: Report units:	300. UG/L
Sample date: Chemical: Dlr:	12-MAY-16 ARSENIC 2.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dlr:	12-MAY-16 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.45 MG/L
Sample date: Chemical: Dlr:	12-MAY-16 SULFATE 0.5	Finding: Report units:	140. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 CHLORIDE 0.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 POTASSIUM 0.	Finding: Report units:	3.1 MG/L
Sample date: Chemical: Dlr:	12-MAY-16 SODIUM 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 MAGNESIUM 0.	Finding: Report units:	14. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 CALCIUM 0.	Finding: Report units:	100. MG/L
Sample date: Chemical: Dlr:	12-MAY-16 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	310. MG/L
Sample date: Chemical:	12-MAY-16 NITRATE (AS N)	Finding: Report units:	0.93 MG/L

DIr: 0.4

Sample date: 12-MAY-16 Finding: 2.6 Chemical: CARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 12-MAY-16 Finding: 250. Chemical: BICARBONATE ALKALINITY Report units: MG/L

Dlr: 0.

Sample date: 12-MAY-16 Finding: 200. Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

Dlr: 0.

Sample date: 12-MAY-16 Finding: 8.2

Chemical: PH, LABORATORY Report units: Not Reported

Dlr: 0

Sample date: 12-MAY-16 Finding: 750.
Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Sample date: 12-MAY-16 Finding: 0.93

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: 04-MAY-16 Finding: 0.88 Chemical: NITRATE (AS N) Report units: MG/L

Dlr: 0.4

Sample date: 04-MAY-16 Finding: 0.88

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L DIr: 0.4

Sample date: 18-JUL-14 Finding: 560. Chemical: SPECIFIC CONDUCTANCE Report units: US

Dir: 0.

Sample date: 18-JUL-14 Finding: 8.2

Chemical: PH, LABORATORY Report units: Not Reported DIr: 0.

Sample date: 18-JUL-14 Finding: 210.

Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr: 0.

Sample date: 18-JUL-14 Finding: 260.

Chemical: BICARBONATE ALKALINITY Report units: MG/L DIr: 0.

Sample date: 18-JUL-14 Finding: 2.7
Chemical: CARBONATE ALKALINITY Report units: MG/L

Dir: 0.

Sample date: 18-JUL-14 Finding: 270.

Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L
DIr: 0.

Sample date: 18-JUL-14 Finding: 88.

Chemical: CALCIUM Report units: MG/L

Dir: 0.

Sample date: Chemical: Dlr:	18-JUL-14 MAGNESIUM 0.	Finding: Report units:	12. MG/L
Sample date: Chemical: Dlr:	18-JUL-14 SODIUM 0.	Finding: Report units:	30. MG/L
Sample date: Chemical: Dlr:	18-JUL-14 POTASSIUM 0.	Finding: Report units:	2.6 MG/L
Sample date: Chemical: Dlr:	18-JUL-14 CHLORIDE 0.	Finding: Report units:	19. MG/L
Sample date: Chemical: Dlr:	18-JUL-14 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	18-JUL-14 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.49 MG/L
Sample date: Chemical: Dlr:	18-JUL-14 ARSENIC 2.	Finding: Report units:	3.8 UG/L
Sample date: Chemical: Dlr:	18-JUL-14 BORON 100.	Finding: Report units:	170. UG/L
Sample date: Chemical: Dlr:	18-JUL-14 VANADIUM 3.	Finding: Report units:	7.3 UG/L
Sample date: Chemical: Dlr:	18-JUL-14 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.7 PCI/L
Sample date: Chemical: DIr:	18-JUL-14 URANIUM (PCI/L) 1.	Finding: Report units:	8. PCI/L
Sample date: Chemical: Dlr:	18-JUL-14 TRICHLOROETHYLENE 0.5	Finding: Report units:	0.56 UG/L
Sample date: Chemical: Dlr:	18-JUL-14 TOTAL DISSOLVED SOLIDS 0.	Finding: Report units:	410. MG/L
Sample date: Chemical: Dlr:	18-JUL-14 LANGELIER INDEX @ 60 C 0.	Finding: Report units:	1.5 Not Reported
Sample date: Chemical: Dlr:	18-JUL-14 NITRATE (AS NO3) 2.	Finding: Report units:	4.6 MG/L
Sample date: Chemical:	18-JUL-14 TURBIDITY, LABORATORY	Finding: Report units:	8.e-002 NTU

Dlr: 0.1

Sample date: 18-JUL-14 Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) Not Reported Chemical: Report units:

DIr: 0.

Sample date: 18-JUL-14 Finding: 1000.

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: 18-JUL-14 Finding: 3.

Chemical: **GROSS ALPHA MDA95** Report units: PCI/L

DIr:

Sample date: 30-JAN-14 8.9 Finding: **GROSS ALPHA** PCI/L Chemical: Report units:

DIr:

30-JAN-14 Sample date: Finding: 3.6

GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L

DIr:

30-JAN-14 Finding: Sample date: 3.

**GROSS ALPHA MDA95** PCI/L Chemical: Report units:

DIr:

30-JAN-14 Sample date: Finding: 0.59

TRICHLOROETHYLENE Chemical: Report units: UG/L

DIr: 0.5

Sample date: 30-JAN-14 Finding: 4.4

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 30-JAN-14 Finding: 8.

Chemical: URANIUM (PCI/L) Report units: PCI/L

DIr:

Finding: Sample date: 25-SEP-13 4.6

NITRATE (AS NO3) Chemical: Report units: MG/L DIr:

Sample date: 19-JUL-13 110. Finding:

SULFATE Report units: Chemical: MG/L DIr: 0.5

Sample date: 19-JUL-13 Finding: 3.

Chemical: **GROSS ALPHA MDA95** PCI/L

Report units:

DIr:

Sample date: 19-JUL-13 1000. Finding:

Chemical: NITRATE + NITRITE (AS N) Report units: MG/L

DIr: 0.4

Sample date: Finding: 13.

AGGRSSIVE INDEX (CORROSIVITY) Chemical: Report units: Not Reported

DIr:

Sample date: 19-JUL-13 Finding: 0.13

TURBIDITY, LABORATORY Chemical: Report units: NTU

DIr: 0.1

Sample date: Chemical: Dlr:	19-JUL-13 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	640. US
Sample date: Chemical: Dlr:	19-JUL-13 PH, LABORATORY 0.	Finding: Report units:	7.8 Not Reported
Sample date: Chemical: Dlr:	19-JUL-13 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	180. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 BICARBONATE ALKALINITY 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	260. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 CALCIUM 0.	Finding: Report units:	83. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 MAGNESIUM 0.	Finding: Report units:	11. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 SODIUM 0.	Finding: Report units:	28. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 POTASSIUM 0.	Finding: Report units:	2.4 MG/L
Sample date: Chemical: Dlr:	19-JUL-13 CHLORIDE 0.	Finding: Report units:	19. MG/L
Sample date: Chemical: Dlr:	19-JUL-13 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.48 MG/L
Sample date: Chemical: Dlr:	19-JUL-13 ARSENIC 2.	Finding: Report units:	4.1 UG/L
Sample date: Chemical: Dlr:	19-JUL-13 BORON 100.	Finding: Report units:	150. UG/L
Sample date: Chemical: Dlr:	19-JUL-13 VANADIUM 3.	Finding: Report units:	7.3 UG/L
Sample date: Chemical: Dlr:	19-JUL-13 GROSS ALPHA COUNTING ERROR 0.	Finding: Report units:	3.3 PCI/L
Sample date: Chemical:	19-JUL-13 URANIUM (PCI/L)	Finding: Report units:	8.4 PCI/L

Dlr: 1. Sample date: 19-JUL-13 Finding: 5.5e-002 FOAMING AGENTS (MBAS) Chemical: Report units: MG/L DIr: 0. Sample date: 19-JUL-13 Finding: 420. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 19-JUL-13 Sample date: Finding: 1.1 Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: Sample date: 19-JUL-13 4.5 Finding: NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 30-APR-13 Sample date: Finding: 3. PCI/L Chemical: **GROSS ALPHA MDA95** Report units: DIr: 30-APR-13 Finding: Sample date: 4.6 Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 30-APR-13 Sample date: Finding: 8.4 Chemical: URANIUM (PCI/L) Report units: PCI/L DIr: Sample date: 30-APR-13 Finding: 3.3 GROSS ALPHA COUNTING ERROR Chemical: Report units: PCI/L DIr: Sample date: 18-OCT-12 Finding: 430. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L DIr: 0. 18-OCT-12 Finding: Sample date: 1.1 Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0. Sample date: 18-OCT-12 Finding: 3.3 GROSS ALPHA COUNTING ERROR Report units: PCI/L Chemical: DIr: Sample date: 18-OCT-12 Finding: 7. Chemical: **VANADIUM** Report units: UG/L DIr: 3. Sample date: 18-OCT-12 Finding: 170. Chemical: **BORON** Report units: UG/L DIr: 100.

Sample date:

Sample date:

Chemical:

Chemical:

DIr:

DIr:

18-OCT-12

**ARSENIC** 

18-OCT-12

FLUORIDE (F) (NATURAL-SOURCE)

2.

0.1

UG/L

0.5

MG/L

Finding:

Finding:

Report units:

Report units:

Sample date: Chemical: Dlr:	18-OCT-12 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 CHLORIDE 0.	Finding: Report units:	19. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 POTASSIUM 0.	Finding: Report units:	3. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 SODIUM 0.	Finding: Report units:	34. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 MAGNESIUM 0.	Finding: Report units:	13. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 CALCIUM 0.	Finding: Report units:	96. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	290. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 BICARBONATE ALKALINITY 0.	Finding: Report units:	220. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	180. MG/L
Sample date: Chemical: Dlr:	18-OCT-12 PH, LABORATORY 0.	Finding: Report units:	7.8 Not Reported
Sample date: Chemical: Dlr:	18-OCT-12 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	650. US
Sample date: Chemical: Dlr:	18-OCT-12 ODOR THRESHOLD @ 60 C 1.	Finding: Report units:	2. TON
Sample date: Chemical: Dlr:	18-OCT-12 URANIUM (PCI/L) 1.	Finding: Report units:	9.4 PCI/L
Sample date: Chemical: Dlr:	18-OCT-12 NITRATE (AS NO3) 2.	Finding: Report units:	4.7 MG/L
Sample date: Chemical: Dlr:	18-OCT-12 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	1100. MG/L
Sample date: Chemical:	18-OCT-12 GROSS ALPHA MDA95	Finding: Report units:	3. PCI/L

DIr: 0.

Sample date: 18-OCT-12 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0.

Sample date: 18-OCT-12 Finding: 8.4e-002 Chemical: TURBIDITY, LABORATORY Report units: NTU

Dlr: 0.1

Sample date: 18-OCT-12 Finding: 5500. Chemical: CARBON DIOXIDE Report units: UG/L

Dlr: 0.

Sample date: 13-SEP-12 Finding: 4.6

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 10-AUG-12 Finding: 3.

Chemical: GROSS ALPHA MDA95 Report units: PCI/L DIr: 0.

Sample date: 10-AUG-12 Finding: 13.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

Dlr: 0

DIr:

DIr:

DIr:

Sample date: 10-AUG-12 Finding: 0.14

Chemical: TURBIDITY, LABORATORY Report units: NTU DIr: 0.1

Sample date: 10-AUG-12 Finding: 4.8

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 10-AUG-12 Finding: 1.2

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported DIr: 0.

Sample date: 10-AUG-12 Finding: 440.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

 Sample date:
 10-AUG-12
 Finding:
 9.5

 Chemical:
 URANIUM (PCI/L)
 Report units:
 PCI/L

 DIr:
 1.

Sample date: 10-AUG-12 Finding: 3.

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Sample date: 10-AUG-12 Finding: 6.2 Chemical: GROSS ALPHA Report units: PCI/L

Chemical: GROSS ALPHA Report units: PCI/L
DIr: 3.

Sample date: 10-AUG-12 Finding: 7. Chemical: VANADIUM Report units: UG/L

Sample date: 10-AUG-12 Finding: 160.

Chemical: BORON Report units: UG/L

Dir: 100.

3.

Sample date: Chemical: Dlr:	10-AUG-12 ARSENIC 2.	Finding: Report units:	3.9 UG/L
Sample date: Chemical: Dlr:	10-AUG-12 FLUORIDE (F) (NATURAL-SOURCE) 0.1	Finding: Report units:	0.51 MG/L
Sample date: Chemical: Dlr:	10-AUG-12 SULFATE 0.5	Finding: Report units:	120. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 CHLORIDE 0.	Finding: Report units:	19. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 POTASSIUM 0.	Finding: Report units:	2.8 MG/L
Sample date: Chemical: Dlr:	10-AUG-12 SODIUM 0.	Finding: Report units:	31. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 MAGNESIUM 0.	Finding: Report units:	12. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 CALCIUM 0.	Finding: Report units:	88. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 HARDNESS (TOTAL) AS CACO3 0.	Finding: Report units:	270. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 BICARBONATE ALKALINITY 0.	Finding: Report units:	210. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 ALKALINITY (TOTAL) AS CACO3 0.	Finding: Report units:	170. MG/L
Sample date: Chemical: Dlr:	10-AUG-12 PH, LABORATORY 0.	Finding: Report units:	7.9 Not Reported
Sample date: Chemical: Dlr:	10-AUG-12 SPECIFIC CONDUCTANCE 0.	Finding: Report units:	650. US
Sample date: Chemical: Dlr:	10-AUG-12 NITRATE + NITRITE (AS N) 0.4	Finding: Report units:	1100. MG/L
Sample date: Chemical: Dlr:	24-MAY-12 NITRATE (AS NO3) 2.	Finding: Report units:	8.6 MG/L
Sample date: Chemical:	24-MAY-12 URANIUM (PCI/L)	Finding: Report units:	5.9 PCI/L

DIr: 1.

Sample date: 24-MAY-12 Finding: 2.8
Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

Dlr: 0.

Sample date: 24-MAY-12 Finding: 4.8 Chemical: GROSS ALPHA Report units: PCI/L

Dlr: 3

Sample date: 24-MAY-12 Finding: 3.
Chemical: GROSS ALPHA MDA95 Report units: PCI/L

Dlr: 0.

BB281
ENE FED USGS USGS40000140799

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W13G002S Type: Well HUC: Description: Not Reported 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 415

Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

BF282
ENE CA WELLS CADDW0000021753

1/2 - 1 Mile Higher

Well ID: 3310031-037 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 56-1 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-037&store\_num=

GeoTracker Data: Not Reported

BF283
ENE CA WELLS CAPFAS000000221

1/2 - 1 Mile Higher

Well ID: 3310031-037 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 56-1 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-037&store\_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

EDR ID Number Elevation Database

BF284 **CA WELLS** CAUSGSN00011115 **ENE** 

1/2 - 1 Mile Higher

> Well ID: USGS-340508117150401 Well Type: UNK

United States Geological Survey Source:

GAMA PFAS Testing: Other Name: USGS-340508117150401 Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340508117150401&store\_num=

GeoTracker Data: Not Reported

**BF285 CA WELLS** CADPR0000001623 **ENE** 

1/2 - 1 Mile Higher

> Well ID: 85283 Well Type: UNK

Source: Department of Pesticide Regulation

Other Name: 85283 **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp\_

date=&global\_id=&assigned\_name=85283&store\_num=

GeoTracker Data: Not Reported

286 NW **FED USGS** USGS40000140896

1/2 - 1 Mile

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center 001S004W14D001S Monitor Location: Well Type: Description: Not Reported HUC: 18070203 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

California Coastal Basin aquifers

Formation Type: Not Reported Not Reported Aquifer Type: Construction Date: 19540101 Well Depth: 170

Well Depth Units: ft Well Hole Depth: 170

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1954-02-26 1 Feet below surface: 2.17 Feet to sea level: Not Reported

Note: Not Reported

**BF287 CA WELLS** CAUSGSN00016453

1/2 - 1 Mile Higher

> Well ID: USGS-340507117150302 Well Type: UNK

Source: United States Geological Survey

USGS-340507117150302 GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340507117150302&store\_num=

GeoTracker Data: Not Reported

BD288
WSW CA WELLS CAPFAS000001615

1/2 - 1 Mile Lower

Well ID: 3310031-090 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: THORNE WELL 12 GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-090&store\_num=

GeoTracker Data: Not Reported

BD289
WSW CA WELLS CADDW0000014252
1/2 - 1 Mile

1/2 - 1 Mil Lower

Well ID: 3310031-090 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: THORNE WELL 12 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-090&store\_num=

GeoTracker Data: Not Reported

BD290
WSW CA WELLS CAUSGS000002748

1/2 - 1 Mile Lower

BD291
WSW
CA WELLS CAUSGSN00013623

1/2 - 1 Mile Lower

Well ID: USGS-340437117170301 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-340437117170301 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp\_date=&global\_id=&assigned\_name=USGS-340437117170301&store\_num=

GeoTracker Data: Not Reported

BF292
ENE CA WELLS CADDW0000007042

ENE 1/2 - 1 Mile Higher

Well ID: 3310031-035 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 46-1 - INACTIVE GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

 $date = \&global\_id = \&assigned\_name = 3310031 - 035\&store\_num =$ 

GeoTracker Data: Not Reported

BF293
ENE FED USGS USGS40000140795

Contrib Drainage Area Unts:

Not Reported

1/2 - 1 Mile Higher

Organization ID: USGS-CA

 Organization Name:
 USGS California Water Science Center

 Monitor Location:
 001S004W13G003S
 Type:
 Well

 Description:
 Not Reported
 HUC:
 18070203

 Drainage Area:
 Not Reported
 Drainage Area Units:
 Not Reported

Contrib Drainage Area: Not Reported
Aquifer: California Coastal Basin aquifers

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 1126
Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

BD294 WSW FED USGS USGS40000140660 1/2 - 1 Mile

Lower

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 001S004W22B006S Well Type: Description: Not Reported HUC: 18070203 Not Reported Drainage Area: Not Reported Drainage Area Units: Contrib Drainage Area Unts: Contrib Drainage Area: Not Reported Not Reported

Aquifer: California Coastal Basin aquifers

Formation Type: Cenozoic Erathem Aquifer Type: Unconfined single aquifer

Construction Date: 19600223 Well Depth: 654
Well Depth Units: ft Well Hole Depth: 654

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 3 Level reading date: 2004-06-30 Feet below surface: 33.4 Feet to sea level: Not Reported

Note: Not Reported

Level reading date: 2000-03-12 Feet below surface: 28

Feet to sea level: Not Reported Note: Not Reported

Level reading date: 1960-04-02 Feet below surface: 41.00

Feet to sea level: Not Reported Note: Not Reported

BG295
ESE FED USGS USGS40000140611

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location:001S004W24F003SType:WellDescription:Not ReportedHUC:18070203Drainage Area:Not ReportedDrainage Area Units:Not Reported

Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type:

California Coastal Basin aquifers Not Reported

Aguifer Type: Not Reported

Construction Date: Not Reported Well Depth: 508 Well Depth Units: ft Well Hole Depth: 508

Well Hole Depth Units: ft

BG296
ESE FED USGS USGS40000140612
1/2 - 1 Mile

1/2 - 1 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center Monitor Location: 001S004W24F005S Type: Well HUC: 18070203 Description: Not Reported Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 568
Well Depth Units: ft Well Hole Depth: 568

California Coastal Basin aquifers

Well Hole Depth Units: ft

ESE CA WELLS CADDW000014572

1/2 - 1 Mile Higher

Well ID: 3610013-010 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: RICHARDSON ST. WELL 02 - Destroyed

GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3610013-010&store\_num=

GeoTracker Data: Not Reported

BF298

ENE 1/2 - 1 Mile Higher

Well ID: 3310031-164 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 46-1R GAMA PFAS Testing: Yes

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-164&store\_num=

GeoTracker Data: Not Reported

**CA WELLS** 

CAPFAS000000777

Map ID Direction Distance

Elevation Database EDR ID Number

BF299

CA WELLS CADDW0000002044

ENE 1/2 - 1 Mile Higher

Well ID: 3310031-164 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: GAGE WELL 46-1R GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp\_

date=&global\_id=&assigned\_name=3310031-164&store\_num=

GeoTracker Data: Not Reported

1G North 1/2 - 1 Mile Lower Site ID: 083601353T

Groundwater Flow: SSE
Shallow Water Depth: Not Reported

Deep Water Depth: Not Reported Average Water Depth: 36.29 Date: 03/25/1999

2G West 1/2 - 1 Mile Lower

Site ID: 083601117T

Groundwater Flow: WSW Shallow Water Depth: 25 ft

Deep Water Depth: Not Reported Average Water Depth: Not Reported Date: 10/05/1998 AQUIFLOW 52045

AQUIFLOW 50208

## AREA RADON INFORMATION

Federal EPA Radon Zone for SAN BERNARDINO County: 2

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for SAN BERNARDINO COUNTY, CA

Number of sites tested: 18

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.678 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### **TOPOGRAPHIC INFORMATION**

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

#### HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory Source: Department of Fish and Wildlife

Telephone: 916-445-0411

#### HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

#### **GEOLOGIC INFORMATION**

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

#### PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

#### OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program

State Water Resources Control Board

Telephone: 916-341-5577

The GAMA Program is Californias comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Heath Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations

Source: Dept of Conservation, Geologic Energy Management Division

Telephone: 916-323-1779

Oil and Gas well locations in the state.

California Earthquake Fault Lines

Source: California Division of Mines and Geology

The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

**RADON** 

State Database: CA Radon

Source: Department of Public Health

Telephone: 916-210-8558 Radon Database for California

#### PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

#### **OTHER**

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

#### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Gateway South Building 9 Assemblage 707 East Norman Road San Bernardino, CA 92408

Inquiry Number: 6958905.3

April 28, 2022

# **Certified Sanborn® Map Report**



### **Certified Sanborn® Map Report**

04/28/22

Site Name:

**Client Name:** 

Gateway South Building 9 Asse 707 East Norman Road San Bernardino, CA 92408 EDR Inquiry # 6958905.3 GeoSyntec Consultants 16644 West Bernardo Drive SUITE 301 SAN DIEGO, CA 92127

Contact: Jackie Hyman



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by GeoSyntec Consultants were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

#### Certified Sanborn Results:

Certification # F317-4B58-BAE1

PO# NA

Project SC1256

#### **UNMAPPED PROPERTY**

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: F317-4B58-BAE1

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

✓ Library of Congress

University Publications of America

▼ EDR Private Collection

The Sanborn Library LLC Since 1866™

#### **Limited Permission To Make Copies**

GeoSyntec Consultants (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Gateway South Building 9 Assemblage 707 East Norman Road San Bernardino, CA 92408

Inquiry Number: 6958905.4

April 28, 2022

# **EDR Historical Topo Map Report**

with QuadMatch™



### **EDR Historical Topo Map Report**

04/28/22

Site Name: Client Name:

Gateway South Building 9 Asse 707 East Norman Road San Bernardino, CA 92408 EDR Inquiry # 6958905.4

GeoSyntec Consultants
16644 West Bernardo Drive SUITE 301

SAN DIEGO, CA 92127 Contact: Jackie Hyman



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by GeoSyntec Consultants were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:		Coordinates:	Coordinates:		
P.O.#	NA	Latitude:	34.080581 34° 4' 50" North		
Project:	SC1256	Longitude:	-117.267997 -117° 16' 5" West		
-		UTM Zone:	Zone 11 North		
		UTM X Meters:	475274.42		
		UTM Y Meters:	3771123.10		
		Elevation:	1036.90' above sea level		

#### Maps Provided:

2018	1943
2015	1942
2012	1938
1980	1901
1975	1898, 1899
1973	1896
1967	
1954	

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

#### 2018 Source Sheets



San Bernardino South 2018 7.5-minute, 24000



Redlands 2018 7.5-minute, 24000

#### 2015 Source Sheets



San Bernardino South 2015 7.5-minute, 24000



Redlands 2015 7.5-minute, 24000

#### 2012 Source Sheets



San Bernardino South 2012 7.5-minute, 24000



Redlands 2012 7.5-minute, 24000



San Bernardino South 1980 7.5-minute, 24000 Aerial Photo Revised 1979



Redlands 1980 7.5-minute, 24000 Aerial Photo Revised 1978

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

#### 1975 Source Sheets



Redlands 1975 7.5-minute, 24000 Aerial Photo Revised 1975



San Bernardino South 1975 7.5-minute, 24000 Aerial Photo Revised 1975

#### 1973 Source Sheets



Redlands 1973 7.5-minute, 24000 Aerial Photo Revised 1973



San Bernardino South 1973 7.5-minute, 24000 Aerial Photo Revised 1973

#### 1967 Source Sheets




San Bernardino South 1967 7.5-minute, 24000 Aerial Photo Revised 1966



Redlands 1967 7.5-minute, 24000 Aerial Photo Revised 1966



San Bernardino South 1954 7.5-minute, 24000 Aerial Photo Revised 1952



Redlands 1954 7.5-minute, 24000 Aerial Photo Revised 1952

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

#### 1943 Source Sheets



Colton 1943 7.5-minute, 31680

#### 1942 Source Sheets



SAN BERNARDINO 1942 15-minute, 50000

#### 1938 Source Sheets



Colton 1938 7.5-minute, 31680



San Bernardino 1901 15-minute, 62500



Redlands 1901 15-minute, 62500

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

## 1898, 1899 Source Sheets




San Bernardino 1898 15-minute, 62500



Redlands 1899 15-minute, 62500




San Bernardino 1896 15-minute, 62500



SW

S




W S SE


TP, San Bernardino South, 2015, 7.5-minute E, Redlands, 2015, 7.5-minute

SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino, CA 92408







E, Redlands, 2012, 7.5-minute

ADDRESS: 707 East Norman Road

San Bernardino, CA 92408






TP, San Bernardino South, 1980, 7.5-minute E, Redlands, 1980, 7.5-minute

SITE NAME: Gateway South Building 9 Assemblage


ADDRESS: 707 East Norman Road

San Bernardino, CA 92408





This report includes information from the following map sheet(s).



TP, San Bernardino South, 1975, 7.5-minute E, Redlands, 1975, 7.5-minute



SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino, CA 92408



Disposal

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

W N NE

TP, San Bernardino South, 1973, 7.5-minute E, Redlands, 1973, 7.5-minute


SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino, CA 92408

0 Miles

0.25



S

SW

following map sheet(s).

TP, San Bernardino South, 1967, 7.5-minute E, Redlands, 1967, 7.5-minute


SITE NAME: Gateway South Building 9 Assemblage ADDRESS: 707 East Norman Road


ADDRESS: 707 East Norman Road San Bernardino, CA 92408

CLIENT: GeoSyntec Consultants

0.5

1.5







TP, San Bernardino South, 1954, 7.5-minute E, Redlands, 1954, 7.5-minute

SITE NAME: Gateway South Building 9 Assemblage

ADDRESS: 707 East Norman Road

San Bernardino, CA 92408





0 Miles

0.25

This report includes information from the following map sheet(s).



SITE NAME: Gateway South Building 9 Assemblage


ADDRESS: 707 East Norman Road


0.5

San Bernardino, CA 92408

CLIENT: GeoSyntec Consultants

1.5





707 East Norman Road

San Bernardino, CA 92408 GeoSyntec Consultants

ADDRESS:

CLIENT:

# APPENDIX C User-Provided Documents (Empty)

# APPENDIX D Regulatory or Agency Files



# Environmental Support Services

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 12, 2022

Project Name: San Bernardino

Geosyntec Consultants 2355 Northside Drive, Suite 250 San Diego, CA 92108

Attention: Emily Glensky

Dear Ms. Glensky,

Attached is the Environmental (Hazardous/Toxic Waste) Records Search Summary of the 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road ("San Bernardino") site located in San Bernardino, California. Environmental Support Services ("ESS") received the request on April 29, 2022 (See Appendix A). Should you have any questions regarding the summary, please call.

Sincerely,

**Environmental Support Services** 

Shannon Castagno

Project Manager

Shannon@EnvironmentalSupportServices.com

## **Records Search Summary**

Company: Geosyntec Consultants

Project Name: San Bernardino

Attention: Emily Glensky

Street Address of Property: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Rd.,

24512 Pioneer Avenue and 788 East Orange Show Road

San Bernardino, CA 92408

APNs 028019202, 028019220, 028019219, 028019206,

028019207, 028020207, 028020211, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 &

028019211

#### San Bernardino County Fire Department

E-mailed request: 5-2-22, Contact: Maria Molina/Donn Juday

ESS submitted a request for a records search concerning the San Bernardino site to Ms. Molina/Ms. Juday, with the San Bernardino County Fire Department (See Appendix B). ESS requested information concerning the utilization, manufacture, storage and/or discharge of hazardous materials/waste, and any information concerning previous or ongoing site investigations/remediations pertaining to hazardous materials/waste. Donna Juday, with that department informed ESS on May 3, 2022 that her department had no records for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix B).

#### **Department of Toxic Substances Control (DTSC) – Cypress Office**

E-mailed request: 5-2-22, Contact: Julie Johnson/Jone Barrio

Previous contacts with the DTSC have disclosed that this office only collects and stores information (such as treatment, storage and disposal of hazardous waste) concerning sites which have existing businesses, industries, etc. present. **ESS** requested that Ms. Johnson/Ms. Barrio, with the DTSC, check the file room records for any files/information concerning 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix C). Ms. Johnson, with that department informed **ESS** on May 4, 2022 that her department had no files/information concerning that site (See Appendix C).

#### Department of Toxic Substances Control (DTSC) – Chatsworth Office

E-mailed request: 5-2-22, Contact: Robert Hardison

Previous contacts with the DTSC have disclosed that this office only collects and stores information (such as treatment, storage and disposal of hazardous waste) concerning sites which have existing businesses, industries, etc. present. **ESS** requested that Mr. Castillo/Mr. Hardison, with the DTSC, check the file room records for any files/information concerning 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix D). Mr. Hardison, with that department informed **ESS** on May 6, 2022 that his department had no files/information concerning that site (See Appendix D). He referred **ESS** to the DTSC – Emergency Response Unit (See Appendix D). Adam Palmer, with that department informed **ESS** May 11, 2022 that his department only had records for 787 East Norman Road, San Bernardino, CA (See Appendix D).

#### Cal Fire - Office of the State Fire Marshal

On-line request: 5-2-22, Contact: Pubic Records Request

**ESS** requested that the Public Records Section, with Cal Fire - Office of the State Fire Marshal, check their records concerning the storage of hazardous materials/waste, pipelines and underground storage tanks with regards to the following: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix E) Maggie Jones, with that department informer **ESS** May 5, 2022 that her department only had records for 787 East Norman Road, San Bernardino, CA (See Appendix E).

#### City of San Bernardino Fire Department

On-line request: 5-2-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the City of San Bernardino Fire Department, check their records concerning the storage of hazardous materials/waste and underground storage tanks with regards to the following: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix F). Sylvia Bautista, with that department informed ESS May 5, 2022 that the lead agency for sites in the City of San Bernardino would be the San Bernardino County Fire Department (See above) (See Appendix F).

#### City of San Bernardino Department of Public Works

On-line request: 5-2-22, Contact: Public Records Section

**ESS** requested that the Public Records Section, with the City of San Bernardino Public Works Department, check their records for any information concerning industrial waste discharge permits or violations for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix G). Sylvia Bautista, with that department informed **ESS** May 11, 2022 she needed an extension to May 25, 2022 to complete **ESS**' request (See Appendix G).

#### City of San Bernardino Building Department

On-line request: 5-2-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the City of San Bernardino Building Department, provide the building records (all permits and certificates of occupancy) for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix H). Sylvia Bautista, with that department provided ESS May 3, 2022 with all the available building records for the addresses (See Appendix H for copies). No further information concerning the site was obtained from the building department at the time of the investigation.

#### **South Coast Air Quality Management District (SCAQMD)**

On-line request: 5-2-22, Contact: Public Records Section

ESS submitted a search request concerning active, inactive and sold files concerning 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA to the Public Records Section at the SCAQMD (See Appendix I). Michelle Card, with that department informed ESS May 5, 2022 that her department had no records for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix I).

#### Regional Water Quality Control Board (RWQCB) - Santa Ana Region

E-mailed request: 5-2-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the RWQCB, provide the files for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix J). They informed ESS May 5, 2022 that their department had no records for 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, San Bernardino, CA (See Appendix J). No further information concerning the site was obtained from the RWQCB at the time of the investigation.

Records Search completed by:

Shanna Castagna

Shannon Castagno

Project Manager

**Environmental Support Services** 

The information provided in this report was obtained by a comprehensive examination of public records, public information and public servant communications. The degree of care performed by **ESS** is equivalent to that exercised by environmental companies performing similar records searches.

## Appendix A

Environmental (Hazardous/Toxic Waste) Records Search Order Form

#### shannon environmental supports ervices.com

From: Emily Glensky < Emily.Glensky@Geosyntec.com>

**Sent:** Friday, April 29, 2022 7:00 PM

**To:** shannon environmental supports ervices.com

**Cc:** Jackie Hyman

**Subject:** Record Request for Hillwood Gateway Assemblage

**Attachments:** Gateway Assemblage - Addresses.pdf

#### Hi Shannon,

Can you submit record requests to the appropriate agencies for the properties listed below? Can you also send a quote for this work? A map of our property boundary is attached.

695 E Norman Road (APN 028019202)

707 E Norman Road (APN 028019220)

715 E Norman Road (APN 028019219)

755 E Norman Road (APN 028019206)

787 E Norman Road (APN 028019207)

807 E Norman Road (APN 028020207)

823 E Norman Road (APN 028020211)

867 E Norman Road (APN 028020209)

24512 Pioneer Avenue (APN 028019213)

788 E Orange Show Road (APN 028019210)

#### Additional APNs with no addresses:

028020208

028019209

028019208

028019205

028019204

028019212

028019211

#### Thanks!

#### **Emily Glensky**

Staff Professional Geosyntec Consultants, Inc.

Emily.Glensky@geosyntec.com 2355 Northside Dr Suite 250,

San Diego, CA 92108

619-241-9044



## Appendix B

Request for Records Search to the San Bernardino County Fire Department and Response Obtained from that Agency



#### CUPA

San Bernardino County Fire Protection District • Hazardous Materials Division 620 S. E St., San Bernardino, CA 92415-0153 • (909) 386-8468 FAX (909) 386-8460 hazmatrecords@sbcfire.org

# REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT

The main focus of a REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT is to determine whether there exists in San Bernardino County Fire Protection District (SBCFPD) any record relating to contamination or reports of spills at a particular site. An Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report should reveal whether there are any facilities at the site that are subject to current or past regulatory activity by SBCFPD, such as underground storage tanks, hazardous material handlers, hazardous waste generators, and CalARP facilities, as well as any reports of spills, incidents, complaints, or cleanup activity, which can be a useful tool in providing a history of compliance or non-compliance.

Once SBCFPD has completed its records search, an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report will be prepared and issued. Such report will detail all SBCFPD records associated with a particular site by type, date, location, and status (where applicable). All files identified in an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report can be made available for copies and/or review upon request.

If the completed records search reveals no SBCFPD record of hazardous material activity at the site, an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report will be issued, noting that "no records" were identified.

Please provide a specific site address or location description. If a situs address does not exist or cannot be found, list another type of location identifier such as Assessor Parcel Number (preferable), cross streets or intersections (e.g., NWC 5<sup>th</sup> Ave. & Main St.), and/or legal description. If possible, please attach a map to this request form.

		SITE IN	FORMATION		
Property Owner or Busine		Location (Site Address and/or See Atta	school Lest ? D	City/Community	Bernadin
Please provide your na	me, the compa	ny you represent, and contac	et information below.	/	
NAME	Est. 1988 Environmental Support Services			lividual, leave blank)	
MAILING ADDRESS			Shannon Castagno 1521 Beaver Tan Court Wake Forest, NC 27587	STATE	ZIP CODE
TELEPHONE	FAX		P) 949-429-3564 EnvironmentalSupportServices.com		
			h will be used and/or your relatio		
3. Phase I site assessm	fessional involved ment or due diliger fessional involved ite (1/4 mi. search	with remediation AT THE SI nce NEARBY with remediation NEARBY	7. Owner or operator of the second se	ender, Appraiser nent	
0.110posed Dinking	Water West	AGI	ENCY USE		
Phase 1 Certified Record Sea	Reference No:				
Phase 1 Certified "No Record	Amount Paid:				
				Receipt No.:	
				Date:	

## \*\* IMPORTANT -THIS PAGE MUST BE SIGNED PRIOR TO SUBMITTAL \*\*

DISCLAIMER: While all attempts are made to provide accurate, current, and reliable information, San Bernardino County Fire Protection District (further referred to as SBDFPD) recognizes the possibility of human error. Therefore, SBCFPD, its officers, employees, agents and volunteers, make no representations as to the accuracy, completeness or suitability of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report and provides an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report "as is," with no warranties, express or implied, including the implied warranty of fitness for a particular purpose. In no event shall SBCFPD be liable for any damages of any nature whatsoever, arising out of the issuance of a Certified Hazardous Materials Records Search Finding Report. SBCFPD therefore assumes no liability for damages incurred directly or indirectly as a result of any errors, omissions or discrepancies in a Certified Hazardous Materials Records Search Finding Report.

RELEASE AND INDEMNIFICATION: In consideration for the issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, I hereby release and forever discharge SBCFPD, its officers, employees, agents and volunteers from any and all claims, actions, losses, damages and/or liability in connection with SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, including, but not limited to, claims that may arise due to the active or passive negligence of SBCFPD, its officers, employees, agents and volunteers.

I am familiar with the provisions of California Civil Code Section 1542, which provides as follows:

"A general release does not extend to claims which the creditor does not know or suspect to exist in his or her favor at the time of executing the release, which if known by him or her must have materially affected his or her settlement with the debtor."

I hereby expressly waive any and all rights that I may have there under. I understand and acknowledge the significance and consequence of this specific waiver of California Civil Code Section 1542 and assume full responsibility for any injuries, damages, losses or liabilities that I may hereafter discover as possibly resulting from SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report.

In further consideration for SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, I hereby agree, for myself, my heirs, administrators, executors and assigns, that I shall indemnify, defend (with counsel approved by County) and hold harmless SBCFPD, its officers, employees, agents and volunteers from any and all claims, demands, actions or suits arising out of or in connection with SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report brought by any third party.

I have read the above terms and conditions, including the paragraphs entitled "DISCLAIMER" and "RELEASE AND INDEMNIFICATION", and by my signature below, I affirm that I understand these terms and conditions and accept them as part of my REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT.

I hereby request an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report for the location described on Page 1 of this application.

- I am including payment of the initial fee of \$136.00, for the first hour of research, by check or money order, payable to San Bernardino County Fire Protection District, or by credit card payment taken over the phone. I understand that research exceeding one hour will be billed at the rate of \$136.00 for each additional hour spent by SBCFPD in completing this request.
- I have faxed or emailed this request and will forward payment along with the original request form within 48 hours.

REQUESTOR'S SIGNATURE						
SIGNATURE OF REQUESTOR	DATE 5/2/22					
Marina Castagno	Jajaa					

Rev. 05/06/2020

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211 San Bernardino, CA 92408 (See Attached Map)



### SAN BERNARDINO COUNTY FIRE PROTECTION DISTRICT

May 3, 2022

620 South "E" Street • San Bernardino, CA 92415-0153 • (909) 386-8401 • Fax (909) 386-8460

Office of the Fire Marshal **Hazardous Materials Division** sbcfire.org

Daniel R. Munsey Fire Chief/Fire Warden

Michael A. Horton Fire Marshal/Deputy Fire Warden

22050202 San Bernardino RAL Environ Support Svcs

ENVIRONMENTAL SUPPORT SERVICES **1521 BEAVER TAN COURT WAKE FOREST, NC 27587** 

**ATTENTION:** SHANNON CASTAGNO

**SUBJECT:** CERTIFIED RECORD SEARCH FINDINGS

> 695, 707, 715, 755, 787, 797, 807, 823, and 867 EAST NORMAN ROAD; 788 EAST ORANGE SHOW ROAD; 24512 PIONEER AVENUE, SAN BERNARDINO,

**CALIFORNIA** 

APN#S: 0280-192-02-0000, 0280-192-04-0000, 0280-192-05-0000, 0280-192-06-0000,

0280-192-07-0000, 0280-192-08-0000, 0280-192-09-0000, 0280-192-10-0000, 0280-192-11-0000, 0280-192-12-0000, 0280-192-13-0000, 0280-192-19-0000, 0280-192-20-0000, 0280-202-07-0000, 0280-202-11-0000, 0280-202-08-0000,

0280-202-09-0000

This is to confirm that the OFM Hazardous Materials Division (HMD) has searched its records for any file(s) pertaining to the subject property, as described in your request, and finds that no records exist for the above site description(s).

Records maintained by OFM-HMD date back to mid-1980's. Records searched include:

- facilities with hazardous waste generator permits, hazardous materials handler permits, underground storage tank permits, universal waste permits, tiered permits, EPCRA facilities, RMP facilities, Cal ARP facilities, and/or waste recycling generators, including inactive and/or out of business records, as well as non-permitted facility actions;
- logs of permits issued for the removal, installation, and/or modification of underground storage tanks;
- records and databases pertaining to illicit dumping, spill reports and release notifications, and complaints;
- incidents responded to by the hazardous materials emergency response team;
- and sites undergoing remediation for contaminated soil and/or groundwater.



**DONNA JUDAY** 

Office Specialist Office of the Fire Marshal Hazardous Materials Division

# Appendix C

Request for Records Search to the Department of Toxic Substances Control - Cypress Office and Response Obtained from that Agency



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 2, 2022

Dept of Toxic Substances Control Cypress Office 5796 Corporate Avenue Cypress, CA 90630

Attention: Julie Johnson/Jone Barrio

Dear Julie/Jone.

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408 (See Attached Map)

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com





Jared Blumenfeld
Secretary for
Environmental Protection

## Department of Toxic Substances Control



Meredith Williams, Ph.D.
Director
5796 Corporate Avenue
Cypress, California 90630

May 4, 2022

Shannon Castagno ENVIRONMENTAL SUPPORT SERVICES shannon@environmentalsupportservices.com

PR4-050222-09 695, 707, 715, 755, 787, 807, 823, 867, E NORMAN ROAD, 24512 PIONEER AVE AND 788 E ORANGE SHOW ROAD, SAN BERNARDINO, CA

### Dear Requestor:

We have received your Public Records Act Request from the Department of Toxic Substances Control (DTSC). After a thorough review of our files, no site records were found pertaining to the sites/facilities referenced above.

A large number of our records are available on EnviroStor, an online database that provides non-confidential, public access to DTSCs Data Management System. It tracks our cleanup, permitting, enforcement and investigation efforts at hazardous waste facilities and sites with known or suspected contamination issues. EnviroStor is available 24/7, 365 days a year. The data reflects the latest updates as they are entered in the system. Access it from your computer or smartphone, the local library – anywhere Internet access is available. Just go to <a href="https://www.envirostor.dtsc.ca.gov">www.envirostor.dtsc.ca.gov</a>. You'll find a step-by-step tour of EnviroStor under the "How to Use EnviroStor" menu on the website.

If you have any questions or would like further information regarding your request, please contact me at 714-4845337 or via email at CypressFileRoom@dtsc.ca.gov.

Sincerely,

, Julie, Johnson

Julie Johnson Regional Records Coordinator

# Appendix D

Request for Records Search to the Department of Toxic Substances Control - Chatsworth Office and Response Obtained from that Agency



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 2, 2022

Dept of Toxic Substances Control Chatsworth Office 9211 Oakdale Avenue Chatsworth, CA

Attention: Glenn Castillo/Robert Hardison

Dear Glenn/Robert,

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211 San Bernardino, CA 92408 (See Attached Map)

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com





Jared Blumenfeld
Secretary for
Environmental Protection

# Department of Toxic Substances Control



Meredith Williams, Ph.D., Director 9211 Oakdale Avenue Chatsworth, California 91311

May 6, 2022

Shannon Castagno
Environmental Support Services
Shannon@EnvironmentalSupportServices.com

Public Records Request Number: PR3-050222-05

Locations: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Rd., San Bernardino, CA 92408

24512 Pioneer Ave., San Bernardino, CA 92408

788 East Orange Show Rd., San Bernardino, CA 92408

APNs: 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 028020211,

028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205,

028019204. 028019212 & 028019211

Dear Ms. Castagno:

On May 2, 2022, the Department of Toxic Substances Control (DTSC) received your email of the same date requesting records under the Public Records Act. After a thorough review of our files, no site records were found pertaining to the sites/facilities referenced above.

However, DTSC's Emergency Response Unit may have records that pertain to this request. This unit responds to statewide requests for emergency removals from illegal/clandestine drug labs and to other hazardous material emergencies. Please contact Adam Palmer by email at <a href="mailto:Adam.Palmer@dtsc.ca.gov">Adam.Palmer@dtsc.ca.gov</a> or phone at 916-255-6572 if you are interested in this information.

Many of our records are available on EnviroStor, an online database that provides non-confidential, public access to DTSC's data management system. It tracks our cleanup, permitting, enforcement, and investigation efforts at hazardous waste facilities and sites with known or suspected contamination issues. EnviroStor is available 24/7, 365 days a year. The data reflects the latest updates as they are entered in the system. Access it from your computer or smartphone, the local library – anywhere Internet access is available. Just go to <a href="https://www.envirostor.dtsc.ca.gov">www.envirostor.dtsc.ca.gov</a>. You'll find a step-by-step tour of EnviroStor under the "How to Use EnviroStor" menu on the website.

Page 2 May 6, 2022

If you have any questions or would like further information regarding your request, please contact me at 818-717-6521 or via email at <a href="mailto:ChatsworthFileRoom@dtsc.ca.gov">ChatsworthFileRoom@dtsc.ca.gov</a>.

Sincerely,

Robert Hardison

Records Mgmt. Asst. Coordinator



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 9, 2022

Dept of Toxic Substances Control Emergency Response Unit

Attention: Adam Palmer

Dear Adam,

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211 San Bernardino, CA 92408 (See Attached Map)

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com

From: Palmer, Adam@DTSC <Adam.Palmer@dtsc.ca.gov>

**Sent:** Wednesday, May 11, 2022 12:09 PM

**To:** shannon environmental supports ervices.com

Cc: Thomas, Hilary@DTSC

Subject: RE: Public Records Request

### Shannon,

DTSC did respond to a drug lab cleanup at 787 Norman Road in San Bernardino, CA on May 7, 2003. DTSC removed the following hazardous waste.

1. 10 oz. – base solid

- 2. 1 gallon Acid
- 3. 2 gallons Flammable liquid
- 4. 1-55 gallon Lab Trash

No soil contamination was observed.

From: shannon environmental supports ervices.com < shannon@environmental supports ervices.com >

Sent: Monday, May 9, 2022 11:35 AM

To: Palmer, Adam@DTSC <Adam.Palmer@dtsc.ca.gov>

Subject: Public Records Request

**EXTERNAL:** 



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587 P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 9, 2022

Dept of Toxic Substances Control Emergency Response Unit Attention: Adam Palmer

Dear Adam,

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211 San Bernardino, CA 92408 (See Attached Map)

Sincerely,

**Environmental Support Services** 

Shaw Cury Shaw Carry Show Colyn

Shannon Castagno Project Manager

 $\underline{Shannon@EnvironmentalSupportServices.com}$ 

# Appendix E

Request for Records Search to the Cal Fire – Office of the State Fire Marshal and Response and Photocopies Obtained from that Agency

From: CALFIRE PRA Records Center <calfire@govqa.us>

**Sent:** Monday, May 2, 2022 12:44 PM

To:shannon environmentalsupportservices.comSubject:Public Records Request :: R003917-050222



RE: PUBLIC RECORDS REQUEST of 5/2/2022, Reference # R003917-050222

#### Dear Shannon Castagno,

Thank you for your interest in public records of the CAL FIRE. Your request has been received and is being processed in accordance with the California Public Records Act, Government Code section 6250 et seq. Your request was received on May 02, 2022 and given the reference number R003917-050222 for tracking purposes.

Records Requested: Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road, APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 028020211, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211 San Bernardino, CA 92408 (See Attached Map) ESS requests the following information concerning the subject site which your agency may have on file: 1. utilization, manufacture, storage, or discharge of hazardous materials/waste. 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste. 3. hazardous materials disclosures concerning the site. 4. pipelines. 5. information regarding underground storage tank present or previously found at the site. 6. Reportable Spills, Releases, Notices of Violations (NOVs) and any Environmental Reportable Issues."

Your request will be forwarded to the relevant CAL FIRE department(s) to locate the information you seek and to determine the volume and any costs that may be associated with satisfying your request. You will be contacted about the availability and/or provided with copies of the records in question. PLEASE NOTE: The California Public Records Act does not require a governmental body to create new information, to do legal research, or to answer questions.

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed.

#### **CAL FIRE**

To monitor the progress or update this request please log into the <u>CAL FIRE Records Center</u>



From: CALFIRE PRA Records Center <calfire@govqa.us>

**Sent:** Thursday, May 5, 2022 3:04 PM

**To:** shannon environmental supports ervices.com

**Subject:** [Records Center] Public Records Request :: R003917-050222

--- Please respond above this line ---



RE: PUBLIC RECORDS REQUEST of May 02, 2022, Reference # R003917-050222.

Dear Shannon Castagno,

CAL FIRE received a public information request from you on May 02, 2022. Your request mentioned:

"Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road,

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209, 028019213, 028019210,

028020208, 028019209, 028019208, 028019205, 028019204,

028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

ESS requests the following information concerning the subject site which your agency may have on file: 1. utilization, manufacture, storage, or discharge of hazardous materials/waste. 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste. 3. hazardous materials disclosures concerning the site. 4. pipelines. 5. information regarding underground storage tank present or previously found at the site. 6. Reportable Spills, Releases, Notices of Violations (NOVs) and any Environmental Reportable Issues.""

CAL FIRE has reviewed its files and has located responsive records to your request. Please log in to the CALFIRE PRA Records Center at the following link to retrieve the appropriate responsive documents. Please note some information has been withheld pursuant to Government Code sections 6254(c) and (k), which incorporates an individual's right to privacy under the California Constitution (Cal. Const., art. I, 1) and the Information Practices Act of 1977 (Civ Code 1798 et seq.).

Public Records Request - R003917-050222

If you have any questions, or wish to discuss this further, please contact me.

Sincerely,


Maggie Jones

Public Records Act Analyst Sacramento - HQ - Legal Office

To monitor the progress or update this request please log into the <u>CALFIRE PRA Records Center</u>



A 36193 CA 05/07/2003  FDID State Incident Date	YYYY    HME
B Location  1 - Street addres Address Type    Tast   Tast	Street or Highway  Street Type Suffix  CA 92311  State Zip Code
C Incident Type  421 - Chemical hazard (n Incident Type  D Aid Given or Received  Their FDID Their State Their Incident Number  N - None Type Aid Given or Recieved	Arrival  Controlled  Last Unit Cleared 05/07/2003  Month Day Year Hour Min Seconds  Midnight is 0000  Hour Min Seconds  Local Option  Last Unit Cleared 05/07/2003  Midnight is 0000  Last Unit Special Studies  Local Option  Local Option  Special Studies  Local Option  Special Studies  Special Study Value
F Actions Taken  48 - Remove hazardous materials  Actions Taken	G1 Resources  Check this box and skip this section if an Apparatus or Personnel form is used.  Apparatus Personnel  Suppression 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
H1 Casualties  Deaths Injuries  Fire Service 0 0 10 1  Civilian 0 0 J	
K1 Person/Entity Involved  Mr., Ms., Mrs. First Name  DTSC  Number Prefix Street or Highway  Post Office Box Apt./Suite/Room  State Zip Code Busine	JIM PAPARARO  MI Last Name Suffix  Street Type Suffix  City  PII  Area Code Phone Number
K2 Owner  L Mr., Ms., Mrs. First Name L Number Prefix Street or Highway L Post Office Box Apt./Suite/Room	MI Last Name Suffix Street Type Suffix City



A 36193 CA 05/07/20 Incident Date			0 1 Exposure Ha	NFIRS - 7 HazMat
B HazMat ID  UN Number  DOT Hazard CAS Regional CAS Regio	stration Number	Chemical name		
Capacit	y: by volume or weight : Capacity	D1 Estimated Amount  L Amount released: by volution  D2 Units: Released  Units: Released	ıme or weight	E1 Physical State When Released  Physical state when released  Released Into  Released into
Released from:  Calculation density  Area Af	fected  G3 Peopl  L  Peopl  Tell Unit of measure  G4 Estim	Unit of measure	HazMat Action  HazMat actions taken  If fire or explos release, which  Release/fire sequence	ion is involved with a occurred first?
1 - Intentional	Factors Contributing to Re  31 - Abandoned or dis hazardous material	carded	Factors Affecting	Mitigation
Equipment Involved In Release  Equipment involved in release  Brand  Model Serial Number  Year	Mobile Property Invo Release  Mobile property type  Mobile property make  Model License Plate Number  DOT Number/ ICC Number	lved in Year State	7 - Releas	Disposition  Sed to private a  lian Casualties  Injuries

Redaction Date: 5/5/2022 12:02:42 PM

# **Redaction Log**

Total Number of Redactions in Document: 4

# Redaction Reasons by Page

Page	Reason	Description	Occurrences
1	PII	Personnel, Medical or Similar Records, Gov Code 6254(c).	1
2	PII	Personnel, Medical or Similar Records, Gov Code 6254(c).	3

Redaction Date: 5/5/2022 12:02:42 PM

# **Redaction Log**

# **Redaction Reasons by Exemption**

Reason	Description	Pages (Count)
PII	Personnel, Medical or Similar Records, Gov Code 6254(c).	1(1) 2(3)

# Appendix F

Request for Records Search to the City of San Bernardino Fire Department and Response Obtained from that Agency

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

**Sent:** Monday, May 2, 2022 12:35 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6251762 [6639643330356534]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request

Location: 695 E NORMAN RD

Description: Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

ESS requests the following information concerning the subject addresses which the fire department may have on file:

- 1. utilization, manufacture, storage, or discharge of hazardous materials/waste.
- 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste.
- 3. hazardous materials disclosures concerning the site.
- 4. information regarding underground storage tank present or previously found at the site.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6251762&access=6639643330356534">http://user.GovOutreach.com/sanbernardino/case.php?id=6251762&access=6639643330356534</a>

Thank you,

Office of the City Manager

From: Sylvia Bautista <Bautista\_Sy@sbcity.org>

**Sent:** Monday, May 2, 2022 2:05 PM

**To:** shannon environmental supports ervices.com

**Cc:** Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez

**Subject:** CPRA Response to 6251762 Caspagno, Shannon (2) 05-02-22

#### Dear Sir/Madam,

This letter is in response to your request for public records received on May 2, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 *et seq.* ("the Act"). You asked for the following records and information:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

ESS requests the following information concerning the subject addresses which the fire department may have on file:

- 1. utilization, manufacture, storage, or discharge of hazardous materials/waste.
- 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste.
- 3. hazardous materials disclosures concerning the site.
- 4. information regarding underground storage tank present or previously found at the site.

The City has received your request for documents pertaining to the above address. Please note any records pertaining to Fire or Hazard Material Removal or Fire Violations, you can contact the San Bernardino County Department at: 620 South "E" Street, San Bernardino, CA 92415 The phone number is (909) 386-8401. Please note this is including https://sbcfire.org/publicrecords/ Underground Storage Tanks (UST). City staff members are continuing to search for documents that may respond to your request.

#### Respectfully,



Sylvia Bautista

Records Management Specialist City of San Bernardino – Office of the City Clerk

Office: 201 North "E" Street Mail: 290 North "D" Street San Bernardino, California 92401 Direct: 909.384.5002 | x3215

Bautista sy@sbcity.org | www.sbcity.org

# Appendix G

Request for Records Search to the San Bernardino Public Works Department and Extension to Respond Obtained from that Agency

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

**Sent:** Monday, May 2, 2022 12:33 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6251748 [3230396237643662]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request

Location: 695 E NORMAN RD

Description: Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

ESS requests the following information concerning the subject addresses which the public works department may have on file:

- 1. copies of applications and permits for industrial waste discharge; and
- 2. copies of any and all violations concerning industrial waste discharge.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6251748&access=3230396237643662">http://user.GovOutreach.com/sanbernardino/case.php?id=6251748&access=3230396237643662</a>

Thank you,

Office of the City Manager

From: Sylvia Bautista < Bautista\_Sy@sbcity.org > Sent: Wednesday, May 11, 2022 11:09 AM To: shannon environmental supports ervices.com

Cc: Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez; Telicia

Lopez

Subject: CRPA Extension for 6251748 Caspagno, Shannon 05-02-22

#### Dear Sir/Madam

This letter is in response to your request for public records received on May 2, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 et seq. ("the Act"). You asked for the following records and information:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

ESS requests the following information concerning the subject addresses which the public works department may have on file:

- 1. copies of applications and permits for industrial waste discharge; and
- 2. copies of any and all violations concerning industrial waste discharge.

In response to your request given the need to search for, collect the requested records from field facility or other establishments that are separate from the office processing the request, the City hereby avails itself 14 days from today to respond to your request, under the authority of the Act and Government Code § 6253(c). The City will provide a response on or before Wednesday, May 25, 2022.

#### Thank you,



Direct: 909.384.5002 | x3215 Bautista sy@sbcity.org | www.sbcity.org

# Appendix H

Request for Records Search to the City of San Bernardino Building Department and Response and Photocopies Obtained from that Agency

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

**Sent:** Monday, May 2, 2022 12:37 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6251770 [3462323939653366]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request

Location: 695 E NORMAN RD

Description: Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

I hereby request copies of all building permits and certificates of occupancy for the above addresses.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6251770&access=3462323939653366">http://user.GovOutreach.com/sanbernardino/case.php?id=6251770&access=3462323939653366</a>

Thank you,

Office of the City Manager

**From:** Sylvia Bautista <Bautista\_Sy@sbcity.org>

**Sent:** Tuesday, May 3, 2022 12:03 PM

**To:** shannon environmental supports ervices.com

**Cc:** Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez

**Subject:** CPRA Response to 6251770 Caspagno, Shannon (3) 05-02-22

#### Dear Sir/Madam,

This letter is in response to your request for public records received on May 2, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 et seq. ("the Act"). You asked to review the following:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512

Pioneer Avenue and 788 East Orange Show Road

APNs 028019202, 028019220, 028019219, 028019206, 028019207,

028020207, 028020211, 028020209,

028019213, 028019210, 028020208, 028019209, 028019208,

028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408

(See Attached Map)

I hereby request copies of all building permits and certificates of occupancy for the above addresses.

The city has located documents responsive to the above request. Attached is an electronic link of Building Permits. Please be advised that there are no Certificate of Occupancy. The City's provision of these documents completes your request.

Responsive records are available through drop box below:

https://www.dropbox.com/sh/0ashupute84bxsh/AADvZo9i6rjTU Ytx iUMPdPa?dl=0

(link expires in 60 days; please download any records you wish to retain)

Please let us know if you have any further questions.

### Thank you



Sylvia Bautista

Records Management Specialist
City of San Bernardino – Office of the City Clerk
Office: 201 North "E" Street
Mail: 290 North "D" Street
San Bernardino, California 92401
Direct: 909.384.5002 | x3215
Bautista sy@sbcity.org | www.sbcity.org

201	č≤	6/18/70		D) [24]	DING PERMITYPE STATE	Place	lindex 2	46-9	4
Owner's N	<b>7</b>	to be filled in by	Applicant - PLE	ASE PRINT OR	TYPE	Phone No.	Permit Number	-26988 <i>f</i>	
Owner's M	alling Addre	656 M	erman	City		Zip	Date Permit Istaed	6-21-7	6
JOB SITE	7.40	56 NO	rmon	ed!	35		Use Number Sq. Ft.	(22) Factor Adju	ited Area
Lot No.			Block I	vo.	Tract No.		1 1274	10.00 12	740
Lot	13 9	thew	5 of 1	of 12-	Track	0000	3		
				Sec.	Twn.	Rng.	Gar.		
entended Permit Use	REP	AIR G	sess	e Ca	NOP	1	Parch F.P.		
No. Bidas	nions —	The Course	No. Bedrms	No Dwell Units	No. Dwell U Now on Lot	nits No Fireplace		6 9% (3%)	140
Now on Lo		How Used		ENGR	885	0266	Grading	Cu. Y	4
Contractor	owner			Dodd Dodd	ed Notify			ELECTRICAL	
	's Mailing Ad	Norman	SBd		Zip	Phone No.			
Propagation and State	XT. WALLS	INT. WALLS	CEILING	ROOF	HEATING	SEWAGE	1		/
Conc	Masonry	Masonry	Open Beam	Wood	Elect.	SYSTEM		PLUMBING	
Wood	Stucco	Frame Plaster	Sheetrock	Comp. Sh. Built-up	Nat.Gas L.P.G.	Public	THE REAL PROPERTY.	reunibily a	
H H	Sidiling	Sheetrock	Wood	Metal	OII	Min.Depth.	-	/	
	Motel	Wood	Fiber Board	Tile	Solid	5.F./100 gal	1 /	NAME OF THE OWNER, OWNE	
		APPLICA	NT PLEASE RE	AD CAREFULL	γ		1/	MECHANICAL	
I have	read this a	oplication and ag	ree to camply v	with ordinances	and laws regul	lating building	+/-		
		ify that in the pe son in any manne					The state of the s		
	California.	~ // III // (Sealing	SO 83 TO DECUTE	I III VIOLENCII CI	Cite Adol William 3	CONTROLLISMENT	Other Fee (Specify)		
-							Plan Ck. Fee	42	90
Owner's Signature							Constr. Fee	1 7.6	00
ROP	7	2nd 2		/	1144	9	Elect, Fee	66	
Signators		THE REAL PROPERTY.	Services .	NAME OF TAXABLE PARTY.	THE RESERVE		Plumbing Fee		
6	ے۔		DEPARTMENT		Plan Ck. Valuation		Mr.h. Fee		
1117	W-1	Minima	um Property Set		)		Permit Fee		
ZONE			- ~/*	P No.			TOTAL FEE	- 100	20
Rea	r Setback fro	om Center Line _	200		R/W		Receipt Nur. neg	STREET, SQUARE,	170
Side	State In	n Property Line in Property Line in Property Line	in Puc	<del>ار</del> ا	R/W		Plans 10 Prans	110000000000000000000000000000000000000	Split
NCTE							O Notified Owner (Conti Re-eased 11C	Engr. bish	
03 1358-450	COU! 6 Rey. 5/75	NTY OF SAN BEI	NARDINO, BU	ILOING AND S	AFETY DEPT.		Pre-Alter Citation No.		

Building (823)			1			
Address 823 Mg	rman Rd				47400	
	radbury		ISSUED BY: CO/V	1 DATE 6/1/81 PERM	MT# 47480	
Mailing Address 9494 F	Markman Ave		CITY OF SAN BERNARDINO DEPARTMENT OF BUILDING AND SAFETY 300 North "D" Street, San Bernardino, CA 92418			
City	Zip	Tel,				
Contractor	Ca   91791	213/966 0222	300 1001 11	Tel. (714) 383-5071	), CA 92410	
Henry	Bush Plumbing		BUILDING: TYPE CO	ONST OCC. GRP	. 04	
Address 1880 W.	Baseline		TRACT:	LOTVALID	ATED/110-1-81	
City	7in	Tel. non seun	This is a building permit when properly filled out, signed and validated			
State Lic.	92411	889 4658 City	and is subject to expiration if work thereunder is suspended for 180			
& Classif. 71177		Lic. No. 42785				
Arch., Engr., Designer						
Address	Tel.					
City	Zip	State				
		Lic. No.	ESTIMATED VALUATION			
Intended Permit Use: Gas Ser	rv/Dwilg					
			ELECTRICAL			
So. Ft.	No.	No. Dw.				
Sq. Ft. Size	Stories	Units		Permit Fee		
New Add Alt	er 🗆 Repair 🗅 t	Demolition		TOTAL FEE		
LICENS	ED CONTRACTOR'S DECLAR	ATION	PLUMBING			
I hereby affirm that I am lic 7000l of Division 3 of the Busi effect.	ensed under provisions of Chapti ness and Professions Code, and	er 9 icommencing with Section my license is in full force and	1 gas serv		2.00	
SIGNATURE		DATE				
OW	NER-BUILDER DECLARATIO	DN .		Permit Fee	10.00	
reason: (Sec. 7031.5, Business	sempt from the Contractor's L and Professions Codes: Any cit	icense Law for the following by or county which requires a		TOTAL FEE	12.00	
permit to construct, alter, imper requires the applicant for such a the provisions of the Contractor Director 3 of the Business and if for the alleged exemption. An subjects the applicant to a civil p	ive, demplish, or repair any stru termit to file a signed statement 'x License Law, Chapter 9 (com	icture, prior to its issuance also t that he is licensed pursuant to mencing with Section 7000) of	HEATING AND A.C.			
Division 3 of the Business and F for the alleged exemption. Any subjects the applicant to a civil of	Professions Code, or that he is ex- v violation of Section 7031.5 to enalty of not more than live hun	vempt therefrom, and the basis by any applicant for a permit based dollars (\$500)				
1, as owner of the property.	or my employees with wages a	s their sole compensation, will		Permit Fee		
do the work, and the 2044, Business and Professions owner of property who builds o						
his own employees, provided the however, the building as improvi will have the burden of proving	ement is sold within one year of that he did not build or imp	completion, the owner-builder rove for the purpose of sale.)		TOTAL FEE		
I, as owner of the property struct the project. (Sec. 7044 does not apply to an owner of a such projects with a contractor's	am exclusively contracting wit Business and Professions Code:	th licensed contractors to con- The Contractor's License Law	PERMIT	ACCOUNT NUMBER	AMOUNT	
			Plan Chk, Dep.	01-009-411		
1 am exempt under Sec	B & P.C. for this rea	son	Plan Chk. Bal.	01-009-411		
DateOwner			Building	01-009-222	12.00	
	RS' COMPENSATION DECLAR	ATION	Mechanical Strong Motion	72-816-000		
I hereby afferm that I have a	contifucate of consum to self-inc.	use or a certificate of Workers'	Storm Drain	48-009-495		
Compensation drawance, or dice.		s Excing.	Parks & Rec.	43-009-413		
Copy is filled with the city	Certified copy is		Sewer Conn.			
	RS COMPENSATION INSURA	ANCE	Sewer Cap			
or less.)  I certify that in the perform	sance of the work for which th	sis permit is usuad I shall not				
Laws of California.	oner so as to become subject to	o the Workers' Compensation				
NOTICE TO APPLICANT: If, at subject to the Workers' Compe comply with such provisions or ti	insation provisions of the Labo	or Code, you must forthwith	TOTAL		12,00	
CON	STRUCTION LENDING AGEN	CY	REMARKS:			
I hereby affirm that there is a for which this permit is issued. (S			HEMAINO.			
Lender's Name			ZONE:	BY:		
Lender's Address			MINIMUM SETBACK			
I certify that I have read this	application and state that the	above information is correct. I		nt Setback From Center Line		
agree to comply with all city construction, and hereby autho- mentioned property for inspectio	and county ordinances and st orize representatives of this ci- n outposes:	ty to enter upon the above-		r Setback From Rear Property L		
Signature of Applicant	778271	Date	Side	Side Street Setback From Center Line		
Meding Address			\$ de	Serback From Property Line	17	
City, State, Zipi	SVOOS 24		FINAL DATES/22	S/INSPECTOR After	ush	

STRUCTURE	PL	UMBING	HEATING &	ATR COND.	ELECTRICAL
SETBACK	LAVATORY	TOILET	A.C. UNIT		
EXCAVATION	BATHTUB	FL. DRAIN	FL. FURN.	To all the	
FORMS	SHOWER	SEWER	WALL FURN.		SERVICE
FOUND, REINF.	SINK	SEWER ALT.	F.A.U.		POOL
REINF. STEEL	LAUND, TUB	GAS SER.	EXH. FAN		SPA
GROUT	AUTO WASH.	WATER HTR.	EVAP. CLR.		TEMP. POLE
BOND BEAM	GAS DRYER	FLOOR SNK.	DUCT ALT.		SIGN
LUMBER GR.	URINAL	DRINK FTN.	5 44100		BALLAST
FRAMING	SPRINKLER	SPA/PL. HTR.	The state of the		MBL. HOME
ROOFING	POOL				
VENTILATION	SPA		4		
FIRE ZONE ROOFING					
FIREPLACE	E. Maria		1 1		
SPARK ARRESTOR					
GAR, FIREWALL					
LATHING	GROUND PLUMB		A.C. UNIT		UNDERGROUND
MESH	ROUGH PLUMB.		HEATING (ROUG	GH)	BONDING
INSULATION/SOUND	SEWER OR SEPTI	IC TANK	DUCT WORK		
FINISH GRADING	GAS (ROUGH)		HEATING (FINA	L)	METER LOOP
8 1-25-32	GAS (FINAL)				TEMP. POLE
CERT. OCC.	WATER HEATER			1,0	SERVICE
N.	WATER SYSTEM				
w.	POOL FENCE & S	/C GATES	FINAL INSP.		FINAL INSP.
SEWER CAPACITY:					
SEWER CONNECTION:					
SEWER CONNECTION: STORM DRAIN:					
SEWER CONNECTION: STORM DRAIN:					
SEWER CONNECTION: STORM DRAIN:	TIPLAL D				

Build Dg 323 Non	man Road		1			
Owner			280-202-11/	pm DATE 8/8/88 <sub>PER</sub>	No 74494	
Mailing City of	San Bernardino		ISSUED BY:	DATE OF PER	MIT # # 19904	
Address			2 2 X 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	CITY OF SAN BERNARDI	NO	
City	Zip	Tel.	DEPARTMENT OF BUILDING AND SAFETY 300 North "D" Street, San Bernardino, CA 92418 Tel. (714) 384-5071			
Contractor	uncan Equipment		BUILDING: TYPE CO	ONST OCC. GR	p	
Address				LOTVALI		
City 1/00 Per	insylvania Ave	1-4		ermit when properly filled out,	07 07 00	
colton	92324	Tel. 825-1545	and is subject to ex	piration if work thereunder is s	uspended for 180 days.	
State Lic. & Classif. 251593		City Lic. No. pd	demolish & cle			
Arch., Engr., Designer	in the second		purchasing age	116 FU # 303240		
Address	William States	Tel.		THE LATE		
Ciau	19:-	Pt-11				
City	Zip	State Lic. No.	ESTIMATED VALUA	TION		
Intended Permit UseS/fam11y	dep11			177*	3340.00	
mint osopy s said (1)			ELECTRICAL			
Co Es	lv.	IN De			Land I was	
Sq. Ft. Size	No. Stories	No. Dw. Units				
New 🗆 Add 🗆 /	Alter Repair	Demolition		Permit Fee		
	NSED CONTRACTOR'S DECLAR	Senio Metanii Senio Senio		TOTAL FEE		
	licensed under provisions of Chapt fusiness and Professions Code, and		PLUMBING			
effect.	Junean Cook, and	8/8/88				
SIGNATURE		DATE				
I hereby affirm that I ar	DWNER-BUILDER DECLARATION Exempt from the Contractor's	ON License Law for the following		Permit Fee		
permit to construct, after, in requires the applicant for suc	in exempt from the Contractor's as and Brufessions Codes: Any co provey, demoitin, or report any str th permit to file a signed statemen stor's License Law, Chapter 9 (com of Professions Code, or that he is a Any violation of Section 7031.5 if penalty of not more than five hu	ty or county which requires a ucture, prior to its issuance also it that he is licensed pursuant to		TOTAL FEE		
the provisions of the Contrac Division 3 of the Business an	ctor's License Law, Chapter 9 (com of Professions Code, or that he is a	mencing with Section 7000) of exempt therefrom, and the basis	HEATING AND A.C.			
subjects the applicant to a civ	Any indiation of Section 7031.5 il penalty of not more than five hu	by any applicant for a permit nared dollars (\$500).				
do the work, and the stru  Professions Code: The Control	rty, or my employees with wages a acture is not intended or offered for actor's License Law does not appli	es their sole compensation, will reale. (Sec. 7044, Business and by to an owner of property who	HARLAND LAND AS		The state of the s	
builds or improves thereon a provided that such improvem	ty, or my employees with wages a acture is not intended or offered to actor's License Law does not appl and who does such work himself write are not intended or offered for none year of completion, the ow- ild or improve for the purpose of as	or through his own employees, or sale. If, however, the building		Permit Fee TOTAL FEE	-	
of proving that he did not but	ild or improve for the purpose of se	ie.)		200		
does not apply to an owner	rty, am exclusively contracting wi 044, Business and Professions Code of property who builds or improve	thereon, and who contracts for	PERMIT .	ACCOUNT NUMBER	AMOUNT	
	or(s) licensed pursuent to the Contr B. & P.C. for this re		Plan Chk. Dep.	001-000-41731		
Ci I am exempt under sec	B. & P.C. for this re	HISON	Plan Chk. Bal.	001-000-41731	63.00	
DateOwner	Value and the	E IVAL.	Building	001-000-41330	03.00	
WOR	KERS COMPENSATION DECLAR		Mechanical	001-000-41331 772-181-24591	.60	
Compensation Insurance, or e	e a certificate of consent to self-ins certified copy thereof /Sec. 3800 Company	Lebor Code I	Strong Motion Storm Drain	248-000-41818	***	
Policy No.	Company		Parks & Rec.	243-000-41732		
Copy is filed with the co	Certified copy is her		Sewer Conn.	245-000-41822		
	RKERS' COMPENSATION INSUR- mpleted if the permit is for one hi		Sewer Cap			
or less.)			Signs	001-000-41332		
employ any person in any r Laws of California.	ormance of the work for which to manner so as to become subject to	to the Workers' Compensation	Cultural D.C.	001-000-41335	16	
Date Owner NOTICE TO APPLICANT: II	, after making this Certificate of I	Evamenting your phaseled become				
subject to the Workers' Con	npensation provisions of the Lab or this permit shall be deemed revol	or Code, you must forthwith	TOTAL		53,60	
C	ONSTRUCTION LENDING AGEN	CY	REMARKS:			
I hereby affirm that there for which this permit is issued	is a construction lending agency for ISec. 3097, Civil Code.	or the performance of the work				
Lender's Name				BY:		
Lender's Address			MINIMUM SETBACK	20 VA - 20 VA	9	
agree to comply with all construction, and hereby	this application and state that the ity and county ordinances and s otherize representatives of this o	above information is correct, I tate laws relating to building ity to enter upon the show		nt Setback From Center Line		
agree to comply with all city, and county ordinances and state that the above intornation is correct, it agree to comply with all city, and county ordinances and state leave relating to building construction, and hereby authorize representatives of this city to enter upon the above-mentioned property for impaction purposes.			Rear Setback From Rear Property Line			
Access to the second se	10 10 Ett. 1 M.	and and man	01.1.	a Ctrant Cathank Erom Conter I		
Signature of applicant	an flere	Date		e Street Setback From Center L		
Signature of applicant Mailing Address City, State, Zip	ans flered	Oute	Side	e Street Setback From Center L e Setback From Property Line 30 Bonspector		

NI\S3RUTANDIS 8RO	710		0	1201	VIG
N REC.:		963			
:NIARO		100			
CONNECTION:					
:YTIDA9A3					
.s	Esta dir.				
		The second			
	<del></del>			A	
	Find		88/02/9	How	
	E //// 3	w st Avo	Pontolo	~	
	POOL FENCE & S	C GATES	128/2018	12	
	FINAL INSP.		FINAL INSP.		FINAL INSP.
	7500	H-1			
	-				
'N	MATER SYSTEM				
cc.	яэтаэн яэтам				SERVICE
The Property of	GAS (FINAL)	3413-99-		Y WA	TEMP, POLE
DNIGARD	емя (нопен)	3/1-	HEATING (FINA		METER LOOP
annos/noit	SEWER OR SEPT	NNAT DI	DUCT WORK		волен мівіис
使的數學是	волен ьглмв.		опоя) эмітаэн	(+	BONDING
9	евопир ьглив	1	TINU .D.A		пиревевопир
REWALL					
яот≳зяяА					
ACE					
ONE BOOFING		31			
NOITA	A92				
91	POOL				
10	2bВІИКГЕВ	SPA/PL. HTR.			MBL. HOME
. RD F	JANIAU	рыик ети,			TSALLAST
MA3	GAS DRYER	ьгоов зик.	DUCT ALT.		SIGN
	.HSAW OTUA	.ятн яэтам	EVAP. CLR.		TEMP, POLE
STEEL	BUT.GNUAJ	GAS SER.	EXH. FAN		Aqs
REINE,	SINK	SEWER ALT.	.U.A.7		POOL
The second	SHOWER	SEWER	WALL FURN.	5-11114	SERVICE
NOITA	8UTHTA8	FL, DRAIN	FL. FURN.	12 11/12	
К	YAOTAVAJ	TOILET	A.C. UNIT	According to	* 1075-0
STRUCTURE		UMBING	& DNITAHH	Long Williams As	ELECTRICAL

867 Norman Road

107 APN: 280-202-09



# **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street + San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES Information — (909) 384-5071

Inspections — (909) 384-LINK

PERMIT	NUMBER
Nº	98174

DATE 10/05/94 PLAN CK. NO. \_\_\_

Job Address: 867 Norman Road			APN	: 280-202-09
Major Cross Sts: Waterman Avenue				
DESCRIPTION OF PROJECT:				
Electric Box Change	Out 10	O AMP		
			28	
NO. ROOMS: 4 NO. STOP				
		OWNE	R/BLDR. YES	X_ NO
MAILING ADDRESS: 867 Norman Road				
CITY/STATE: San Bernardino, CA			TEL.:	
APPLICANT/CONTRACTOR: Owner				
ADDRESS:				
CITY/STATE:		ZIP:		
CONTRACTOR'S STATE LIC. #:		BUS. L	ICENSE:	
(OFFICIAL LIGE ONLY)	Ectimate	ed Valuation:		
(OFFICIAL USE ONLY)		onstruction:		
	Blug. Co	mstruction:		
BUILDING CODE REVIEW				
Pre-inspection Rpt	The same			
Construction TypeOccupancy Type	Electrica	· ·		le j
Sprinklers: Yes No		MP Service		
Flood Plain: Yes No Zone	100 A	II SELVICE		18.50
High Wind: Yes No Zone		Permit Fee: \$15	192	10.50
High Fire: Yes No Zone		Total Elec. Fees		33.50
				33.30
Workman's Comp. Insurance	Piumom	g:		
Yes No				
Issued by		Permit Fee: \$15		
Expiration date:		Total Plumb. Fees	Section 1	
Comments:	Heating		·	
	rieating	u No		and the state of the state of
	The state of	Permit Fee: \$15		
PLANNING REVIEW		Total HVAC Fees		
Planning Case File:				
Zone: By:		G/DEV. SVCS. DIVISIONS		22 50
Comments:	41331			33.50
		Pln. Check Dep.		
	41731	Plan Check Fees		
	41330	Building Permit Fees		
	41330	Investigation Fees		The second second
CODE ENFORCEMENT	41305	Sign Permit Fees		
File/Project #: 3226 N/F	41305	C. of O. Fee		
Comments:	24591	Strong Motion Fees		
		NG DIVISION		
	41720	C. Of O. Fee		
	41766	Zoning Consistency Rev	iew Fee	
Before Issuing Permit - Verify that the following applicable	41720	Plan Review Fee		
fees have been paid.	ENGINE	ERING DIVISION		
6024 - Sewer Capacity Fees:	41818	Storm Drain Fees		
Date:	41822	Sewer Conn. Fees		
Recpt. No.	41803	Traffic Signal Fees		
School District Fees:	PARK &	RECREATION		
Date:	41732	Park Development Fees		
		AL DEVELOP, FUND		
Receipt No.: 673573				
	41335	Cultural Development Fe	es	
By:G. Franske/kdw		74417	<b>.</b>	33 50
		Total Fees	Due:	33.50

#### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

#### APPLICANT / PROJECT OWNER RESPONSIBILITY


- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).
- Lot corners/properly lines must be properly staked in order to do a setback inspection, if neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (USC Section 305(a)).
- City "approved" plans and job inspection card must be on project site, available for Building Inspector's examination (UBC Section 303b)).

- The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC Section 305[a]).

  The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).



867 NORMAN APN: 280.202.09 JOB ADDRESS: -

# **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES Information — (909) 384-5071

Inspections — (909) 384-LINK

PERMIT NUMBER

DATE PLAN CK. NO.

Job Address: 867 Normi	An K		<b>!</b>
Major Cross Sts: WATER MAN		TRACT/LOT:	100 >==
DESCRIPTION OF PROJECT: Elect	RIC B	nex (MAnge OUT	100 AM
NO. ROOMS: 4 NO. STOP	RIES:	SQ. FT.: //00	
OWNER: Johns ( EVAUS	,	OWNER/BLDR. YE	S/ NO
MAILING ADDRESS: 867 Nov MIG	W K	4	
CITY/STATE: SHEN GERAL HV LO	io CA	ZIP: 92408 TEL:	
APPLICANT/CONTRACTOR: DUNE			<b>美洲</b> (1981)
ADDRESS:			
CITY/STATE:			
CONTRACTOR'S STATE LIC. #:		BUS. LICENSE:	
(OFFICIAL USE ONLY)	Estimate	ed Valuation:	
	Bldg. Co	enstruction:	
BUILDING CODE REVIEW		10 MAIN OFFICE	
Pre-inspection Rpt.			
(attach Copy to Permit)  Construction TypeOccupancy Type		. 100 0-15-1	
Sprinklers: Yes No	Electrica	al: 100 AMP SERV	100
Flood Plain: Yes No Zone			050
High Wind: Yes No Zone	To the second	Permit Fee: \$15	0.50
High Fire: Yes No Zone		Total Elec. Fees	350
	Plumbin		20
Workman's Comp. Insurance			
Yes No			A Total Control
Issued by		Permit Fee: \$15	
Expiration date:		Total Plumb. Fees:	K No. Bertal
Comments:	Heating	& A/C	
		Permit Fee: \$15	
PLANNING REVIEW		Total HVAC Fees:	
Planning Case File:	BUILDIN	IG/DEV. SVCS. DIVISIONS	
Zone: By:	41331	Total Elec/Plumb/Htg.	133,50
Comments:	41731	Pln. Check Dep.	
	41731	Plan Check Fees	
	41330	Building Permit Fees	
	41330	Investigation Fees	
CODE ENFORCEMENT	41305	Sign Permit Fees	
File/Project #: 3226 N/F	41305	C. of O. Fee	
Comments:	24591	Strong Motion Fees	
		NG DIVISION	
	41720	C. Of O. Fee	A Marketine
	41766	Zoning Consistency Review Fee	# 10 mm
Before Issuing Permit - Verify that the following applicable	41720	Plan Review Fee	
fees have been paid.		ERING DIVISION	
6024 - Sewer Capacity Fees:	41818	Storm Drain Fees	
Date: Recpt. No	41822	Sewer Conn. Fees	
School District Fees:	41803	Traffic Signal Fees	
Date:		RECREATION	
	41732	Park Development Fees	
1 1 1 1 1 1 2	CULTUR	AL DEVELOP. FUND	
Receipt No.: 673573  By: 6514	41335	Cultural Development Fees	
By: GEN			20-
		Total Fees Due:	33.50

#### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

#### APPLICANT / PROJECT OWNER RESPONSIBILITY

- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).
- Lot corners/property lines must be properly staked in order to do a setback inspection. If neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (UBC Section 305(a)).
- City "approved" plans and job inspection ourd must be on project site, available for Building Inspector's examination (UBC Section 303(b)).

- The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC Section 305[a]).

  The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).

# CITY OF SAN BERNARDINO PLANNING AND BUILDING SERVICES DEPARTMENT

# BUILDING DEVELOPMENT PERMIT APPLICATION

# **BUILDING DEVELOPMENT PERMIT CERTIFICATIONS**

PPLICANT SIGNATURE	
ith such provisions or this permit shall be deemed revoked.	Date subject to the Wrokers' Compensation provisions of the Labor Code, you must forthwith comp
VORKERS' COMPENSATION DECLARATION: hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' C	Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.)
Certified copy is hereby furnished.	g and Building Services Department of the City of San Bernardino
Vorkman's Compensation Carrier:	Policy No Exp. Date
CENSED CONTRACTORS DECLARATION:	
ereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 700 ONTRACTOR'S SIGNATURE	00) of Division 3 of the Business and Professions Code, and my license is in full force and effe
ONSTRUCTION LENDING AGENCY:	
ereby affirm that there is a construction lending agency for the performance of the work to	
o Construction Lender   Construction Lender	nder's Address
GNATURE	Date
the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subject of the property, or my employees with wages as their sole compensation; WII displays a property of the contractor's License Law does not apply to an owner of property why did that such improvements are not intended or offered for sale. If, however the building proving that he did not build or improve for the purpose of sale).	Date  LL DO THE WORK, and the structure is not intended or offered for sale (Sec. 7044, Busine he builds or i improves thereon, and who does such work himself or through his own employer or improvement is sold within one year of completion, the owner-builder will have the burd  Date  Date  Date  Operating the project (Sec. 7044, Business and Professions Code: The Contractor's License Lic
es not apply to an owner of property who builds or improves thereon, and who contracts fo intractor's list must be attached.   Yes  No	r such projects with a contractor(s) licensed pursuant to the Contractor's License Law).
GNATURE	- Date
I am exempt under Sec Business and Profe	essions Code for this reason:
rification of Ownership by (type of document, i.e property tax bill or deed):	Expires:
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-sb  As owner-builder, I will not employ anyone to do work which would require a permit from	ed to descend, will be made in connection with work authorized by this permit, and that no buildi
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.	od to descend, will be made in connection with work authorized by this permit, and that no build x (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code). the Division of Industrial Safety, as noted above, unless such person has a permit to do su
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-sb  As owner-builder, I will not employ anyone to do work which would require a permit from	nd to descend, will be made in connection with work authorized by this permit, and that no build x (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code). the Division of Industrial Safety, as noted above, unless such person has a permit to do su
rification of Ownership by (type of document, i.e property tax bill or deed):	nd to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date
Introduction of Ownership by (type of document, i.e property tax bill or deed):  INTIGION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous laterial?  Yes  No  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a recorted year a quantity of hazardous materials equal to or	d to descend, will be made in connection with work authorized by this permit, and that no build x (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scatfolding, falsework, or demolition or dismantling thereof, will be more than thiny-sb.  As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Ivision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous laterial?  Yes □ No □  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of empressed gas at standard temperature and pressure).	d to descend, will be made in connection with work authorized by this permit, and that no build k (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su.  Date  Date  1. If an RMPP is presently required, has Section 25534 of the California Health a Safety Code been fully complied with?  Yes  No   Does or will the applicant or present or future building occupant require for the within its the subject of this application a permit for such construction or modification for the South Coast Art Quality Management District or from any other air pollution condistrict or agency?  Yes  No   (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  GNATURE  Vision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous atterial?  Yes □ No □  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which is at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of empressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a gistration form for acutely hazardous materials?  Yes □ No □  Lection 25533 of the California Health and Safety Code, with some exceptions, requires gistration with the County of San Bernardino by each business which at any one time has	do to descend, will be made in connection with work authorized by this permit, and that no build k (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  Date  1. If an RMPP is presently required, has Section 25534 of the California Health a Salety Code been fully complied with?  Yes   No    South Coast Air Quality Management District or from any other air pollution con district or agency?  Yes   No    (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  8. Willamy part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes   No
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-sh. As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  GNATURE  Vision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous atterial?  Yes \( \text{No} \) \( \text{No} \) \( \text{California} \) Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which is at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of expressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a gistration form for acutely hazardous materials?  Yes \( \text{No} \) \( \text{No} \) \( \text{California} \) Health and Safety Code, with some exceptions, requires gistration with the County of San Bernardino by each business which at any one time has a hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 bunds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard in persons.  Does or will the applicant or present or future building occupant need to prepare an operature and pressure).	do to descend, will be made in connection with work authorized by this permit, and that no build at (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do support to the Division of Industrial Safety, as noted above, unless such person has a permit to do support to the Division of Industrial Safety, as noted above, unless such person has a permit to do support to the Division of Industrial Safety Code been fully complied with?  Yes   No    South Coast Air Quality Management or future building occupant require for the which is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution condistrict or agency?  Yes   No    (Section 68950.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  S. Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes   No    (If 'yes', the facility must meet the requirement of Sections 25534 and 42303 of a California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other air pollut control district or agency is required for the work which is the subject of this application, hail of the disclosures prescribed by California Health and Safety Code Section 42303 be made?
Interest of the control of the contr	d to descend, will be made in connection with work authorized by this permit, and that no build x (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su
Intrication of Ownership by (type of document, i.e property tax bill or deed):  Intrication of Industrial Safety Permit Certification:  Inhereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-size. As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous interial?  Yes \( \subseteq \text{No} \subseteq \text{Distriction} \)  Section 25505 of the California Health and Safety Code requires, with some exceptions, as at any one time during a reported year a quantity of hazardous materials equal to or reater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a egistration form for acutely hazardous materials?  Yes \( \subseteq \text{No} \subseteq \)  Does or will the applicant or present or future building occupant need to file a egistration with the County of San Bernardino by each business which at any one time has n hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard emperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an MPP (Risk Management and Prevention Program for accutely hazardous materials)?	do to descend, will be made in connection with work authorized by this permit, and that no build at (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  Date  Date  Date  Date  1 If an RMPP is presently required, has Section 25534 of the California Health at Safety Code been fully complied with?  Yes No   Does or will the applicant or present or future building occupant require for the work which is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution control district or agency?  Yes No  (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  S. Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes No  (If 'yes', the facility must meet the requirement of Sections 25534 and 42303 of the California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other air pollutic control district or agency is required for the work which is the subject of this application, hail of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No  (If 'yes', attach certificate of compliance from the appropriate air pollution control office Certificate of compliance: I certify that under penalty of perjury the information given about scorrect. I agree to comply with all state laws and city ordinances regarding Hazardo is correct. I agree to comply with all state laws and city ordinances regarding Hazardo
Interest of the control of the california Health and Safety Code requires, with some exceptions, as at any one time during a reported year a quantity of hazardous materials equal to or rester than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard imperature and pressure).  Does or will the applicant or present or future building occupant need to file a person is required to register and or settled to register and a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard or pressure).  Does or will the applicant or present or future building occupant need to file and certify a set and settled the provided that a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).	do to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  1. If an RMPP is presently required, has Section 25534 of the California Health a Safety Code been fully complied with?  Yes No Does or will the applicant or present or future building occupant require for the within its the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution contidistrict or agency?  Yes No Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  S. Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes No California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other air pollutic control district or agency is required for the work which is the subject of this application, ha all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No Compliance: I certify that under penalty of perjury the Information given abo is correct. I agree to comply with all state laws and city ordinances regarding Hazardo Materials and Emissions.



# **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES

Information — (909) 384-5071 Inspections — (909) 384-LINK **PERMIT NUMBER** 

98174

10/05/94 DATE PLAN CK. NO.

Job Address:	867 Norman Road		A CONTRACTOR OF THE STATE OF TH	APN: 280-202-09
Major Cross Sts:	Waterman Avenue		TRACT	LOT:
DESCRIPTION OF PRO	OJECT: Electric Box Chang	- Out 11	00 410	
	Tracerte now outside	e out 1	OV AUE	
NO. ROOMS:	4 NO. STO	RIES:	1 SO FT	1,100
OWNER:	Johany Evans			BLDR. YES X NO
MAILING ADDRESS:	867 Norman Road			
CITY/STATE:	San Bernardino, CA		ZIP: 92408 T	EL.:
APPLICANT/CONTRA ADDRESS:	CTOR: Owner			
CITY/STATE:			71D. T	T1 .
CONTRACTOR'S STA	TE LIC. #:		ZIP: T	
(OFFICIAL USE	ONLY)		ted Valuation:	
BUILDING CODE REV	IEW	Blag. C	Construction:	
Pre-inspection Rpt.	Total Comment		THE PARTY OF THE P	
(attach Copy to				and the second second
Construction Type	Occupancy Type	- Electric		
Sprinklers: Yes	No Zone	100 A	MP Service	
High Wind: Yes	No Zone			18.50
	No Zone		Permit Fee: \$15	22 50
		Plumbi	Total Elec. Fees	33.50
Workman's Comp. Insur		1011101		
Yes	_ No	S Juliane		The state of the s
	date:		Permit Fee: \$15	and the second
Comments:	date.		Total Plumb. Fees:	
		Heating	& A/C	
Den Care				
			Permit Fee: \$15	
PLANNING REVIEW			Total HVAC Fees:	
Planning Case File: Zone:	Dur	BUILDI	NG/DEV. SVCS. DIVISIONS	
Comments:	_ Uy	41331	Total Elec/Plumb/Htg.	33.50
		41731	Pin. Check Dep.	
TO THE REAL PROPERTY.		41731	Plan Check Fees	
		41330 41330	Building Permit Fees Investigation Fees	
CODE ENCODORNENT		41305	Sign Permit Fees	
CODE ENFORCEMENT File/Project #: 3226	N/F	41305	C. of O. Fee	
Comments:		24591	Strong Motion Fees	
	THE RESERVE	PLANNI	NG DIVISION	
	Succession of the Such	41720	C. Of O. Fee	
		41766	Zoning Consistency Revie	w Fee
Before Issuing Permit V fees have been paid.	enty that the following applicable		Plan Review Fee	
6024 - Sewer Capacity	Face:		ERING DIVISION	
Date:		41818 41822	Storm Drain Fees Sewer Conn. Fees	
Recpt. No.		41803	Traffic Signal Fees	
School District Fees:	THE MENT OF THE		RECREATION	
Date:		41732	Park Development Fees	
			AL DEVELOP. FUND	
Receipt No.: 67357	3	41335	Cultural Development Fees	
By: G. Franske/	kdw		- Colophic II 66	Topole 1
			Total Fees D	ue: 33.50

#### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

#### APPLICANT / PROJECT OWNER RESPONSIBILITY

- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).

  Lot corners property lines must be properly staked in order to do a setback inspection. If neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (UBC Section 305[a]).
- City "approved" plans and job inspection card must be on project site, available for Building inspector's examination (UBC Section 303[6]).

- 4. The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  5. All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner s/contractor's expense (UBC Section 305[a]).

  6. The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  7. The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).

#### CITY OF SAN BERNARDINO PLANNING AND BUILDING SERVICES DEPARTMENT

## **BUILDING DEVELOPMENT PERMIT INSPECTION APPROVALS**

#### CALL FOR INSPECTION

Requests for inspection shall be made in advance by calling 909/384-LINK (384-5465) by 2:00 p.m. of the day prior to the day needed for inspection.

# INSPECTION APPROVAL RECORD Do not proceed until previous inspection block has been approved, if applicable. INSPECTION ITEM COMMENTS INSPECTOR DATE Power Pole/Meter Loop Rough Grading (Eng. Insp.) Setback Excavation/Forms/Steel/Footings **Ground Plumbing Electrical Ground/Bounding** Underslab Conduit/Ducts Slab Grade Masonry & Steel Masonry Grout **Roof Sheathing** Shear Nail Framing and Ventilation Rough Heating/Vents/A.C. Rough Electrical/Service 10-13-94 CBG A SMOKE DET Rough Plumbing/Vents Rough Fire Sprinkler Insulation & Certificate Stucco-Mesh or Exterior Siding Lath or Drywall Nailing Stucco Scratch Stucco Brown Sewer/Sewage Disposal Water Service T-Bar Gas Line Air Test **Roof Covering** Pool Pre-Gunite Pool Pre-Plaster Demolition Final Electrical Final Plumbing Final Heating/A.C./Refrig. Final Grading (Eng. Insp.) **Planning Requirements** Final Fire Approval Final Construction Health Dept. Approval Final Inspection — OK to Occupy

(Signed When Applicable) WHEN SIGNED, THIS PERMIT IS YOUR CERTIFICATE OF OCCUPANCY.

PLAN-11.06 PAGE 2 OF 2

# INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Friday (Alternating) - 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	al			Electric	al		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER	1 100 100	
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)		100	Plumbin	g		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
_00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechan	ical		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	spections	W S	
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition		RELEGI	00415	Fire Dept. Approval		
00460	Misc.	n i		00280	Final Electrical		
Other	CALL THE RESERVE			00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction	7-2600	an

#### Comments:

### Permittee Responsibility

- . The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

FINAL INSPECTION OF EXPIRED PERMIT B9900493 TEAR OFF EXISTING & REROOF W/ COMP SHINGLES,ELEC. WALL HTR,WATER HEATER,PLUMBING FIX,12-WINDOWS, TUB,SINKS,WATER CLOSET,ELEC.MTR

Number of Windows:	0		
Floor/Roof Sheeting Number of Sheets:	0	OR Square Footage:	0
Exterior Stucco in sq yds:	0	Value of Structural Repairs:	\$0.00
Exterior Siding in sq yds:	0	Drywall Repair Number of Sheets:	0



# Development Services Department

**Permit Number** 

B0001519

(909) 384-5071 • Fax: (909) 384-5080 • www.ci.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

Balance Due:

#### BUILDING PERMIT

Job Address: 707 E NORMAN RD Status: APPLIED Applied: Tract/Lot#: 06/20/2000 Suite #: Parcel: 0280192200000 Issued: Phone: (818) 889-4224 Owner: MILLER GARY 6794 OAK FOREST DR Address: AGOURA HILLS CA91377-3833 Contractor: Phone: Address: License: Architect: Phone: Address: License: Phone: Engineer: Address: License: **Building Information \*\*\*\*** Sprinklers: Construction Type: Occupancy: Flood Plain Zone: Fire Zone: Highwind: \*\*\*\*\*\* Description/Valuation \*\*\*\* Type of Permit: FINAL INSPECTION OF PERMIT B9900493 TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC. WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS, TUB, SINKS, WATER CLOSET, ELEC.MTR Occupancy Sq Feet Totals... \$0.00 estatestatestatestatestatestatestates Fee Summary Plan Cheek: \$0.00 Planning Review: \$0.00 \$0.00 \$0.00 Other Plan Check: Strong Motion: Expeditious: \$0.00 Verdemont: \$0.00 \$0.00 Storm Drain: \$0.00 Building Permit Electrical Permit: \$0.00 Traffic: \$0.00 Plumbing Permit \$0.00 Sewer Connection: \$0.00 Mechanical Permit: \$0.00 Parks / Recreation: \$0.00 Cultural Development: Certificate of Occupancy: \$0.00 \$0.00 Hardship/Alternate: Other Building Fees; \$60.00 \$0.00 Special Investigation: \$0.00 Total Fees: \$60.00 Building Issuance: \$0.00 Amount Received: \$60.00

\$0.00

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

Building Repairs/Rehab:

\$0.00

# **DECLARATIONS**

WORKERS' COMPENSATION DECLARATION:			
I hereby affirm under penalty of perjury one of the following declarations:  I have and will maintain a certificate of consent to self-insure for workers' compe	ensation, as provided for by sec	tion 3700 of the La	bor Code, for the performance
of the work for which this permit is issued.  I have and will maintain workers' compensation insurance, as required by section.	on 3700 of the Labor Code, for t	he performance of	the work for which this permit
is issued. My workers' compensation insurance carrier and policy number are:  Carrier			be completed if the permit
Policy Number			ed dollars (\$100) or less.)
☐ I certify that in the performance of the work for which this permit is issued, I sha	Il not employ any person in an	manner so as to b	become subject to the workers'
compensation laws of California, and agree that it is should become subject to the wor comply with these provisions.	kers compensation provisions	4	Ty - 1
Applicant Signature:		Date:	
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNICIVIL FINES UP TO ONE HUNDRED THOU SAND DOLLARS (\$100,000), IN ADDITION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.			
LICENSED CONTRACTORS DECLARATION:	The state of the s		Hallow Mary
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with S	Section 7000) of Division 3 of th	e Business and Pro	fessions Code, and my license
is in full force and effect. Lic. #		Class #:	
Contractor's Signature:		Date:	
CONSTRUCTION LENDING AGENCY:    I hereby affirm that there is a construction lending agency for the performance	of the work for which this pern	nit is issued. (Sec. )	3097. Civil Code).
	der's Address		
Signature:		Date:	
OWNER-BUILDER DECLARATION:  I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONT professions Code: Any city or county which requires a permit to construct, alter, im applicant for such permit to file a signed statement that he or she is licensed pursual Section 7000) of Division 3 of the Business and Professions Code) or that he or she is expressions. So you applicant for a permit subjects the applicant to a civil penalty of not a second professions.	nprove, demolish, or repair any nt to the provisions of the Contr exempt therefrom and the basis f	structure, prior to actors License Law or the alleged exen	its issuance, also requires the (Chapter 9 (commencing with
I, as owner of the property, or my employees with wages as their sole compensa (Sec. 7044, Business and Professions Code: The Contractors License Law does not ap work himself or herself or through his or her own employees, provided that such improvement is sold within one year of completion, the owner-builder will have the	ation, WILL DO THE WORK, ar pply to an owner of property wh improvements are not intende	nd the structure is r o builds or improve d or offered for sal	es thereon, and who does such le. If, however, the building or
I, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSE</b> Code: The Contractors License Law does not apply to an owner of property who buil licensed pursuant to the Contractors License Law.).	ED CONTRACTORS to constru ids or improves thereon, and wi	ct the project (Sec. 7 no contracts for suc	7044, Business and Professions ch projects with a contractor(s)
□ I am exempt under sec.   Busin	ness and Professions Code for t	this reason:	4 41
Signature:	(111,00	Date: 6	9-5-00
Owner ID verified by driver's license.   Yes   No Driver's License No	E082890)	Expires:	9-5-00
Verification of Ownership by (type of document, i.e property tax bill or deed);			
CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person with the building/tenant space be used to store or display any hazardous material.		Yes 🗓 No	
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify	that I have read this application	and state that the	information given is correct. I
agree to comply with all state laws and city ordinances relating to building construction above-described property for inspection purposes.	ction, and authorize representa		h-701-10 10
the above-described property for inspection purposes.  Signature of	ction, and authorize represents	Date:	6-24-00
the above-described property for inspection purposes.	ction, and authorize represents		6-2v-00

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical			
00010	Rough Grading	to the second		00070	Temp Power Pole	<b>国际</b>	
00020	Setbacks		4 N. S. URB	00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	La Village	
00080	Pool Pre-Gunite	1/200		00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing			
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing	11 P. 100 - 10	
00120	Roof Covering	MA THE		00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical			A SHEET,
00180	Insulation		Elles Elle	00150	Rough Mechanical		THE
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspect	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall	PI TO THE T		00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		PALLETS.
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
)ther		VIEW N	DESIGN.	00290	Final Plumbing		100
00470	Mobile Home Install		HOLET	00300	Final Mechanical	BELLAN	PAGE TO STATE
00480	Awnings/Porches	The same	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00350	Final Construction		No.

BUI	Phone: 384-5071
To: 707	E NORMAN Rol
Address:	Date 7.26-00
- CORRI	ection notice -
Permit No. 13000	01519
Inspection Type: Fin	VAL
1) Seeve E	WATER HEATER CABINET
CHNINOT	BEHILLO OUT DOORS OR
WEALD OF	Permits & 14900 FERS
FOR DE	v- Plumbing That has
BTTN 1	ustalled '
- 2000 11	
	Thruk If O
	Josh Man
Inspector's	John Max Josh Max Inspector



# Development Services Department

Permit Number

B0504050

(909) 384-5071 • Fax: (909) 384-5080 • www.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

#### **BUILDING PERMIT**

Job Address: 807 E NORMAN RD Status: **ISSUED** 12/09/2005 Applied: Suite # Tract/Lot#: 0280202070000 Issued: Parcel: 909-888-8981 Owner: WILLIAMS THOMAS Phone: 807 E NORMAN RD Address: SAN BERNARDINO, CA92408 Phone: Contractor: Address: License: Phone: Architect: Address: License: Engineer: Phone Address: License: \*\* Building Information Construction Type: Occupancy Sprinklers Flood Plain Zone Fire Zone: Highwind: N \*\*\*\*\*\* Description/Valuation \* Type of Permit: BLOCK WALL ON SIDE PROPERTY LINE AND SMALL WALL ON REAR (150' X 6') PROPERTY LINE (20' X 6") Occupancy
Fences & Block Walls 6' High Block Wall
Totals... valuation Factor 170 30.00 \$5,100.00 \*\*\* Fee Summary \$0.00 \$0.00 Plan Check: Planning Review: Strong Motion: Verdemont: Expeditious: \$0.00 \$0.51 Fire Plan Check Fees: \$0,00 \$0.00 Storm Drain: **Building Permit:** \$81.00 \$0.00 Electrical Permit \$0.00 \$0.00 Traffic: Plumbing Permit: Mechanical Permit: Sewer Connection: \$0,00 \$0.00 Parks / Recreation: \$0.00 \$0.00 Certificate of Occupancy: \$0.00 Cultural Development: \$0.00 Other Building Fees \$0.00 Hardship/Alternate: \$0.00 \$0.00 Special Investigation: Total Fees: \$147.76 **Building Issuance:** \$15.00 Amount Received: \$147.76

**EXPIRATION:** This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

Comments \*\*

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5071

Building Repairs/Rehab:

\$0.00

Balance Due:

# DECLARATIONS

WORKERS' COMPENSATION DECLARATION:  I hereby affirm under penalty of perjury one of the following declarations:  ☐ I have and will maintain a certificate of consent to self-Insure for workers' compensation, as provided for by section of the work for which this permit is issued.  ☐ I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Code, for the is issued. My workers' compensation Insurance carrier and policy number are:	performance of the work for which this permit
	section need not be completed if the permit
	ed at one hundred dollars (\$100) or less.)
certify that in the performance of the work for which this permit is issued, I shall not employ any person in any rompensation laws of California, and agree that if I should become subject to the workers' compensation provisions of comply with these provisions.	Section 3700 of the Labor Code, I shall forthwith
comply with these provisions.  Applicant Signature:	Date: 12-9-05
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT A CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPENSATION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	AN EMPLOYER TO CRIMINAL PENALTIES AND
LICENSED CONTRACTORS DECLARATION:	
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the	
is in full force and effect. Lic. #	Class #:
is in full force and effect. Lic. #  Contractor's Signature:	Date:
CONSTRUCTION LENDING AGENCY:  ☐ I hereby affirm that there is a construction lending agency for the performance of the work for which this permit Lender's Name Lender's Address	t is issued. (Sec. 3097, Civil Code).
Signature:	Date:
Oignature.	
OWNER-BUILDER DECLARATION:  I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE LAW for the professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any supplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contract Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (8 Les on the property, or my employees with wages as their sole compensation, WILL DO THE WORK, and Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who work himself or herself or through his or her own employees, provided that such improvements are not intended improvement is sold within one year of completion, the owner-builder will have the burden of proving that he or she law sowner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to construct Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who licensed pursuant to the Contractors License Law.).  Business and Professions Code for the Signature:  Nomer ID verified by driver's license.  Yes No Driver's License No.  13 1 2 4 7 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tructure, prior to its issuance, also requires the ctors License Law (Chapter 9 (commencing with the alleged exemption. Any violation of Section \$500).):  the structure is not intended or offered for sale builds or improves thereon, and who does such or offered for sale. If, however, the building or a did not build or improve for purpose of sale.). the project (Sec. 7044, Business and Professions of contracts for such projects with a contractor(s)
CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend?   Will the building/tenant space be used to store or display any hazardous materials?   Yes   No	Yes □ No
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application a agree to comply with all state laws and city ordinances relating to building construction, and authorize representative above-described property for inspection purposes.	ves of the City of San Bernardino to enter upon
Signature of T. William	Date: 12-9-05
Legal Owner(s) and/or Author/ized Applicant	Date:

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
tructural			1201	Electrical		Mark I	
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		ALC: E
00080	Pool Pre-Gunite			00275	Electrical Service	型原语-	La Principal
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)	120 10		Plumbing		SH ATTER I	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		1000000
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal	Y Y	
00112	Masonry & Steel (4th lift)			00230	Water Service		1
00115	Roof Sheathing	IS BERLIN		00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical		LO MEISSEN	
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding	Market Land		00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown	VI PERSONAL PROPERTY OF THE PERSONAL PROPERTY		00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final	129 5000	THE WAY
00125	Reroof		一位置几次	00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.	00 10 10 10		00280	Final Electrical		
Other	The Republic		DIES TO	00290	Final Plumbing		The state of
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches	4 E 64 E		00350	Final Construction		BEET MALES

# INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INITIALS	CODE #	INSPECTION TYPE	DATE	INITIALS
Structural		700	Electrical				
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade		The state of	00160	Rough Electrical		
00080	Pool Pre-Gunite		-	00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		- 5,
00100	Masonry & Steel (1st lift)			Plumbi	ing		
00110	Masonry & Steel (2nd lift)		PAIR	00049	Underground EC Pre-Treatment		
00111	Masonry & Steel (3rd lift)			00050	Undergound Plumbing		
00112	Masonry & Steel (4th lift)			00220	Sewer/Sewage Disposal		
00115	Roof Sheathing			00230	Water Service		
00120	Roof Covering			00170	Rough Plumbing		
00130	Shear Nailing			00260	Gas Piping/Air Test		
00140	Framing			00235	Misc. Plumbing		
00180	Insulation			Mechan	nical		*
00190	Exterior Lath or Siding			00150	Rough Mechanical		
00200	Stucco Scratch		5 1600	00155	Misc. Mechanical	- 0	
00210	Stucco Brown		DOM:	Final I	nspections		
00240	Drywall			00310	Irrigation/Landscaping		
00150	T-Bar			00410	Planning Requirements		
00125	Reroof			00400	Engineering Dept. Final		
00320	Demolition			00420	Health Dept. Approval		
00460	Misc.			00415	Fire Dept. Approval		
Other			SIN 3-00	00280	Final Electrical		
00470	Mobile Home Install	Marine Lan		00289	Final EC Pre-Treatment		
00480	Awnings/Porches			00290	Final Plumbing		
THE STATE OF				00300	Final Mechanical		
				00350	Final Construction	12/27/ex	CRAG

Comments

## Permittee Responsibility

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will not
  make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable Code
  requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

Suite #:

Inspector Area: ?

Final

Permit #: B0504050 Permit Type: BLDG

Address: 807 E NORMAN RD SB

Parcel #: 0280202070000 Owner: WILLIAMS THOMAS

Contractor: Workers Comp; Date Applied: 12/09/2005
Date Issued: 12/09/2005
Phone #: 909-888-8981

Phone #:

****** ELECTRICAL	**********

Multi-Family Sq Ft: 0	Dwellings Sq	Ft: 0 Com	nercial Sq Ft:	
Service to 600 volts/ 200 amps:	0	Power Apparatus		
to 600 volts/1000 amps:	0	to 1 HP/F		
> 600 volts/1000 amps:	0	to 10 HP/F		
Temp Power Pole:	0	to 50 HP/F	.W/KVA:	
Temp Distribution System:	0	to 100 HP/F		
Recep/Switch/Outlets:	0	> 100 HP/k	.W/KVA:	
Lighting Fixtures:	0	Busways:		
Pole/Platform Lighting Fixtures:	0	Miscellaneous Apparatus:		
Theatrical Lighting Fixtures:	0	Electrical Me		
Residential Appliance to 1 HP:	0	Each Additional Meter	same lot:	
NonResidential Appliance to 1 HP:	0	Electrical Meter Reset w/or	her work:	
***********	**** MECHAN	ICAL ************	******	
Furnace to 100K BTU:	0	Boilers/Compressors		
Over 100K BTU:	0	to 3HP/ 10	OK BTU:	
Floor Furnace:	0	to 15HP/ 50	OK BTU:	
Suspended/Wall/Floor Heater:	0	to 30HP/1.0	OM BTU:	
Appliance Vent:	0	to 50 HP/1.7	5M BTU:	
Heating/Refr/Cooling Unit:	0	> 50HP/1.7	5M BTU:	
Vent Fan/w Duct:	0	Miscellaneous Appliance/E	quipment:	
Vent System:	0	Domestic In		
Exhaust Hood:	0	Commercial/Industrial In	cinerator:	
Evaporative Cooler:	0			
Air Handlers to 10K CFM:	0			
over 10K CFM:	0			
**********	***** PLUMB	NG **********	*****	
Fixtures/Traps:	0	Private Sewage Disposa	il System:	
Building/Trailer Sewer:	0	Industrial Waste Pre	reatment:	
Water Heater/Vent:	0	Backflow Protection		
Gas Piping Outlets:	0		up to 2":	
Water Piping:	0		over 2":	
Drainage/Vent Piping:	0	Gas Me	ter Reset:	
Lawn Sprinkler System:	0	Reset in Conjuncton w/ot		
Rainwater System/Drains:	0	Additional Met		
Atmospheric Breakers:	0			

(150' X 6' )PROPERTY LINE (20' X 6")

COMMENTS:

\*\*\*\*\*\*\* \*\*\* REPAIRS/REHAB \*

N.X	Number of Windows:	0		
Floor/Ro	of Sheeting Number of Sheets:	0	OR Square Footage:	0
	Exterior Stucco in sq yds:	0	Value of Structural Repairs:	\$0.00
	Exterior Siding in sq yds:	0	Drywall Repair Number of Sheets:	0

### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

- Building Inspection Division -

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural			Electrical				
00010	Rough Grading			00070	Temp Power Pole	11-2497	RG
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	12-1897	9M
00080	Pool Pre-Gunite			00275	Electrical Service	12 0	In
00090	Pool Pre-Plaster			00165	Misc. Electrical	0	
00100	Masonry & Steel (1st lift)			Plumbin	lg .		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	1-28-18	9M
00130	Shear Nailing			00235	Misc. Plumbing	0	
00140	Framing			Mechan	ical		12%
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	spections		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall	1-2898	9m	00410	Planning Requirements		
00150	T-Bar	-		00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical	54.98	TED
Other				00290	Final Plumbing	5498	Po
00470	Mobile Home Install		國際國際	00300	Final Mechanical	400	A PROPERTY.
00480	Awnings/Porches		A CALL AT WATER	00350	Final Construction 64	18	

			ts	

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

(I)

<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# $San\ Bernardino \\ {}^{\text{City of}}_{\text{California}}$

## Permits Search results

Print Close

Permit Number	B0901675	Address	807 E NORMAN RD
Type / Classification	RES BLDG	Parcel Number	0280202070000
	RHAB:RES REHAB	Legal	TR NO 2228 VALLEY TRUCK
	BLDG:Building	Description	FARMS NO 4 W 1/2 LOT 46 EX ST
File Date	10/5/2009		
Status	FINAL	Valuation	\$5,600.00
Description	REHAB TO INC, RERO OF 16 SQ'S OF COMP SHINGLES, INSTALLATION	Fees	\$163.47
	OF A ROOF TOP HVAC UNIT, AND 8-NEW WINDOWS.	Payments	\$163.47
		Balance	\$0.00

Relationship Name

APPLICANT WILLIAMS, THOMAS

### **Scheduled Inspections**

Records, 0 Total

Date Inspection Type Description

## **Completed Inspections**

Records, 3 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
120	ROOF COVERING	1/5/2010	JGM	Approved: Approved	
125	REROOF	1/4/2010	JGM	Not Approved: NO ACCESS TO INSPECT	dogs in yard
350	BUILDING FINAL	1/5/2010	JGM	Approved: Approved	

#### Status

Records, 0 Total

Apprv ID Description Status Date Status Record By Assign to Comment

# **Payments**

Records, 1 Total **Payment Date** 

10/5/2009

Payment ID

**Payment Amount** 

Close

Payment Type

T000078049

\$163.47

Credit Crd

Privacy Policy | Contact Us |

<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# $San\ Bernardino \\ {}^{\text{City of}}_{\text{California}}$

## Permits Search results

Print Close

Permit Number	B1100874	Address	807 E NORMAN RD
Type / Classification	RES BLDG	Parcel Number	0280202070000
	BWAL:BLOCK/GARDEN WALL	Legal Description	TR NO 2228 VALLEY TRUCK FARMS NO 4 W 1/2 LOT 46 EX ST
	BLDG:Building		
File Date	4/7/2011	Valuation	\$22,880.00
Status	EXPIRED	Fees	\$312.59
Description	CONSTRUCT 570' OF 6' HIGH BLOCK WALL AROUND PERIMITER OF PROPERTY	Payments	\$281.48
		Balance	\$31.11

Relationship Name

APPLICANT WILLIAMS, THOMAS

# Scheduled Inspections

Records, 0 Total

Date Inspection Type Description

### **Completed Inspections**

Records, 4 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
100	MASONRY AND STEEL 1	4/19/2011	DEZ	Approved: Approved	
110	MASONRY AND STEEL 2	5/17/2011	DEZ	Approved: Approved	
350	BUILDING FINAL	7/30/2012	SWM	Not Approved: Correction Written	1. PROVIDE A BRICK CAP OR FILL THE TOP OF THE WALL WITH GROUT TO PREVENT WATER FROM ENTERING THE WALL. THANK YOU, SCOTT MONTGOMERY
460	BUILDING MISCELLANEOUS	4/18/2011	SWM	Not Approved: Correction Written	1. PROVIDE A MINIMUM OF 3 INCHES OF SEPERATION BETWEEN THE STEEL AND THE SOIL AT ALL LOCATIONS. 2. REPAIR ALL TRENCH AREAS WHERE THE WALLS HAVE FALLEN IN. MAINTAIN THE FOOTING DIMENSIONS AS REQUIRED BY THE APPROVED PLANS. THANK YOU, SCOTT MONTGOMERY

Records, 0 Total Apprv ID Description Status Date Status Record By Assign to Comment **Payments** Records, 1 Total **Payment Date** Payment ID **Payment Amount Payment Type** 4/7/2011 T000089253 \$281.48 Credit Crd Close

Privacy Policy Contact Us

Status

<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# $San\ Bernardino \\ {}^{\text{City of}}_{\text{California}}$

## Permits Search results

Print	Close
-------	-------

Permit Number	B1100922	Address	807 E NORMAN RD
Type / Classification	RES BLDG	Parcel Number	0280202070000
	EPM:ELEC/PLUMB/MECH	Legal Description	TR NO 2228 VALLEY TRUCK FARMS NO 4 W 1/2 LOT 46 EX ST
	BLDG:Building		
File Date	4/13/2011	Valuation	\$0.00
Status	EXPIRED	Fees	\$104.00
Description	INSTALL NEW SUB PANEL FOR PARKING LOT LIGHTS	Payments	\$104.00
		Balance	\$0.00

Relationship Name

APPLICANT WILLIAMS, THOMAS

# **Scheduled Inspections**

Records, 0 Total

Date Inspection Type Description

#### **Completed Inspections**

Records, 5 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
275	ELECTRICAL SERVICE	10/4/2012	SWM	Approved: Approved	
280	FINAL ELECTRICAL	10/4/2012	SWM	Not Approved: NOT READY	
280	FINAL ELECTRICAL	10/24/2012	MLH	Not Approved: Correction Written	PROVIDE ELECTRICAL ROOF JACK UPPER SIDE TO BE UNDER THE ROOFING MATERIAL, YOU CAN NOT US MASTIC ALL ROUND THE JACK BUT YOU CAN US IT AROUND THE PIPE AND JACK. THANK YOU MIKE HANSEN
280	FINAL ELECTRICAL	10/24/2012	MLH	Not Approved: Correction Written	PROVIDE ELECTRICAL ROOF JACK UPPER SIDE TO BE UNDER THE ROOFING MATERIAL, YOU CAN NOT US MASTIC ALL ROUND THE JACK BUT YOU CAN US IT AROUND THE PIPE AND JACK. THANK YOU MIKE HANSEN

Status
Records, 0 Total
Apprv ID Description Status Date Status Record By

Payments

Assign to

Comment

Records, 1 Total

Payment Date Payment ID

**Payment Amount** 

Payment Type

4/13/2011 T000089368 \$104.00

Credit Crd

Close

Privacy Policy

Contact Us



<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# $San\ Bernardino \\ {}^{\text{City of}}_{\text{California}}$

## Permits Search results

Print Close

Permit Number	B1600512	Address	867 E NORMAN RD
Type / Classification	RES BLDG	Parcel Number	0280202090000
	BWAL:BLOCK/GARDEN WALL	Legal Description	TRACT 2228 LOT 45 TR NO 2228 VALLEY TRUCK FARMS NO 4 LOT 45 EX FLOOD CONTROL
	BLDG:Building		
File Date	3/7/2016	Valuation	\$12,936.00
Status	FINAL	Fees	\$284.51
Description	220 LF 8' TALL BLOCK WALL. ON REAR P.L. 121 LF AND SIDE P.L.'S 50 LF (FWP16-027)	Payments	\$284.51
		Balance	\$0.00

Relationship Name

APPLICANT ALEX M BELL

# **Scheduled Inspections**

Records, 0 Total

Date Inspection Type Description

#### Completed Inspections

Records, 4 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
30	FOUNDATIONS	4/8/2016	GUILLEN_JO	Approved: Approved	Foundations for a 8 feet high block wall commercial #5 rebar 16 inches o.c. each way per plan ok.
30	FOUNDATIONS	4/8/2016	GUILLEN_JO	Approved: Approved	Foundations for a 8 feet high block wall commercial #5 rebar 16 inches o.c. each way per plan ok.
110	MASONRY AND STEEL 2	5/26/2016	GUILLEN_JO	Approved: Approved	Rebar inspection Ok no.# 5 Vertical and Horizontal ok. Block wall 8 feet high.ok to grout
350	BUILDING FINAL	6/1/2016	GUILLEN_JO	Approved: Approved	Steel inspection2-3 and final 350 today for block wall 8 feet high.

#### Status

Records, 0 Total

Payments			
Records, 2 Total			
Payment Date	Payment ID	Payment Amount	Payment Type
3/7/2016	T000131767	\$47.08	Credit Crd
4/7/2016	T000132732	\$237.43	Credit Crd
		Close	

Status

Record By

Privacy Policy | Contact Us

Assign to

Comment

Apprv ID

Description

Status Date

<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# San Bernardino

### Permits Search results

Print Close

B1601507 Permit Number Address 807 E NORMAN RD BLDG Parcel Number 0280202070000 Type / Classification TR NO 2228 VALLEY TRUCK FARMS NO 4 W Legal BWAL:BLOCK/GARDEN WALL Description 1/2 LOT 46 EX ST BLDG:Building 6/29/2016 File Date Valuation \$0.00 Status VOID Fees \$103.00 Description NEW 64-5" X 9'4" RETAINING WALL IN BACK OF PROPERTY **Payments** \$0.00 WITH NEW STAIRS, 16 RISERS Balance \$103.00

Relationship Name

APPLICANT WILLIAMS, THOMAS

## **Scheduled Inspections**

Records, 0 Total

**Inspection Type** Description

#### **Completed Inspections**

Records, 0 Total

Inspection Inspection Date Inspector Status **Inspector's Comment** Description

#### Status

Records, 0 Total

Apprv ID Description Status Date Status **Record By** Assign to Comment

#### **Payments**

Records, 0 Total

**Payment Date Payment ID Payment Amount Payment Type** 

Close

Privacy Policy Contact Us

<u>Click here</u> for the Council meeting Wednesday, May 4th. The normally scheduled Closed Session starts at 5:30pm. Open Session starts at 7:00pm. Please see the agenda on how to submit public comments.

# $San\ Bernardino \\ {}^{\text{City of}}_{\text{California}}$

## Permits Search results

Print Close

Permit Number	B1800425	Address	807 E NORMAN RD
Type / Classification	BLDG	Parcel Number	0280202070000
	ACOM:ADD/ALTER COMMERCIAL	Legal Description	TR NO 2228 VALLEY TRUCK FARMS NO 4 W 1/2 LOT 46 EX ST
	BLDG:Building		
File Date	2/26/2018	Valuation	\$3,793.20
Status	FINAL	Fees	\$570.67
Description	CONSTRUCT NEW ACCESSIBLE RESTROOM IN EXISTING FLOOR AREA. (ADP17-042)	Payments	\$570.67
		Balance	\$0.00

Relationship Name

APPLICANT THOMAS WILLIAMS

## **Scheduled Inspections**

Records, 0 Total

Date Inspection Type Description

### **Completed Inspections**

Records, 12 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
30	FOUNDATIONS	5/14/2018	GUILLEN_JO	Approved: Approved	PRE SLAB ON GRADE INSPECTION NEED TO REMOVE ELECTRICAL PANEL BOX FROM NEW PROPOSED ADA TOILET ROOM. AND CHECK YOUR W.C. ADA DIMENSIONS BEFORE PURING OWNER AWARE.
30	FOUNDATIONS	5/9/2018	JM	Approved: Approved	Footings
125	REROOF	7/16/2018	GUILLEN_JO	Approved: Approved	ok
135	Combination - Framing & EPM	6/20/2018	Jose Guillen	Not Approved: Partial Approval	Need a flood test, abs Need to Add a dry vent to restroom.

160	ROUGH ELECTRICAL	6/26/2018	GUILLEN_JO	Not Approved: Partial Approval			
170	ROUGH PLUMBING	5/9/2018	JM	Approved: Approved			
180	INSULATION AND CERTIFICATE	6/21/2018	Jose Guillen	Not Approved: NOT READY	C.N.		
180	INSULATION AND CERTIFICATE	6/26/2018	GUILLEN_JO	Not Approved: Partial Approval			
190	LATH/STUCCO MESH	6/27/2018	GUILLEN_JO	Approved: Approved			
240	DRYWALL	7/16/2018	GUILLEN_JO	Not Approved: Partial Approval			
350	BUILDING FINAL	8/28/2018	GUILLEN_JO	Not Approved: Correction Written			not ADA Mising SIgn at door, mirror toilet is and Lavy not ADA. SEE OFFLN PHOTOS
350	BUILDING FINAL	1/15/2019	RL	Approved: Approved			
Status							
Records, 0 Tota	ıl						
Apprv ID	Description	Status Date		Status	Record By	Assign to	Comment

# **Payments**

Records, 3 Total

Payment Date	Payment ID	Payment Amount	Payment Type
2/28/2018	T000148677	\$239.85	Cash
2/26/2018	T000148586	\$141.60	Cash
5/7/2018	T000150390	\$189.22	Cash


Close

Privacy Policy Contact Us

#### INSPECTOR AREA: 4

Address:807 E NORMAN RD	PERMIT #:B9702429
	Date Issued:11/07/1997
Parcel:0280-202-070000	
Owner:GARDINER MARTHA	Permit Type:BLDG
Applicant:GARDINER WINE MARTHA	Worker's Comp:Y
714-544-5073 714-544-5073	
	ECTRICAL *******************
Multi-fam Sq Ft: SFD Sq	
Service to 600vlt/ 200amp: 1	Power Apparatus
to 600vlt/1000amp:	to 1 HP/KW/KVA:
> 600vlt/1000amp:	to 10 HP/KW/KVA:
Temp Power Pole 1	to 50 HP/KW/KVA:
Temp Dist System:	to 100 HP/KW/KVA:
	> 100 HP/KW/KVA:
necep, bireon, no outlest.	
Lighting Fixtures:	Busways:
Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
Theatrical Ltg Fixtures:	Generators & elec driven rides:
Res Appl to 1HP:	Walk thru attractions:
NonRes Appl to 1Hp:	Booth Lighting:
	Electrical meter reset:
Misc Apparatus:	
Each add'l meter same lot:	Elec meter reset w/other work.:
******* ME(	CHANICAL ********************
Furnace to 100kBTU:	Boilers/Compressors
over 100kBTU:	to 3HP/ 100K BTU:
Floor Furnace:	to 15HP/ 500K BTU
Susp/Wall/Flr Htr 1	to 30HP/1.00M BTU
Appliance Vent	to 50HP/1.75M BTU:
Htg/Refr/Cool Unit:	> 50HP/1.75M BTU:
West Ber w/Dugt	Misc Appl/Equip:
Vent Fan w/Duct:	Demost is Trainerstor
Vent System:	Domestic Incinerator:
Exhaust Hood	Comm/Ind Incinerator
Evaporative Cooler:	Fuel-gas piping:
Air Handlers to 10kCFM:	Gas-Hazardous:
over 10KCFM:	Gas-Non-Hazardout:
******* PT.I	JMBING *****************
	JULIU I I I I I I I I I I I I I I I I I I
	Designate Courses Diamogal
Fixtures/Traps 3	Private Sewage Disposal:
Bldg/Trailer Sewer:	Ind waste Pretreatment:
Water Heater/Vent: 1	Backflow Protection
Gas Piping Outlets: 1	up to 2":
	over 2"
	Gas Meter Reset
Drainage/Vent Piping:	
Lawn Sprinkler Sys:	Reset in conjunction
Rainwater Sys, Drains:	with other work: 1
Atmospheric Breakers:	Addit'l meter
************************	AIRS/REHAB****************
KBEI	
NT	
Number of Windows:	5
Floor/Roof Sheathing: No. Sheets:	OR Square Footage:
Exterior Stucco: Sq. Yards:	Value of Struct Repair:
Exterior Siding: Sq. Yards:	Drywall Repair: # Shts: 20

REPLACE 2 SK, TOILET, WTR LINES, REPLACE DRYWALL REPLACE 5 WINDOWS.



# Planning and **Building Services**

#### **Permit Number**

B9702429

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8t.com

300 North "D" Street, San Bernardino, CA 92418

#### BUILDING PERMIT

Job Address: 807 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: E.OF WATERMAN Parcel No: 0280-202-070000

Owner: GARDINER MARTHA

Address: 13271 WOODLAND DR

TUSTIN CA

92780

Contractor:

Address:

Arch/Eng: Address:

Status: ISSUED

Applied: 11/07/1997 Issued: 11/07/1997

Phone: 714-544-5073

Phone:

License:

Wrks Cmp:

Phone:

License:

#### BUILDING INFORMATION ----

Construction Type: TYPE V-Non-rated

Flood Plain Zone:

Planning No:

Type of Permit: ADD/ALTER SINGLE FAMILY RES

Occupancy

REPLACE 2 SK, TOILET, WTR LINES, REPLACE DRYWALL REPLACE 5 WINDOWS.

---- PERMIT VALUATION -----

Type

Table Date: 09/01/1987

Factor Sq. Feet

Planning Review:

Strong Motion:

Verdemont:

Occupancy: R-3

Fire Zone: N/A

Subtotal: Multiplier 1.00:

Total Valuation:

Addl Fixed Amount:

.00 5,000.00 5,000.00

Sprinklers: Highwind: N

Planner:

EEE SUMMARY ----

Plan Check: Expeditious Review: Other Plan Check: Building Permit: Elec Permit: Plumb Permit: Mech Permit: C of O: Other Bldg:

Investigation: Building Repairs: Hardship/Alternate:

- "Permit Form" -

.00 .00

.00 72.00

51.50 57.50 .00

24.00 .00 .00 19.00

.00

Storm Drain: Traffic: Sewer Connect: Parks & Rec: Cultural Dev:

Total Fees: Amount Received: Balance Due:

.57 .00 .00

.00 .00 .00 .00

.00

Valuation

.00

224.57 224.57 .00

CONDITIONS/COMMENTS

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

# **DECLARATIONS**

Wasterna Administration Brat I Branch	
WORKERS' COMPENSATION DECLARATION:	
I hereby affirm under penalty of perjury one of the following declarations:	2700 (1) 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
I have and will maintain a certificate of consent to self-Insure for workers' compensation, as provided for by of the work for which this permit is issued.	section 3700 of the Labor Code, for the performance
☐ I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Code, f	or the performance of the work for which this permit
is issued. My workers' compensation Insurance carrier and policy number are:  Carrier	This section need not be completed if the permit
	s valued at one hundred dollars (\$100) or less.)
☐ I certify that in the performance of the work for which this permit is issued, I shall not employ any person in compensation laws of California, and agree that if I should become subject to the workers' compensation provision.	
compensation laws of California, and agree that if I should become subject to the workers' compensation provision	
compensation laws of California, and agree that if I should become subject to the workers' compensation provision comply with these provisions.  Applicant Signature:  Martha D. Wire	Date: X Nov. 1 91
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJ	
CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPEN 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	SATION, DAMAGES AS PROVIDED FOR IN SECTION
LICENSED CONTRACTORS DECLARATION:	
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 o	f the Business and Professions Code, and my license
is in full force and effect. Lic. #	Class #:
Contractor's Signature:	Date:
CONSTRUCTION LENDING AGENCY:	
I hereby affirm that there is a construction lending agency for the performance of the work for which this p	permit is issued. (Sec. 3097, Civil Code).
Lender's Name Lender's Address	
Signature:	Date:
OWNER-BUILDER DECLARATION:	
Thereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE LAW</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair	for the following reason (Sec. 7031.5, Business and
	any structure prior to its issuance also requires the
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co	any structure, prior to its issuance, also requires the ontractors License Law (Chapter 9 (commencing with
	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the ba- 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b>	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):  Lyand the structure is not intended or offered for sale who builds or improves thereon, and who does such
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):  L, and the structure is not intended or offered for sale who builds or improves thereon, and who does such inded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  1, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he  1, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to cons	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with pass for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such noded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.):  Ittruct the project (Sec. 7044, Business and Professions
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with pass for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such noded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.):  Ittruct the project (Sec. 7044, Business and Professions
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he I, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to conscious. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such inded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It truct the project (Sec. 7044, Business and Professions in who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bas 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five han five had been found to a completion, with wages as their sole compensation, will be of the William owner of the property of the Contractors License Law does not apply to an owner-builder will have the burden of proving that he like has owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to conscore the Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code to Signature:  Owner ID verified by driver's license.  Yes I No Driver's License No.  MD 5 0 2 5 9 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the base 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such inded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It is truct the project (Sec. 7044, Business and Professions is who contracts for such projects with a contractor(s).  For this reason:  Date:    Wow. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and profession to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such inded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It is truct the project (Sec. 7044, Business and Professions is who contracts for such projects with a contractor(s).  For this reason:  Date:    Wow. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is excempt therefrom and the base 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Mov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and subjects the applicant to a civil penalty of not more than five hundred dol. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code to Signature:  Owner ID verified by driver's license. I yes I No Driver's License No.  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend will the building/tenant space be used to store or display any hazardous materials? I yes I No	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) or this reason:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and profession to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.)  It truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)  For this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Cosection 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he laws owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to conscious. It is a contractor of the Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code to Signature:  Owner ID verified by driver's license.  Yes No Driver's License No.  CAL-OSHAMAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend will the building/tenant space be used to store or display any hazardous materials?  Yes No  CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application agree to comply with all state laws and city ordinances relating to building construction, and authorize represent the above-described property for inspection purposes.	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.)  It truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)  For this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not inter improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he builders of proving that he owner of property work himself or herself or through the owner of property work himself or herself or through the owner of property work himself or herself or through the proving that he owner of property work himself or herself or through the owner of property work himself or herself or through the owner of property of proving that he owner of property with himself or herself or through the owner of the following that he burden or herself or through the owner of the following	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s).  To this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the C Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol      I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement in proving that he improvement is sold within one year of completion, the owner of proving that he improvement is proving that he improvement is proving that he im	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  The analysis of the structure is not intended or offered for sale who builds or improves thereon, and who does such nded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Nov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the C Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol      I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion of proving that he improvements are not interimprovement is sold within one year of completion of proving the owner-builder will have the burden of proving the head of the proving the pr	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with alleged exemption. Any violation of Section (lars (\$500).):  To and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:    Date:

Authorized Applicant			Date:L				
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural	Land Carte And			Electrical		THE	
00010	Rough Grading			00070	Temp Power Pole	R) Ellis	
00020	Setbacks			00060	Underground Electrical	MININE	
00030	Foundation/Ftgs.		THE O	00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite		M 101 - 100	00275	Electrical Service	S. HEAVILLE	
00090	Pool Pre-Plaster		Wind to	00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing			DURANT.
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)		la l	00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		Caronia 12
00190	Exterior Lath or Siding			00155	Misc, Mechanical		
00200	Stucco Scratch			Final Inspections			
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		THE STATE OF	00280	Final Electrical		
)ther				00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical	HELD TO THE	Mille Is
00480	Awnings/Porches			00350	Final Construction		PERM

INSPECTOR AREA: 4

PERMIT #...:B9801399 Date Issued:05/26/1998 Address..:715 E NORMAN RD Address..:715 E NORMAN RD

Parcel...:0280-192-190000

Owner...:MILLER GARY

PERMIT #...:B9801

Date Issued:05/26

Permit Type:BLDG Applicant:MILLER GARY Worker's Comp:N Temp Power Pole....:
Temp Dist System.... to 50 HP/KW/KVA....: Recep/Swtch/Lt Outlet...: > 100 HP.
Lighting Fixtures...: Busways...
Pole/Pltfm Ltg Fixtures..: Carnivals/Comparison of the comparison of Carnivals/Circuses Generators & elec driven rides: Walk thru attractions......

Booth Lighting.....

Electrical meter reset..... Res Appl to 1HP....: NonRes Appl to 1Hp.....:
Misc Apparatus....: Elec meter reset w/other work.: Each add'l meter same lot: Boilers/Compressors Furnace to 100kBTU....: to 3HP/ 100K BTU..... to 15HP/ 500K BTU..... to 30HP/1.00M BTU..... over 100kBTU....: Floor Furnace.... Susp/Wall/Flr Htr....: Appliance Vent....: Htg/Refr/Cool Unit....: Vent Fan w/Duct.....:
Vent System..... Domestic Incinerator...:

Comm/Ind Incinerator...:

Fuel-gas piping...:

Gas-Hazardous...: Exhaust Hood....: Evaporative Cooler....: Air Handlers to 10kCFM...: Gas-Non-Hazardout....: over 10KCFM...: \*\*\*\*\*\*\*\*\* \*\*\*\*\*\*\*\* PLUMBING Private Sewage Disposal....: Fixtures/Traps....: Ind waste Pretreatment...: Bldg/Trailer Sewer....:
Water Heater/Vent....: Backflow Protection Gas Piping Outlets....: Water Piping....:
Drainage/Vent Piping...:
Lawn Sprinkler Sys...:
Rainwater Sys, Drains...:
Atmospheric Breakers...: Reset in conjunction with other work....: Addit'l meter....: Number of Windows:

Floor/Roof Sheathing: No. Sheets:
Exterior Stucco: Sq. Yards:
Exterior Siding: Sq. Yards:

OR Square Footage...: Value of Struct Repair: Drywall Repair: # Shts:

基理 bette arena la la la ha 随起 La

per di grand talle 1952 i Dis Vandjiere l'As la sidire da giali

TEMP #8-ROOF RAFTERS, SHEATHING, COMPOSITION ROOF, STUCCO, & REPLACE WINDOWS



# Planning and **Building Services**

**Permit Number** 

B9801399

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8tecom

300 North "D" Street, San Bernardino, CA 92418

#### BUILDING PERMIT

Job Address: 715 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: WATERMAN

Parcel No: 0280-192-190000

Owner: MILLER GARY

Address: P O BOX 1553

AGUORA CA Contractor:

91376

Address:

Arch/Eng: Address:

Phone: License:

Wrks Cmp: N Phone:

Status: ISSUED

Applied: 05/28/1998

Issued: 05/26/1998

Phone: 818-889-4224

License:

--- BUILDING INFORMATION -----

Construction Type: TYPE V-Non-rated

Occupancy: R-3

Sprinklers: N

Flood Plain Zone: N

Fire Zone: N

Zoning:

Highwind: N Planner:

Planning No: N/A

Type of Permit: RESIDENTIAL REHABILITATION

TEMP #8-ROOF RAFTERS, SHEATHING, COMPOSITION ROOF,

STUCCO, & REPLACE WINDOWS

- PERMIT VALUATION -

Occupancy Type

Valuation

Sq. Feet Factor Subtotal:

.00 .00

Multiplier 1.00: Addl Fixed Amount:

7,377.00 7,377.00

Table Date: 09/01/1987 Total Valuation:

FEE SUMMARY ----

Plan Check: Expeditious Review:

.00 .00 .00 Planning Review: Strong Motion:

.00 .74

Other Plan Check: Building Permit:

99.00

Verdemont: Storm Drain: .00 .00

Elec Permit: Plumb Permit:

.00 .00 .00

.00

.00

Traffic: Sewer Connect:

.00 .00

Mech Permit: C of O:

Parks & Rec: Cultural Dev: Total Fees:

.00 .00 99.74

Other Bldg: Investigation: Building Repairs:

Hardship/Alternate:

.00 .00 .00

Amount Received: Balance Due:

99.80 .00

CONDITIONS/COMMENTS -

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit. For Inspections Call: (909) 384-5078

# DECLARATIONS

WORKERS' COMPENSATION DECLARATION:							
I hereby affirm under penalty of perjury one of the following declarations:  I have and will maintain a certificate of consent to self-insure for workers' compensation, as provided for by section 3700 of the Labor Code, for the performance							
of the work for which this permit is issued.							
I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Co is issued. My workers' compensation Insurance carrier and policy number are:	oce, for the performance of the work for which this permit						
Carrier	(This section need not be completed if the permit						
Policy Number	is valued at one hundred dollars (\$100) or less.)						
I certify that in the performance of the work for which this permit is issued, I shall not employ any person compensation laws of California, and agree that if I should become subject to the workers' compensation procomply with these provisions.	on in any manner so as to become subject to the workers' ovisions of Section 3700 of the Labor Code, I shall forthwith						
Applicant Signature:	Date:						
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL S CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COM 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND IPENSATION, DAMAGES AS PROVIDED FOR IN SECTION						
LICENSED CONTRACTORS DECLARATION:  I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Divisio	n 3 of the Business and Professions Code, and my license						
is in full force and effect. Lic. #	Class #:						
Contractor's Signature:	Date:						
Ontractor of Signature.							
CONSTRUCTION LENDING AGENCY:  ☐ I hereby affirm that there is a construction lending agency for the performance of the work for which t  Lender's Name Lender's Address							
Signature:	Date:						
OWNER-BUILDER DECLARATION:							
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):						
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with the basis for the alleged exemption. Any violation of Section of dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or						
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE W</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). Construct the project (Sec. 7044, Business and Professions 1, and who contracts for such projects with a contractor(s)						
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE W</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). Construct the project (Sec. 7044, Business and Professions 1, and who contracts for such projects with a contractor(s)						
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE W</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proporty work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). Construct the project (Sec. 7044, Business and Professions 1, and who contracts for such projects with a contractor(s)						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  Business and Professions Codes of Driver's License No.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions of any and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  Business and Professions Codes of Driver's License No.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions or and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:						
hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proposity work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Compensation of Ownership by (type of document, i.e property tax bill or deed):  Verification of Ownership by (type of document, i.e property tax bill or deed):	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions or, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:						
hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proposity work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code: The Contractors License. I Yes No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions of and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:  Expires:						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proyen work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I have the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code: The Contractors License. I have the burden of proventy to the Contractors License Law.).  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described applicant to the contractors.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions of and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:  Expires:						
hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proposity work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code: The Contractors License. I Yes No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.).  construct the project (Sec. 7044, Business and Professions of and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:  Expires:						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proyen work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I have the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code: The Contractors License. I have the burden of proventy to the Contractors License Law.).  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described applicant to the contractors.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). construct the project (Sec. 7044, Business and Professions n, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:  Paires:  Date:  Expires:						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proposed that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Codes I are exempted by driver's license. I are property to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described by with all state laws and city ordinances relating to building construction, and authorize repthe above-described property for inspection purposes.  Signature of	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). construct the project (Sec. 7044, Business and Professions of an analysis of the contracts for such projects with a contractor(s) and who contracts for such projects with a contractor(s) and who contracts for such projects with a contractor (s) and who contracts for such projects						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W. Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proywork himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).    I am exempt under sec.	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). construct the project (Sec. 7044, Business and Professions of an and who contracts for such projects with a contractor(s) and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:  Date:  Date						
I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred I as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WILL CONTRACTORS to Code: The Contractors License Law does not apply to an owner of proposity with his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code: The Contractors License Law.).  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described property with all state laws and city ordinances relating to building construction, and authorize repthe above-described property for inspection purposes.  Signature of Legal Owner(s)	pair any structure, prior to its issuance, also requires the ne Contractors License Law (Chapter 9 (commencing with le basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or the or she did not build or improve for purpose of sale.). construct the project (Sec. 7044, Business and Professions of an analysis of the contracts for such projects with a contractor(s) and who contracts for such projects with a contractor(s) and who contracts for such projects with a contractor (s) and who contractor (s) and who contr						

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE #	INSPECTION TYPE	DATE	INTITIALS
tructural		1.5		Electrical		Lendos.	
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks		No.	00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER	e lander	
00040	Slab Grade	A ACTION		00160	Rough Electrical	OM MODEL S	
00080	Pool Pre-Gunite	en rode		00275	Electrical Service	EN EN ION	
00090	Pool Pre-Plaster	Process Vi	Mitwo and a	00165	Misc. Electrical	新山水水	
00100	Masonry & Steel (1st lift)	E MA	15.1	Plumbing		en estat t	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing	S TO THE WORLD	<b>国内内部</b> (2)
00111	Masonry & Steel (3rd lift)	fried the		00220	Sewer/Sewage Disposal	Ship the b	Sant E
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc, Plumbing		
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155 Misc. Mechanical		到加云形式	
00200	Stucco Scratch			Final Inspections			
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		<b>東西達</b>
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		1 1 6	00280	Final Electrical		English the
Other				00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches		1 TO THE RESERVE TO T	00350	Final Construction		

Job Address: 115 ENORMAN. 1

APN. 0280 - 192 - 19



# **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO
300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES
Information — (909) 384-5071 Inspections — (909) 384-5078

B980 1399

Date: 5.26-98

Plan Ck.# TEMP 8

Job Address: 715 E NORMAN	)			80-192-1
Major Cross Sts: WATERMAN	ROOF		Tract/Lot:	
Description of Project: CHANGE			REP/Acemen	+ Ounain
NEW STUCKO	part	TOTE !	espiacen.	T 8 WINDS
A Section of the sect			Sq. Ft.: 884	
No. Rooms: 3 No. Stories:				
Owner: GARY MITTER			Owner/Bldr. Yes	No
Mailing Address: D.O. BOX 15	237/	9/2	7/ - 10/9	0094774
City/State: ACOURA, CA	1316	Zip:	576 Tel.: 2/8	10011001
Applicant/Contractor:				
Address: City/State: Contractor's State Lic. #:			741	
City/State:	2	Zip:	Tel.:	
			Bus. Lic.:	
Arch/Engr/Designer:	>		State Lic. No.:	
Address:			Tel.:	AND THE PARTY OF T
City/State:		Zip:	101	
"不是我们的,我们就是我们的一个。" "我们就是我们的一个人,我们就是我们的一个人,我们就是我们的一个人,我们就是我们的一个人,我们就是我们的一个人,我们就是我们	ALLEN CHARLE		1 100	
(OFFICIAL USE ONLY)	Estimated Value	uation: Y	1377	
	Bldg. Construct	SCHOOL STREET,	<b>元金000000000000000000000000000000000000</b>	
BUILDING CODE REVIEW	RERA		50 Stucce	13d CE.
Construction Type: Occupancy Type:	REPL	P WILL	100,5	1-1
Sprinklers: Yes No	REBUI	in Rox	FRAFTERS	S. SHEATHIM
Flood Plain: Yes No Zone	Electrical:	CONTRACTOR OF STREET		
High Wind: Yes No			<b>定位区域</b>	
High Fire: Yes No Zone		San San San		
		ermit Fee: \$15		
Pre-Permit/	T	otal Elec. Fees		
Special Investigation No.:	Plumbing:		一种 100 BEED 1000 1000	
Comments:				
Comments:	P	ermit Fee: \$15		
		otal Plumb. Fees:		
	Heating & A/C		E0000000000000000000000000000000000000	7 17 17 17 17 17 17 17 17 17 17 17 17 17
PLANNING REVIEW			SENE SHOW THE SERVICE	
Planning Case No.:		ermit Fee: \$15		
Zone: By:	Tr	otal HVAC Fees:		
Approval Date:	THE PINCEN	THE DE		
Comments:		EV. SVCS. DIV	VISIONS	
		ec/Plumb/Htg.		
	4731 Pln. Cher			
		eck Fees Balance		Man.
CODE ENFORCEMENT		Permit Fees		94.00
Case No.		ation Fees		1
Comments:		rmit Fees	THE HILLS	100
10171	4304 C. of O. F		A STANDARD TO	.80
A STATE OF THE STA	2321 Strong N	Motion Fees		
Workman's Comp. Insurance	PLANNING D	MISION		
Yes No	4720 C. of O. F		•	
Issued by	4720 C. of O. P		AKO PARA	and the second second
	4/20 Fiam 110.	lew res		100000000000000000000000000000000000000
Before Issuing Permit - Verify that the following appli-	ENGINEERING	DIVISION		THE TANK THE
cable fees have been paid.		rain Fees	And the second	
cable lees have been paid.		Conn. Fees		ELECTRICAL PROPERTY OF THE
4.		lignal Fees	ANTICON STATES	
6024 - Sewer Capacity / Cap Fees:	4512 Verdemo		V-725-200	
Date:	THE STATE OF			and the second
Recpt. No.	PARK & RECE	REATION		
School District Fees, 7	4732 Park Dev			
Date:			A SUM OF THE REAL PROPERTY.	
120.11	CULTURAL D	EVELOP. FUI	ND	
Receipt Ng.: 699114	4335 Cultural I	Development Fee	es	
By: (gEM				000
			Total Fees Due:	99.00
		THE RESERVE TO SERVE THE PARTY OF THE PARTY	1010111000	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED

#### EXPIRATION


This permit shall be void and of no further force or effect if work is not commended within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

#### CITY OF SAN BERNARDINO

## **BUILDING DEVELOPMENT PERMIT DECLARATIONS**

of the work for which this permit is issued.	npensation, as provided for by section 3700 of the Labor Code, for the performance
I have and will maintain workers' compensation insurance, as required by so is issued. My workers' compensation insurance carrier and policy number are Carrier.	(This section need not be completed if the permit
Policy Number  I I I I I I I I I I I I I I I I I I I	is valued at one hundred dollars (\$100) or less.) shall not employ any person in any manner so as to become subject to the workers' the workers' compensation provisions of Section 3700 of the Labor Code, I shall
forthwith comply with these provisions.  Applicant Signature:	Date: 5-26-98
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS L CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN AD SECTION 3706 OF THE LABOR-CODE, INTEREST, AND ATTORNEY'S FEES.	INLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND DITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN
LICENSED CONTRACTORS DECLARATION:  I hereby affirm that I am licensed under provisions of Chapter 9 (commencing will is in full force and effect.	th Section 7000) of Division 3 of the Business and Professions Code, and my license
Contractor's Signature:	Date:
CONSTRUCTION LENDING AGENCY:  I hereby affirm that there is a construction lending agency for the performance of the construction lending agency for the construction lending a	ance of the work for which this permit is issued. (Sec. 3097, Civil Code).
□ No Construction Lender Signature:	Date:
and professions Code: Any city or county which requires a permit to construct, a the applicant for such permit to file a signed statement that he or she is licensed p with Section 7000) of Division 3 of the Business and Professions Code) or that he of Section 7031.5 by any applicant for a permit subjects the applicant to a civil a sowner of the property, or my employees with wages as their sole compared (Sec. 7044, Business and Professions Code: The Contractors License Law does such work himself or herself or through his or her own employees, provice building or improvement is sold within one year of completion, the owner-builde	ONTRACTORS LICENSE LAW for the following reason (Sec. 7031.5, Business liter, improve, demolish, or repair any structure, prior to its issuance, also requires oursuant to the provisions of the Contractors License Law (Chapter 9 (commencing or she is exempt therefrom and the basis for the alleged exemption. Any violation penalty of not more than five hundred dollars (\$500).):  Densation, WILL DO THE WORK, and the structure is not intended or offered for loss not apply to an owner of property who builds or improves thereon, and who led that such improvements are not intended or offered for sale. If, however, the rwill have the burden of proving that he or she did not build or improve for purpose
of sale.).  I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH I Professions Code: The Contractors License Law does not apply to an owner of processing the contractors of processing the contractors of the Contractors License Law.).	LICENSED CONTRACTORS to construct the project (Sec. 7044, Business and roperty who builds or improves thereon, and who contracts for such projects with
	Business and Professions Code for this reason:
Signature:	Date: 5/4/192
Owner ID verified by driver's license.   Yes No Driver's License No	Expires:
Verification of Ownership by (type of document, i.e property tax bill or deed):	
by this permit, and that no building structure, scaffolding, falsework, or demoli Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  As owner-builder, I will not employ anyone to do work which would require a has a permit to do such work from the division.  Signature:	a person is required to descend, will be made in connection with work authorized tion or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, a permit from the Division of Industrial Safety, as noted above, unless such person Date:
Division of Industrial Safety Permit No.	
HAZARDOUS MATERIALS AND EMISSIONS CERTIFICATION:  1. Will the applicant or present or future building occupant need to file and certify a Business Plan for emergency response to release or threatened release of a hazardous material?  Yes  No	4. If an RMPP is presently required, has Section 25534 of the California Health and Safety Code been fully complied with?  Yes No D  5. Does or will the applicant or present or future building occupant require for the work which is the subject of this application a permit for such construction.
(Section 25505 of the California Health and Safety Code requires, with some exceptions, that a Business Plan be filed with the County of San Bernardino by every business which has at any one time during a reported year a quantity of hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).	or modification from the South Coast Air Quality Management District or from any other air pollution control district or agency?  Yes No (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building
Does or will the applicant or present or future building occupant need to file a registration form for acutely hazardous materials?  Yes	permits).  6. Will any part of the facility to be constructed under this permit be within 1000 feet from the outer boundaries of a school?
(Section 25533 of the California Health and Safety Code, with some exceptions, requires registration with the County of San Bernardino by each business which at any one time has on hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).	Yes No (If "yes", the facility must meet the requirement of Sections 25534 and 42303 of the California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other
3. Does or will the applicant or present or future building occupant need to prepare an RMPP (Risk Management and Prevention Program for acutely hazardous materials)?  Yes  No  No	air pollution control district or agency is required for the work which is the subject of this application, have all of the disclosures prescribed by California Health and Safety Code Section 42303 been made?  Yes  No
(Section 25534 of the California Health and Safety Code provides that the County of San Bernardino may require the preparation, certification and filing with the County of an RMPP by businesses which are required to register acutely hazardous materials with the County).	8. (If "yes", attach certificate of compliance from the appropriate air pollution control officer). CERTIFICATE OF COMPLIANCE: I certify that under penalty of perjury the information given above is correct. I agree to comply with all state laws and city ordinances regarding Hazardous Materials and Emissions.
Signature:	Date:
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that to comply with all state laws and city ordinances religing to building construction above-described property for inspection purposes.	n, and authorize representatives of the City of San Bernardino to enter upon the
Signature of ///	Date: 3 -W - 98

Date:



# Planning and **Building Services**

**Permit Number** 

B9801585

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8t.com

300 North "D" Street, San Bernardino, CA 92418

#### ELECTRICAL/PLUMBING/MECHANICAL PERMIT

Job Address: 715 E NORMAN RD

Tract/Lot Nos: Suite No:

Vicinity: WATERMAN

Parcel No: 0280-192-190000

Applicant: MILLER GARY

Address: P O BOX 1553 AGUORA CA

Owner: MILLER GARY

Address: P O BOX 1553

AGUORA CA

Contractor:

Address:

Arch/Eng: Address:

Status: ISSUED Applied: 06/17/1998

Issued: 06/17/1998

Phone: 818-889-4224

Phone: 818-889-4224

Phone:

License: Wrks Cmp: N

Phone: License:

----INFORMATION -----

91376

91376

Zoning: N/A

Pre-perm/Spec Inv #:

Planner:

Code Compl #:

---- SCOPE OF PERMIT ----

REWIRE STRUCTURE, UPGRADE 100 AMP PANEL, 1 W/C,

2 SINKS, 1 LAV, 1 TUB, 1 WALL HEATER

----- FEE SUMMARY -----

.00 Planning Review:

Elec Permit: 71.13 52.50

Plumb Permit: 24.00 Mech Permit: .00

Elec Plan Ck: Plumb Plan Ck:

- "Permit Form" -

.00 .00 Mech Plan Ck:

Expeditious Plan Ck:

Sewer Connect: Hourly Plan Ck:

Total Fees: Amount Received: Balance Due:

.00 .00 147.63

.00

147.63 .00

PLAN-21.01/pg-1 (9-96)

COMMENTS/SPECIAL CONDITIONS -

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

FILE

# **DECLARATIONS**

		Key is held					3.46
	RS' COMPENSATION DECLARA						
☐ I have	ffirm under penalty of perjury one of th and will maintain a certificate of conser	RANGE TO STATE OF THE PARTY OF		pensation, as	provided for by section 3700 of	the Labor Code, for	the performance
☐ I have	k for which this permit is issued, and will maintain workers' compensati My workers' compensation Insurance of			tion 3700 of th	e Labor Code, for the performa	ance of the work for v	vhich this permit
Carrier		arrier and po	nicy number are:		(This section ne	ed not be completed	if the permit
Policy Nur	mber		THE ST		is valued at one	hundred dollars (\$1)	00) or less.)
X   certif	v that in the performance of the work fo	r which this p	permit is issued, I sl	nall not emplo	y any person in any manner so	as to become subject	t to the workers'
comply wi	ition laws of California, and agree that if	should beco	me subject to the w	orkers' compe			, I shall forthwith
	Signature:	MOENICATION	N COVERAGE IS III	NI ANZELII AN		VED TO CRIMINIAL	DENIAL TIES AND
CIVIL FINE	ES UP TO ONE HUNDRED THOUSAND D HE LABOR CODE, INTEREST, AND ATT	OLLARS (\$10	00.000) IN ADDITIO	N TO THE CO	ST OF COMPENSATION, DAMA	AGES AS PROVIDED	FOR IN SECTION
LICENSE	ED CONTRACTORS DECLARATION	ON.					
I hereby at	ffirm that I am licensed under provision:	s of Chapter 9	(commencing with	Section 7000	) of Division 3 of the Business a	and Professions Code	, and my license
is in full fo	orce and effect. Lic. #						
Contractor	r's Signature:				Date:		
CONSTR	SUCTION LENDING AGENCY:		Par e voi	B [ ]			
	by affirm that there is a construction len					. (Sec. 3097, Civil Co	de).
	lame	111111	Le	nuer's Addres	Date:		
Orginataro.		85-1-245	A 100 Lines				
(See 7044, work hims improvem	any applicant for a permit subjects the vner of the property, or my employees vner of the property, or my employees vner of the property, or my employees vner of herself or through his or her owner of the property, am EXCLUSIVELY Contractors License Law does not apply ursuant to the Contractors License Law kempt under sec	with wages as contractors Licon employees, on, the owner CONTRACT / to an owner .).	s their sole compenense Law does not provided that suc-builder will have to the their solutions of property who but their solutions.	sation, WILL I apply to an own improvement he burden of p SED CONTRA uilds or improv	THE WORK, and the struct oner of property who builds or in this are not intended or offered proving that he or she did not b	mproves thereon, an for sale. If, however uild or improve for p t (Sec. 7044, Business for such projects wit	d who does such the building or purpose of sale.). and Professions h a contractor(s)
Signature:	1/3		THE SERVE		Date:	LESTIN LIPE, D.	4 11/
Owner ID	verified by diver's license. 🗆 Yes 🗆	No Driv	ver's License No	July and B	Expires:		
	n of Ownership by (type of document, i	100					E E E
Will the	HA/HAZ, MAT. DECLARATION: ere be any excavation (5) five or more f e building/tenant space be used to store	eet in depth i	(A) 1 (A)	will be requi	red to descend?   Yes   N	PLANTED THE PROPERTY OF THE PARTY OF THE PAR	ala daga paga sang Sangga daga daga Sangga daga
agree to co	ATE OF COMPLIANCE AND AUTHO Omply with all state laws and My ordina described property for inspection purp Signature of Legal Owner(s)	ances relating	OF ENTRY: I certify to building constr	y that I have r uction, and au	ead this application and state the theorize representatives of the the Control of	hat the information ç City of San Bernardii	no to enter upon
	and/or hthorized Applicant	14 41			Date:	la surben ic	
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical		Dea Britains	
00010	Rough Grading	-		00070	Temp Power Pole		物質 鲁利国
00020	Setbacks		1 48.15 1 14.	00060	Underground Electrical		
00030	Foundation/Ptgs.		Bittle 1324	00162	UFER		
00040	Slab Grade		Del Company	00160	Rough Electrical		The same
00040	Sino Grade	200	SEPTEMBER OF A	9	nough Encured	Section and Publishers	1772

	V		-	-		-	-
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical		BURN	
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks		Barren proper	00060	Underground Electrical		
00030	Foundation/Ftgs.		STATE SEA	00162	UFER	Sir Jan	
00040	Slab Grade	Len't	PAR 10 (C. S.)	- 00160	Rough Electrical		The factor
08000	Pool Pre-Gunite	740-9		00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing		B. F. S.	
00110	Masonry & Steel (2nd lift)	K-1 40F		00050	Underground Plumbing		TALL AND
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering	=		00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical		i anders	
00180	Insulation			00150	Rough Mechanical		1.5 E 1.5
00190	Exterior Lath or Siding			00155	Mise, Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		17,70	00280	Final Electrical		
Other		10		00290	Final Plumbing		11
00470	Mobile Home Install	Lat 1		00300	Final Mechanical		4218
00480	Awnings/Porches			00350	Final Construction	100000	110 4

#### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	al			Electric			
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	7.698	T20
00080	Pool Pre-Gunite			00275	Electrical Service	7.318	700
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbin	g		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)		10000000000000000000000000000000000000	00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	7319	mo
00130	Shear Nailing			00235	Misc. Plumbing	7318	no
00140	Praming			Mechani	cal		
00180	Insulation			00150	Rough Mechanical	7898	1000
00190	Exterior Lath or Siding	2698	T3)	00155	Misc. Mechanical		
00200	Stucco Scratch		KAN E	Final Ins	pections		
00210	Stucco Brown	2008	100	00310	Irrigation/Landscaping		Part of the state
00240	Drywall	2698	MANA CANADAS CONTRACTOR IN CON	00410	Planning Requirements	1 4 1	
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		- n
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical	7.319	TH)
)ther				00290	Final Plumbing	731989	A COLUMN TO THE PARTY OF THE PA
00470	Mobile Home Install			00300	Final Mechanical	\$31900	AND DESCRIPTION OF THE PERSON NAMED IN
00480	Awnings/Porches			00350	Final Construction	\$319t	- Augustin

	harrier and the second

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

	and the second s	
Z	Ste #: 1	nspector Area:4
	DIE T. MODWAN DD	DOOG! FOR
	Address:715 E NORMAN RD	PERMIT #: B9801585
	Parcel:0280-192-190000	Date Issued: 06/17/1998
	Owner:MILLER GARY	Permit Type:EPM
	Applicant:MILLER GARY	Worker's Comp:N
	818-889-4224 818-889-4	
	******* EL	ECTRICAL ********************
		FT: 1075 Commercial Sq Ft:
	Service to 600vlt/ 200amp: 1	
	to 600vlt/1000amp:	to 1 HP/KW/KVA:
	> 600vlt/1000amp:	to 10 HP/KW/KVA
		to FO HD/WW/WW
	Temp Power Pole:	to 50 HP/KW/KVA
	Temp Dist System:	to 100 HP/KW/KVA:
	Recep/Swtch/Lt Outlet:	> 100 HP/KW/KVA:
		Busways
	Lighting Fixtures:	Dusways
	Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
	Theatrical Ltg Fixtures:	Generators & elec driven rides:
	Res Appl to 1HP	Walk thru attractions:
	NonRes Appl to 1Hp:	Booth Lighting:
	Misc Apparatus:	Electrical meter reset:
	Elec meter reset w/other.:	Each add'l meter on same lot:
	BICC MCCCI ICOCC W/ CONCIN TO A STATE OF THE	
	******* MR	CHANTCAL *****************
	********	CHANICAL *******************
	Furnace to 100kBTU:	Boilers/Compressors
	over 100kBTU:	to 3HP/ 100K BTU
	Floor Furnace:	to 15HP/ 500K BTU
è	Susp/Wall/Flr Htr 1	to 30HP/1.00M BTU
	Appliance Vent:	to 50HP/1.75M BTU
		> 50HP/1.75M BTU:
	Htg/Refr/Cool Unit:	> DURP/1./DM BIU
	Vent Fan w/Duct:	Misc Appl/Equip
	Vent System:	Domestic Incinerator
B	Exhaust Hood	Comm/Ind Incinerator:
Ü	Evaporative Cooler:	Fuel-yas piping
	Air Handlers to 10kCFM:	Gas-Hazardous:
4	over 10KCFM:	Gas-Non-Hazardout:
	******** DT.	IMPING *******************
	******** PD	JMBING *********************
	Fixtures/Traps 5	Private Sewage Disposal:
		Ind waste Pretreatment:
	Bldg/Trailer Sewer:	
Ì	Water Heater/Vent: 1	Backflow Protection
	Gas Piping Outlets:	up to 2"
ĺ	Water Piping:	over 2":
ŀ		Gas Meter Reset:
	Drainage/Vent Piping:	
	Lawn Sprinkler Sys:	Reset in conjunction
	Rainwater Sys, Drains:	with other work:
	Atmospheric Breakers:	Addit'l meter:
VI.	Temopheric Breakers T. T.	では、10mmのでは、10mmでは、10
	DELICE OF THE PROPERTY AND THE PROPERTY	D DANIEL 1 M/C

REWIRE STRUCTURE, UPGRADE 100 AMP PANEL, 1 W/C, 2 SINKS, 1 LAV, 1 TUB, 1 WALL HEATER

/ 张工作的第三

### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

Friday (Alternating) - 7:30 a.m. to 4:30 p.m.

CODE #	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	als en i		<b>应产型</b>	Electric			
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service		The state of
00090	Pool Pre-Plaster			00165	Misc. Electrical		*
00100	Masonry & Steel (1st lift)			Plumbin	g de la lace		
00110	Masonry & Steel (2nd lift)	is f		00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing	1.698.	TW	00170	Rough Plumbing		
00120	Roof Covering	3198		00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Praming .	.4		Mechan	cal		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding	2698	TW	00155	Misc. Mechanical		
00200	Stucco Scratch		MALE	Final In	spections		
00210	Stucco Brown On Cont.	7.209	no	00310	Irrigation/Landscaping		
00240	Drywall	7-698	120	00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof		B	00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing	1.71	
00470	Mobile Home Install			00300	Final Mechanical		7 1
00480	Awnings/Porches			00350	Final Construction	D.3198	721

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

- Building Inspection Division -

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	a			Electric			
00010	Rough Grading			00070	Temp Power Pole		The Carlotte
00020	Setbacks			00060	Underground Electrical		Nie is
00030	Foundation/Ptgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service	81299	10
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)		To., 1	Plumbin	2		0.50
00110	Masonry & Steel (2nd lift)	100		00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal	10	
00112	Masonry & Steel (4th lift)	PI PI		00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	8-12-99	70
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Praming windows	8.128	10	Mechan	cal		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	pections		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywali			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing	8-12-99	70
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction		u in the second

Comments:	645	meter	Installed	Without A GAS TEST BX G8TX	
1.1.1					
				and the second second	

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).


#### INSPECTOR AREA:

Address 707 E NOPMAN PD	PERMIT #:B9900493
Address : 707 E NORMAN RD	
Parcel:0280-192-200000	Date Issued:03/08/1999
Owner: MILLER GARY P.O. Box 155	
Applicant: MILLER GARY AGUORA, CA	9/374 Worker's Comp:N
818-889-4224 818-88	
*******	ELECTRICAL *********************
	BIBCIRICAL
	Sq Ft: Commercial Sq Ft:
Service to 600vlt/ 200amp:	Power Apparatus
to 600vlt/1000amp:	to 1 HP/KW/KVA
> 600vlt/1000amp:	to 10 HP/KW/KVA:
Temp Power Pole:	to 50 HP/KW/KVA
Temp Dist System:	to 100 HP/KW/KVA:
Recep/Swtch/Lt Outlet:	> 100 HP/KW/KVA:
Lighting Fixtures:	Busways:
Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
	Generators & elec driven rides:
Theatrical Ltg Fixtures:	
Res Appl to 1HP:	Walk thru attractions:
NonRes Appl to 1Hp:	Booth Lighting:
Misc Apparatus:	Electrical meter reset: 1
Each add'l meter same lot:	Elec meter reset w/other work.:
Each add I meter Bame 100.	Bicc model repec "/ cener work!
*******	MECHANICAL ******************
*****	MECHANICAL *****************
Furnace to 100kBTU:	Boilers/Compressors
over 100kBTU:	to 3HP/ 100K BTU
Floor Furnace:	to 15HP/ 500K BTU
Susp/Wall/Flr Htr 1	
Anni inner Vent	to 50HP/1.75M BTU
Appliance Vent	
Htg/Refr/Cool Unit:	> 50HP/1.75M BTU
Vent Fan w/Duct:	Misc Appl/Equip
Vent System	Domestic Incinerator
Exhaust Hood	Comm/Ind Incinerator:
Evaporative Cooler:	Fuel-gas piping
	Gas-Hazardous
Air Handlers to 10kCFM:	
over 10KCFM:	Gas-Non-Hazardout:
**********	PLUMBING ********************
Fixtures/Traps 4	Private Sewage Disposal:
Bldg/Trailer Sewer:	Ind waste Pretreatment:
Water Heater/Vent 1	Backflow Protection
Gas Piping Outlets:	up to 2":
Water Piping	over 2"
Drainage/Vent Piping:	Gas Meter Reset:
Lawn Sprinkler Sys:	Reset in conjunction
Rainwater Sys, Drains:	with other work:
Atmospheric Breakers:	Addit'l meter:
Acmospheric breakers	INGLO I MOOCI III III III III III III III III III
*****	REPAIRS/REHAB*****************
Number of Window	
Floor/Roof Sheathing: No. Sheet	s: OR Square Footage:
Exterior Stucco: Sq. Yard	
	Description # Obtain

Exterior Siding: Sq. Yards:

Drywall Repair: # Shts:

TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC. WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS, TUB, SINKS, WATER CLOSET, ELEC. MTR



# Development **Services Department**

**Permit Number** 

B9900493

(909) 384-5071 • Fax: (909) 384-5080 • www.ci.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

Status: ISSUED Applied: 03/08/1999

Issued: 03/08/1999

Phone: 818-889-4224

#### BUILDING PERMIT

Job Address: 707 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: WATERMAN

Parcel No: 0280-192-200000

Owner: MILLER GARY Address: PO BOX 1553

AGOOURA CA

Contractor: Address:

> Arch/Eng: Address:

91376

Phone: License: Wrks Cmp: N Phone:

License:

Factor Sq. Feet

BUILDING INFORMATION

Construction Type: Flood Plain Zone:

Occupancy

Occupancy: Fire Zone: N Zoning:

Sprinklers: Highwind: N Planner:

Planning No:

Type of Permit: RESIDENTIAL REHABILITATION

TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC.

WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS,

TUB, SINKS, WATER CLOSET, ELEC MTP

--- PERMIT VALUATION ---

Table Date: 09/01/1987		Total Valuation:	.00
	FEE S	UMMARY	
Plan Check:	.00	Planning Review:	.00
Expeditious Review:	.00	Strong Motion:	.50
Other Plan Check:	.00	Verdemont:	.00
Building Permit:	.00	Storm Drain:	.00
Elec Permit:	46.00	Traffic:	.00
Plumb Permit:	37.50	Sewer Connect:	.00
Mech Permit:	15.00	Parks & Rec:	.00
C of 0:	.00	Cultural Dev:	.00
Other Bldg:	.00	Hardship/Alternate:	.00
Investigation:	.00	Building Issuance:	15.00
Building Repairs:	72.00	Total Fees:	186.00

CONDITIONS/COMMENTS -----

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days, DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

## DECLARATIONS

I hereby at large of the wor large of the wor large of the wor large of the work lar	RS' COMPENSATION DECLAR ffirm under penalty of perjury one of and will maintain a certificate of cons k for which this permit is issued. and will maintain workers' compensa My workers' compensation Insurance mber y that in the performance of the work tion laws of California, and agree that the these provisions. Signature: GRAILURE TO SEQURE WORKERS' OF SUP TO ONE HUNDRED THOUSAND HE LABOR CODE, INTEREST, AND A	the following dent to self-insurance, action insurance, a carrier and po	e for workers' com as required by sec licy number are: ermit is issued, I si me subject to the w N COVERAGE IS U 10,000), IN ADDITIO	tion 3700 of the	(This section need not is valued at one hundy any person in any manner so as to insation provisions of Section 3700 of Date:	of the work for vot be completed dred dollars (\$10 become subject the Labor Code	which this permit if the permit 20) or less.) it to the workers' i, I shall forthwith
I hereby af is in full fo	ED CONTRACTORS DECLARATION THAT I am licensed under provision ree and effect. Lic. #	ons of Chapter 9	(commencing with		Class #:	rofessions Code	
				ce of the work ender's Addres			de).
I hereby af profession applicant f Section 700 7031.5 by a l, as ow (Sec. 7044, work hims improvem licensed publicensed public	BUILDER DECLARATION:  firm that under penalty of perjury the scode: Any city or county which recor such permit to file a signed statem 00) of Division 3 of the Business and Property, or my employee, Business and Professions Code: The elf or herself or through his or her oent is sold within one year of complement of the property, am EXCLUSIVEI Contractors License Law does not apursuant to the C	quires a permit tent that he or shortestons Code to applicant to a swith wages as Contractors Lic wn employees, tion, the owner LYCONTRACT ply to an owner aw.).	to construct, alter, le is licensed pursu, o rether the or she is a civil penalty of no their sole compenense Law does not provided that suchuilder will have the thing with the construction of property who be such as the construction of the const	improve, deminant to the province of exempt there at more than file station, WILL apply to an own himprovementhe burden of province of the burden of province of the burden of the burde	olish, or repair any structure, prior visions of the Contractors License Le from and the basis for the alleged ex- ve hundred dollars (\$500).):  DO THE WORK, and the structure is viner of property who builds or impro- tiss are not intended or offered for so- coving that he or she did not build CCTORS to construct the project (See	to its issuance, and (Chapter 9 (or emption. Any vio s not intended o oves thereon, an sale. If, however or improve for p c. 7044, Business such projects wit	elso requires the commencing with plation of Section or offered for sale d who does such the building or purpose of sale.).
Will the	HA/HAZ. MAT. DECLARATION ere be any excavation (5) five or mor e building/tenant space be used to st	e feet in depth i					
agree to co the above-	ATE OF COMPLIANCE AND AUTOMPHY with all state laws and city ord described property for inspection put a signature of Legal Owner(s) and/or thorized Applicant	inances relating	OF ENTRY: I certify to building consti	fy that I have r ruction, and a	ead this application and state that the thick the control of the City of the C	ne information gof San Bernardir	given is correct. I no to enter upon
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical	100 M 70 K 10 K		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical	Busin Feb	
00000			The second second	00150		REPORT NO.	

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
tructural				Electrical			
00010	Rough Grading		and the second	00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical	2.5	
00030	Foundation/Ftgs.	i di kikala in		00162	UFER	Sail E	Rate II
00040	Slab Grade	THE BUYER	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00160	Rough Electrical		
00080	Pool Pre-Gunite	Hall Calcion		00275	Electrical Service		图 图 图 图 图
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing		1 BU 12	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing	THE WY	
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding		10月1日	00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping	10000000000000000000000000000000000000	
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition		Bright 15 Kin	00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing		
00470	Mobile Home Install	THE THE PARTY OF		00300	Final Mechanical		
00480	Awnings/Porches		TEN NEWS	00350	Final Construction		

### **BUILDING DIVISION**

Phone: 384-5071

Address: 707 Z No	Date 6/17/99
- CORREC	CTION NOTICE -
of generated  12) Provide in  to combustible  went at wat  13) Flashing for  shall be in  voot covering  14) remove all  15) expose wind  window chome  16) The house h	emporary power to receptacles by mean its no l'ackard by mean of 1" clear le materials for B' ex heater B' stalled under the
Page 282 Inspector's	Thank you  agolina  Inspector

### **BUILDING DIVISION**

Phone: 384-5071

To:
- CORRECTION NOTICE -
Permit No. 899 00493
Inspection Type: FINAL  1) Repair light fixture at front porch.  7) Provide weather resistant cover for one
10 PSI FOR MINIMUM 15 MINITES 200 4) PROVIDE MOISTURE RESISTANT SURFACE
IN SHOWER TO A POINT 70" above  the DRAIN - HE DAY  CAUCK BASE OF TUB  NO
6) CAULK AROUND BASE OF WATER CLOSEN
7) PROVIDE MISSING BLANKS FOR 120 DEAD FLONT COVER OF ELECTRICAL PANEL
8) BLACK CONDUCTOR SHALL BE USED AS UNGROUNDED OR HOT CONDUCTOR OF
9) WHITE CONDUCTOR SHALL BE USED AS
GROUNDED CONDUCTOR OF NEUTRAL OF
EXTEND DIRECTLY TO THE GROUND
Page 1 of 2 Thank your laspector
Inspector's  Office Hours  Please Make Corrections and Call for Reinspection  7:30 - 8:30 a.m.   Please Make Corrections and Proceed.  Plan-4.06/bid (1-89)

#### **BUILDING DIVISION**

Phone: 384-5071

To: Dwn. N/Bailober
Address: 709 E Norman Date 8.12.99

## - CORRECTION NOTICE -

Permit No. B9900493
Inspection Type: Final
1 INSTAIL BLANOWS FOR Missing
BRAKINS IN DIAN FRONT BUOK
2 INSTAIL Missing main BROWLE
3. PROVIDE POWER TO FLOOTUCAL
SO GECI RICOPTICALS CAN BE
Thicked TO DITTE
TINSTAN CAULY AT BATATIONS AT FLORE WATER
5 Remove on Stone House hold
ITOINS And Boxes outside The
House. You max Build A
STORAGE Shed 120 SQUARE
FOOT AROADE LOSS W. ThouT
Pan mits
6 Remove Green TAPE on Sirvice
ENTAPHER Conductor. Od To
T. F. PRAIN QUOCT. Tost Shing ho
grand. In STON OFCI'S OR D PRING MUT
Thouse you -
Thomas Dollar
Inspector
Inspector's

Please Make Corrections and Call for Reinspection

PLAN-4.06/bld (1-99)

☐ Please Make Corrections and Proceed.

Office Hours

7:30 - 8:30 a.m.

### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Friday (Alternating) - 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	al			Electric	al		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER	1	
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)		100	Plumbin	g		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
_00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechan	ical		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	spections	W S	
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition		RELEGI	00415	Fire Dept. Approval		
00460	Misc.	n i		00280	Final Electrical		
Other	CALL THE RESERVE			00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction	7-2600	an

#### Comments:

#### Permittee Responsibility

- . The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

FINAL INSPECTION OF EXPIRED PERMIT B9900493 TEAR OFF EXISTING & REROOF W/ COMP SHINGLES,ELEC. WALL HTR,WATER HEATER,PLUMBING FIX,12-WINDOWS, TUB,SINKS,WATER CLOSET,ELEC.MTR

Number of Windows:	0		
Floor/Roof Sheeting Number of Sheets:	0	OR Square Footage:	0
Exterior Stucco in sq yds:	0	Value of Structural Repairs:	\$0.00
Exterior Siding in sq yds:	0	Drywall Repair Number of Sheets:	0



# Development Services Department

**Permit Number** 

B0001519

(909) 384-5071 • Fax: (909) 384-5080 • www.ci.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

Balance Due:

#### BUILDING PERMIT

Job Address: 707 E NORMAN RD Status: APPLIED Applied: Tract/Lot#: 06/20/2000 Suite #: Parcel: 0280192200000 Issued: Phone: (818) 889-4224 Owner: MILLER GARY 6794 OAK FOREST DR Address: AGOURA HILLS CA91377-3833 Contractor: Phone: Address: License: Architect: Phone: Address: License: Phone: Engineer: Address: License: **Building Information \*\*\*\*** Sprinklers: Construction Type: Occupancy: Flood Plain Zone: Fire Zone: Highwind: \*\*\*\*\*\* Description/Valuation \*\*\*\* Type of Permit: FINAL INSPECTION OF PERMIT B9900493 TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC. WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS, TUB, SINKS, WATER CLOSET, ELEC.MTR Occupancy Sq Feet Totals... \$0.00 estatestatestatestatestatestatestates Fee Summary Plan Cheek: \$0.00 Planning Review: \$0.00 \$0.00 \$0.00 Other Plan Check: Strong Motion: Expeditious: \$0.00 Verdemont: \$0.00 \$0.00 Storm Drain: \$0.00 Building Permit Electrical Permit: \$0.00 Traffic: \$0.00 Plumbing Permit \$0.00 Sewer Connection: \$0.00 Mechanical Permit: \$0.00 Parks / Recreation: \$0.00 Cultural Development: Certificate of Occupancy: \$0.00 \$0.00 Hardship/Alternate: Other Building Fees; \$60.00 \$0.00 Special Investigation: \$0.00 Total Fees: \$60.00 Building Issuance: \$0.00 Amount Received: \$60.00

\$0.00

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

Building Repairs/Rehab:

\$0.00

## **DECLARATIONS**

WORKERS' COMPENSATION DECLARATION:			
I hereby affirm under penalty of perjury one of the following declarations:  I have and will maintain a certificate of consent to self-insure for workers' compe	ensation, as provided for by sec	tion 3700 of the La	bor Code, for the performance
of the work for which this permit is issued.  I have and will maintain workers' compensation insurance, as required by section.	on 3700 of the Labor Code, for t	he performance of	the work for which this permit
is issued. My workers' compensation insurance carrier and policy number are:  Carrier			be completed if the permit
Policy Number			ed dollars (\$100) or less.)
☐ I certify that in the performance of the work for which this permit is issued, I sha	Il not employ any person in an	manner so as to b	become subject to the workers'
compensation laws of California, and agree that it is should become subject to the wor comply with these provisions.	kers compensation provisions	4	Ty - 1
Applicant Signature:		Date:	
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNICIVIL FINES UP TO ONE HUNDRED THOU SAND DOLLARS (\$100,000), IN ADDITION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.			
LICENSED CONTRACTORS DECLARATION:	The state of the s		HARRY NAME
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with S	Section 7000) of Division 3 of th	e Business and Pro	fessions Code, and my license
is in full force and effect. Lic. #		Class #:	
Contractor's Signature:		Date:	
CONSTRUCTION LENDING AGENCY:    I hereby affirm that there is a construction lending agency for the performance	of the work for which this pern	nit is issued. (Sec. )	3097. Civil Code).
	der's Address		
Signature:		Date:	
OWNER-BUILDER DECLARATION:  I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONT professions Code: Any city or county which requires a permit to construct, alter, im applicant for such permit to file a signed statement that he or she is licensed pursual Section 7000) of Division 3 of the Business and Professions Code) or that he or she is expressions to a civil penalty of not a second professions.	nprove, demolish, or repair any nt to the provisions of the Contr exempt therefrom and the basis f	structure, prior to actors License Law or the alleged exen	its issuance, also requires the (Chapter 9 (commencing with
I, as owner of the property, or my employees with wages as their sole compensa (Sec. 7044, Business and Professions Code: The Contractors License Law does not ap work himself or herself or through his or her own employees, provided that such improvement is sold within one year of completion, the owner-builder will have the	ation, WILL DO THE WORK, ar pply to an owner of property wh improvements are not intende	nd the structure is r o builds or improve d or offered for sal	es thereon, and who does such le. If, however, the building or
I, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSE</b> Code: The Contractors License Law does not apply to an owner of property who buil licensed pursuant to the Contractors License Law.).	ED CONTRACTORS to constru ids or improves thereon, and wi	ct the project (Sec. 7 no contracts for suc	7044, Business and Professions ch projects with a contractor(s)
□ I am exempt under sec.   Busin	ness and Professions Code for t	this reason:	4 41
Signature:	(111,00	Date: 6	9-5-00
Owner ID verified by driver's license.   Yes   No Driver's License No	E082890)	Expires:	9-5-00
Verification of Ownership by (type of document, i.e property tax bill or deed);			
CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person with the building/tenant space be used to store or display any hazardous material.		Yes 🗓 No	
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify	that I have read this application	and state that the	information given is correct. I
agree to comply with all state laws and city ordinances relating to building construction above-described property for inspection purposes.	ction, and authorize representa		h-701-10 10
the above-described property for inspection purposes.  Signature of	ction, and authorize represents	Date:	6-24-00
the above-described property for inspection purposes.	ction, and authorize represents		6-2v-00

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical		1100000	
00010	Rough Grading	to the second		00070	Temp Power Pole	<b>国际</b>	
00020	Setbacks		4 N. S. URB	00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	La Village	
00080	Pool Pre-Gunite	1/200		00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing			
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing	11 P. 100 - 10	
00120	Roof Covering	MA THE		00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical			A SHEET,
00180	Insulation		Elles Elle	00150	Rough Mechanical		THE
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspect	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall	HI TO THE		00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		PALLETS.
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
)ther		VIEW N	DESIGN.	00290	Final Plumbing		100
00470	Mobile Home Install		HOLET	00300	Final Mechanical	BELLAN	PAGE TO STATE
00480	Awnings/Porches	The same	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00350	Final Construction		No.

BUI	Phone: 384-5071
To: 707	E NORMAN Rol
Address:	Date 7.26-00
- CORRI	ection notice -
Permit No. 13000	01519
Inspection Type: Fin	VAL
1) Seeve E	WATER HEATER CABINET
CHNINOT	BEHILLO OUT DOORS OR
WEALD OF	Permits & 14900 FERS
FOR DE	v- Plumbing That has
BTTN 1	ustalled '
- 2000 11	
	Thruk If O
	Josh Man
Inspector's	John Max Josh Max Inspector

\* Requires completed "Notice to Property Owner" Form

\* Requires completed "Notice to Property Owner" Form

\* Requires the owner to complete "Authorization of Agent" Form

I am the property owner or I have been authorized to act on the property owner's behalf.

I have read this construction permit application and the information I have provided is true and correct.

I agree to comply with all applicable city and county ordinances and state laws relating to building construction.

I authorize representatives of the city of San Bernardino to enter the above-identified property for inspection purposes

### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

- Building Inspection Division -

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	a			Electric			
00010	Rough Grading			00070	Temp Power Pole		The Carlotte
00020	Setbacks			00060	Underground Electrical		Nie is
00030	Foundation/Ptgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service	81299	10
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)		To., 1	Plumbin	2		0.50
00110	Masonry & Steel (2nd lift)	100		00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal	10	
00112	Masonry & Steel (4th lift)	PI PI		00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	8-12-99	70
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Praming windows	8.128	10	Mechan	cal		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	pections		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywali			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing	8-12-99	70
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction		u in the second

Comments:	645	meter	Installed	Without A GAS TEST BX G8TX	
1.1.1					
				and the second second	

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).


#### INSPECTOR AREA:

Address 707 E NOPMAN PD	PERMIT #:B9900493
Address : 707 E NORMAN RD	
Parcel:0280-192-200000	Date Issued:03/08/1999
Owner: MILLER GARY P.O. Box 155	
Applicant: MILLER GARY AGUORA, CA	9/374 Worker's Comp:N
818-889-4224 818-88	
*******	ELECTRICAL *********************
	BIBCIRICAL
	Sq Ft: Commercial Sq Ft:
Service to 600vlt/ 200amp:	Power Apparatus
to 600vlt/1000amp:	to 1 HP/KW/KVA
> 600vlt/1000amp:	to 10 HP/KW/KVA:
Temp Power Pole:	to 50 HP/KW/KVA
Temp Dist System:	to 100 HP/KW/KVA:
Recep/Swtch/Lt Outlet:	> 100 HP/KW/KVA:
Lighting Fixtures:	Busways:
Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
	Generators & elec driven rides:
Theatrical Ltg Fixtures:	
Res Appl to 1HP:	Walk thru attractions:
NonRes Appl to 1Hp:	Booth Lighting:
Misc Apparatus:	Electrical meter reset: 1
Each add'l meter same lot:	Elec meter reset w/other work.:
Each add I meter Bame 100.	Bicc model repec "/ cener work!
*******	MECHANICAL ******************
*****	MECHANICAL *****************
Furnace to 100kBTU:	Boilers/Compressors
over 100kBTU:	to 3HP/ 100K BTU
Floor Furnace:	to 15HP/ 500K BTU
Susp/Wall/Flr Htr 1	
Anni inner Vent	to 50HP/1.75M BTU
Appliance Vent	
Htg/Refr/Cool Unit:	> 50HP/1.75M BTU
Vent Fan w/Duct:	Misc Appl/Equip
Vent System	Domestic Incinerator
Exhaust Hood	Comm/Ind Incinerator:
Evaporative Cooler:	Fuel-gas piping
	Gas-Hazardous
Air Handlers to 10kCFM:	
over 10KCFM:	Gas-Non-Hazardout:
**********	PLUMBING ********************
Fixtures/Traps 4	Private Sewage Disposal:
Bldg/Trailer Sewer:	Ind waste Pretreatment:
Water Heater/Vent 1	Backflow Protection
Gas Piping Outlets:	up to 2":
Water Piping	over 2"
Drainage/Vent Piping:	Gas Meter Reset:
Lawn Sprinkler Sys:	Reset in conjunction
Rainwater Sys, Drains:	with other work:
Atmospheric Breakers:	Addit'l meter:
Acmospheric breakers	INGLO I MOOCI III III III III III III III III III
*****	REPAIRS/REHAB*****************
Number of Window	
Floor/Roof Sheathing: No. Sheet	s: OR Square Footage:
Exterior Stucco: Sq. Yard	
	Description # Obtain

Exterior Siding: Sq. Yards:

Drywall Repair: # Shts:

TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC. WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS, TUB, SINKS, WATER CLOSET, ELEC. MTR



# Development **Services Department**

**Permit Number** 

B9900493

(909) 384-5071 • Fax: (909) 384-5080 • www.ci.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

Status: ISSUED Applied: 03/08/1999

Issued: 03/08/1999

Phone: 818-889-4224

#### BUILDING PERMIT

Job Address: 707 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: WATERMAN

Parcel No: 0280-192-200000

Owner: MILLER GARY Address: PO BOX 1553

AGOOURA CA

Contractor: Address:

> Arch/Eng: Address:

91376

Phone: License: Wrks Cmp: N Phone:

License:

Factor Sq. Feet

BUILDING INFORMATION

Construction Type: Flood Plain Zone:

Occupancy

Occupancy: Fire Zone: N Zoning:

Sprinklers: Highwind: N Planner:

Planning No:

Type of Permit: RESIDENTIAL REHABILITATION

TEAR OFF EXISTING & REROOF W/ COMP SHINGLES, ELEC.

WALL HTR, WATER HEATER, PLUMBING FIX, 12-WINDOWS,

TUB, SINKS, WATER CLOSET, ELEC MTP

--- PERMIT VALUATION ---

Table Date: 09/01/198	7 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	Total Valuation:	.00
	FEE S	UMMARY	
Plan Check:	.00	Planning Review:	.00
Expeditious Review:	.00	Strong Motion:	.50
Other Plan Check:	.00	Verdemont:	.00
Building Permit:	.00	Storm Drain:	.00
Elec Permit:	46.00	Traffic:	.00
Plumb Permit:	37.50	Sewer Connect:	.00
Mech Permit:	15.00	Parks & Rec:	.00
C of 0:	.00	Cultural Dev:	.00
Other Bldg:	.00	Hardship/Alternate:	.00
Investigation:	.00	Building Issuance:	15.00
Building Repairs:	72.00	Total Fees:	186.00

CONDITIONS/COMMENTS -----

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days, DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

## DECLARATIONS

I hereby at large of the wor large of the wor large of the wor large of the work lar	RS' COMPENSATION DECLAR ffirm under penalty of perjury one of and will maintain a certificate of cons k for which this permit is issued. and will maintain workers' compensa My workers' compensation Insurance mber y that in the performance of the work tion laws of California, and agree that the these provisions. Signature: GRAILURE TO SEQURE WORKERS' OF SUP TO ONE HUNDRED THOUSAND HE LABOR CODE, INTEREST, AND A	the following dent to self-insurance, action insurance, a carrier and po	e for workers' com as required by sec licy number are: ermit is issued, I si me subject to the w N COVERAGE IS U 10,000), IN ADDITIO	tion 3700 of the	(This section need not is valued at one hundy any person in any manner so as to insation provisions of Section 3700 of Date:	of the work for vot be completed dred dollars (\$10 become subject the Labor Code	which this permit if the permit 20) or less.) it to the workers' i, I shall forthwith
I hereby af is in full fo	ED CONTRACTORS DECLARATION THAT I am licensed under provision ree and effect. Lic. #	ons of Chapter 9	(commencing with		Class #:	rofessions Code	
				ce of the work ender's Addres			de).
I hereby af profession applicant f Section 700 7031.5 by a l, as ow (Sec. 7044, work hims improvem licensed publicensed public	BUILDER DECLARATION:  firm that under penalty of perjury the scode: Any city or county which recor such permit to file a signed statem 00) of Division 3 of the Business and Property, or my employee, Business and Professions Code: The elf or herself or through his or her oent is sold within one year of complement of the property, am EXCLUSIVEI Contractors License Law does not apursuant to the C	quires a permit tent that he or shortestons Code to applicant to a swith wages as Contractors Lic wn employees, tion, the owner LYCONTRACT ply to an owner aw.).	to construct, alter, le is licensed pursu, o rether the or she is a civil penalty of no their sole compenense Law does not provided that suchuilder will have the thing with the construction of property who be such as the construction of the const	improve, deminant to the province of exempt there at more than file station, WILL apply to an own himprovementhe burden of province of the burden of province of the burden of the burde	olish, or repair any structure, prior visions of the Contractors License Le from and the basis for the alleged ex- ve hundred dollars (\$500).):  DO THE WORK, and the structure is viner of property who builds or impro- tiss are not intended or offered for so- coving that he or she did not build CCTORS to construct the project (See	to its issuance, and (Chapter 9 (or emption. Any vio s not intended o oves thereon, an sale. If, however or improve for p c. 7044, Business such projects wit	elso requires the commencing with plation of Section or offered for sale d who does such the building or purpose of sale.).
Will the	HA/HAZ. MAT. DECLARATION ere be any excavation (5) five or mor e building/tenant space be used to st	e feet in depth i					
agree to co the above-	ATE OF COMPLIANCE AND AUTOMPHY with all state laws and city ord described property for inspection put a signature of Legal Owner(s) and/or thorized Applicant	inances relating	OF ENTRY: I certify to building consti	fy that I have r ruction, and a	ead this application and state that the thick the control of the City of the C	ne information gof San Bernardir	given is correct. I no to enter upon
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical	100 M 70 K 10 K		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical	Busin Feb	
00000			The second second	00150		REPORT NO.	

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
tructural				Electrical			
00010	Rough Grading		and the second	00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical	21.5	
00030	Foundation/Ftgs.	i di kikala in		00162	UFER	Sail E	Rate II
00040	Slab Grade	THE BUYER	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00160	Rough Electrical		
00080	Pool Pre-Gunite	Hall Calcion		00275	Electrical Service		图 图 图 图 图
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing		1 BU 12	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing	THE WY	
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding		10月1日	00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping	10000000000000000000000000000000000000	
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition		Bright 15 Kin	00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing		
00470	Mobile Home Install	THE THE PARTY OF		00300	Final Mechanical		
00480	Awnings/Porches		TEN NEWS	00350	Final Construction		

### **BUILDING DIVISION**

Phone: 384-5071

Address: 707 Z No	Date 6/17/99
- CORREC	CTION NOTICE -
of generated  12) Provide in  to combustible  went at wat  13) Flashing for  shall be in  voot covering  14) remove all  15) expose wind  window chome  16) The house h	emporary power to receptacles by mean its no l'ackard by mean of 1" clear le materials for B' ex heater B' stalled under the
Page 282 Inspector's	Thank you  agolina  Inspector

### **BUILDING DIVISION**

Phone: 384-5071

To:
- CORRECTION NOTICE -
Permit No. 899 00493
Inspection Type: FINAL  1) Repair light fixture at front porch.  7) Provide weather resistant cover for one
10 PSI FOR MINIMUM 15 MINITES 200 4) PROVIDE MOISTURE RESISTANT SURFACE
IN SHOWER TO A POINT 70" above  the DRAIN - HE DAY  CAUCK BASE OF TUB  NO
6) CAULK AROUND BASE OF WATER CLOSEN
7) PROVIDE MISSING BLANKS FOR 120 DEAD FLONT COVER OF ELECTRICAL PANEL
8) BLACK CONDUCTOR SHALL BE USED AS UNGROUNDED OR HOT CONDUCTOR OF
9) WHITE CONDUCTOR SHALL BE USED AS
GROUNDED CONDUCTOR OF NEUTRAL OF
EXTEND DIRECTLY TO THE GROUND
Page 1 of 2 Thank your laspector
Inspector's  Office Hours  Please Make Corrections and Call for Reinspection  7:30 - 8:30 a.m.   Please Make Corrections and Proceed.  Plan-4.06/bid (1-89)

#### **BUILDING DIVISION**

Phone: 384-5071

To: Dwn. N/Bailober
Address: 709 E Norman Date 8.12.99

## - CORRECTION NOTICE -

Permit No. B9900493
Inspection Type: Final
1 INSTAIL BLANOWS FOR Missing
BRAKINS IN DIAN FRONT BUOK
2 INSTAIL Missing main BROWLE
3. PROVIDE POWER TO FLOOTUCAL
SO GECI RICOPTICALS CAN BE
Thicked TO DITTE
TINSTAN CAULY AT BATATIONS AT FLORE WATER
5 Remove on Stone House hold
ITOINS And Boxes outside The
House. You max Build A
STORAGE Shed 120 SQUARE
FOOT AROADE LOSS W. ThouT
Pan mits
6 Remove Green TAPE on Sirvice
ENTAPHER Conductor. Od To
T. F. PRAIN QUOCT. Tost Shing ho
grand. In STON OFCI'S OR D PRING MUT
Thouse you -
Thomas Dollar
Inspector
Inspector's

Please Make Corrections and Call for Reinspection

PLAN-4.06/bld (1-99)

☐ Please Make Corrections and Proceed.

Office Hours

7:30 - 8:30 a.m.

16,068.67

-- BUYER/BORROWER CLOSING STATEMENT --

SETTLEMENT DATE: 03/05/99

JM ESCROW, INC. 245 NORTH EUCLID AVENUE Escrow Statement of

TOTAL CREDITS:

Gary Miller

UPLAND, CA 91786 PHONE: 909-981-0743 PAX: 909-949-0893

6794 Oak Forest Drive Agoura Hills, CA 91301

Escrow Officer: Christy Menke Escrow Rumber: 18045-CM Property Address: 24499 Norman Road San Bernardino, CA 92408

		DEBIT	CREDIT
		15,000.00	
Consideration			16,000.00
All Other Buyer Dep	posits	16,000.00	
Gary Miller	Incoming Wire		
PROPATES & ADJUSTM	ENTS:		
County Tax \$	196.25 Per/Halffrom 01/03	1/99 to 03/05/99	68.67
EXISTING LOANS:			
COSTS, CHARGES & O	THER DISBURSEMENTS:		
SCROW FEES & CHAR	GES:		
Settlement/closing	fee	350.00	
Document preparati	on	30.00	
TITLE PEES & CHARG	ES:		
and Half 98/99 Tax	e8	196.25	
Recording fees		31.00	
Balance: (Check	Enclosed Herewith)	461.42	
TOTAL DEBITS:		16,068.67	

I HEREBY CERTIFY THAT THIS IS A TRUE AND CORRECT CONY OF THE ORIGINAL THEREOF. JM ESCROW, INC. BY

City of San Bernardino Department of Planning & Building Services

### BUILDING DIVISION

		Date 5/24/99
- CORRE	CTION	NOTICE -
rmit No.		
spection Type:	506.	
notell p	materia	I under the
at redge		lge material
	+1	
	0.1	\ , 9-10-
	- W	Inspector

INSPECTOR AREA: 4

PERMIT #...:B9801399 Date Issued:05/26/1998 Address..:715 E NORMAN RD Address..:715 E NORMAN RD

Parcel...:0280-192-190000

Owner...:MILLER GARY

PERMIT #...:B9801

Date Issued:05/26

Permit Type:BLDG Applicant:MILLER GARY Worker's Comp:N Temp Power Pole....:
Temp Dist System.... to 50 HP/KW/KVA....: Recep/Swtch/Lt Outlet...: > 100 HP.
Lighting Fixtures...: Busways...
Pole/Pltfm Ltg Fixtures..: Carnivals/Comparison of the comparison of Carnivals/Circuses Generators & elec driven rides: Walk thru attractions......

Booth Lighting.....

Electrical meter reset..... Res Appl to 1HP....: NonRes Appl to 1Hp.....:
Misc Apparatus....: Elec meter reset w/other work.: Each add'l meter same lot: Boilers/Compressors Furnace to 100kBTU....: to 3HP/ 100K BTU..... to 15HP/ 500K BTU..... to 30HP/1.00M BTU..... over 100kBTU....: Floor Furnace.... Susp/Wall/Flr Htr....: Appliance Vent....: Htg/Refr/Cool Unit....: Vent Fan w/Duct.....:
Vent System..... Domestic Incinerator...:

Comm/Ind Incinerator...:

Fuel-gas piping...:

Gas-Hazardous...: Exhaust Hood....: Evaporative Cooler....: Air Handlers to 10kCFM...: Gas-Non-Hazardout....: over 10KCFM...: \*\*\*\*\*\*\*\*\* \*\*\*\*\*\*\*\* PLUMBING Private Sewage Disposal....: Fixtures/Traps....: Ind waste Pretreatment...: Bldg/Trailer Sewer....:
Water Heater/Vent....: Backflow Protection Gas Piping Outlets....: Water Piping....:
Drainage/Vent Piping...:
Lawn Sprinkler Sys...:
Rainwater Sys, Drains...:
Atmospheric Breakers...: Reset in conjunction with other work....: Addit'l meter....: Number of Windows:

Floor/Roof Sheathing: No. Sheets:
Exterior Stucco: Sq. Yards:
Exterior Siding: Sq. Yards:

OR Square Footage...: Value of Struct Repair: Drywall Repair: # Shts:

基部 sette ansna like in Sa 随起点面

per di grand talle 1952 i Dis Vandjiere l'As la sidire da giali

TEMP #8-ROOF RAFTERS, SHEATHING, COMPOSITION ROOF, STUCCO, & REPLACE WINDOWS



# Planning and **Building Services**

**Permit Number** 

B9801399

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8tecom

300 North "D" Street, San Bernardino, CA 92418

#### BUILDING PERMIT

Job Address: 715 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: WATERMAN

Parcel No: 0280-192-190000

Owner: MILLER GARY

Address: P O BOX 1553

AGUORA CA Contractor:

91376

Address:

Arch/Eng: Address:

Phone: License:

Wrks Cmp: N Phone:

Status: ISSUED

Applied: 05/28/1998

Issued: 05/26/1998

Phone: 818-889-4224

License:

--- BUILDING INFORMATION -----

Construction Type: TYPE V-Non-rated

Occupancy: R-3

Sprinklers: N

Flood Plain Zone: N

Fire Zone: N

Zoning:

Highwind: N Planner:

Planning No: N/A

Type of Permit: RESIDENTIAL REHABILITATION

TEMP #8-ROOF RAFTERS, SHEATHING, COMPOSITION ROOF,

STUCCO, & REPLACE WINDOWS

- PERMIT VALUATION -

Occupancy Type

Valuation

Sq. Feet Factor Subtotal:

.00 .00

Multiplier 1.00: Addl Fixed Amount:

7,377.00 7,377.00

Table Date: 09/01/1987 Total Valuation:

FEE SUMMARY ----

Plan Check: Expeditious Review:

.00 .00 .00 Planning Review: Strong Motion:

.00 .74

Other Plan Check:

99.00

Verdemont: Storm Drain: .00 .00

Building Permit: Elec Permit:

.00

Traffic: Sewer Connect:

.00 .00

Plumb Permit: Mech Permit: C of O:

.00 .00 .00

Parks & Rec: Cultural Dev:

.00 .00 99.74

Other Bldg: Investigation:

Building Repairs:

Hardship/Alternate:

.00 .00 .00

Total Fees: Amount Received: Balance Due:

99.80 .00

.00 CONDITIONS/COMMENTS -

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit. For Inspections Call: (909) 384-5078

# DECLARATIONS

WORKERS' COMPENSATION DECLARATION:  I hereby affirm under penalty of perjury one of the following declarations:	
☐ I have and will maintain a certificate of consent to self-insure for workers' compensation, as provided for	or by section 3700 of the Labor Code, for the performance
of the work for which this permit is issued.	and a fact the particular and the world for which this name is
I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Co is issued. My workers' compensation Insurance carrier and policy number are:	ode, for the performance of the work for which this permit
Carrier	(This section need not be completed if the permit
Policy Number	is valued at one hundred dollars (\$100) or less.)
I certify that in the performance of the work for which this permit is issued, I shall not employ any person compensation laws of California, and agree that if I should become subject to the workers' compensation procomply with these provisions.	on in any manner so as to become subject to the workers' ovisions of Section 3700 of the Labor Code, I shall forthwith
Applicant Signature:	Date:
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL S CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF CON 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND MPENSATION, DAMAGES AS PROVIDED FOR IN SECTION
LICENSED CONTRACTORS DECLARATION:  I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Divisio	an 2 of the Business and Professions Code, and my license
is in full force and effect. Lic. #	Class #:
Contractor's Signature:	Date:
Contractor's dignature.	
CONSTRUCTION LENDING AGENCY:  I hereby affirm that there is a construction lending agency for the performance of the work for which the Lender's Name Lender's Address	
Signature:	Date:
OWNER-BUILDER DECLARATION:	
OWNER BOILDEN DECEMBATION.	
I hereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of tl Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with the basis for the alleged exemption. Any violation of Section d dollars (\$500).):  JORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred.  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W. (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of projutors himself or herself or through his or her own employees, provided that such improvements are not	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with se basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving the I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.). It is construct the project (Sec. 7044, Business and Professions or and who contracts for such projects with a contractor(s)
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of project with imself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving the law in a sowner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor.	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.). It is construct the project (Sec. 7044, Business and Professions or and who contracts for such projects with a contractor(s)
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proywork himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I have the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  Business and Professions C Signature:  Owner ID verified by driver's license. Yes No Driver's License No.	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).  I construct the project (Sec. 7044, Business and Professions in, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proywork himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I have the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  Business and Professions C Signature:  Owner ID verified by driver's license. Yes No Driver's License No.	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.):  construct the project (Sec. 7044, Business and Professions in, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proyon work himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving the I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes INO Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or at he or she did not build or improve for purpose of sale.).  I construct the project (Sec. 7044, Business and Professions n, and who contracts for such projects with a contractor(s) and who contracts for such projects with a contractor.  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W. (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of project himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I has owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes I No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).  ICONSTRUCTURE PROJECT (Sec. 7044, Business and Professions n, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proywork himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I have the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I yes I No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described.	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).  ICONSTRUCTURE PROJECT (Sec. 7044, Business and Professions n, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W. (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of project himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I has owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes I No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with ne basis for the alleged exemption. Any violation of Section d dollars (\$500).):  IORK, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).  ICONSTRUCTURE PROJECT (Sec. 7044, Business and Professions n, and who contracts for such projects with a contractor(s) ode for this reason:  Date:  Expires:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or reapplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proywork himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes In No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described and the provision of the pro	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  **TORK**, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.):  **Construct the project (Sec. 7044, Business and Professions in, and who contracts for such projects with a contractor(s)  **Dode for this reason:**  Date:**  Expires:**  **Deplication and state that the information given is correct. I
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of it Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred. It is a sowner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of projects himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license.  Yes No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described by the building/tenant space be used to store or display any hazardous materials?  Yes No  CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this ap agree to comply with all state laws and city ordinances relating to building construction, and authorize repart the above-described property for inspection purposes.	epair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ### ### ### ### ### ### ### ### ### #
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WILL Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proyors whimself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving that I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes I No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to desc.  Will the building/tenant space be used to store or display any hazardous materials? I Yes I No  CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this ap agree to comply with all state laws and city ordinances relating to building construction, and authorize repthe above-described property for inspection purposes.  Signature of Legal Owner(s)	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  **TORK*, and the structure is not intended or offered for sale perty who builds or improves thereon, and who does such intended or offered for sale. If, however, the building or it he or she did not build or improve for purpose of sale.).  **Construct the project (Sec. 7044, Business and Professions in, and who contracts for such projects with a contractor(s)  **Dode for this reason:**  Date:
professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or re applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE W (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of proyons with himself or herself or through his or her own employees, provided that such improvements are not improvement is sold within one year of completion, the owner-builder will have the burden of proving the I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to Code: The Contractors License Law does not apply to an owner of property who builds or improves thereor licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions C Signature:  Owner ID verified by driver's license. I Yes I No Driver's License No.  Verification of Ownership by (type of document, i.e property tax bill or deed):  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to described by the building/tenant space be used to store or display any hazardous materials? I Yes I No  CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this ap agree to comply with all state laws and city ordinances relating to building construction, and authorize repetite above-described property for inspection purposes.  Signature of Leval Owner(s)	pair any structure, prior to its issuance, also requires the he Contractors License Law (Chapter 9 (commencing with he basis for the alleged exemption. Any violation of Section d dollars (\$500).):  ### ### ### ### ### ### ### ### ### #

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE #	INSPECTION TYPE	DATE	INTITIALS
tructural		1.5		Electrical			
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks		No.	00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER	e lanks	
00040	Slab Grade	A ACTION		00160	Rough Electrical	OM MODEL S	
00080	Pool Pre-Gunite	en rade		00275	Electrical Service	EN EN ION	
00090	Pool Pre-Plaster	Process Vi	Mitwo and a	00165	Misc. Electrical	新山水水	
00100	Masonry & Steel (1st lift)	E ME	15.1	Plumbing		en eaux i	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing	S TO THE WORLD	in the state
00111	Masonry & Steel (3rd lift)	fried the		00220	Sewer/Sewage Disposal	Ship the b	
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc, Plumbing		
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical	到证据的	
00200	Stucco Scratch			Final Inspec	tions		国际工艺的
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		<b>美子基</b> 区
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		L I H
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		1 1 6	00280	Final Electrical		English Arthur
Other				00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches		1 TO THE RESERVE TO T	00350	Final Construction		

Job Address: 115 ENORMAN. 1

APN. 0280 - 192 - 19



### **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO
300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES
Information — (909) 384-5071 Inspections — (909) 384-5078

B980 1399

Date: 5.26-98

Plan Ck.# TEMP 8

Job Address: 715 E NORMAI	
Major Cross Sts: WATERMAN	Roof Tract/Lot:
Description of Project: CHANGE	
NEW STUCKO	PLATER, REPLACEMENT SWIND
11 14 1	s 1 Sq. Ft.: 884
No. Rooms: 3 No. Stories:	
Owner: GARY MITTER	Owner/Bldr. Yes No
Mailing Address: D.O. BOX 15	52 - 9/37/ - 0/8 889477
City/State: ACOURA, CA	91376 Zip: 91376 Tel.: 8/8) 889422
Applicant/Contractor:	
Address: City/State: Contractor's State Lic. #:	Zip: Tel.:
City/State:	? Zip:
Arch/Engr/Designer:	State Lic. No.:
Address:	Zip: Tel.:
City/State:	Zip:Tel.:
	4 12 1 2 0 0
(OFFICIAL USE ONLY)	Estimated Valuation: # 7377
THE PARK ASSESSMENT	Bldg. Construction:
BUILDING CODE REVIEW	REPORT 450 STUCCO 134 LF
Construction Type: Occupancy Type:	REPL QUINNOS
Sprinklers: Yes No	REBUILD ROOF RAFTERS, SHEATHIN
Flood Plain: Yes No Zone	Electrical:
High Wind: Yes No	
High Fire: Yes No Zone	
	Permit Fee: \$15
Pre-Permit	Total Elec. Fees
Special Investigation No.:	Plumbing:
Comments:	
Comments:	Permit Fee: \$15
	Total Plumb. Fees:
	Heating & A/C
PLANNING REVIEW	
Planning Case No.:	Permit Fee: \$16
Zone: By:	Total HVAC Fees:
Approval Date:	
Comments:	BUILDING/DEV. SVCS. DIVISIONS
	4331 Total Elec/Plumb/Htg.
The state of the s	4731 Pln. Check Dep.
	4731 Plan check Fees Balance
CODE ENFORCEMENT	4330 Building Permit Fees 99.00
Case No.	4330 Investigation Fees
Comments:	4304 Sign Permit Fees
10171	4304 C. of O. Fee 2321 Strong Motion Fees
	2321 Strong Motion Fees
Workman's Comp. Insurance	TANKING BUILDING
Yes No	PLANNING DIVISION
Issued by	4720 C, of O, Fee
issued by	4720 Plan Review Fee
The state of the s	ENGINEERING DIVISION
Before Issuing Permit - Verify that the following appli-	4818 Storm Drain Fees
cable fees have been paid.	4818 Storm Drain Fees 4822 Sewer Conn. Fees
1	4803 Traffic Signal Fees
6024 - Sewer Capacity / Cap Fees: 1	4803 Traffic Signal Fees 4612 Verdemont Fees
Date:	4012 Vardemont rees
Recpt. No.	PARK & RECREATION
School District Fees, 7	4732 Park Development Fees
Date:	
	CULTURAL DEVELOP. FUND
Receipt Ng.: 699114	4335 Cultural Development Fees
By (a) EM	000
	Total Fees Due: 99-00
	Total rees Due.


#### EXPIRATION

This permit shall be void and of no further force or effect if work is not commended within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

### CITY OF SAN BERNARDINO

# **BUILDING DEVELOPMENT PERMIT DECLARATIONS**

of the work for which this permit is issued.  I have and will maintain workers' compensation insurance, as required by se	npensation, as provided for by section 3700 of the Labor Code, for the performance ction 3700 of the Labor Code, for the performance of the work for which this permit :					
Carrier 1	(This section need not be completed if the permit is valued at one hundred dollars (\$100) or less.)					
compensation laws of California, and agree that if I should become subject to forthwith comply with these provisions.  Applicant Signature:	the workers' compensation provisions of Section 3700 of the Labor Code, I shall  Date:					
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS LICIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN AD SECTION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	INLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND DITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN					
LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing will is in full force and effect.	h Section 7000) of Division 3 of the Business and Professions Code, and my license					
Contractor's Signature:	Date:					
CONSTRUCTION LENDING AGENCY:  I hereby affirm that there is a construction lending agency for the performance of the construction lending agency for the construction lending age	ance of the work for which this permit is issued. (Sec. 3097, Civil Code).					
☐ No Construction Lender Signature:	Date:					
OWNER-BUILDER DECLARATION:  I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE LAW for the following reason (Sec. 7031.5, Business and professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500).):  I as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his or her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he or she did not build or improve for purpose of sale.).  I, as owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with						
a contractor(s) licensed pursuant to the Contractors License Law.).						
l am exempt under see	Business and Professions Code for this reason:					
Signature: //h	Date: 5/4/97					
Owner ID verified by driver's license.   Yes No Driver's License No	Expires:					
Verification of Ownership by (type of document, i.e property tax bill or deed):						
by this permit, and that no building structure, scaffolding, falsework, or demoli Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).	person is required to descend, will be made in connection with work authorized tion or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, permit from the Division of Industrial Safety, as noted above, unless such person Date:					
HAZARDOUS MATERIALS AND EMISSIONS CERTIFICATION:  1. Will the applicant or present or future building occupant need to file and certify a Business Plan for emergency response to release or threatened release of a hazardous material?  Yes   No   (Section 25505 of the California Health and Safety Code requires, with some	4. If an RMPP is presently required, has Section 25534 of the California Health and Safety Code been fully complied with?  Yes  No  No  5. Does or will the applicant or present or future building occupant require for the work which is the subject of this application a permit for such construction or modification from the South Coast Air Quality Management District or from					
exceptions, that a Business Plan be filed with the County of San Bernardino by every business which has at any one time during a reported year a quantity of hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).	yes (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building					
Does or will the applicant or present or future building occupant need to file a registration form for acutely hazardous materials?  Yes	permits).  6. Will any part of the facility to be constructed under this permit be within 1000 feet from the outer boundaries of a school?  Yes  No					
(Section 25533 of the California Health and Safety Code, with some exceptions, requires registration with the County of San Bernardino by each business which at any one time has on hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).	(If "yes", the facility must meet the requirement of Sections 25534 and 42303 of the California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other					
3. Does or will the applicant or present or future building occupant need to prepare an RMPP (Risk Management and Prevention Program for acutely hazardous materials)?  Yes  No	air pollution control district or agency is required for the work which is the subject of this application, have all of the disclosures prescribed by California Health and Safety Code Section 42303 been made?  Yes   No					
(Section 25534 of the California Health and Safety Code provides that the County of San Bernardino may require the preparation, certification and filing with the County of an RMPP by businesses which are required to register acutely hazardous materials with the County).	8. (If "yes", attach certificate of compliance from the appropriate air pollution control officer).  CERTIFICATE OF COMPLIANCE: I certify that under penalty of perjury the information given above is correct, lagree to comply with all state laws and city ordinances regarding Hazardous Materials and Emissions.					
Signature:						
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I to comply with all state laws and city ordinances relating to building construction above-described property for inspection purposes.  Signature of Legal Owner(s)	have read this application and state that the information given is correct. I acres					



# Planning and **Building Services**

**Permit Number** 

B9801585

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8t.com

300 North "D" Street, San Bernardino, CA 92418

#### ELECTRICAL/PLUMBING/MECHANICAL PERMIT

Job Address: 715 E NORMAN RD

Tract/Lot Nos: Suite No:

Vicinity: WATERMAN

Parcel No: 0280-192-190000

Applicant: MILLER GARY

Address: P O BOX 1553 AGUORA CA

Owner: MILLER GARY

Address: P O BOX 1553

AGUORA CA

Contractor:

Address:

Arch/Eng: Address:

Status: ISSUED Applied: 06/17/1998

Issued: 06/17/1998

Phone: 818-889-4224

Phone: 818-889-4224

Phone:

License: Wrks Cmp: N

Phone: License:

----INFORMATION -----

91376

91376

Zoning: N/A

Pre-perm/Spec Inv #:

Planner:

Code Compl #:

---- SCOPE OF PERMIT ----

REWIRE STRUCTURE, UPGRADE 100 AMP PANEL, 1 W/C,

2 SINKS, 1 LAV, 1 TUB, 1 WALL HEATER

----- FEE SUMMARY -----

.00 Planning Review:

Elec Permit: 71.13 52.50

Plumb Permit: 24.00 Mech Permit: .00

Elec Plan Ck: Plumb Plan Ck:

- "Permit Form" -

.00 .00 Mech Plan Ck:

Expeditious Plan Ck:

Sewer Connect: Hourly Plan Ck:

Total Fees: Amount Received:

Balance Due:

147.63 147.63 .00

PLAN-21.01/pg-1 (9-96)

.00

.00

.00

COMMENTS/SPECIAL CONDITIONS -

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

FILE

### **DECLARATIONS**

SUDJECT CO								
	S' COMPENSATION DECLARA							
I hereby affirm under penalty of perjury one of the following declarations:  I have and will maintain a certificate of consent to self-Insure for workers' compensation, as provided for by section 3700 of the Labor Code, for the performance								
☐ I have a	of the work for which this permit is issued.  I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:							
Carrier	viy workers' compensation insurance of	carrier and po	ncy number are:		(This assetion wood		Make accept	
	nber		THE ST		(This section need is valued at one hu			
Cortifu	that in the performance of the work for	r which this r	permit is issued I sl	– nall not emplo	v any person in any manner so as	to become subject	et to the workers'	
comply wit	Compensation laws of California, and a free that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with these provisions.							
	TO THE RESIDENCE AND THE PROPERTY OF THE PROPE				Date:			
CIVIL FINE	FAILURE TO SECURE WORKERS CO S UP TO ONE HUNDRED THOUSAND I HE LABOR CODE, INTEREST, AND AT	OOLLARS (\$10	00,000), IN ADDITIO	NLAWFUL AN IN TO THE CO:	D SHALL SUBJECT AN EMPLOYE ST OF COMPENSATION, DAMAGE	R TO CRIMINAL I S AS PROVIDED	PENALTIES AND FOR IN SECTION	
LICENSE	D CONTRACTORS DECLARATI	ON:						
	firm that I am licensed under provision		(commencing with	Section 7000	) of Division 3 of the Business and	Professions Code	e, and my license	
2 1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	rce and effect. Lic. #				Class #:			
Contractor	's Signature:				Date:			
			置 1000000000000000000000000000000000000	1111				
CONSTR	UCTION LENDING AGENCY:		The state of the s	8				
	y affirm that there is a construction ler	nding agency	for the performance	e of the work	for which this permit is issued. (S	ec. 3097, Civil Co	de).	
Lender's N	ame		Le	nder's Addres	is		Links Links	
Signature:					Date:			
				Access to the second				
professions applicant for Section 700 7031.5 by a 2 1, as ow (Sed 7044, work himself of the Code: The Clicensed pullicensed pu	firm that under penalty of perjury that is code: Any city or county which require such permit to file a signed statemer to only applicant for a permit subjects the mer of the property, or my employees. Business and Professions Code: The Celf or herself or through his or her owent is sold within one year of completioner of the property, am EXCLUSIVELY Contractors License Law does not applure and to the Contractors License Law empt under sectors. It is a profession of Ownership by (type of document, A/HAZ, MAT, DECLARATION:	ires a permit that he or sifessions Code applicant to a with wages as ontractors Lic n employees, on, the owner to an owner to an owner to an owner to an owner to Dring No.	to construct, alter, ne is licensed pursus b) or that he or she is a civil penalty of no s their sole compen ense Law does not provided that suc builder will have t TING WITH LICENS of property who be	improve, dem ant to the provexempt there to the first to the provent to the first t	olish, or repair any structure, priorisions of the Contractors License i from and the basis for the alleged even hundred dollars (\$500).):  DO THE WORK, and the structure of property who builds or impets are not intended or offered for proving that he or she did not build the contracts for the design of the contracts for the design of the contracts for	r to its issuance, aw (Chapter 9 (or xemption. Any vious not intended or over thereon, an sale. If, however the or improve for pec. 7044, Business such projects with	also requires the ommencing with plation of Section or offered for sale d who does such; the building or surpose of sale.).  and Professions the contractor(s)	
Will the	re be any excavation (5) five or more building/tenant space be used to stor		CE 10 CO 14 SANDAN SANDAN	A STATE OF THE PARTY OF THE PAR	A STATE OF THE PERSON OF THE P	THE THREE PER PARTY IN	apidan ne aparanca 1. aparel 1. apida 1. a 1. apida 1. apida 1. ap	
agree to co the above-	ATE OF COMPLIANCE AND AUTHO mply with all state laws and ally ordin described property for inspection purp Signature of Legal Owner(s) and/or thorized Applicant	ORIZATION ( ances relating oses.	DF ENTRY: I certify to building constr	y that I have r uction, and au	ead this application and state that thorize representatives of the City Date: Date:	the information g	given is correct. I no to enter upon	
CODE # 1	DISDECTION	Diame	TA (PERPERAT C	CODE	INCRECTION TWO	TNATE	I INTERPLATE	
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS	
Structural	The second secon			Electrical				
00010	Rough Grading			00070	Temp Power Pole			
00020	Setbacks		Breeze graphy	00060	Underground Electrical			
00030	Foundation/Ftgs.		\$\$\$\$\$\$ (1)	00162	UFER	10 mm	<b>建设设置</b>	

1000101	V			MIL CHI			DEEK STO
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical			1 6
00010	Rough Grading			00070	Temp Power Pole	The sale	
00020	Setbacks		The state of the	00060	Underground Electrical	THE IN	
00030	Foundation/Ftgs.		2111: 32	00162	UFER	Str. Jan.	a talk
00040	Slab Grade	Lei'd	( TYP 10 ( 5)	- 00160	Rough Electrical		The same
08000	Pool Pre-Gunite		4 100	00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)	to the sales and sales and		Plumbing		B. F. Sale	
00110	Masonry & Steel (2nd lift)	K4 105		00050	Underground Plumbing		FALL HOR
00111	Masonry & Steel (3rd lift)		HE LESS	00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	No.	
00130	Shear Nailing			00235	Misc, Plumbing		OLA, E
00140	Framing			Mechanical		Jan Jan	
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept, Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		15,74%	00280	Final Electrical		
Other		To the second		00290	Final Plumbing		
00470	Mobile Home Install	(and )		00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction		

#### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural			Electrical				
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	7.698	T20
00080	Pool Pre-Gunite			00275	Electrical Service	7.318	700
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbin	g //		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)		10000000000000000000000000000000000000	00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	7379	mo
00130	Shear Nailing			00235	Misc. Plumbing	7318	no
00140	Praming			Mechani	cal		
00180	Insulation			00150	Rough Mechanical	7898	1000
00190	Exterior Lath or Siding	2698	T3)	00155	Misc. Mechanical		
00200	Stucco Scratch		KAN E	Kinal Inc	pections		
00210	Stucco Brown	2008	100	00310	Irrigation/Landscaping		Part of the state
00240	Drywall	2698	MANA CANADAS CONTRACTOR IN CON	00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		- n
00320	Demolition		XXXX	00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical	7.319	TH)
)ther				00290	Final Plumbing	731989	A COLUMN TO THE PARTY OF THE PA
00470	Mobile Home Install			00300	Final Mechanical	\$31900	AND DESCRIPTION OF THE PERSON NAMED IN
00480	Awnings/Porches			00350	Final Construction	\$319t	- Augustin

OCIZIEDONIO.			
	The second secon		
		A STATE OF THE STA	

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

	and the second s	
Z	Ste #: 1	nspector Area:4
	DIE T. MODWAN DD	DODOLEGE )
	Address:715 E NORMAN RD	PERMIT #: B9801585
	Parcel:0280-192-190000	Date Issued: 06/17/1998
	Owner:MILLER GARY	Permit Type:EPM
	Applicant:MILLER GARY	Worker's Comp:N
	818-889-4224 818-889-4	
	******** EL	ECTRICAL *******************
		FT: 1075 Commercial Sq Ft:
	Service to 600vlt/ 200amp: 1	
	to 600vlt/1000amp:	to 1 HP/KW/KVA:
	> 600vlt/1000amp:	to 10 HP/KW/KVA
		to FO HD/WW/WW
	Temp Power Pole:	to 50 HP/KW/KVA
	Temp Dist System:	to 100 HP/KW/KVA:
	Recep/Swtch/Lt Outlet:	> 100 HP/KW/KVA:
		Busways
	Lighting Fixtures:	Dusways
	Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
	Theatrical Ltg Fixtures:	Generators & elec driven rides:
	Res Appl to 1HP	Walk thru attractions:
	NonRes Appl to 1Hp:	Booth Lighting:
	Misc Apparatus:	Electrical meter reset:
	Elec meter reset w/other.:	Each add'l meter on same lot:
	BICC MCCCI ICOCC W/ CONCIN TO A STATE OF THE	
	******* MR	CHANTCAL *****************
	********	CHANICAL *******************
	Furnace to 100kBTU:	Boilers/Compressors
	over 100kBTU:	to 3HP/ 100K BTU
	Floor Furnace:	to 15HP/ 500K BTU
è	Susp/Wall/Flr Htr 1	to 30HP/1.00M BTU
	Appliance Vent:	to 50HP/1.75M BTU
		> 50HP/1.75M BTU:
	Htg/Refr/Cool Unit:	> DURP/1./DM BIU
	Vent Fan w/Duct:	Misc Appl/Equip
	Vent System:	Domestic Incinerator
B	Exhaust Hood	Comm/Ind Incinerator:
Ü	Evaporative Cooler:	Fuel-yas piping
	Air Handlers to 10kCFM:	Gas-Hazardous:
4	over 10KCFM:	Gas-Non-Hazardout:
	******** DT.	IMPING *******************
	******** PD	JMBING *********************
	Fixtures/Traps 5	Private Sewage Disposal:
		Ind waste Pretreatment:
	Bldg/Trailer Sewer:	
Ì	Water Heater/Vent: 1	Backflow Protection
	Gas Piping Outlets:	up to 2"
ĺ	Water Piping:	over 2":
ŀ		Gas Meter Reset:
	Drainage/Vent Piping:	
	Lawn Sprinkler Sys:	Reset in conjunction
	Rainwater Sys, Drains:	with other work:
	Atmospheric Breakers:	Addit'l meter:
VI.	Temopheric Breakers T. T.	1000 1000 1000 1000 1000 1000 1000 100
	DELICE OF THE PROPERTY AND THE PROPERTY	D DANIEL 1 M/C

REWIRE STRUCTURE, UPGRADE 100 AMP PANEL, 1 W/C, 2 SINKS, 1 LAV, 1 TUB, 1 WALL HEATER

/ 张工作的第三

#### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request

Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

Friday (Alternating) - 7:30 a.m. to 4:30 p.m.


CODE #	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	als en i		<b>应严望</b>	Electric			
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite			00275	Electrical Service		The state of the s
00090	Pool Pre-Plaster			00165	Misc. Electrical		*
00100	Masonry & Steel (1st lift)			Plumbin	g de la lace		
00110	Masonry & Steel (2nd lift)	is f		00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing	1.698.	TW	00170	Rough Plumbing		
00120	Roof Covering	3198		00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Praming .	.4		Mechan	cal		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding	2698	TW	00155	Misc. Mechanical		
00200	Stucco Scratch		MALE	Final In	spections		
00210	Stucco Brown On Cont.	7.209	no	00310	Irrigation/Landscaping		
00240	Drywall	7-698	120	00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof		B	00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing	1.71	
00470	Mobile Home Install			00300	Final Mechanical		7.1
00480	Awnings/Porches			00350	Final Construction	D.3198	721

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

RECORDING REQUESTED BY AMERICAN TITLE COMPANY AND WHEN RECORDED MAIL TO: GARY L. MILLER. P.O. BOX 1553

AGUORA, CA 91376-1553



Has not been compared with original. SAN BERNARDINO COUNTY RECORDER

Space Above This Line for Recorder's Use Only .

A.P.N.: 0280-192-19

Order No.: 4257135-42

Escrow No.: 98-2816

#### GRANT DEED

THE UNDERSIGNED GRANTOR(s) DECLARE(s) THAT DOCUMENTARY TRANSFER TAX IS: COUNTY \$20.00 [Lic 56 [X]] computed on full value of property conveyed, or computed on full value less value of liens or encumbrances remaining at time of sale, [X] unincorporated area; [\*] City of SAN BERNARDINO and

FOR A VALUABLE CONSIDERATION, Receipt of which is bereby acknowledged. HERMAN GREEN

hereby GRANT(S) to GARY L. MILLER, a Married Man as his Sole and Separate Property

the following described property in the City of SAN BERNARDINO, County of San Bernardino State of California;

The East 50 feet of the North half of Lot 53, Tract 2228, Valley Truck Farms No. 4, in the City of San Bernardino, County of San Bernardino, State of California, as per plat recorded in Book 31 of Maps, page 95, records of said County.

Document Date: April 17, 1998

STATE OF CALIFORNIA

HERMAN GREEN

COUNTY OF MONEGONE

4-25.48

Gow Dicki M. NASie before me

Green? personally appeared Herman

personally known to me (or proved to me on the basis of swistherary evidence) to the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same is his/her/their authorized especity(les) and that by his/her/their signature(s) on the instrument the person(s) or the entity upon behalf of which the person(s) acted, executed the assument.

WITNESS my hand and official seal.

OFFICIAL SEAL This VICKHIN NOBBEL NOTARY PUBLIC, STATE OF ILLINOIS

Mail Tax Statements to: SAME AS ABOVE or Address Noted Below



## Development Services Department

Permit Number

B0504050

(909) 384-5071 • Fax: (909) 384-5080 • www.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

#### **BUILDING PERMIT**

Job Address: 807 E NORMAN RD Status: **ISSUED** 12/09/2005 Applied: Suite # Tract/Lot#: 0280202070000 Issued: Parcel: 909-888-8981 Owner: WILLIAMS THOMAS Phone: 807 E NORMAN RD Address: SAN BERNARDINO, CA92408 Phone: Contractor: Address: License: Phone: Architect: Address: License: Engineer: Phone Address: License: \*\* Building Information Construction Type: Occupancy Sprinklers Flood Plain Zone Fire Zone: Highwind: N \*\*\*\*\*\* Description/Valuation \* Type of Permit: BLOCK WALL ON SIDE PROPERTY LINE AND SMALL WALL ON REAR (150' X 6') PROPERTY LINE (20' X 6") Occupancy
Fences & Block Walls 6' High Block Wall
Totals... valuation Factor 170 30.00 \$5,100.00 \*\*\* Fee Summary \$0.00 \$0.00 Plan Check: Planning Review: Strong Motion: Verdemont: Expeditious: \$0.00 \$0.51 Fire Plan Check Fees: \$0,00 \$0.00 Storm Drain: **Building Permit:** \$81.00 \$0.00 Electrical Permit \$0.00 \$0.00 Traffic: Plumbing Permit: Mechanical Permit: Sewer Connection: \$0,00 \$0.00 Parks / Recreation: \$0.00 \$0.00 Certificate of Occupancy: \$0.00 Cultural Development: \$0.00 Other Building Fees \$0.00 Hardship/Alternate: \$0.00 \$0.00 Special Investigation: Total Fees: \$147.76 **Building Issuance:** \$15.00 Amount Received: \$147.76

**EXPIRATION:** This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

Comments \*\*

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5071

Building Repairs/Rehab:

\$0.00

Balance Due:

## DECLARATIONS

WORKERS' COMPENSATION DECLARATION:  I hereby affirm under penalty of perjury one of the following declarations:  ☐ I have and will maintain a certificate of consent to self-Insure for workers' compensation, as provided for by section of the work for which this permit is issued.  ☐ I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Code, for the is issued. My workers' compensation Insurance carrier and policy number are:	performance of the work for which this permit
	section need not be completed if the permit
	ed at one hundred dollars (\$100) or less.)
certify that in the performance of the work for which this permit is issued, I shall not employ any person in any rompensation laws of California, and agree that if I should become subject to the workers' compensation provisions of comply with these provisions.	Section 3700 of the Labor Code, I shall forthwith
comply with these provisions.  Applicant Signature:	Date: 12-9-05
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT A CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPENSATION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	AN EMPLOYER TO CRIMINAL PENALTIES AND
LICENSED CONTRACTORS DECLARATION:	
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the	
is in full force and effect. Lic. #	Class #:
is in full force and effect. Lic. #  Contractor's Signature:	Date:
CONSTRUCTION LENDING AGENCY:  ☐ I hereby affirm that there is a construction lending agency for the performance of the work for which this permit Lender's Name Lender's Address	t is issued. (Sec. 3097, Civil Code).
Signature:	Date:
Oignature.	
OWNER-BUILDER DECLARATION:  I hereby affirm that under penalty of perjury that I am EXEMPT FROM THE CONTRACTORS LICENSE LAW for the professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any supplicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contract Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (8 Les on the property, or my employees with wages as their sole compensation, WILL DO THE WORK, and Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who work himself or herself or through his or her own employees, provided that such improvements are not intended improvement is sold within one year of completion, the owner-builder will have the burden of proving that he or she law sowner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to construct Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who licensed pursuant to the Contractors License Law.).  Business and Professions Code for the Signature:  Owner ID verified by driver's license.  Yes No Driver's License No	tructure, prior to its issuance, also requires the ctors License Law (Chapter 9 (commencing with the alleged exemption. Any violation of Section (\$500).):  the structure is not intended or offered for sale builds or improves thereon, and who does such or offered for sale. If, however, the building or a did not build or improve for purpose of sale.). the project (Sec. 7044, Business and Professions of contracts for such projects with a contractor(s)
CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend?   Will the building/tenant space be used to store or display any hazardous materials?   Yes   No	Yes □ No
CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application a agree to comply with all state laws and city ordinances relating to building construction, and authorize representative above-described property for inspection purposes.	ves of the City of San Bernardino to enter upon
Signature of T. William	Date: 12-9-05
Legal Owner(s) and/or Author/ized Applicant	Date:

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
tructural			1201	Electrical		STATE OF THE PARTY	
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical		ALC: E
00080	Pool Pre-Gunite			00275	Electrical Service	型原语-	La Principal
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)	120 10		Plumbing		SH ATTER I	
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		1000000
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal	Y Y	
00112	Masonry & Steel (4th lift)			00230	Water Service		1
00115	Roof Sheathing	IS BERLIN		00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical		LO MEISSEN	
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding	Market Land		00155	Misc. Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown	VIII COLOR		00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final	129 5000	THE WAR
00125	Reroof		一位置几次	00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.	00 10 10 10		00280	Final Electrical		
Other	The Republic		DIES TO	00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches	4 E 64 E		00350	Final Construction		BEET MALES

## INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

— Building Inspection Division —

(909) 384-5071 - Office Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INITIALS	CODE #	INSPECTION TYPE	DATE	INITIALS
Structural			700	Electric	cal		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade		The state of	00160	Rough Electrical		
00080	Pool Pre-Gunite		-	00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		- 5,
00100	Masonry & Steel (1st lift)			Plumbi	ing		
00110	Masonry & Steel (2nd lift)		PAIR	00049	Underground EC Pre-Treatment		
00111	Masonry & Steel (3rd lift)			00050	Undergound Plumbing		
00112	Masonry & Steel (4th lift)			00220	Sewer/Sewage Disposal		
00115	Roof Sheathing			00230	Water Service		
00120	Roof Covering			00170	Rough Plumbing		
00130	Shear Nailing			00260	Gas Piping/Air Test		
00140	Framing			00235	Misc. Plumbing		
00180	Insulation			Mechanical			*
00190	Exterior Lath or Siding			00150	Rough Mechanical		
00200	Stucco Scratch		5 1600	00155	Misc. Mechanical	- 0	
00210	Stucco Brown		DOM:	Final I	nspections		
00240	Drywall			00310	Irrigation/Landscaping		
00150	T-Bar			00410	Planning Requirements		
00125	Reroof			00400	Engineering Dept. Final		
00320	Demolition			00420	Health Dept. Approval		
00460	Misc.			00415	Fire Dept. Approval		
Other			SIN 3-00	00280	Final Electrical		
00470	Mobile Home Install	Marine Lan		00289	Final EC Pre-Treatment		
00480	Awnings/Porches			00290	Final Plumbing		
THE STATE OF				00300	Final Mechanical		
				00350	Final Construction	12/27/x	CRAG

Comments

#### Permittee Responsibility

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will not
  make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable Code
  requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

Suite #:

Inspector Area: ?

Final

Permit #: B0504050 Permit Type: BLDG

Address: 807 E NORMAN RD SB

Parcel #: 0280202070000 Owner: WILLIAMS THOMAS

Contractor: Workers Comp; Date Applied: 12/09/2005
Date Issued: 12/09/2005
Phone #: 909-888-8981

Phone #:

****** ELECTRICAL	*********

Multi-Family Sq Ft: 0	Dwellings Sq	Ft: 0 Com	nercial Sq Ft:
Service to 600 volts/ 200 amps:	0	Power Apparatus	
to 600 volts/1000 amps:	0	to 1 HP/F	
> 600 volts/1000 amps:	0	to 10 HP/F	
Temp Power Pole:	0	to 50 HP/F	.W/KVA:
Temp Distribution System:	0	to 100 HP/F	
Recep/Switch/Outlets:	0	> 100 HP/k	.W/KVA:
Lighting Fixtures:	0		Busways:
Pole/Platform Lighting Fixtures:	0	Miscellaneous A	
Theatrical Lighting Fixtures:	0	Electrical Me	
Residential Appliance to 1 HP:	0	Each Additional Meter	same lot:
NonResidential Appliance to 1 HP:	0	Electrical Meter Reset w/or	her work:
***********	**** MECHAN	ICAL ************	******
Furnace to 100K BTU:	0	Boilers/Compressors	
Over 100K BTU:	0	to 3HP/ 10	OK BTU:
Floor Furnace:	0	to 15HP/ 50	OK BTU:
Suspended/Wall/Floor Heater:	0	to 30HP/1.0	OM BTU:
Appliance Vent:	0	to 50 HP/1.7	5M BTU:
Heating/Refr/Cooling Unit:	0	> 50HP/1.7	5M BTU:
Vent Fan/w Duct:	0	Miscellaneous Appliance/E	quipment:
Vent System:	0	Domestic In	
Exhaust Hood:	0	Commercial/Industrial In	cinerator:
Evaporative Cooler:	0		
Air Handlers to 10K CFM:	0		
over 10K CFM:	0		
**********	***** PLUMB	NG *********	*****
Fixtures/Traps:	0	Private Sewage Disposa	il System:
Building/Trailer Sewer:	0	Industrial Waste Pre	reatment:
Water Heater/Vent:	0	Backflow Protection	
Gas Piping Outlets:	0		up to 2":
Water Piping:	0		over 2":
Drainage/Vent Piping:	0	Gas Me	ter Reset:
Lawn Sprinkler System:	0	Reset in Conjuncton w/ot	
Rainwater System/Drains:	0	Additional Met	
Atmospheric Breakers:	0		

(150' X 6' )PROPERTY LINE (20' X 6")

COMMENTS:

\*\*\*\*\*\*\* \*\*\* REPAIRS/REHAB \*

N.X	Number of Windows:	0		
Floor/Ro	of Sheeting Number of Sheets:	0	OR Square Footage:	0
	Exterior Stucco in sq yds:	0	Value of Structural Repairs:	\$0.00
	Exterior Siding in sq yds:	0	Drywall Repair Number of Sheets:	0

#### INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

- Building Inspection Division -

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m. Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	al			Electrica	al		
00010	Rough Grading			00070	Temp Power Pole	11-2497	RG
00020	Setbacks			00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	12-1897	9M
00080	Pool Pre-Gunite			00275	Electrical Service	12 0	In
00090	Pool Pre-Plaster			00165	Misc. Electrical	0	
00100	Masonry & Steel (1st lift)			Plumbin	lg .		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test	1-28-18	9M
00130	Shear Nailing			00235	Misc. Plumbing	0	
00140	Framing			Mechan	ical		12%
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final In	spections		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall	1-2898	9m	00410	Planning Requirements		
00150	T-Bar	-		00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical	54.98	TED
Other				00290	Final Plumbing	5498	Po
00470	Mobile Home Install		國際國際	00300	Final Mechanical	400	A PROPERTY.
00480	Awnings/Porches		A CALL AT WATER	00350	Final Construction 64	18	

			ts	

#### **Permittee Responsibility**

- The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).

807 E. Norman Road 0280-202-07-0000



#### **DEVELOPMENT SERVICES DEPARTMENT**

300 North "D" Street \* San Bernardino \* CA 92418-0001
Building & Safety Division 909.384-5071 \* Fax: 909.384.5080
Planning Division 909.384-5057 \* Fax: 909.384.5155
Public Works/Engineering 909.384-5111 \* Fax: 909.384.5155

www.sheiry.org

## NOTICE TO PROPERTY OWNER

Dear Property Owner:

1. 14 Sec. 11. 11. 11. 11.

An application for a building permit has been submitted in your name listing yourself as the builder of the property improvements specified at

We are providing you with this Owner-Builder Acknowledgment and Information Verification Form to make you aware of your responsibilities and possible risk you may incur by having this permit issued in your name as the Owner-Builder. We will not issue a building permit until you have read, initialed your understanding of each provision, signed; and returned this form to us at our official address indicated above. An agent of the owner cannot execute this notice unless you, the property owner, obtain the prior approval of the permitting authority.

## OWNER-BUILDER ACKNOWLEDGMENT AND VERIFICATION OF INFORMATION

DIRECTIONS: Read and initial each statement below to signify you understand or verify this information.

1. I understand a frequent practice of unlicensed persons is to have the property owner obtain an "Owner-Builder" building permit that erroneously implies that the property owner is providing his or her own labor and material personally. I, as an Owner-Builder, may be held liable and subject to serious financial risk for any injuries sustained by an unlicensed person and his or her employees while working on my property. My homeowner's insurance may not provide coverage for those injuries. I am willfully acting as an Owner-Builder and am aware of the limits of my insurance coverage for injuries to workers on my property.

i understand building permits are not required to be signed by property owners unless they are responsible for the construction and are not hiring a licensed Contractor to assume this responsibility.

3. I understand as an "Owner-Builder" I am the responsible party of record on the permit. I understand that I may protect myself from potential financial risk by hiring a licensed Contractor and having the permit filed in his or her name instead of my own.

1 understand that Contractors are required by law to be licensed and bonded in California and to list their license numbers on permits and contracts.

5. I understand if I employ or otherwise engage any persons, other than California licensed Contractors, and the total value of my construction is at least five hundred dollars (\$500), including labor and materials, I may be considered an "employer" under state and federal law.

6. I understand if I am considered an "employer" under state and federal law, I must register with the state and federal federal law, I must register with the state and federal federal law, I must register with the state and federal federal law, I must register with the state and federal federal law, I must register with the state and federal law, I must register

7. I understand under California Contractorstructures cannot legally build them with the into and the number of structures does not exceed for	ent to offer then	n for sale, unic:	ss <i>uji</i> work is periorni	Ed by necused:	PHOCOLINI NC 1013
licensed general building Contractor.				10 mm	

8. I understand as an Owner-Builder if I sell the property for which this permit is issued, I may be held liable for any financial or personal injuries sustained by any subsequent owner(s) that result from any latent construction defects in the workmanship or materials.

9. I understand I may obtain more information regarding my obligations as an "employer" from the Internal Revenue Service, the United States Small Business Administration, the California Department of Benefit Payments, and the California Division of Industrial Accidents. I also understand I may contact the California Contractors' State License Board (CSLB) at 1-800-321-CSLB (2752) or www.cslb.ca.gov for more information about licensed contractors.

10. I am aware of and consent to an Owner-Builder building permit applied for in my name, and understand that I am the purty legally and financially responsible for proposed construction activity at the following address:

11. I agree that, as the party legally and financially responsible for this proposed construction activity, I will abide by all applicable laws and requirements that govern Owner-Builders as well as employers.

12\ I agree to notify the issuer of this form immediately of any additions, deletions, or changes to any of the information I have provided on this form.

Licensed contractors are regulated by laws designed to protect the public. If you contract with someone who does not have a license, the Contractors' State License Board may be unable to assist you with any financial loss you may sustain as a result of a complaint. Your only remedy against unlicensed Contractors may be in civil court. It is also important for you to understand that if an unlicensed Contractor or employee of that individual or firm is injured while working on your property, you may be held liable for damages. If you obtain a permit as Owner-Builder and wish to him Contractors, you will be responsible for verifying whether or not those Contractors are properly licensed and the status of their workers' compensation insurance coverage.

Before a building permit can be issued, this form must be completed and signed by the property owner and returned to the Development Services Department. Note: A copy of the property owner's driver's license, form netarization, or other verification acceptable to the agency is required to be presented when the permit is issued to verify the property owner's signature.

Signature of property owner T. William • Date: 105-09

OSC CONTRACTOR OF CONTRACTOR O	LARATIONS Pormit No. Bo90/675
CALIFORNIA LICENSED CONTRACTOR'S DECLAR     I heraby affirm under penalty of perjury that I am license Division 3 of the Business and Professions Code, and my	and special providing at the same of the s
Licensy: Class	License No
Contractor Signature	Date
county that requires a permit to construct, after, improve, applicant for the permit to the a signed statement that he License Law (Chapter 9 (commencing with Section 7000) exampt from licensure and the basis for the allegat our subjects the applicant to a civil penalty of not more than five	
State License Law does not apply to an owner of proper properly, provided that the improvements are not intended.	regee as their sole compensation, will do ( ) all of or ( ) portions of sale (Section 7044, Business and Professions Code: The Contractors' rty who, through employees' or personal effort, builds or improves the id or offered for sale. If, however, the building or improvement is sold the burden of proving that it was not built or improved for the purpose of
	acting with licensed Contractors to construct the project (Section State License Law does not apply to an owner of property who builds or a licensed Contractor pursuant to the Contractors' State License Law.).
<u></u>	
If it has not been constructed in its entirety by irregard on	y personal residence in which I must have resided for at least one year armit, I cannot legally sell a structure that I have built as an owner-builder ntractors. I understand that a copy of the applicable law, Section 7044 of equest when this application is submitted or at the following Web site:
Property Owner or Authorized Agent (Print Name)	Villin
Signature	Date 10 < -09
3. WORKERS' COMPENSATION DECLARATION	
WARNING: FAILURE TO SEQUEE WORKERS' COMPENEMPLOYER TO CRIMINAL PENALTIES AND CIVIL MINUS.	ISATION COVERAGE IS UNLAWFUL, AND SHALL SUBJECT AN S UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN SES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE,
I hereby affirm under penalty of perjury one of the following	) declarations:
( ) I have and will maintain a certificate of consent to industrial Relations as provided for by Section 3700 of t issued. Policy No	o self-insure for workers' compensation, issued by the Director of the Labor Code, for the performance of the work for which this permit is
Carrier Policy No.	insurance, as required by Section 3700 of the Labor Code, for the workers' compensation insurance carrier and policy number are:  Expication Date
Name of Agent	Phone No.
(a) I certify that, in the performance of the work for the morkers' of the mor	which this permit is issued, I shall not employ any person in any renestion laws of California, and agree that, if I should become subject of the Labor Code, I shall forthwith comply with those provisions.
	Uatte: 1.0 - 5 - 09
DECLARATION REGARDING CONSTRUCTION LIENT I hereby affirm under penalty of perjury that there is a const permit is issued (Section 3097, Civil Code). Lender's Name Lender's Addr	truction lending agency for the performance of the work for which this
5. CAL-OSHA AND HAZARDOUS MATERIAL DECLARA Will there be any excavation five (5) or more feet in depl Will the building or tenant space be used to store or disp	the leader such in the management of the management of the state of th
I have read this construction permit application and the insure to comply with all applicable city and county ordinationize representatives of the city of San Bernardino	Information I have provided is true and correct.  Insuces and state laws relating to building construction.  to enter the above-identified property for inspection removes.
Signature of Licensed Contractor, Property Owner or Author	orized Agent T. William. Date 10-5-09

B1100928



#### DEVELOPMENT SERVICES DEPARTMENT

300 North "D" Street • San Bernardino • CA 92418-0001
Building & Safety Division 909.384-5071 • Fax: 909.384.5080
Planning Division 909.384-5057 • Fax: 909.384.5080

Public Works/Engineering 909.384-5111 • Fax: 909.384.5155

## NOTICE TO PROPERTY OWNER

Dear Property Owner:
An application for a building permit has been submitted in your name listing yourself as the builder of the property improvement
specified at 867 S // Syman LeO
We are providing you with this Owner-Bullder Acknowledgment and Information Verification Form to make you aware of you
responsibilities and possible risk you may incur by having this permit issued in your name as the Owner-Builder. We will no
issue a building permit until you have read, initialed your understanding of each provision, signed, and returned this form
to us at our official address indicated above. An agent of the owner cannot execute this notice unless you, the property owner
obtain the prior approval of the permitting authority.

## OWNER-BUILDER ACKNOWLEDGMENT AND VERIFICATION OF INFORMATION

DIRECTIONS: Read and initial each statement below to signify you understand or verify this information.

T. W. I understand a frequent practice of unlicensed persons is to have the property owner obtain an "Owner-Builder" building permit that erroneously implies that the property owner is providing his or her own labor and material personally. I, as an Owner-Builder, may be held liable and subject to serious financial risk for any injuries sustained by an unlicensed person and his or her employees while working on my property. My homeowner's insurance may not provide coverage for those injuries. I am willfully acting as an Owner-Builder and am aware of the limits of my insurance coverage for injuries to workers on my property.

understand building permits are not required to be signed by property owners unless they are responsible for the construction and are not hiring a licensed Contractor to assume this responsibility.

- 3. I understand as an "Owner-Builder" I am the responsible party of record on the permit. I understand that I may protect myself from potential financial risk by hiring a licensed Contractor and having the permit filed in his or her name instead of my own.
- T. 4. I understand that Contractors are required by law to be licensed and bonded in California and to list their license numbers on permits and contracts.
- I understand if I employ or otherwise engage any persons, other than California licensed Contractors, and the total value of my construction is at least five hundred dollars (\$500), including labor and materials, I may be considered an "employer" under state and federal law.
- 1. 46. I understand if I am considered an "employer" under state and federal law, I must register with the state and federal government, withhold payroll taxes, provide workers' compensation disability insurance, and contribute to unemployment compensation for each "employee." I also understand my failure to abide by these laws may subject me to serious financial risk.


7. I understand under California Contractors' State License Law, an Owner-Builder who builds single-family residential structures cannot legally build them with the intent to offer them for sale, unless <i>all</i> work is performed by licensed subcontractors and the number of structures does not exceed four within any calendar year, or all of the work is performed under contract with a licensed general building Contractor.
T <sub>1</sub> \(\omega\$). I understand as an Owner-Builder if I sell the property for which this permit is issued, I may be held liable for any financial or personal injuries sustained by any subsequent owner(s) that result from any latent construction defects in the workmanship or materials.
9. I understand I may obtain more information regarding my obligations as an "employer" from the Internal Revenue Service, the United States Small Business Administration, the California Department of Benefit Payments, and the California Division of Industrial Accidents. I also understand I may contact the California Contractors' State License Board (CSLB) at 1-800-321-CSLB (2752) or www.cslb.ca.gov for more information about licensed contractors.
10. I am aware of and consent to an Owner-Builder building permit applied for in my name, and understand that I am the party legally and financially responsible for proposed construction activity at the following address:
T.W
1. I agree that, as the party legally and financially responsible for this proposed construction activity, I will abide by all applicable laws and requirements that govern Owner-Builders as well as employers.
12. I agree to notify the issuer of this form immediately of any additions, deletions, or changes to any of the information I have provided on this form.
Licensed contractors are regulated by laws designed to protect the public. If you contract with someone who does not have a license, the Contractors' State License Board may be unable to assist you with any financial loss you may sustain as a result of a complaint. Your only remedy against unlicensed Contractors may be in civil court. It is also important for you to understand that if an unlicensed Contractor or employee of that individual or firm is injured while working on your property, you may be held liable for damages. If you obtain a permit as Owner-Builder and wish to hire Contractors, you will be responsible for verifying whether or not those Contractors are properly licensed and the status of their workers' compensation insurance coverage.
Before a building permit can be issued, this form must be completed and signed by the property owner and returned to the Development Services Department. Note: A copy of the property owner's driver's license, form notarization, or other verification acceptable to the agency is required to be presented when the permit is issued to verify the property owner's signature.
Signature of property owner

DECLARATIONS Permit No. B11009a
Address 807 & Mouman fel Parcel No. 0380-202-07-0000
1. CALIFORNIA LICENSED CONTRACTOR'S DECLARATION I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.
License Class License No
Contractor Signature Date
2. OWNER-BUILDER'S DECLARATION I hereby affirm under penalty of perjury that I am exempt from the Contractors' State License Law for the reason(s) indicated below by the checkmark(s) I have placed next to the applicable item(s) (Section 7031.5, Business and Professions Code: Any city or county that requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for the permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors' State License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt from licensure and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500).):
, as owner of the property, or my employees with wages as their sole compensation, will do (_) all of or (_) portions of the work, and the structure is not intended or offered for sale (Section 7044, Business and Professions Code: The Contractors' State License Law does not apply to an owner of property who, through employees' or personal effort, builds or improves the property, provided that the improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the Owner-Builder will have the burden of proving that it was not built or improved for the purpose of sale.).
(_) I, as owner of the property, am exclusively contracting with licensed Contractors to construct the project (Section 7044, Business and Professions Code: The Contractors' State License Law does not apply to an owner of property who builds or improves thereon, and who contracts for the projects with a licensed Contractor pursuant to the Contractors' State License Law.).
(_) I am exempt from licensure under the Contractors' State License Law for the following reason:
By my signature below I acknowledge that, except for my personal residence in which I must have resided for at least one year prior to completion of the improvements covered by this permit, I cannot legally sell a structure that I have built as an owner-builder if it has not been constructed in its entirety by licensed contractors. I understand that a copy of the applicable law, Section 7044 of the Business and Professions Code, is available upon request when this application is submitted or at the following Web site: <a href="http://www.leginfo.ca.gov/calaw.html">http://www.leginfo.ca.gov/calaw.html</a> .
Property Owner or Authorized Agent (Print Name) THOMAS W: Wang
Signature T- William Date 4-13-11
3. WORKERS' COMPENSATION DECLARATION
4.  WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL, AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.
I hereby affirm under penalty of perjury one of the following declarations:
(_) I have and will maintain a certificate of consent to self-insure for workers' compensation, issued by the Director of Industrial Relations as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. Policy No
(_) I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:  Carrier Policy No Expiration Date
Name of Agent Phone No
I certify that, in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California, and agree that, if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.  Signature of Applicant:  Date:  4-13-1
4. DECLARATION REGARDING CONSTRUCTION LENDING AGENCY I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Section 3097, Civil Code). Lender's Name Lender's Address:
5. CONSTRUCTION AND DEMOLITION (C&D) WASTE RECYCLING PROGRAM In order to comply with the City of San Bernardino's Waste Recycling and Disposal Program, I will be;
☐ SELF HAULING ☐ USING CITY APPROVED BIN PROVIDERS NOT APPLICABLE
6. CAL-OSHA AND HAZARDOUS MATERIAL DECLARATION Will there be any excavation five (5) or more feet in depth into which a person will be required to descend? (_) Yes Will the building or tenant space be used to store or display any hazardous materials? (_) Yes
7. Declaration of Compliance and Authorization for Entry: By my signature below, I certify to each of the following: I am the property owner or I have been authorized to act on the property owner's behalf. I have read this construction permit application and the information I have provided is true and correct. I agree to comply with all applicable city and county ordinances and state laws relating to building construction. I authorize representatives of the city of San Bernardino to enter the above-identified property for inspection purposes.
Signature of Licensed Contractor, Property Owner* or Authorized Agent** 1- William Date 4-13-11
* Requires completed "Notice to Property Owner" Form ** Requires the owner to complete "Authorization of Agent"

#### INSPECTOR AREA: 4

Address:807 E NORMAN RD	PERMIT #:B9702429
	Date Issued:11/07/1997
Parcel:0280-202-070000	
Owner:GARDINER MARTHA	Permit Type:BLDG
Applicant:GARDINER WINE MARTHA	Worker's Comp:Y
714-544-5073 714-544-5073	
	ECTRICAL *******************
Multi-fam Sq Ft: SFD Sq	
Service to 600vlt/ 200amp: 1	Power Apparatus
to 600vlt/1000amp:	to 1 HP/KW/KVA:
> 600vlt/1000amp:	to 10 HP/KW/KVA:
Temp Power Pole 1	to 50 HP/KW/KVA:
Temp Dist System:	to 100 HP/KW/KVA:
	> 100 HP/KW/KVA:
necep, bireon, no outlest.	
Lighting Fixtures:	Busways:
Pole/Pltfm Ltg Fixtures:	Carnivals/Circuses
Theatrical Ltg Fixtures:	Generators & elec driven rides:
Res Appl to 1HP:	Walk thru attractions:
NonRes Appl to 1Hp:	Booth Lighting:
	Electrical meter reset:
Misc Apparatus:	
Each add'l meter same lot:	Elec meter reset w/other work.:
******* ME(	CHANICAL ********************
Furnace to 100kBTU:	Boilers/Compressors
over 100kBTU:	to 3HP/ 100K BTU:
Floor Furnace:	to 15HP/ 500K BTU
Susp/Wall/Flr Htr 1	to 30HP/1.00M BTU
Appliance Vent	to 50HP/1.75M BTU:
Htg/Refr/Cool Unit:	> 50HP/1.75M BTU:
West Ber w/Dugt	Misc Appl/Equip
Vent Fan w/Duct:	Demost is Trainerstor
Vent System:	Domestic Incinerator:
Exhaust Hood	Comm/Ind Incinerator
Evaporative Cooler:	Fuel-gas piping:
Air Handlers to 10kCFM:	Gas-Hazardous:
over 10KCFM:	Gas-Non-Hazardout:
******* PT.I	JMBING ******************
	JULIU I I I I I I I I I I I I I I I I I I
	Designate Courses Diamogal
Fixtures/Traps 3	Private Sewage Disposal:
Bldg/Trailer Sewer:	Ind waste Pretreatment:
Water Heater/Vent: 1	Backflow Protection
Gas Piping Outlets: 1	up to 2":
	over 2"
	Gas Meter Reset
Drainage/Vent Piping:	
Lawn Sprinkler Sys:	Reset in conjunction
Rainwater Sys, Drains:	with other work: 1
Atmospheric Breakers:	Addit'l meter
************************	AIRS/REHAB****************
KBEI	
NT	
Number of Windows:	5
Floor/Roof Sheathing: No. Sheets:	OR Square Footage:
Exterior Stucco: Sq. Yards:	Value of Struct Repair:
Exterior Siding: Sq. Yards:	Drywall Repair: # Shts: 20

REPLACE 2 SK, TOILET, WTR LINES, REPLACE DRYWALL REPLACE 5 WINDOWS.



## Planning and **Building Services**

#### **Permit Number**

B9702429

(909) 384-5071 • Fax: (909) 384-5080 • http://www.cyberg8t.com

300 North "D" Street, San Bernardino, CA 92418

#### BUILDING PERMIT

Job Address: 807 E NORMAN RD

Suite No: Tract/Lot Nos:

Vicinity: E.OF WATERMAN Parcel No: 0280-202-070000

Owner: GARDINER MARTHA

Address: 13271 WOODLAND DR

TUSTIN CA

92780

Contractor:

Address:

Arch/Eng: Address:

Status: ISSUED

Applied: 11/07/1997 Issued: 11/07/1997

Phone: 714-544-5073

Phone:

License:

Wrks Cmp:

Phone:

License:

#### BUILDING INFORMATION ----

Construction Type: TYPE V-Non-rated

Flood Plain Zone:

Planning No:

Type of Permit: ADD/ALTER SINGLE FAMILY RES

Occupancy

REPLACE 2 SK, TOILET, WTR LINES, REPLACE DRYWALL REPLACE 5 WINDOWS.

---- PERMIT VALUATION -----

Type

Table Date: 09/01/1987

Factor Sq. Feet

Planning Review:

Strong Motion:

Verdemont:

Storm Drain:

Traffic:

Occupancy: R-3

Fire Zone: N/A

Subtotal: Multiplier 1.00:

Total Valuation:

Addl Fixed Amount:

.00 5,000.00 5,000.00

Valuation

.00

.00

Sprinklers: Highwind: N

Planner:

EEE SUMMARY ----

Plan Check: Expeditious Review: Other Plan Check: Building Permit: Elec Permit: Plumb Permit: Mech Permit: C of O: Other Bldg:

Investigation: Building Repairs: Hardship/Alternate:

- "Permit Form" -

.00 .00

.00 72.00

51.50 57.50 .00

24.00 .00 .00 19.00

.00

Sewer Connect: Parks & Rec: Cultural Dev: Total Fees:

Amount Received: Balance Due:

.57 .00 .00 .00

> .00 .00 .00 224.57

224.57 .00

CONDITIONS/COMMENTS

EXPIRATION: This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

## **DECLARATIONS**

Wasterna Administration Brat I Branch	
WORKERS' COMPENSATION DECLARATION:	
I hereby affirm under penalty of perjury one of the following declarations:	2700 (1) 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
I have and will maintain a certificate of consent to self-Insure for workers' compensation, as provided for by of the work for which this permit is issued.	section 3700 of the Labor Code, for the performance
☐ I have and will maintain workers' compensation insurance, as required by section 3700 of the Labor Code, f	or the performance of the work for which this permit
is issued. My workers' compensation Insurance carrier and policy number are:  Carrier	This section need not be completed if the permit
	s valued at one hundred dollars (\$100) or less.)
☐ I certify that in the performance of the work for which this permit is issued, I shall not employ any person in compensation laws of California, and agree that if I should become subject to the workers' compensation provision.	
compensation laws of California, and agree that if I should become subject to the workers' compensation provision	
compensation laws of California, and agree that if I should become subject to the workers' compensation provision comply with these provisions.  Applicant Signature:  Martha D. Wire	Date: X Nov. 1 91
WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJ	
CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPEN 3706 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.	SATION, DAMAGES AS PROVIDED FOR IN SECTION
LICENSED CONTRACTORS DECLARATION:	
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 o	f the Business and Professions Code, and my license
is in full force and effect. Lic. #	Class #:
Contractor's Signature:	Date:
CONSTRUCTION LENDING AGENCY:	
I hereby affirm that there is a construction lending agency for the performance of the work for which this p	permit is issued. (Sec. 3097, Civil Code).
Lender's Name Lender's Address	
Signature:	Date:
OWNER-BUILDER DECLARATION:	
Thereby affirm that under penalty of perjury that I am <b>EXEMPT FROM THE CONTRACTORS LICENSE LAW</b> professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair	for the following reason (Sec. 7031.5, Business and
	any structure prior to its issuance also requires the
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co	any structure, prior to its issuance, also requires the ontractors License Law (Chapter 9 (commencing with
	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the ba- 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b>	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):  Lyand the structure is not intended or offered for sale who builds or improves thereon, and who does such
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with sis for the alleged exemption. Any violation of Section lars (\$500).):  Lyand the structure is not intended or offered for sale who builds or improves thereon, and who does such add or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  1, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he  1, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to cons	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with pass for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such noded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.):  Ittruct the project (Sec. 7044, Business and Professions
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, <b>WILL DO THE WORK</b> (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with pass for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such noded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.):  Ittruct the project (Sec. 7044, Business and Professions
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bat 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he I, as owner of the property, am <b>EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS</b> to conscious. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such inded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It truct the project (Sec. 7044, Business and Professions in who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bas 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five han five had been found to a completion, with wages as their sole compensation, will be of the William owner of the property of the Contractors License Law does not apply to an owner-builder will have the burden of proving that he like has owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to conscore the Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code to Signature:  Owner ID verified by driver's license.  Yes I No Driver's License No.  Werification of Ownership by (type of document, i.e property tax bill or deed):	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the base 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Mov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and profession to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.).  It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Mov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is excempt therefrom and the base 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Mov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and subjects the applicant to a civil penalty of not more than five hundred dol. I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner-builder will have the burden of proving that he law in a sold within one year of completion, the owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  I am exempt under sec.  Business and Professions Code to Signature:  Owner ID verified by driver's license. I yes I No Driver's License No.  CAL-OSHA/HAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend will the building/tenant space be used to store or display any hazardous materials? I yes I No	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) or this reason:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basiness and profession to a civil penalty of not more than five hundred dol	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.)  It truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)  For this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Cosection 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he laws owner of the property, am EXCLUSIVELY CONTRACTING WITH LICENSED CONTRACTORS to conscious.  Gode: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and licensed pursuant to the Contractors License Law.).  Business and Professions Code to Signature:  Owner ID verified by driver's license.  Yes No Driver's License No.  CAL-OSHAMAZ. MAT. DECLARATION:  Will there be any excavation (5) five or more feet in depth into which a person will be required to descend will the building/tenant space be used to store or display any hazardous materials?  Yes No  CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application agree to comply with all state laws and city ordinances relating to building construction, and authorize represented above-described property for inspection purposes.	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.)  It truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s)  For this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Co Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol  I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not inter improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he builders of proving that he owner of property work himself or herself or through the owner of property work himself or herself or through the owner of property work himself or herself or through the proving that he owner of property work himself or herself or through the owner of property work himself or herself or through the owner of property of proving that he owner of property with himself or herself or through the owner of the following that he burden or herself or through the owner of the following	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  I, and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is truct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s).  To this reason:  Date:    Date:
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the C Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol      I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement in proving that he improvement is sold within one year of completion, the owner of proving that he improvement is proving that he improvement is proving that he im	any structure, prior to its issuance, also requires the outractors License Law (Chapter 9 (commencing with his for the alleged exemption. Any violation of Section (lars (\$500).):  The analysis of the structure is not intended or offered for sale who builds or improves thereon, and who does such nded or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It is the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:  Date:    Nov. 7 97
applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the C Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the bar 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dol      I, as owner of the property, or my employees with wages as their sole compensation, WILL DO THE WORK (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property work himself or herself or through his or her own employees, provided that such improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion, the owner-builder will have the burden of proving that he improvements are not interimprovement is sold within one year of completion of proving that he improvements are not interimprovement is sold within one year of completion of proving the owner-builder will have the burden of proving the pr	any structure, prior to its issuance, also requires the intractors License Law (Chapter 9 (commencing with alleged exemption. Any violation of Section (lars (\$500).):  To and the structure is not intended or offered for sale who builds or improves thereon, and who does such nided or offered for sale. If, however, the building or or she did not build or improve for purpose of sale.). It ruct the project (Sec. 7044, Business and Professions of who contracts for such projects with a contractor(s) for this reason:    Date:

Aut	horized Applicant	TARE YES		19 1164	Date: L		
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural	Land Carte And			Electrical		THE	
00010	Rough Grading			00070	Temp Power Pole	IN DESIGNATION	
00020	Setbacks	i iii		00060	Underground Electrical	MININE	
00030	Foundation/Ftgs.		THE O	00162	UFER		
00040	Slab Grade			00160	Rough Electrical		
00080	Pool Pre-Gunite		M 101 - 100	00275	Electrical Service	S. HEAVILLE	
00090	Pool Pre-Plaster		Wind to	00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbing			DURANT.
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)		I I ST	00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechanical			
00180	Insulation			00150	Rough Mechanical		Tare II.
00190	Exterior Lath or Siding			00155	Misc, Mechanical		
00200	Stucco Scratch			Final Inspec	tions		
00210	Stucco Brown			00310	Irrigation/Landscaping	THE LET	
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.		THE STATE OF	00280	Final Electrical		
)ther				00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical	HELD TO THE	Mille Is
00480	Awnings/Porches			00350	Final Construction		PERM

Récording Requested By:	
When Recorded Mail To:	
The Norris Group 18710 Van Buren Boulevard	
Riverside, CA 92508	
Loan No. 548	(This space for recorders use only)
	SOLUTE ASSIGNMENT OF RENTS RIDER st contains an Acceleration Clause)
This DEED OF TRUST made July 14, 199 MARTHA GARDINER WINE, A SINGLE WOM	o7, between:
herein called TRUSTOR, whose address is: 132	271 WOODLAND DRIVE STIN, 92 92780-
and Bruce Norris Financial Group Inc JERRY V. BOUGHNER, AN UNMARRIED MAI	orporated, A California Corp herein called TRUSTEE, and
herein called BENEFICIARY;	
WITNESSETH: The Trustor irrevocably GRANTS OF SALE, that property in the State of Californ	, TRANSFERS AND ASSIGNS TO TRUSTEE in trust, with POWER ia, in the City of, County of
SAN BERNARDINO , des	cribed as:
CITY OF SAN BERNARDING, COUNTY OF S	2. 2228, VALLEY TRUCK FARMS NO. 4, IN THE SAN BERNARDINO, STATE OF CALIFORNIA, AS 5 OF MAPS, IN THE OFFICE OF THE COUNTY
APN# 0280-202-07	

Together with all rights and interest of Trustor, to all appurtenances, easements, community interests and licenses, and to oil, mineral, gas, water, water certificates, and hydrocarbon rights, leases, and overriding royalties therein, and all of these, whether appurtenant, riparian or appropriative.

REPAIR 807 NARMIN RO () REPLACE TOILE 2) REPLACE BATH ROOM STOCK (3) REPLACE KITCHEN SINK A REPLACE KYCHEN CABINAS B) REPLACE CARPETING 10x 12-10x 14-14x 18 CARPETING KitCHEN - 10×13 - 7×10 - LINGLEUM @ REPLACE 4- INTERIOR DOORS B) REPLACE WATER PIPES - INTERIOR 8) REPLACE SOIL PIPES AS NECKSSARY 9) REPLACE DRY WALL AS NECESBARY GOBA' OR REPLACE ELECTRICAL AS NECESSARY D' PEPLACE 5- WINDOWS



#### P.O. BOX 420807, SAN FRANCISCO, CA 94142-0807

#### CERTIFICATE OF WORKERS' COMPENSATION INSURANCE

NOVEMBER 7, 1997

POLICY NUMBER: 1490965 - 97

CERTIFICATE EXPIRES: 11-1-98

CITY OF SAN BERNARDINO BUILDING & SAFETY DEPARTMENT 300 NORTH "D" STREET SAN BERNARDINO, CA 92418

JOB: ALL OPERATIONS

This is to certify that we have issued a valid Workers' Compensation insurance policy in a form approved by the California Insurance Commissioner to the employer named below for the policy period indicated.

This policy is not subject to cancellation by the Fund except upon ten days' advance written notice to the employer.

We will also give you TEN days' advance notice should this policy be cancelled prior to its normal expiration.

This certificate of insurance is not an insurance policy and does not amend, extend or alter the coverage afforded by the policies listed herein. Notwithstanding any requirement, term, or condition of any contract or other document with respect to which this certificate of insurance may be issued or may pertain, the insurance afforded by the policies described herein is subject to all the terms, exclusions and conditions of such policies.

Bollier

EMPLOYER'S LIABILITY LIMIT INCLUDING DEFENSE COSTS: \$1,000,000 PER OCCURRENCE.

**EMPLOYER** 

WINE, MARTHA G. 13271 WOODLAND DRIVE TUSTIN CALIFORNIA 92780 CITY OF SAN BERNARDINO DEPARTMENT OF PLANNING AND BUILDING SERVICES

H.D.

FILE

## **BUILDING COMPLAINT AND INVESTIGATION REPORT**

ADDRESS 807 E. NORMAN RD.	APT/SPACE NO.
OW LONG HAS VIOLATION EXISTED?	DATE 7-16-97
ATURE OF COMPLAINT WINDOWS W	DE FROM NEW CHBOKS
PORT&ACTIONS Rehas Rom. T 15	See0 1/7/97

#### **DEVELOPMENT SERVICES DEPARTMENT** PLANNING DIVISION

300 North "D" Street • San Bernardino • CA 92418-0001 Building & Safety Division 909.384-5071 • Fax: 909.384.5080

909.384-5057 • Fax: 909.384.5080 Planning Division

Public Works/Engineering 909.384-5111 • Fax: 909.384.5155 www.sbcity.org

#### ZONING VERIFICATION REVIEW

Activity No.: ZV11-2298

Business Name:

AMERICAN TOW GROUP

Status: **ISSUED** 

**Business Location:** 

807 E NORMAN RD SB, Suite:

Date:

11/21/2011

Type of Business:

Auto Impound Yard

0280-202-07-0000

Description:

Parcel No.:

TOWING COMPANY (PERMITTED PER CUP 10-01)

Business Located In: Y Single-tenant space N Multi-tenant space

Vacancy Over 1 yr.: N Length of Vacancy:

Change of Ownership w/No Change of Use: N

Length of Current Use:

WILLIAMS, THOMAS

Property Owner? Y or

Authorized Agent: N

Previous Legal Use: IMPOUND YARD

Land Use District:

IL

Related Case No.:

CUP 10-01

Fees Paid:

Applicant:

\$39.74

Issued By:

DF

Expiration Date:

01/20/2012

PERMITTED - A Business Registration Certificate may be

issued.

## DEPARTMENT OF BUILDING & SAFETY CITY OF SAN BERNARDING

Checked By 1a

-		BUILDING		944	NO	ELECTRICAL	NO		PLUMBING	
	U.S. Series					SQ FT		WATERC	LOSET	
0.00					R E	SQ FT.		LAVATOR	RY	
	Mark CT.				207	MAIN SWITCH		BATH TU	В	
					RIE.	OUTLETS		SHOWER		
						FIXTURES		KITCHEN	SINK	
					SWITCHES			GARBAG	E DISPOSAL	
					l.	meter reset		DISHWAS	SHER	
	TENOLE,					<b>在大型,是一个大型。</b>		LAUNDRY	TRAY	
No. of Lot						是不是特里·罗里里里		AUTOMA	TIC WASHER	
								WATERH	EATER	
	The second							FLOORS	INK	
								GAS SER	VICE	
*ESTIMAT	*ESTIMATED VALUATION			galls.		NEV		SEWER		ELECTRIC STATE
TO INCLUDE ALL FIXED EQUIPMENT REQUIRED TO					1/10/1		SEWERA	LTER		
	OPERATE AND USE PROPOSED BUILDING			201		1,11	MEDI OR	GAS DRY		
THE PERSONNEL PROPERTY.	The second second second second	- A.C REF	THE RESERVE AND PERSONS ASSESSMENT OF THE PE	THE RESIDENCE OF THE PARTY OF T	1	1 11			OFTENER	
NO.	- 150/2	PE OF EQUIPMENT		FEE		The state of the s		LAWN SP	RINKLER	
	FORCED AIR									
	WALLHEATE									
	REFRIGERAT	ION HP EA			1966	Description of the second				
						PERMIT	00		PER	MIT
						TOTAL FEE 5.		TOTAL FEE		
			PERMIT		COI	NTRACTOR	100	NTRACTOR		
		70	TAL FEE		4					
CONTRAC	CTOR		NAC FEE	JOB ADD	DESS		OV	NER_		
- Contract	51011			823 E	. No	rman Rd	Ha	rra11		
×				USE OF E	BUILDI	NG	DA	TE		
	FUGA			THE RESERVE OF THE PARTY OF THE		reset/dwlg		24/80		
				LEGAL D					PERMIT NO.	1.0
PE	ERMIT	ACCOUNT NUMBER	AMOUNT						41	971
PLAN CHE	ECK	01-009-411		REMARK	S:				PLANS BY:	
BUILDING	3	01-009-222								
The second second	CAL	01-009-224	5.00						USE ZONE	FIRE ZONE
ELECTRIC				and the same of th					THE RESERVE THE PARTY OF THE PA	
HEAT AND	DAC	01-009-223								E-C S
HEAT AND	(G	01-009-223				ertificate workmen's compensation insurance omeowner does the work himself, or the permit			FINAL DATE	FO INSP.
HEAT AND	(G			plicable whe	re the h	omeowner does the work himself, or the permit	is for \$100.00	or less.	FINAL DATE	50 INSP.
HEAT AND	MOTION	01-009-223		plicable who	re the h	compowner does the work himself, or the permit	SURANCE ST	Oor less.	trank	o'men
PLUMBING STRONG	MOTION	01-009-223 72-816-000		HOMEOWN I hereby agr	ERS Co	consowner does the work himself, or the permit ERTIFICATE WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w	SURANCE ST ine in according thich this perm	Or less.  ATEMENT Ince with the law	s of the City of San I	Bernardino and the
PLUMBING STRONG	MOTION	01-009-223 72-816-000		HOMEOWN I hereby agr State of Cal so as to bec	ERS Cover that some su	consowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ca	SURANCE ST ine in according to this permanent	ATEMENT nice with the law nit is assued. I sha	s of the City of San I	Bernardino and the rison in any manner
PLUMBING STRONG	MOTION	01-009-223 72-816-000		HOMEOWN I hereby agr State of Call so as to be: Heating: Ele and Safety	ERS CI see that forms is come su	compound does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be vasid until nam	SURANCE ST ine in accord thich this per alifornia es of sub-con	ATEMENT Ince with the law int is issued. I sha tractors have be	is of the City of San I all not employ any pe	Bernardino and the rson in any manner artment of Building
PLUMBINI STRONG I STORM D	MOTION	01-009-223 72-816-000		HOMEOWN I hereby agr State of Call so as to be: Heating: Ele and Safety	re the h vERS Co ver that forms is ome su schical is	consowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ca	SURANCE ST ine in accord thich this per alifornia es of sub-con	ATEMENT Ince with the law int is issued. I sha tractors have be	is of the City of San I all not employ any pe	Bernardino and the rson in any manner artment of Building
PLUMBING STRONG	MOTION	01-009-223 72-816-000	5.00	HOMEOWN I hereby agr State of Cal so as to be: Heating, Ele and Safety This permit	re the his ERS Concerns in come su schrical in shall be it.	compound does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be vasid until nam	SURANCE ST ine in accord thich this per alifornia es of sub-con	ATEMENT Ince with the law int is issued. I sha tractors have be	is of the City of San I all not employ any pe	Bernardino and the rson in any manner artment of Building
PLUMBINI STRONG I STORM D	IG MOTION DRAIN	01-009-223 72-816-000		HOMEOWN I hereby agr State of Cal so as to bec Heating Ele and Safety This permit become voic Signature B	re the his ERS Concerns in come su schrical in shall be it.	compound does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be vasid until nam	s for \$100.00 SURANCE ST ine in accord which this pern alfornia es of sub-cor 20 days. Ces	ATEMENT noce with the law it is issued. I sha tractors have be sation of work to	s of the City of San i all not employ any pe- ten furnished to Depute of 120 days shall also	Bernardino and the rson in any manner artment of Building
PLUMBINI STRONG I STORM D	IG MOTION  PRAIN  FOR D  under penalty of	01-009-223 72-816-000 48-009-495	5.00	Picable whe HOMEOWN I hereby agr State of Cal so as to bec Heating, Ele and Safety This permit become voic Signature B	re the his ERS Concerns in come su schrical in shall be it.	compound does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be vasid until nam	s for \$100.00 SURANCE ST ine in accord which this pern alfornia es of sub-cor 20 days. Ces	ATEMENT Ince with the law int is issued. I sha tractors have be sation of work to	is of the City of San I all not employ any pe	Bernardino and the rson in any manner artment of Building
HEAT AND PLUMBING STRONG IS STORM DO TOTAL	MOTION  PAIN  FOR D  under penalty of the correct:	01-009-223 72-816-000 48-009-495 WELLINGS ONLY	5.00	HOMEOWN I hereby agr State of Cal so as to bec Heating Ele and Safety This permit become voic Signature B	re the h VERS Co ee that florna is correctly school be	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	stor \$100.00 SURANCE ST une in accorda which this permitted this permitted this permitted the sub-cord 20 days Ces  CONTRI MAILING	ATEMENT noce with the law not is issued. I she tractors have be sation of work to	s of the City of San I ill not employ any person of turnished to Deputer turnished to Deputer 120 days shall als	Bernardino and the rson in any manner artment of Building
HEAT AND PLUMBING STRONG IS STORM DE TOTAL I declare us are true an 1, the under	FOR D under penalty of	01-009-223 72-816-000 48-009-495 WELLINGS ONLY	5_00 wing statements	picable whe HOMEOWN I hereby agr State of Cal so as to bec Heating. Ele and Safety This permit become voic Signature B OWNER Samile	re the h VERS Co ee that florna is correctly school be	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	s for \$100.00 SURANCE ST one in accord on the bas per alfornia es of sub-con 20 days Ces  CONTRA  MAILING 25	ATEMENT noce with the law not is issued. I she tractors have be sation of work to	s of the City of San i all not employ any pe- ten furnished to Depute of 120 days shall also	Bernardino and the rson in any manner artment of Building
HEAT AND PLUMBING STRONG I STORM DO TOTAL I declare us are true and I, the under the single said dwells said dwells said dwells.	FOR D under penalty of a family dwellin ling is my bona	01-009-223 72-816-000 48-009-495  WELLINGS ONLY therjury that the follow y declare that I am the g located at the add tide residence and, it	5.00  wing statements e legal owner of ress issted, that aft myst, will	picable whe HOMEOWN I hereby agr State of Cal so as to bec Heating. Ele and Safety This permit become voic Signature B OWNER Samile	re the h VERS Co ee that florna is correctly school be	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	s for \$100.00 SURANCE ST one in accord on the bas per alfornia es of sub-con 20 days Ces  CONTRA  MAILING 25	ATEMENT noce with the law not is issued. I she tractors have be sation of work to	s of the City of San I ill not employ any person of turnished to Deputer turnished to Deputer 120 days shall als	Bernardino and the rson in any manner artment of Building
HEAT AND PLUMBING STRONG I STORM DO TOTAL I declare us are true and I, the under the single said dwells said dwells said dwells.	FOR D under penalty or drivers of sample of sa	01-009-223 72-816-000 48-009-495 WELLINGS ONLY	5.00  wing statements e legal owner of ress issted, that aft myst, will	picable whe HOMEOWN I hereby agr State of Cal so as to bec Heating. Ele and Safety This permit become voic Signature B OWNER Samile	re the h VERS Co ee that florna is correctly school be	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do certify that in the performance of the work for w bject to the workmen's compensation laws of Ci and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	s for \$100.00 SURANCE ST one in accord on the bas per alfornia es of sub-con 20 days Ces  CONTRA  MAILING 25	ATEMENT noce with the law nt is issued. I she tractors have be sation of work to ACTOR 1 Li ADDRESS 340 Fis Ca	s of the City of San I Ill not employ any person furnished to Dept or 120 days shall als	Bernardino and the rson in any manner artment of Building
PLUMBINI STRONG I STORM D  TOTAL  I declare u are true an I, the unde the single said dwelli personally	FOR D under penalty or drivers of sample of sa	01-009-223 72-816-000 48-009-495  WELLINGS ONLY therjury that the follow y declare that I am the g located at the add tide residence and, it	5.00  wing statements e legal owner of ress issted, that aft myst, will	plicable whe HOMEOWN I hereby agr State of Cais so as to bec Heating. Ele and Safety This permit become voir Signature B OWNER SATIO MAJLING	rethe here continues the here continues to t	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w specif to the workmen's compensation kines of Co and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	is for \$100.00 SURANCE ST inte in accord interior accord ac	ATEMENT noce with the law not is issued. I she tractors have be sation of work to ACTOR 1 Li ADDRESS 340 F1s Ca 3627	s of the City of San I Ill not employ any person furnished to Dept or 120 days shall als	Bernardino and the rson in any manner artment of Building
PLUMBINI STRONG I STORM D  TOTAL  I declare u are true an I, the unde the single said dwelli personally personally	FOR D under penalty of a did overect: ersigned, hereb family dwellin ing is my bona y install all sant t.	01-009-223 72-816-000 48-009-495  WELLINGS ONLY therjury that the follow y declare that I am the g located at the add tide residence and, it	5.00  wing statements e legal owner of ress issted, that aft myst, will	picable whe HOMEOWN I hereby agr State of Cal so as to be so as to be Heating, Ete and Safety This permit become voic Signature B OWNER SATIO MAJLING	rethe here continues the here continues to t	comeowner does the work himself, or the permit ERTIFICATE-WORKMENS COMPENSATION IN all work in connection with this permit will be do centry that in the performance of the work for w specif to the workmen's compensation kines of Co and Plumbing Permits will not be valid until name scome void if work is not commenced within 1.	s for \$100.00 SURANCE STI sine in accords which this period ship of the period and o	ATEMENT noce with the law not is issued. I she tractors have be sation of work to ACTOR 1 Li ADDRESS 340 F1s Ca 3627	s of the City of San I Ill not employ any person furnished to Dept or 120 days shall als	Bernardino and the rson in any manner artment of Building

PURCHASE ORDER VENDOR'S COPY

WARREN DUNCAN

#### CITY OF SAN BERNARDINO

OFFICE OF THE PURCHASING AGENT 250 W. CLUSTER STREET SAN BERNARDINO, CALIFORNIA 92418 PURCHASE NO.

903240

MARRIE PAGE 1

97/26/88 DATE OF ORDER

1700 PF	VENDOR NNSYLVANIA AVE		VENDOR NO. 028935		REQ. NO. 181083	3	PROMPT PAYMEN	NT DISCOUNT	
A TOTAL OF THE	ORDER ADDRESS CA 92324 STATE	ZiP		SAN B	O. "D"	, R00	Y M #331 CA 92418	1	
			BUILDING	& SAF	ETY				
· ·	VENDOR'S PAYMENT ADDRESS		EQUIP NO.	HAZ. N	X88010	W.O. N	0.		
CITY	STATE	ZIP							
	DESCRIPTION OF ARTICLES	S OR SERVICES REC	DUIRED		QUANTITY	UNIT	UNIT PRICE	EXTENSION	
	CONFIRMAT FY 97/8								
SAN BERNA AS PER QU	DEMOLITION OF RDINO, CA AP#2: OTE X-88-10 DA	80 202 11 TED 7-10-				LT	3340.00	\$3,340	00
VENDO	MAZAROCUO II MUST FURNISH TO CITY TWO COPE WHERE REQUIRED.  (1) COPY - WITH RECEIVING OF MA (1) COPY - TO EMERGENCY SERVICE 300 N. "D" ST. (BA SAN BERNARDING, C	TERIAL ES DIV. SEMENT)	Y DATA SHEETS						
***********		••••••		****				<b>\$3,340</b>	
GENERAL LEDG	ER ACCOUNT NUM	BER					*****	*0	
001-000-4-17	33-00000-0000		\$3,340.00				GHT **	\$3,340	
CC 345 COORDINATE DEI DELIVERY REQU	LIVERY WITH: DON HI		384-5267				1		
ACCOUNTING CODE		BUYER	TO CONTACT REGAR	The state of the s	THIS PUR	CHASE	S AUTHORIZED	APPROVE	N
ENCUMBRANCE		EVEL	IN WILSON		DEAN R		PURCHASING AGENT	·ww	

IMPORTANT: INVOICES MUST BE FORWARDED TO THE FINANCE DEPARTMENT, 300 N. "D" Street, San Bernardino, CA 92418 immediately upon delivery of articles or performance of services ordered hereon unless otherwise indicated. Invoices must show on their face the NUMBER OF THIS ORDER, which appears in the upper right hand corner hereof, the name of the department to which the goods were furnished; that the same covers complete or partial delivery or performance as the case may be, and amount of prompt payment discount.

FREIGHT CHARGES, IF ALLOWED MUST BE PREPAID AND ITEMIZED ON INVOICE. ALL PURCHASES F.O.B. DELIVERY ADDRESS UNLESS OTHERWISE SPECIFIED ON PURCHASE ORDER, ALL ARTICLES OR SERVICES FURNISHED PURSUANT TO THIS PURCHASE ORDER SHALL COMPLY WITH ALL CAL-OSHA STANDARDS AND REGULATIONS AND ALL APPLICABLE GOVERNMENTAL LAWS AND ORDERS.

Recording Requested By

City of San Bernardino Department of Building & Safety

and when recorded mail to:

Department of Building and Safety 300 North D Street, Room #331 San Bernardino, CA 92418 87-091273

1FEE	2MSYS	3PCOR	4LNNT	
0				
5 SVY	5[	IT	6	
			J	+

RECORDED IN

1987 MAR 20 PM 1: 09

SAN BERNARDINO CO., CALIF.

Space above this line for recorder's use

DEPARTMENT OF BUILDING AND SAFETY
OF THE CITY OF SAN BERNARDINO, STATE OF CALIFORNIA

In the matter of the public nuisance on property of

823 E. Norman Rd San Bernardino, CA Assessors No: 280 202 11

and DOES I through X, owners

Eugene & Emma Samuel

No. 3019

NOTICE OF PENDENCY

OF

ADMINISTRATIVE PROCEEDINGS

Notice is hereby given to all persons, pursuant to the San Bernardino Municipal Code, Title 15 of the City of San Bernardino that administrative proceedings have been commenced with respect to the structure or land located upon the following described real property in the City of San Bernardino:

TRACT NO 2228 Valley Truck Farms No 4 E 1/2 LOT 46 Ex PTN TO Flood Control

that such proceedings are based upon the noncompliance of such structure or land with the requirements of the San Bernardino Municipal Code; that every owner of said real property waives his right to hearing on such proceedings unless he makes a proper request in the form and within the time prescribed by the Code cited; and that failure to comply with the lawful orders of the Building Official and Board of Building Commissioners heretofore and hereafter issued relative to the above matter may result in demolition of the offending structure or abatement of the public nuisance and assessment of the costs and expenses thereof to the property heretofore described as a tax and special assessment lien on such property; that any purchaser, his heirs, or assigns acquiring said property subsequent to the recording of the Notice with the County Recorder shall have such interest subject and subordinate to said tax and assessment lien.

CITY BUILDING OFFICIAL

BY Mark Muning

DATED March 13, 1987

RECORDED IN OFFICIAL RECORDS

1887 MAR 20 PM 1: 03

SAN BERNARDING CO., CALIF.

APR 1 3 1987

BUILDING & SAFETY CITY OF SAN BERNARDINO



OFFICE OF THE PURCHASING AGENT 250 W. CLUSTER STREET SAN BERNARDINO, CALIFORNIA 92418 ORDER NO.

903240


#A## ## PAGE 1 07/26/88

DATE OF ORDER WARREN DUNCAN VENDOR NO. VENDOR REQ. NO. PROMPT PAYMENT DISCOUNT NONE 1700 PENNSYLVANIA AVE 028935 181083 ORDER ADDRESS COLTON, CA 92324 BUILDING & SAFETY **DELIVER TO:** 300 NO. "D", ROOM #331 SAN BERNARDINO, CA 92418 714 825-1546 -ORDERING DEPARTMENT BUILDING & SAFETY 6 . W.O. NO. EQUIP NO. HAZ. MATL. VENDOR'S PAYMENT ADDRESS X88010 11 4 19.8 .... CITY STATE ZIP **DESCRIPTION OF ARTICLES OR SERVICES REQUIRED** QUANTITY UNIT UNIT PRICE EXTENSION CONFIRMATION FY 87/88 COMPLETE DEMOLITION OF 823 NORMAN ROAD SAN BERNARDINO, CA AP\$280 202 110 LT 3340.00 \$3,340,00 AS PER QUOTE X-88-10 DATED 7-10-18 D AUG 30 1988 PRICE/TERMS PER WARREN DUNCAN CITY OF SAN BERNARDIN AUG 29 1988 BUILDING & SAFETY FIEL HAZARDOUS MATTEMALS HART MIT District St. Service Service VENDOR - MUST FURNISH TO CITY TWO COPICS OF MATERIAL SAFETY DATA SHEETS NERE REQUIRED. (1) COPY - WITH RECEIVING OF MATERIAL
(1) COPY - TO EMERGENCY SERVICES DIV.
300 N. "D" ST. (BASEMENT)
BAN BERNARDONO, CA 92418

A have Live # 241 \$3,340,00 SUB TOTAL TOTAL TAX \$0,00 GENERAL LEDGER ACCOUNT NUMBER FREIGHT \*\* TOTAL \$0.00 \$3,340,00 001-000-4-1733-00000-0000 \$3,340.00 TOTAL AMOUNT \*\*\* CC 345 COORDINATE DELIVERY WITH: DON HESTERLEY 384-5267 07/26/88 DELIVERY REQUIRED BY BUYER TO CONTACT REGARDING ACCOUNTING THIS PURCHASE IS AUTHORIZED DEAN R. MEECH ENCUMBRANCE AMOUNT

IMPORTANT: INVOICES MUST BE FORWARDED TO THE FINANCE DEPARTMENT, 300 N. "D" Street, San Bernardino, CA 92418 immediately upon delivery of articles or performance of services ordered hereon unless otherwise indicated. Invoices must show on their face the NUMBER OF THIS ORDER, which appears in the upper right hand corner hereof, the name of the department to which the goods were furnished; that the same covers complete or partial delivery or performance as the case may be, and amount of prompt payment discount.

FREIGHT CHARGES, IF ALLOWED MUST BE PREPAID AND ITEMIZED ON INVOICE. ALL PURCHASES F.O.B. DELIVERY ADDRESS UNLESS OTHERWISE SPECIFIED ON PURCHASE ORDER. ALL ARTICLES OR SERVICES FURNISHED PURSUANT TO THIS PURCHASE ORDER SHALL COMPLY WITH ALL CAL-OSHA STANDARDS AND REGULATIONS AND ALL APPLICABLE GOVERNMENTAL LAWS AND ORDERS.



Recording Requested By City of San Bernardino Department of Building & Safety and when recorded mail to: Department of Building and Safety 300 North D Street, Room #331 San Bernardino, CA 92418 Space above this line for recorder's use DEPARTMENT OF BUILDING AND SAFETY OF THE CITY OF SAN BERNARDINO, STATE OF CALIFORNIA No. 3019 In the matter of the public nuisance on property of NOTICE OF PENDENCY 823 E. Norman Rd San Bernardino, CA Assessors No: 280 202 11 OF ADMINISTRATIVE PROCEEDINGS and DOES I through X, owners Eugene & Emma Samuel Notice is hereby given to all persons, pursuant to the San Bernardino Municipal Code, Title 15 of the City of San Bernardino that administrative proceedings have been commenced with respect to the structure or land located upon the following described real property in the City of San Bernardino: TRACT NO 2228 Valley Truck Farms No 4 E 1/2 LOT 46 Ex PTN TO Flood Control that such proceedings are based upon the noncompliance of such structure or land with the requirements of the San Bernardino Municipal Code; that every owner of said real property waives his right to hearing on such proceedings unless he makes a proper request in the form and within the time prescribed by the Code cited; and that failure to comply with the lawful orders of the Building Official and Board of Building Commissioners heretofore and hereafter issued relative to the above matter may result in demolition of the offending structure or abatement of the public nuisance and assessment of the costs and expenses thereof to the property heretofore described as a tax and special assessment lien on such property; that any purchaser, his heirs, or assigns acquiring said property subsequent to the recording of the Notice with the County Recorder shall have such interest subject and subordinate to said tax and assessment lien. CITY BUILDING OFFICIAL DATED March 13, 1987

		(OWNER)		0,10	FILE COP	0		NATL	RE BY:		
SIGNED	)			& des	lefores	Every O			40/0		
	n this permit.			SIGNA	STATE LIC.			IC. NO			
at the bona fi	de residence a	i, that said dw and, that i, mys nitary, gas or ele	elling is my self, will per-	SB	Ca		PH	ONE			
legal ov	wner of the si	ereby declare ti	elling located			rman Ave	MA	TLING	ADDRES	33	
	e under penal ements are tru	ty of perjury the	at the follow-		lyn Amb	rer				e	
	FOR DV	VELLINGS ONL	Y	OWNER			co	NTRA	CTOR		
TOTAL			5.00	insurance	ne City of San	ployees. Compliar	ie State of (	Califor	nia I alen	saree to corru c	ampagentian
				I hereby	agree that all	come void if work suse permit to become work in connection	ome void.	narmi	t will be a	ione in accorda	nea with the
				Deen turi	nished to Depar	Plumbing Permits tment of Building	and Safety.				
STORM	DRAIN	48-009-495									
	IG MOTION	72-816-000								/ '	- / -
PLUME	ING	01-009-223								5/12/7	6 70B
HEAT	AND A.C.	01-009-223								FINAL DATE	E INSP.
BOUT THE STATE OF	RICAL	01-009-224	5.00								
BUILD		01-009-411								USE ZONE	FIRE ZONE
Vanis Salara	CHECK	01-009-411		An						FLANS BY:	
PE	RMIT	ACCOUNT	AMOUNT	REMAR							03
					DESCRIPTION				11 771	PERMIT NO.	
×								DA	5/11/	76	
Name of				823	BUILDING	Rd				n Ambler	
CONT	RACTOR			JOB AD	DRESS		10	owi	NER		
	Walter and		LFEE		×		4 11	v			
					*CONTRACTO	R		CON	TRACTO	R	
				TOTAL FEE 5.00			5.00	TOTAL FEE			
						PERMIT	ner al	- 5	200	PERM	шт
		ATION H.P. EA.						,			
	WALL HEAT			-				,	1		
NO.	FORCED AI	OF EQUIPMEN	IT	FEE .	Buildi	ng & Suisty			LAWNS	PRINKLER	
		- A.C REFI			City of	ng & Safety			SEATING ASSESSE	SOFTENER	
OPER	OPERATE AND USE PROPOSED BUILDING.				011.045	an Bernardi	no		GAS DR		
		FIXED EQUIPM		EDTO	MAT	12 (0)	Ψ	13.9	SEWER	1000	
*ESTI	MATED VAL	UATION		Edual	III way	1 1976	11/	Ex	SEWER		
				32.3	1100				GAS SE	RVICE	
		11706		-	0/		1		FLOOR	11000 1000 1000	
						a II I				HEATER	
										RY TRAY	
- 11				10	Met	er reset			DISHWA	AND ASSOCIATION OF THE PARTY OF	
					SWITCH				GARBA	GE DISPOSAL	
				AT.	FIXTUE	IES			KITCHE	N SINK	
					OUTLE	rs		300	SHOWE		
					MAIN S	WITCH			BATHT		
				811	SQ, FT,	-	-		LAVAT	CLOSET	
		JOILDING				LOTTIOAL	1	NO.	1	7.72.72.72.7	
		BUILDING			NO. EL	ECTRICAL		NO.		PLUMBING	
										0	

Building (823)			1				
Address 823 Mg	rman Rd				47400		
	radbury		ISSUED BY: CG/VF DATE 6/1/81 PERMIT # 47480				
Mailing Address 9494 F	Markman Ave			CITY OF SAN BERNARDIN	10		
City	Zip	Tel,	DEPARTMENT OF BUILDING AND SAFETY 300 North "D" Street, San Bernardino, CA 92418				
Contractor	Ca   91791	213/966 0222	Tel. (714) 383-5071				
Heary	Bush Plumbing		BUILDING: TYPE CO	ONST OCC. GRP	- 04		
Address 1880 W.	Baseline		TRACT:	LOTVALID	ATED/110-1-81		
City	7in	Tel. non seun		ermit when properly filled out, si piration if work thereunder is su			
State Lic.	92411	889 4658 City	and is subject to exp	piration if work thereunder is su	spenueu for 160 days.		
& Classif. 71177		Lic. No. 42785					
Arch., Engr., Designer							
Address	Ч.	Tel.					
City	Zip	State					
		Lic. No.	ESTIMATED VALUAT	TION			
Intended Permit Use: Gas Ser	rv/Dwilg						
			ELECTRICAL				
So. Ft.	No.	No. Dw.					
Sq. Ft. Size	Stories	Units		Permit Fee			
New Add Alt	er 🗆 Repair 🗅 t	Demolition		TOTAL FEE			
LICENS	ED CONTRACTOR'S DECLAR	ATION	PLUMBING				
I hereby affirm that I am lic 7000l of Division 3 of the Busi effect.	ensed under provisions of Chapti ness and Professions Code, and	er 9 icommencing with Section my license is in full force and	1 gas serv		2.00		
SIGNATURE		DATE					
OW	NER-BUILDER DECLARATIO	DN .		Permit Fee	10.00		
reason: (Sec. 7031.5, Business	sempt from the Contractor's L and Professions Codes: Any cit	icense Law for the following by or county which requires a		TOTAL FEE	12.00		
permit to construct, alter, imper requires the applicant for such a the provisions of the Contractor Director 3 of the Business and if for the alleged exemption. An subjects the applicant to a civil p	ive, demplish, or repair any stru termit to file a signed statement 'x License Law, Chapter 9 (com	icture, prior to its issuance also t that he is licensed pursuant to mencing with Section 7000) of	HEATING AND A.C.				
Division 3 of the Business and F for the alleged exemption. Any subjects the applicant to a civil of	Professions Code, or that he is ex- v violation of Section 7031.5 to enalty of not more than live hun	vempt therefrom, and the basis by any applicant for a permit based dollars (\$500)					
1, as owner of the property.	or my employees with wages a	s their sole compensation, will					
do the work, and the 2044, Business and Professions owner of property who builds o				Permit Fee			
his own employees, provided the however, the building as improvi will have the burden of proving	ement is sold within one year of that he did not build or imp	completion, the owner-builder rove for the purpose of sale.)		TOTAL FEE			
I, as owner of the property struct the project. (Sec. 7044 does not apply to an owner of a such projects with a contractor's	am exclusively contracting wit Business and Professions Code:	th licensed contractors to con- The Contractor's License Law	PERMIT	ACCOUNT NUMBER	AMOUNT		
			Plan Chk, Dep.	01-009-411			
1 am exempt under Sec	B & P.C. for this rea	son	Plan Chk. Bal.	01-009-411			
Date Owner			Building	01-009-222	12.00		
	RS' COMPENSATION DECLAR	ATION	Mechanical Strong Motion	72-816-000			
I hereby afferm that I have a	contifucate of consum to self-inc.	use or a certificate of Workers'	Storm Drain	48-009-495			
Compensation drawance, or dice.		s Excing.	Parks & Rec.	43-009-413			
Copy is filled with the city	Certified copy is		Sewer Conn.				
	RS COMPENSATION INSURA	ANCE	Sewer Cap				
or less.)  I certify that in the perform	sance of the work for which th	sit permit is usuad I shall not					
Laws of California.	oner so as to become subject to	o the Workers' Compensation					
NOTICE TO APPLICANT: If, at subject to the Workers' Compe comply with such provisions or ti	insation provisions of the Labo	or Code, you must forthwith	TOTAL		12,00		
CON	STRUCTION LENDING AGEN	CY	REMARKS:				
I hereby affirm that there is a for which this permit is issued. (S			HEMAINO.				
Lender's Name			ZONE:	BY:			
Lender's Address			MINIMUM SETBACK				
I certify that I have read this	application and state that the	above information is correct. I		nt Setback From Center Line			
agree to comply with all city construction, and hereby autho- mentioned property for inspectio	and county ordinances and st orize representatives of this ci- n outposes:	ty to enter upon the above-		r Setback From Rear Property L			
Signature of Applicant	7780271	0/1/01 Date	Side	Street Setback From Center Lin	ne		
Mailing Address			S/de	Serback From Property Line	17		
City, State, Zip	as above		FINAL DATES/22	S/INSPECTOR Ofter	gish		

STRUCTURE	PL	UMBING	HEATING &	ELECTRICAL	
SETBACK	LAVATORY	TOILET	A.C. UNIT		
EXCAVATION	BATHTUB	FL. DRAIN	FL. FURN.	Dalitin	
FORMS	SHOWER	SEWER	WALL FURN.		SERVICE
FOUND, REINF.	SINK	SEWER ALT.	F.A.U.		POOL
REINF. STEEL	LAUND, TUB	GAS SER.	EXH. FAN		SPA
GROUT	AUTO WASH.	WATER HTR.	EVAP. CLR.	N Jan Hall	TEMP. POLE
BOND BEAM	GAS DRYER	FLOOR SNK.	DUCT ALT.		SIGN
LUMBER GR.	URINAL	DRINK FTN.	5 82100		BALLAST
FRAMING	SPRINKLER	SPA/PL. HTR.			MBL. HOME
ROOFING	POOL				
VENTILATION	SPA				
FIRE ZONE ROOFING					
FIREPLACE	E. Maria		37		
SPARK ARRESTOR					
GAR, FIREWALL					
LATHING	GROUND PLUMB		A.C. UNIT		UNDERGROUND
MESH	ROUGH PLUMB.		HEATING (ROUGH)		BONDING
INSULATION/SOUND	SEWER OR SEPTI	IC TANK	DUCT WORK		ROUGH WIRING
FINISH GRADING	GAS (ROUGH)		HEATING (FINA	L)	METER LOOP
8 1-25-23	GAS (FINAL)				TEMP. POLE
CERT. OCC.	WATER HEATER		9 34	10	SERVICE
N.	WATER SYSTEM				
w.	POOL FENCE & S	/C GATES	FINAL INSP.		FINAL INSP.
SEWER CAPACITY:					
SEWER CONNECTION:					
SEWER CONNECTION: STORM DRAIN:					
SEWER CONNECTION: STORM DRAIN:					
SEWER CONNECTION: STORM DRAIN:	TIPLAL C				

Build Dg 323 Non	man Road							
Owner			280-202-11/	pm DATE 8/8/88	No 74494			
Mailing City of	San Bernardino		ISSUED BY:	DATEPER	MIT # # # # # # # # # # # # # # # # # # #			
Address				CITY OF SAN BERNARDI	NO			
City	Zip	Tel.	DEPARTMENT OF BUILDING AND SAFETY 300 North "D" Street, San Bernardino, CA 92418 Tel. (714) 384-5071					
Contractor	uncan Equipment		BUILDING TYPE CO	ONST OCC. GR	p			
Address				LOTVALI				
City 1/00 Per	insylvania Ave	1-4		ermit when properly filled out,	07 07 00			
colton	92324	Tel. 825-1545	and is subject to ex	piration if work thereunder is s	uspended for 180 days.			
State Lic. & Classif. 251593		City Lic. No. pd	demolish & cle	ar lot from s.b.				
Arch., Engr., Designer	Historia His		purchasing age	116 PU # 303240				
Address		Tel.		11				
Ciau	- (1-)	Chart	ha di ha di sa					
City	Zip	State Lic. No.	ESTIMATED VALUA	TION				
Intended Permit UseS/fam11y	duo11			3340.00				
mint osopy s said (1)			ELECTRICAL					
Co Es	lu-	IN Du			Land I was			
Sq. Ft. Size	No. Stories	No. Dw. Units						
New 🗆 Add 🗆 /	Alter Repair	Demolition		Permit Fee				
	NSED CONTRACTOR'S DECLAR			TOTAL FEE				
	licensed under provisions of Chapt lusiness and Professions Code, and		PLUMBING					
effect.	James Cook, so	8/8/88	25					
SIGNATURE		DATE						
I hereby affirm that I ar	DWNER-BUILDER DECLARATION Exempt from the Contractor's	ON License Law for the following		Permit Fee				
permit to construct, after, in requires the applicant for suc	n exempt from the Contractor's as and Professions Codes-Any or grows, demoits, or report any tin the permit to file a signed statemen too's License Law, Chapter 9 Icom d Professions Code, or that he is a Any violation of Sector 7031.5 il penalty of not more than five hu	ty or county which requires a ucture, prior to its issuance also t that he is licensed pursuant to		TOTAL FEE				
the provisions of the Contrac Division 3 of the Business an	tor's License Law, Chapter 9 (com d Professions Code, or that he is e	mencing with Section 7000) of xempt therefrom, and the basis	HEATING AND A.C.					
subjects the applicant to a civ	Any violation of Section 7031.5 Il penalty of not more than five hu	by any applicant for a permit nared dollars (\$500).						
do the work, and the stru  Professions Code: The Control	ty, or my employees with wages a course is not intended or offered for actor's License Lew does not apply	is their sole compensation, will reals. (Sec. 7044, Business and in to an owner of property who	Hard IV I	Permit Fee	The Property of			
builds or improves thereon a provided that such improvem	ty, or my employees with wages a cours is not intended or offered to score? License Lew does not applied and who does such work himself ents are not intended or offered for none year of completion, the own lid or improve for the purpose of se	or through his own employees, or sale. If, however, the building		-				
of proving that he did not but	ild or improve for the purpose of se	th licensed contractors to con-		200				
does not apply to an owner	rty, am exclusively contracting wi 244, Business and Professions Code of property who builds or improve	thereon, and who contracts for	PERMIT .	ACCOUNT NUMBER	AMOUNT			
	r(s) licensed pursuant to the Contr B. & P.C. for this re		Plan Chk. Dep.	001-000-41731				
Ci I am exempt under sec	B. & P.C. for this re	ason	Plan Chk. Bal.	001-000-41731	62 On			
DateOwner			Building	001-000-41330	63.00			
WOR	CERS' COMPENSATION DECLAR		Mechanical Strong Motion	001-000-41331 772-181-24591	.60			
Compensation Insurance, or e	e a certificate of consent to self-ins certified copy thereof (Sec. 3800) Company	Lebor Code I	Strong Motion Storm Drain	248-000-41818	***			
Policy No.	Company		Parks & Rec.	243-000-41732				
	UTILITY OF EVENETION LU	OM	Sewer Conn.	245-000-41822				
	KERS' COMPENSATION INSUR.		Sewer Cap					
or less.)			Signs	001-000-41332				
employ any person in any r Laws of California.	ormance of the work for which to manner so as to become subject to	to the Workers' Compensation	Cultural D.C.	001-000-41335	15			
Date Owner NOTICE TO APPLICANT: II	, after making this Certificate of L	Franceting was should become						
subject to the Workers' Con	pensation provisions of the Lab tritis permit shall be deemed revol	or Code, you must forthwith	TOTAL		63.60			
C	INSTRUCTION LENDING AGEN	CY	REMARKS:					
I hereby affirm that there for which this permit is issued	is a construction lending agency for ISec. 3097, Civil Code.	or the performance of the work						
Lender's Name				BY;				
Lender's Address			MINIMUM SETBACK	2 No - 10 - 2 No				
agree to comply with all construction, and hereby as	this application and state that the ty and county ordinances and s otherize representatives of this ci- tion purposes.	above information is correct, I tate laws relating to building		nt Setback From Center Line				
mentioned property for image	TOTAL CHIPMAN	0 /0 /00	Rear Setback From Rear Property Line					
	of in a little in		01.4	Straat Cathook Erem Contact	ine			
Signature of applicant	ans Stewa	) Oute /0/00		Street Setback From Center L				
Signature of applicant Mailing Address City, State, Zip	and flesce		Side	e Street Setback From Center L e Setback From Property Line 30 Senspector				

NI\S3RUTANDIS 8RO	7/0		0	1201	VIG
N REC.:		363			
:NIARO					
CONNECTION:					
:YTIDA9A3					
.s	- E-53	and I			
		T.			
	<del></del>			1	
	I just		98/06/9	HOW	
	2 /4// 3	- si si shi	1 ocholo	26	
	POOL FENCE & S	C GATES	200/00/8	12	
	FINAL INSP.		FINAL INSP.		FINAL INSP.
	TAYL COURT	11.1			2001
'N	MATER SYSTEM				
cc,	яэтаэн яэтам				SERVICE
A Francisco	GAS (FINAL)	13-90-		S. Y. Phys. 3	TEMP, POLE
DNIGARD	(нәпоя) зчэ		HEATING (FINAL	(	METER LOOP
annos/noit	THE RO REPT	IC TANK	DUCT WORK		волен мівіис
	волен РЕСИВ.		эпоя) эмітаэн	(H	BONDING
9	евопир ьглжв		TINU .D.A		пиревевопир
REWALL					
яотгання					
ACE					
ONE BOOFING					
NOITA	A92	Total Control			
91	POOL	31			
10	SPRINKLER	SPA/PL. HTR.			MBL. HOME
. RD F	JANIAU	DRINK FTN,			TSALLAST
MA3	GAS DRYER	ьгоов зик.	DUCT ALT.		NDIS
	.HSAW OTUA	.ятн яэтам	EVAP. CLR.		TEMP, POLE
STEEL	BUT.GNUAJ	GAS SER.	EXH. FAN	119	Aqs
BEINE,	SINK	SEWER ALT.	.U.A.1		POOL
	зномев	SEWER	WALL FURN.		SEBAICE
NOITA	8UTHTA8	FL. DRAIN	FL. FURN.		
К	YAOTAVAJ	TOILET	TINU .D.A		
STRUCTURE		ОМВІИС	& DNITAHH		ELECTRICAL



## City of San Bernardino DEVELOPMENT SERVICES 300 North "D" Street, San Bernardino, CA 92418 Office (909) 384-5071 Inspection (909) 384-5078

#### **Application For Inspection**

#### A0200133

Job Address:	867 E NORMAN	N RD					
Suite #:						Status:	ISSUED
Cross Street:	WATERMAN					Applied:	05/22/2002
Parcel:	0280-202-09-000	0				Issued:	05/22/2002
Applicant:	CAMARANA JO	RGE				Phone:	909-886-3220
Address:	2334 N SIERRA	WAY					
	SAN BERNARD	INO CA92405					
Owner:	EVANS JOHN L					Phone:	
Address:	867 E NORMAN	RD					
	SAN BERNARD	INO CA92408					
	***********	********	** Type o	of Inspection ***	**********	*****	**
Pre-Permit Inspe	ection Case #:			HUD:	Oth	ner:	
Special	Special Investigation:			Damage:	Complaint:		
Meter Re	set Electrical: 1			Gas: 0			
Inspection Outsid	le of Normal Busin	ess Hours Nun	ber of Hou	rs Requested: 0			
Date of Ins		Tin		Purpose:	A	pproval:	5.24.0m
Inspec	cted By: _ mu	he Han	~~	Utility Released:	Electric	· A	
	**********	*******	**** Fee S	ummary ******	******	*****	***
	Pre-Permit Fee:	\$0.00		Ins	pection Out of Hrs:	\$0.0	0
Re	e-Inspection Fee:	\$0.00			PW Out of Hours:	\$0.0	0
Special I	nvestigation Fee:	\$0.00			Processing Fees:	\$11.0	0
	Meter Reset Fee:	\$40.00			Total Fees:	\$51.0	0
	Other Fee:	\$0.00			Amount Received:	\$51.	00
	Building Fee:	\$0.00			Balance Due:	\$0.	00

ELECTRIC METER RESET

I hereby affirm that I am a duly authorized agent of the person having control of the property (owner/tenant) and have been granted the authority to authorize inspections by the City. I hereby authorize representatives of the City of San Bernardino to enter upon the above referenced property of the purpose of this inspection. I understand that it is my responsibility to request the inspection and to insure that the property is accessible on the scheduled date. I acknowledge that this application shall become null and void, and the fees paid shall be forefeited, if I fail to obtain the inspection or to complete the inspection process within 180 days from the day of this application. I hereby sign under penalty of pegiury.

Comments/Special Conditions \*\*

Signature of Legal Ower, Tenant, or Agent:

Date: 5/22/02

Note: If this application is for a Pre-permit Aspection or a Special Investigation, and someone other than the owner or a licensed contractor is the signatory, a letter of authorization is required.

# San Bernardino

## CITY OF SAN BERNARDINO

Development Services Department, Planning Division

300 North "D" Street, 3rd Floor

San Bernardino, CA 92418

Phone (909) 384-5057 • FAX (909) 384-5080

Web address: www.sbcity.org

	ZONING VERIFICATION REVIEW
Name	e of Business:
New	Business Location (Address): 867 E Norman Suite #
Туре	Note: Only one business is allowed in each space, suite, etc.  of Business (Describe):
Busir Has t	ness is located in: a single-tenant building/property; or a multi-tenant building/center. the building/center been vacant for more than one (1) year? Yes ANO
CHE	CK HERE IF THIS IS A CHANGE IN OWNERSHIP OF AN EXISTING BUSINESS WITH NO CHANGE IN USE: DIF SO, HOW LONG HAS THE USE EXISTED AT ABOVE LOCATION?
PLE/	ASE READ BEFORE CERTIFIFYING:
	This review is required to obtain a City Business Registration Certificate. IT IS NOT AN APPROVAL TO OCCUPY A STRUCTURE and does not imply that the site/building complies with City Code requirements nor does it relieve the business/property owner from any other applicable City requirements or external agency permits.
	A Development Permit or Conditional Use Permit may be required to establish the proposed use. If so, improvements or conditions may be required of the property and must be installed, completed, or met prior to establishing the business.
3)	A Certificate of Occupancy will be required prior to occupancy of the building if the building has been vacant more than six (6) months or if there is a change of occupancy based on the Uniform Building Code.
	If a Code Compliance case or violation exists, it must be closed prior to the establishment of any use. It is the responsibility of the Business Representative/Owner to contact the Code Compliance Division [Located at 201 N. "E" Street – (909) 384-5205] to identify & resolve any outstanding code enforcement actions.
above laws am the busin require	TIFICATION: I hereby certify, under penalty of perjury, that I have read and understand statements 1, 2, 3, & 4 listed e and further certify that the information filled in above is correct. I agree to comply with all applicable State and City pertaining to business operations and Building, Fire, and Development Code requirements. In addition, I certify that I he property owner or authorized by the property owner as the business representative to establish the proposed less at the given address. I acknowledge that in the event the business is established prior to meeting any of the rements identified below, the business will be immediately closed and all associated costs will be assessed to the less owner.
Pleas	se Print Your Name Telephone #5015
Signa	Toopholio "
requi	E: If a Business Registration Certificate is not obtained within sixty (60) days, a new zoning verification review is
APN:	0280-202-09-0000 - Office Use Only-
Previ	ous legal use of bidg./lease space:
The b	OZ80-Z0Z-09-0000 - Office Use Only-  ous legal use of bldg./lease space: Sinje Family Residence  pusiness address referenced above is/located in the General Plan Land Use/Zoning ct and the proposed use is:   Cental of a Sinje Family Risidence
	or and the proposed dise is. The wind of the first and the
Ø F	PERMITTED - A Business Registration Certificate may be issued.
	PERMITTED – A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL – A Business Registration Certificate may be issued. However, a Development Permit Type I must be obtained before the use may be established.
	PERMITTED - A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL - A Business Registration Certificate may
	PERMITTED – A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL – A Business Registration Certificate may be issued. However, a Development Permit Type I must be obtained before the use may be established.  NONCONFORMING – A Business Registration Certificate may be issued. The proposed business is a continuation of a nonconforming use. If the building is left vacant for over one (1) year, the proposed business will lose its
	PERMITTED – A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL – A Business Registration Certificate may be issued. However, a Development Permit Type I must be obtained before the use may be established.  NONCONFORMING – A Business Registration Certificate may be issued. The proposed business is a continuation of a nonconforming use. If the building is left vacant for over one (1) year, the proposed business will lose its conconforming status and all uses thereafter shall conform to the Development Code.  CONDITIONAL USE PERMIT REQUIRED – A Business Registration Certificate may not be issued until a Conditional
D Non OL Na	PERMITTED – A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL – A Business Registration Certificate may be issued. However, a Development Permit Type I must be obtained before the use may be established.  NONCONFORMING – A Business Registration Certificate may be issued. The proposed business is a continuation of a nonconforming use. If the building is left vacant for over one (1) year, the proposed business will lose its inconconforming status and all uses thereafter shall conform to the Development Code.  CONDITIONAL USE PERMIT REQUIRED – A Business Registration Certificate may not be issued until a Conditional Use Permit has been obtained.  NOT PERMITTED – A Business Registration Certificate may not be issued. The proposed use is not allowed in the land use/zoning district referenced above.
D Non OL Na	PERMITTED – A Business Registration Certificate may be issued.  PERMITTED SUBJECT TO DEVELOPMENT PERMIT TYPE I APPROVAL – A Business Registration Certificate may be issued. However, a Development Permit Type I must be obtained before the use may be established.  NONCONFORMING – A Business Registration Certificate may be issued. The proposed business is a continuation of a nonconforming use. If the building is left vacant for over one (1) year, the proposed business will lose its inconconforming status and all uses thereafter shall conform to the Development Code.  CONDITIONAL USE PERMIT REQUIRED – A Business Registration Certificate may not be issued until a Conditional Use Permit has been obtained.  NOT PERMITTED – A Business Registration Certificate may not be issued. The proposed use is not allowed in the and use/zoning district referenced above.

201 CS	๊ไร๊ไร้ใ		1 E4	DING PERM Type Fire	Place	   Index	46-9	4
Owner's Name	Tabe filled in by	Applicant - PLE	ASE PRINT OF	TYPE	Phone No.	Permit Number	-269881	
Owner's Mailing Addr	656 N	rman	City Def	_ క.గ	Zip I	Date Permit Istaed	6-21-7	6
JOB SITE ADDRESS 74	656 NO	rmon	ed ,	<u>35</u>		Use Number Sq. Ft.		let Area
Lot No.		Block N	10.	Tract No.		1 1274	10.00 12	7 <b>4</b> 0
Lot 13 1	the W	s'of h	of 12-	Track	0008	3		
intended			Sec.	Twn.	Rng.	Gar.		
Permit Use KE-		No. Bedrms	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS	NOP		EP STATE		
No. Bidgs.	How		Units	Now on Lot		\$ 12,74	6 空   代間	46_
Now on Lot Contractor	Used .	W	nen Plans Check	, 88.5 ed Notify	0266	Grading	Cu. Ye	
Contractor's Mailing A	Norman	cin SBd	LEGG	Zip	Phone No.			$\angle$
Conc. Masonry	Masonry	CEILING Open Beam	ROOF Weed	HEATING	SEWAGE SYSTEM		/	
Wood Frame	Frame	Pietle	Comp. Sh.	Nat.Gas	Public		PLUMBING	是是是原
Stucco	Plasing	Sheetrock	Built-up	L.P.G.	Private		/	
Metal Stilling	Sheetrock Wood	Wood Fiber Board	Metal Tile	Solid	Min.Depth 5.F./100 gal	1 /	<i>/</i>	
	APPLICA	NT PLEASE REA	D CAREFULL	γ		-/	MECHANICAL	Sister and
	application and agr tify that in the pe							
	irson in any mannel					Other Fee	T	
						(Specify) Plan Ck, Fee	42	40
Owner's Signature			1			Constr. Fee	1.6	00
Signator	and 2	لاجارم	Lipense No	1144	7	Elect, Fee	- 00	
William Property	CHARLES AND S	DEPARTMENT	A STATE OF THE PARTY OF THE PAR	Plan Ck.		Plumbing Fee		
IN GC	Minim	ım Property Sett	oack Distances	Valuation		Mr.h. Fee		
ZONE M-1		Ā	e Notes	)		Permit Fee		
	from Center Line _	000	y			TOTAL FEE	108	190
Side Street Sal	and from Center L on Property Line om Property Line	" TCO	<b>~</b>	R/W		Plans H Drans O Notified		Spli:
NCTE:						Owner Contr	Engr 6/21/2	7
COL 03 1358-456 Rev. 5/75	NTY OF SAN BEF	NARDINO, BUI	LOING AND SA	AFETY DEPT.		Pre-Alter Citation No.		

...

867 Norman Road

107 APN: 280-202-09



## **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street + San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES Information — (909) 384-5071

Inspections — (909) 384-LINK

PERMIT	NUMBER
Nº	98174

DATE 10/05/94 PLAN CK. NO. \_\_\_

Job Address: 867 Norman Road			APN	: 280-202-09
Major Cross Sts: Waterman Avenue				
DESCRIPTION OF PROJECT:				
Electric Box Change	Out 10	O AMP		
			28	
NO. ROOMS: 4 NO. STOP				
		OWNE	R/BLDR. YES	X_ NO
MAILING ADDRESS: 867 Norman Road				
CITY/STATE: San Bernardino, CA			TEL.:	
APPLICANT/CONTRACTOR: Owner				
ADDRESS:				
CITY/STATE:		ZIP:		
CONTRACTOR'S STATE LIC. #:		BUS. L	ICENSE:	
(OFFICIAL LIGE ONLY)	Ectimate	ed Valuation:		
(OFFICIAL USE ONLY)		onstruction:		
	Blug. Co	mstruction:		
BUILDING CODE REVIEW				
Pre-inspection Rpt	The same			
Construction TypeOccupancy Type	Electrica			
Sprinklers: Yes No		MP Service		
Flood Plain: Yes No Zone	100 A	II SELVICE		18.50
High Wind: Yes No Zone		Permit Fee: \$15	192	10.50
High Fire: Yes No Zone		Total Elec. Fees		33.50
				33.30
Workman's Comp. Insurance	Piumoin	g:		
Yes No				
Issued by		Permit Fee: \$15		
Expiration date:		Total Plumb. Fees	Section 1	
Comments:	Heating		·	
	rieating	u No		colleged self a select
	The state of	Permit Fee: \$15		
PLANNING REVIEW		Total HVAC Fees		
Planning Case File:				
Zone: By:		G/DEV. SVCS. DIVISIONS		22 50
Comments:	41331			33.50
		Pln. Check Dep.		
	41731	Plan Check Fees		
	41330	Building Permit Fees		
	41330	Investigation Fees		
CODE ENFORCEMENT	41305	Sign Permit Fees		
File/Project #: 3226 N/F	41305	C. of O. Fee		
Comments:	24591	Strong Motion Fees		
		NG DIVISION		
	41720	C. Of O. Fee		
	41766	Zoning Consistency Rev	iew Fee	
Before Issuing Permit - Verify that the following applicable	41720	Plan Review Fee		
fees have been paid.	ENGINE	ERING DIVISION		
6024 - Sewer Capacity Fees:	41818	Storm Drain Fees		
Date:	41822	Sewer Conn. Fees		
Recpt. No.	41803	Traffic Signal Fees		
School District Fees:	PARK &	RECREATION		
Date:	41732	Park Development Fees		
		AL DEVELOP, FUND		
Receipt No.: 673573				
	41335	Cultural Development Fe	es	
By:G. Franske/kdw		Table 1	<b>.</b>	33 50
		Total Fees	Due:	33.50

### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

### APPLICANT / PROJECT OWNER RESPONSIBILITY


- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).
- Lot corners/property lines must be properly staked in order to do a setback inspection, if neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (USC Section 305(a)).
- City "approved" plans and job inspection card must be on project site, available for Building Inspector's examination (UBC Section 303b)).

- The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC Section 305[a]).

  The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).



867 NORMAN APN: 280.202.09 JOB ADDRESS: -

## **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES Information — (909) 384-5071

Inspections — (909) 384-LINK

PERMIT NUMBER

DATE PLAN CK. NO.

Job Address: 867 Norm	An K		APN:	
Major Cross Sts: WATER MAN		TRAC	CT/LOT:	100 >
DESCRIPTION OF PROJECT: Elect	RIC B	rex (UAnge	co c	100 AMP
NO. ROOMS: 4 NO. STOP	RIES:	SO F	T.: //00	
OWNER: Johns ( EVHUS	1120		ER/BLDR. YES	NO
MAILING ADDRESS: 867 Nov MIL	W K	4		
CITY/STATE: SHEN GERAL ON LO	io CA	ZIP: 92408	TEL:	
APPLICANT/CONTRACTOR: OUNE				
ADDRESS:				
CITY/STATE:				
CONTRACTOR'S STATE LIC. #:		BUS.	LICENSE:	
(OFFICIAL USE ONLY)	Estimat	ed Valuation:		
	Bldg. Ç	onstruction:		
BUILDING CODE REVIEW		10 AMP OF	WIGS	
Pre-inspection Rpt.				The state of the s
(attach Copy to Permit)				
Construction TypeOccupancy Type Sprinklers: Yes No	Electric	al: 100 Am	DEKNI	CF.
Flood Plain: Yes No Zone			10	x ==
High Wind: Yes No Zone				2.50
High Fire: Yes No Zone		Permit Fee: \$	ALCOHOL COMPANY	21
2016		Total Elec. Fe	es 5:	250
Workman's Comp. Insurance	Plumbin	9:		
Yes No				the second
Issued by		Permit Fee: \$	15	
Expiration date:		Total Plumb. Fe		
Comments:	Heating	& A/C	Section and the second section in the second section is a second section of the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the section is a section in the section in the section in the section in the section is a section in the section in the section in the section is a section in the se	
				1 - n - n - n - n - n - n - n - n - n -
		· · · · · · · · · · · · · · · · · · ·		
OI ANNING DEVIEW		Permit Fee: \$1		
PLANNING REVIEW		Total HVAC Fee	s:	
Planning Case File:	BUILDIN	IG/DEV. SVCS. DIVISION	IS	<b></b>
Zone: By:	41331	Total Elec/Plumb/Htg.		33.50
Comments:	41731	Pln. Check Dep.	関係を表表し	
	41731	Plan Check Fees		
	41330	Building Permit Fees		
	41330	Investigation Fees		
CODE ENFORCEMENT	41305	Sign Permit Fees		
File/Project #: 3226 N/F	41305	C. of O. Fee		
Comments:	24591	Strong Motion Fees		
	PLANNII	NG DIVISION		
	41720	C. Of O. Fee		
	41766	Zoning Consistency Re	eview Fee	
Before Issuing Permit - Verify that the following applicable	41720	Plan Review Fee		
ees have been paid.	ENGINE	ERING DIVISION		
5024 - Sewer Capacity Fees:	41818	Storm Drain Fees		
Date:	41822	Sewer Conn. Fees		
Recpt. No	41803	Traffic Signal Fees		
School District Fees:		RECREATION		
Date:	41732	Park Development Fee	as .	
Receipt No.: (173573	41335	AL DEVELOP, FUND	Food	
Receipt No.: 673573  By: 6574	41335	Cultural Development	-	
dy: 9014		Total C	Dun	33.50
		Total Fe	es Due:	00-70

### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

### APPLICANT / PROJECT OWNER RESPONSIBILITY

- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).
- Lot corners/property lines must be properly staked in order to do a setback inspection. If neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (UBC Section 305(a)).
- City "approved" plans and job inspection ourd must be on project site, available for Building Inspector's examination (UBC Section 303(b)).

- The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC Section 305[a]).

  The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).

## CITY OF SAN BERNARDINO PLANNING AND BUILDING SERVICES DEPARTMENT

## BUILDING DEVELOPMENT PERMIT APPLICATION

## **BUILDING DEVELOPMENT PERMIT CERTIFICATIONS**

PPLICANT SIGNATURE	Compensation Laws of California.
OTICE TO APPLICANT: it, after maxing this Certificate of Exemption, you should become a rith such provisions or this permit shall be deemed revoked.	Date
VORKERS' COMPENSATION DECLARATION: hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' C	Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.)
Certified copy is hereby furnished.   □ Certified copy is already filed with the Planning	g and Building Services Department of the City of San Bernardino
Vorkman's Compensation Carrier:	Policy No Exp. Date
CENSED CONTRACTORS DECLARATION:	
ereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 700 ONTRACTOR'S SIGNATURE	00) of Division 3 of the Business and Professions Code, and my license is in full force and effe
The second secon	
ONSTRUCTION LENDING AGENCY: ereby affirm that there is a construction lending agency for the performance of the work for	
	nder's Address
Construction Lender  GNATURE	Date
remit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, als he provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjective of the property, or my employees with wages as their sole compensation; WII deproves the proving that such improvements are not intended or offered for sale. If, however the building proving that he did not build or improve for the purpose of sale).	Date  LL DO THE WORK, and the structure is not intended or offered for sale (Sec. 7044, Busine he builds or i reproves thereon, and who does such work himself or through his own employee per improvement is sold within one year of completion, the owner-builder will have the burdonstruct the project (Sec. 7044, Business and Professions Code: The Contractor's License La
es not apply to an owner of property who builds or improves thereon, and who contracts fo ntractor's list must be attached.   Yes  No	r such projects with a contractor(s) licensed pursuant to the Contractor's License Law).  Date
GNATURE	
I am exempt under Sec Business and Profe	essions Code for this reason:
rification of Ownership by (type of document, i.e property tax bill or deed):	Expires:
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-sb  As owner-builder, I will not employ anyone to do work which would require a permit from	of to descend, will be made in connection with work authorized by this permit, and that no buildi
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.	nd to descend, will be made in connection with work authorized by this permit, and that no buildi x (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).
rification of Ownership by (type of document, i.e property tax bill or deed):  IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-sb  As owner-builder, I will not employ anyone to do work which would require a permit from	od to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date
rification of Ownership by (type of document, i.e property tax bill or deed):	nd to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous laterial?  Yes □ No □  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which sa at any one time during a reported year a quantity of hazardous materials equal to or reater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of	d to descend, will be made in connection with work authorized by this permit, and that no build (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous laterial?  Yes □ No □  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which sa at any one time during a reported year a quantity of hazardous materials equal to or releater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of ompressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a egistration form for acutely hazardous materials?	d to descend, will be made in connection with work authorized by this permit, and that no build a (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  1. If an RMPP is presently required, has Section 25534 of the California Health a Safety Code been fully complied with?  Yes No   5. Does or will the applicant or present or future building occupant require for the which is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution condistrict or agency?  Yes No  (Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  S. Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scalfolding, falsework, or demolition or dismantling thereof, will be more than thirty-sh.  As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  I wision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous aterial?  Yes □ No □ Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of empressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a gistration form for acutely hazardous materials?  Yes □ No □  Bection 25533 of the California Health and Safety Code, with some exceptions, requires gistration with the County of San Bernardino by each business which at any one time has a hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds materials equal to or greater than a weight of 500 pounds.	d to descend, will be made in connection with work authorized by this permit, and that no build at (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su
IVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  IVISION OF INDUSTRIAL SAID EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous atterial?  Yes □ No □  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a registration form for acutely hazardous materials?  Yes □ No □  Does or will the Applicant or present or future building occupant need to file a registration with the County of San Bernardino by each business which at any one time has a hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard imperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an MPP (Risk Management and Prevention Program for accutely hazardous materials)?  Yes □ No □	d to descend, will be made in connection with work authorized by this permit, and that no build (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  Date  Date  Date  Date  Safety Code been fully complied with?  Yes No Does or will the applicant or present or future building occupant require for the which is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution cont district or agency?  Yes No Caction 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes No California Health and Safety Code).  If a permit from the South Coast Air Quality Management District or other air pollutic control district or agency is required for the work which is the subject of this application, has all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No California Health and California Health and Safety Code Section 42303 be made?  Yes No California Health control office
Intrication of Ownership by (type of document, i.e property tax bill or deed):  Intrication of Industrial Safety Permit Certification:  Intereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Interest Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous saterial?  Yes No Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a reported year a quantity of hazardous materials equal to or eater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a gistration form for acutely hazardous materials?  Yes No Descriptions and Emiliary of San Bernardino by each business which at any one time has a hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard emperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an MPP (Risk Management and Prevention Program for accutely hazardous materials)?  Yes No Description is the California Health and Safety Code provides that the County of San Bernardino 25534 of the California Health and Safety Code provides that the County of San Bernardino 25534 of the California Health and Safety Code provides that the County of San Bernardino and filing with the County of San Berna	d to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su
Intrication of Ownership by (type of document, i.e property tax bill or deed):  Intrication of Industrial Safety Permit Certification:  Inhereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-size. As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  AZARDOUS MATERIALS AND EMISSIONS CERTIFICATION  Will the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous interial?  Yes \( \subseteq \text{No} \subseteq \text{No} \subseteq \text{Dotate the California Health and Safety Code requires, with some exceptions, as at any one time during a reported year a quantity of hazardous materials equal to or reater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a egistration form for acutely hazardous materials?  Yes \( \subseteq \text{No} \subseteq \)  Does or will the applicant or present or future building occupant need to file a egistration with the County of San Bernardino by each business which at any one time has no hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard emperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an MPP (Risk Management and Prevention Program for accutely hazardous materials)?	d to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Safety Code been fully complied with?  Yes No Desor will the applicant or present or future building occupant require for the work which is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution cont district or agency?  Yes No Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes No California Health and Safety Code).  If a permit from the South Coast Air Quality Management District or other air pollutic control district or agency is required for the work which is the subject of this application, ha all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No California Health and Safety Code Section 42303 be made?  Yes No Date of the subject of this application, ha all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No Date of the subject of this application, ha all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No Date of the subject of this application, has all of the disclosures prescribed by California Health and Safety Code Section 42303 be correct. I agree to comply with all state laws and city ordinances regarding Hazardo is correct. I agree to comply with all state laws and city ordinances regarding Hazardo
INVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:  I I hereby certify that no excavation five (5) or more feet in depth into which a person is require ructure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thiny-shork from the Division.  As owner-builder, I will not employ anyone to do work which would require a permit from ork from the Division.  IGNATURE  Invision of Industrial Safety Permit No.  MII the applicant or present or future building occupant need to file and certify a usiness Plan for emergency response to a release or threatened release of a hazardous staterial?  Yes  No  Section 25505 of the California Health and Safety Code requires, with some exceptions, at a Business Plan be filed with the County of San Bernardino by every business which as at any one time during a reported year a quantity of hazardous materials equal to or reater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard temperature and pressure).  Does or will the applicant or present or future building occupant need to file a egistration form for acutely hazardous materials?  Yes  No  Section 25533 of the California Health and Safety Code, with some exceptions, requires gestration with the County of San Bernardino by each business which at any one time has n hand a quantity of acutely hazardous materials equal to or greater than a weight of 500 pounds, or a volume of 55 gallons, or 200 cubic feet of compressed gas at standard emperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an MPP (Risk Management and Prevention Program for accutely hazardous materials)?  Yes  No  So Sallon Sallon of 200 cubic feet of compressed gas at standard emperature and pressure).  Does or will the applicant or present or future building occupant need to prepare an emperature and pressure).	d to descend, will be made in connection with work authorized by this permit, and that no build it (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec. 341, Title 8, California Administrative Code).  the Division of Industrial Safety, as noted above, unless such person has a permit to do su  Date  Date  Date  1. If an RMPP is presently required, has Section 25534 of the California Health a Safety Code been fully complied with?  Yes No Desor will the applicant or present or future building occupant require for the within is the subject of this application a permit for such construction or modification for the South Coast Air Quality Management District or from any other air pollution cont district or agency?  Yes No Section 65850.2 of the California Government Code requires that the requested information be furnished on applications for non-residential building permits).  8. Will any part of the facility to be constructed under this permit be within 1000 feet for the outer boundaries of a school?  Yes No California Health and Safety Code).  7. If a permit from the South Coast Air Quality Management District or other air pollutic control district or agency is required for the work which is the subject of this application, ha all of the disclosures prescribed by California Health and Safety Code Section 42303 be made?  Yes No California Compliance from the appropriate air pollution control office Certificate of compliance from the appropriate air pollution control office Certificate of compliance from the appropriate air pollution control office Certificate of compliance from the appropriate air pollution control office Certificate of compliance: I certify that under penalty of perjury the Information given about a correct. I agree to comply with all state laws and city ordinances regarding Hazardo Materials and Emissions.



## **BUILDING DEVELOPMENT PERMIT**

CITY OF SAN BERNARDINO

300 North "D" Street • San Bernardino, CA 92418

DEPARTMENT OF PLANNING AND BUILDING SERVICES

Information — (909) 384-5071 Inspections — (909) 384-LINK **PERMIT NUMBER** 

98174

10/05/94 DATE PLAN CK. NO.

Job Address:	867 Norman Road		A CONTRACTOR OF THE PARTY	APN: 280-202-09
Major Cross Sts:	Waterman Avenue		TRACT/	LOT:
DESCRIPTION OF PRO	OJECT: Electric Box Chang	- Out 11	20 41/0	
	minerate now outside	e out 1	UV ASIE	
NO. ROOMS:	4 NO. STO	RIES:	1 SO FT:	1,100
OWNER:	Johany Evans			BLDR. YES X NO
MAILING ADDRESS:	867 Norman Road			
CITY/STATE:	San Bernardino, CA		ZIP: 92408 T	EL:
APPLICANT/CONTRA ADDRESS:	CTOR: Owner			
CITY/STATE:			71D. T	F1 .
CONTRACTOR'S STA	TE LIC. #:		ZIP: T BUS. LIC	
(OFFICIAL USE	ONLY)		ted Valuation:	
BUILDING CODE REV	IEW	Blag. C	Construction:	
Pre-inspection Rpt.	Total Comment			
(attach Copy to				the of the Charles and
Construction Type	Occupancy Type	- Electric		
Sprinklers: Yes	No Zone	100 A	MP Service	
High Wind: Yes	No Zone			18.50
	No Zone		Permit Fee: \$15	22 50
		Plumbli	Total Elec. Fees	33.50
Workman's Comp. Insur		, tollion		
Yes	_ No	S Juliane		The state of the s
	date:		Permit Fee: \$15	A ALCOHOLOGICA
Comments:	date.		Total Plumb. Fees:	
		Heating	& A/C	
Den Care				
			Permit Fee: \$15	
PLANNING REVIEW			Total HVAC Fees:	
Planning Case File: Zone:	Due	BUILDIN	NG/DEV. SVCS. DIVISIONS	
Comments:	_ Uy	41331	Total Elec/Plumb/Htg.	33.50
		41731	Pln. Check Dep.	
TO THE REAL PROPERTY.		41731	Plan Check Fees	
		41330 41330	Building Permit Fees Investigation Fees	
CODE ENCODORNENT		41305	Sign Permit Fees	
CODE ENFORCEMENT File/Project #: 3226	N/F	41305	C. of O. Fee	
Comments:		24591	Strong Motion Fees	
	THE RESERVE	PLANNI	NG DIVISION	
	Succession of the Such	41720	C. Of O. Fee	
		41766	Zoning Consistency Review	w Fee
Before Issuing Permit V fees have been paid.	enty that the following applicable		Plan Review Fee	
6024 - Sewer Capacity	Face:		ERING DIVISION	
Date:		41818 41822	Storm Drain Fees Sewer Conn. Fees	
Recpt. No.		41803	Traffic Signal Fees	
School District Fees:	THE MENT OF THE		RECREATION	
Date:		41732	Park Development Fees	
			AL DEVELOP, FUND	
Receipt No.: 67357	3	41335	Cultural Development Fees	
By: G. Franske/	kdw		- And Arciopment (1665	The state of the s
			Total Fees D	ue: 33.50

### **EXPIRATION**

This permit shall be void and of no further force or effect if work is not commenced within 180 days or if work is suspended or abandoned for a period of 180 days or more after work is commenced. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

### APPLICANT / PROJECT OWNER RESPONSIBILITY

- The project address must be visible from street. Check address visibility prior to calling for inspections (UBC Section 513).

  Lot corners property lines must be properly staked in order to do a setback inspection. If neighboring structures appear not to have the proper setbacks a field survey by a licensed land surveyor shall be required (UBC Section 305[a]).
- City "approved" plans and job inspection card must be on project site, available for Building inspector's examination (UBC Section 303[6]).

- 4. The Department of Building and Safety must be called to make progress inspections (UBC Section 305[a]).

  5. All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner s/contractor's expense (UBC Section 305[a]).

  6. The project is to be built in accordance with City approved plans. Deviations from approved plans must be approved in writing from the City (UBC Section 303[a]).

  7. The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC Section 308[a]).

### CITY OF SAN BERNARDINO PLANNING AND BUILDING SERVICES DEPARTMENT

### **BUILDING DEVELOPMENT PERMIT INSPECTION APPROVALS**

### CALL FOR INSPECTION

Requests for inspection shall be made in advance by calling 909/384-LINK (384-5465) by 2:00 p.m. of the day prior to the day needed for inspection.

## INSPECTION APPROVAL RECORD Do not proceed until previous inspection block has been approved, if applicable. INSPECTION ITEM COMMENTS INSPECTOR DATE Power Pole/Meter Loop Rough Grading (Eng. Insp.) Setback Excavation/Forms/Steel/Footings **Ground Plumbing Electrical Ground/Bounding** Underslab Conduit/Ducts Slab Grade Masonry & Steel Masonry Grout **Roof Sheathing** Shear Nail Framing and Ventilation Rough Heating/Vents/A.C. Rough Electrical/Service 10-13-94 CBG A SMOKE DET Rough Plumbing/Vents Rough Fire Sprinkler Insulation & Certificate Stucco-Mesh or Exterior Siding Lath or Drywall Nailing Stucco Scratch Stucco Brown Sewer/Sewage Disposal Water Service T-Bar Gas Line Air Test **Roof Covering** Pool Pre-Gunite Pool Pre-Plaster Demolition Final Electrical Final Plumbing Final Heating/A.C./Refrig. Final Grading (Eng. Insp.) **Planning Requirements** Final Fire Approval Final Construction Health Dept. Approval Final Inspection — OK to Occupy

(Signed When Applicable) WHEN SIGNED, THIS PERMIT IS YOUR CERTIFICATE OF OCCUPANCY.

PLAN-11.06 PAGE 2 OF 2



CITY OF

# San Bernardino

FIRE DEPARTMENT WILLIAM L. WRIGHT FIRE CHIEF

FIRE PREVENTION DIVISION

April 5, 1993

Thurman Dodd, Owner/Representative Dodd & Son Auto Repair 862 Norman Road San Bernardino, CA 92408

C-A LIFORNIA 92410-4889

(9 0 9) 2 8 4 - 5 3 8 8 . FAX: (9 0 9) 3 8 4 - 5 4 7 0

Fire Department Order to Stop Operations located at 878 Norman Road, San Bernardino, California - Parcel #280-201-16 -Assessed to Norma Dodd

Mr. Dodd:

This letter shall serve as an addendum to Violation Notice issued to you on March 24, 1993.

On March 24, 1993, a fire and life safety inspection found numerous fire code violations which were so situated as to endanger life and property. Therefore, pursuant Uniform Fire Code, Article 2.204, it was found necessary to order operations stopped at Dodd & Son Auto Repair, 878 East Norman Road, San Bernardino, California.

This Department has two major concerns which need IMMEDIATE attention in order to comply with the fire law of this City safeguarding the property from fire and re-opening your operation in a timely manner.

You shall IMMEDIATELY COMMENCE abatement of all conditions which are imminent threats to fire and life safety and provide measures prescribed by the City's fire code standard to operate an operation defined as an auto repair, wrecking and dismantling yard.

Compliance of the following items found during this survey will avoid future litigation and will warrant this department to approve continuance of Dodd and Son Auto Repair operations.



Norma Dodd Ref: Fire at 878 East Norman Road November 5, 1993 Page Two

You may appeal this decision by filing a written objection in the Office of the Fire Chief of this City. At nine-thirty a.m., on the Tuesday next following the date of receipt of such appeal or any date to which the hearing is continued, the Fire Commission of the City shall hold a public hearing at the Central Fire Station, 200 East Third Street, San Bernardino, California, and shall hear and consider objections to the proposed abatement and shall approve or reject any objections.

After hearing and considering objections, the Fire Commission, by motion, may find the existence of a public nuisance and may order the Director of Public Services to cause such nuisance to be abated under Chapter 8.18.030, San Bernardino Municipal Code, provided that you, the owner of the land, shall first have five days from the date of the order to remove and abate the nuisance at his own expense.

In the event objections are not made, you may remove and abate the nuisance at your expense, provided such removal and abatement is completed prior to the commencement of abatement thereof by the Director of Public Services or his representative.

Reinspections will be conducted on or about November 19, 1993 for securing of land and on December 10, 1993 for abatement of burned debris.

FAILURE TO COMPLY IS AN INFRACTION WHICH MAY RESULT IN CIVIL/CRIMINAL ACTIONS TAKEN IN ORDER TO GAIN COMPLIANCE.

Thank you for your prompt attention on this matter and please call if this Department can be of any assistance.

Sincerely,

Fire Inspector

City Attorney CC:

> County Environmental City Building & Safety

City Police

Mr. Thurman Dodd

File



San Rore

an Bernardino

NOV 1 5 1993

WILLIAM L. WRIGHT

CITY OF SAN BERNARDINO DEPARTMENT OF PLANNING & BUILDING SERVICES

FIRE PREVENTION DIVISION

November 10, 1993

Norma Dodd 1576 West 8th Street San Bernardino, CA 92411

Subject:

Fire Occurring at 878 East Norman Road - Known as Dodd & Son Auto

Repair - Parcel 208-201-16 - Incident #93-00003047

Ms. Dodd:

On October 28, 1993, the property you own at 878 East Norman Road known as Dodd & Son Auto Repair was damaged by an extensive fire. A structure was totally lost, along with large accumulations of tires, several vehicles and various other items used in this operation which was an auto repair and junk yard.

The fire has left your parcel of land a major threat to the neighborhood, being that the grounds are not secured from illegal entries and the initial violations found are still existing.

THEREFORE, pursuant Uniform Fire Code, Article 11.604 and San Bernardino Municipal Code, Section 8.18.030, the following shall be required:

- Secure this property by fencing, barricading or other appropriate measures which will secure property from unauthorized entries. Abatement shall commence within five (5) days and completion of such abatement shall be completed within ten (10) days from the date of this notice. U.F.C. 11.604
- All fire damaged materials shall be removed from this property. This shall be completed within thirty days from the serving/posting of this notice. S.B.M.C. 8.18.030





FIRE DEPARTMENT
WILLIAM L. WRIGHT
FIRE CHIEF

FIRE PREVENTION DIVISION

September 8, 1993

Thurman Dodd, Owner/Representative Dodd & Son Auto Repair 862 Norman Road San Bernardino, CA 92408

RE: Fire Department Order to Stop Use of Buildings at 878 East Norman Road, San Bernardino, California - Known as Dodd & Son Auto Repair - Parcel 280-201-16, Assessed to Norma Dodd

Mr./Ms. Dodd:

It has been found you are using the buildings and yard at subject location for the purpose of automobile repair, dismantling and junk part sales.

On April 5, 1993, you were ordered by this Department not only to cease use of these buildings, but also to stop all operations upon subject parcel until all City and County fire, building and health code violations were corrected. COMPLIANCE OF THIS ORDER WAS REQUIRED BY UNIFORM FIRE CODE, ARTICLE 3, SECTION 102.

YOUR FAILURE TO COMPLY WITH THIS DEPARTMENT'S ORDER HAS RESULTED IN REFERRING ALL OPERATIONS AND STRUCTURES AT 878 EAST NORMAN ROAD, KNOWN AS DODD AUTO REPAIR, TO THE CITY BUILDING OFFICIAL FOR INVESTIGATION - WHICH COULD LEAD INTO REVOCATION OF YOUR PERMIT TO OPERATE IN THIS CITY AS PRESCRIBED IN UNIFORM BUILDING CODE, SECTION 303 (e).

Sincerely,

E. Guy Burdick - Fire Marshal

E. Suy Burlich
Rita Kent, Inspector

cc: City Attorney; City Police Department; City Code Compliance; City Building Department; County Environmental Health Department

2 0 0 E A S T T H I R D S T R E E T , S A N B E R N A R D I N O C A L I F O R N I A 9 2 4 1 0 - 4 8 8 9 (8 0 9) 3 8 4 - 5 3 8 8 • FAX: (8 0 9) 3 8 4 - 5 4 7 0





CITY OF

# San Bernardino

FIRE DEPARTMENT
WILLIAM L. WRIGHT
FIRE CHIEF

SEP 16 1993

CITY OF SAN BERNARDINO DEPARTMENT OF PLANNING & BUILDING SERVICES

FIRE PREVENTION DIVISION

September 8, 1993

Thurman Dodd, Owner/Representative Dodd & Son Auto Repair 862 Norman Road San Bernardino, CA 92408

RE: Fire Department Order to Stop Use of Buildings at 878 East Norman Road, San Bernardino, California - Known as Dodd & Son Auto Repair - Parcel 280-201-16,

Assessed to Norma Dodd

Mr./Ms. Dodd:

It has been found you are using the buildings and yard at subject location for the purpose of automobile repair, dismantling and junk part sales.

On April 5, 1993, you were ordered by this Department not only to cease use of these buildings, but also to stop all operations upon subject parcel until all City and County fire, building and health code violations were corrected. COMPLIANCE OF THIS ORDER WAS REQUIRED BY UNIFORM FIRE CODE, ARTICLE 3, SECTION 102.

YOUR FAILURE TO COMPLY WITH THIS DEPARTMENT'S ORDER HAS RESULTED IN REFERRING ALL OPERATIONS AND STRUCTURES AT 878 EAST NORMAN ROAD, KNOWN AS DODD AUTO REPAIR, TO THE CITY BUILDING OFFICIAL FOR INVESTIGATION - WHICH COULD LEAD INTO REVOCATION OF YOUR PERMIT TO OPERATE IN THIS CITY AS PRESCRIBED IN UNIFORM BUILDING CODE, SECTION 303 (e).

Sincerely,

E. Guy Burdick - Fire Marshal

Rita Kent, Inspector

cc: City Attorney; City Police Department; City Code Compliance; City Building Department; County Environmental Health Department

200 EAST THIRD STREET, SAN BERNARDING CALIFORNIA 92410-4889 (909)384-5388 • FAX: (909)384-5470



## CITY OF SAN BERNARDINO FIRE DEPARTMENT

### **MEMORANDUM**

TO:

Al Boughey, Director of Planning & Building Services

FROM:

Guy Burdick, Fire Marshal

DATE:

September 8, 1993

SUBJECT:

Dodd's and Son Auto Repair - 878 East Norman Road

APPROVAL:

COPIES:

City Attorney; City Police Department; City Code Compliance; City Building

Department; County Environmental Health Department

On March 24, 1993, a fire and life safety inspection was conducted at Dodd's and Son Auto Repair at 878 East Norman Road.

Numerous fire and life safety violations were found during this inspection, which included structures appearing to be unsafe by reason of lack of maintenance, dilayidation, structural and electrical hazards, inadequate access roadways, outside storage violations, and major contamination of ground found by County Environmental.

Therefore, this Department issued orders to immediately stop use of all structures and cease all operations until all found violations were corrected.

On several occasions, fire personnel, code compliance and police officers have found that Mr. Dodd has re-opened for business to the public, using the yard and buildings.

This Department has received no documentation of the buildings meeting your approval nor has Mr. Dodd satisfied any fire or county health violations found. Mr. Dodd has exhausted all reasonable time frames for compliance of this City's fire and life safety code standards as ordered.

I have found this property's content and conditions are so situated as to endanger lives and property and is in IMMEDIATE NEED of safeguarding.

Therefore, as prescribed in Uniform Building Code, Section 303 (e), I request your assistance in possible revocation of existing Certificate of Occupancy or closure of this operation until all fire, building and health code violations are corrected or satisfied.

Thurman Dodd Dodd & Son Auto Repair April 5, 1993 Page Three

- A 20-foot, unobstructed fire apparatus access road shall be 8. provided from street entrance to opposite end of storage yard. Roadway's termination point shall be provided with an unobstructed area for turning of fire apparatus. Roadway's surface shall be able to support loads of fire apparatus. U.F.C. 10.207
- Flammable or combustible liquids, waste liquids containing crude petroleum which has been dumped on ground shall be removed as directed by County Environmental Health rules and regulations. U.F.C. 79.113
- 10. All unused/abandoned compressed gas cylinders shall be removed from grounds. All compressed cylinder storage shall be in one central location when not in use. U.F.C. 11.203

Reinspection to note compliance of Items 5 through 10 will be conducted on or around May 1, 1993. If compliance is met prior to that date, please call this department immediately and an inspection will be arranged.

Please do not hesitate to call this department for any assistance that we can provide to help to help expedite your re-opening.

Sincerely,

E Any Brordick

E. Guy Burdick, Fire Marshal

cc: Bonnie Garcia - Building & Safety Patrolman Auman - Police Department Ronnie Bromberg - County Environmental

Frank Rhemrev - City Attorney

Thurman Dodd Dodd & Son Auto Repair April 5, 1993 Page Two

\*\*STRUCTURES (OFFICE/AUTO REPAIR & DOUBLE SIZED MOBIL HOME) \*\*

Structures appear to be unsafe by reason of lack of maintenance, dilapidation, structural and electrical hazards. Re-occupancy of these buildings will be contingent upon abatement of these deficiencies.


### Therefore:

- Abate all electrical and structural hazards which shall be identified by Building and Safety. Provide documentation that all repairs have met their approval prior to re-occupying. U.F.C. 2.201 and 85.104
- 2. Apply for Fire Department Permit to Operate Garage and Automobile Wrecking Yard. Permit will only be issued if all items noted in this correspondence have been completed or satisfactory arrangements have been made. U.F.C. 4.108 a.3. & g.1.
- Operations inside buildings are subject to Fire Department issuing additional orders to provide additional fire preventative measures for intended use of building (i.e. fire extinguishers, exit signs). U.F.C. 4.102 (a)
- Discontinue use of all structures until compliance of the aforementioned items is met. U.F.C. 2.204 (c)

### \*\*OUTSIDE GROUNDS/STORAGE YARD\*\*

Exterior grounds are deemed an imminent fire hazard. Found were poor housekeeping, combustible/toxic products and containers not properly stored, and inadequate fire protection which includes access roadway and fire extinguishers.

- COMMENCE IMMEDIATE compliance of the aforementioned items in order to provide a reasonable degree of fire safety to this and surrounding properties. U.F.C. 2.204 (a)
- 6. All storage, other than tires or hazardous-combustible items, shall be neat and orderly and located as not to constitute a hazard to any structure or adjoining property lines. All unnecessary storage not used in the operation shall be continually removed from property. U.F.C. 11.203 (b)
- Tire storage shall be segregated to one area of yard, with piles no higher than six feet and no closer than ten feet from any structures or property lines. U.F.C. 11.203 (b)



Annex # 351 3/21

October 4, 1993

Mr. Joe Lease, ]nspector City of San Bernardino Building and Safety 300 N. "D" Street San Bernardino, Ca 92418 BEEE VED OCT 0 7 1993

CITY OF SAN BERNARDINO DEPARTMENT OF PLANNING & BUILDING SERVICES

Re: 878 E. Norman Rd

San Bernardino - Parcel #280-201-16

Mr. Lease:

As per request, attached are the two notices we discussed. Thanks again for even considering assistance. So many agencies have been uncooperative. Due to my limited legal knowledge, I feel as if I'm going through a maze. Never the less Mr. Dodd can't effort legal assistance and he is so persist in maintaining the business he has had for over thirty years.

Please phone me to arrange the "walk through" we discussed to enable the correction required by you and your department. (corrections)

Environmental Health Services has so graceously extented their Certification of Compliance through October 18, 1993.


Thanks again and God Bless you.

Sincerely

Shaina S. Masters

909 885-4616


cc: Inspector Rita Kent, S.B Fire Dept.





STRUCTURE	PL	UMBING	HEATIN	g a aifi cono.	- FLECTRICAL
SETBACK 16	LAVATORY	TOILET	GAS PIPE	COOLER	
EXCAVATION 16 ! OF	BATHTUS	FL. DRAIN	FL FURN.	REFRIG.	
FORMS OF	SHOWER	SEWER	WALL FURN.	A.C. UNIT	
FOUND. REINF	SINK	SEPTIC TANK	F.A.U.	HEAT PUMP	B RESERVED BY THE RESERVED BY
REINF. STEEL	LAUND, TUB	SEEP PIT	WATER NTR.	FIREPLACE	TO THE PERSON NAMED IN COLUMN
PROUT	GARB, DISP.	LEACH LINE	BOILER	GAS CONV.	
BOND BEAM	DISH WASH.	GR. TRAP	INCINER	LP.G.	
LUMBER GR.	URINAL	DRINK FTN.	VENT	NAT GAS	
FRAMING 4-787 lan			DRYER		
ROOFING					
VENTILATION	12 TEAN		<b>可以表现是</b>		
BATH VENT	GROUND PLUM	al //	GAS (ROUGH)	Telephone .	GROUNDING RANGE
UNDERFL. VENT	ROUGH PLUMB		HEATING (ROL	IGH)	BONDING DRYER
ACCESS HOLE	SEWER		WATER HE LTE	R	, ROUGH WIRING
GAR. FIREPROOF	SEPTIC TANK		EVAP. COOLER	1020 1 57957	SERVICE COND. SIZE
LATHING	SIZE		A.C. UNIT	No bellevision	SERVICE WIRE SIZE
MESH	SEEP. PIT		REFRIGERATIO	DN	SERVICE GROUND SIZE
PLASTER	SIZE		DUCT WORK		AMP VOLTS
FIREPLACE	LEACH LINE		SPARK ARRES		NO. BR. CIRCUITS
NSULATION/SOUND	WATER SYS.		HEATING (FIN	ALI	TEMP.
CERT. OCC. 4-28-71	FINAL INSP.	(A)	GAS (FINAL)		FINAL

11-23-76 8 BOND BRAM.

awmeeder-ra







224556 Stiener Bor Canopy Mailton Committee BUILDING RECORD

SHEETS PARCEL 280-201-16 OF SHEET DISTRICT

NORMAN BOAD DESCRIPTION OF BUILDINGS 24656 Dodds AUTO WORKING ADDRESS

1970 08-30 1972 00-50 1972 0230 YEAR Est. Total BUILT Life-Years SECOND STORY or LOFT 2×4-16 COMO VINCY THE PLOSTER FLOOR & INTERIOR DETAIL UNE Corre. las. Steel Burr. UP Cover ROOF COMPUTATION Type FLAT FLAT WALL & EXTERIOR FRAME + STACE , COR. STEEL FOUND. CONC CONC श्री 4001 SIZE 15×18 14+30 STRUCTURE C/L FENCE GARAGE OFFILE BLDG. NO. m

																	1
APPRAI	APPRAISER-DATE	253		3-16	12 61	246-	746-3-16-		7661	292		1-19	1973	8-9-	8-9-73 244	1	61
BIdg.	Area	Cost	Cost	8000	7. C. N.	Cost	Cost	9009 %	R. C. N.	Cost	Cost	6000	R. C. N.	Unit	Cost	6000	R. C. N.
/	144	2,50	1102	86	0801	10			1080		1102	68	980	360	1323	90	11911
4	27	1					Paral		1600	0009	2520	46	2368	609	2520	66	30,00
M	400			Bridging P.				1111		to to	A planta de man-			200	800	96	768
	The State of the S			D. STATE								He sense					
							TATO DE LA CONTRACTOR DE										
															<b>数</b>		
													/				
	-71												>				
TOTAL			1102		03011620			1569	1969 2680				3348		(1)	1973	1973 14454
APPRA	APPRAISER-DATE	922	N.T.	WI -11	4461				61				19				6/
BIdg.	Area	Cost	Cost	8009	L. S. N.	Cost	Cost	%99	R. C. N.	Unit	Cost	8000	R. C. N.	Unit	Cost	6000	R.C. N.
/	144	4.00	1764	29	1394											4	
n	420	6.00	2520	97	HHHE												
m	400	2.50	1000	⊗ 52	850	GIA.						2)					
								All on the									
	The second secon	The second second			The state of the s		The second second		The second secon		THE PERSON NAMED IN		The second second			C. C. S. C. L.	

5284 1977 41.88


TOTAL

human badd.	BUILDING DIVISION Phone: 384-5071
To: Owne Address: 878	E. Norman Date 1/29/91 RECTION NOTICE -
Permit No.	
	etion boxes with
- bank	witing must be
- 60 Xe	bel all circuits
at s	place missing
ma in	parel pailers
	removed.
- 6- Keep - Front	of panels
Re	leaset per Fire Dept
	Budly Somes
Inspector's Office Hours 3:45 - 4:30 p.m.	Please Make Corrections and Call for Reinspection  Please Make Corrections and Proceed.

Jalked to Juy Burdick.

5/12/94 - no new
business registiation.

He will look into the matter further.



## Appendix I

Request for Records Search to the South Coast Air Quality Management District and Response Obtained from that Agency 5/2/22, 12:21 PM PR - PR Request



PUBLIC RECORDS REQUEST FORM

Request Information (For Office Use Only)

**Date Stored** Time Stored

Public Record Request Nbr Public Record Request Tracking Nbr

**Attention Requestor** 

Please fill out this form completely. You may include an attachment to the form, if necessary.

Requestor Information

Requestor Name

Shannon Castagno

Requestor Company **Environmental Support Services** 

Requestor Email\*

**Requestor Phone** 

SHANNON@ENVIRONMENTALSUPPORTSERVICES.COM

Requestor Address

1521 Beaver Tan Court

Requestor City

Requestor State

Requestor Zip Code

### Type of Requested Record(s).

REQUESTED RECORDS. Please be as specific as possible in describing the records you are seeking. The more specific you are, the easier it will be to determine if such records exist in District files. Please contact the Public Records Unit if you need assistance in identifying District records.

Note: Permits to Operate, Equipment Lists, Notices of Violation, Notices to Comply, and Emissions Summaries are available through SCAQMD's FIND page at http://www3.aqmd.gov/webappl/fim/prog/search.aspx (you need to copy and paste this link into your browser).

Please Enter a description of the records you are requesting here: \*

Applications (APPLS), Complaints, Permits to Operate (P/O), Site Inspection Reports (I/R), Equipment List Report (EQL), Emissions Summary, Notices of Violation (NOV), Notices to Comply (N/C)

Time Period of Documents Requested

Start Date\*

End Date \*

Requested Facility or Site Information (if applicable)

Note: You may only include one Facility or Site per Form.

Facility ID (if known)

Address

695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road

Facility Name (if known)

City San Bernardino Zip Code

Requested Application or Permit List. (if applicable)

Please click the Add Button to the right to enter a Application/Permit Number

Authorization Letter Attachment (0)

Authorization Letter

Note: Please use the above button for attaching an Authorization Letter from the facility to release confidential information for your public records request.

Supplemental Attachments (0)

Supplemental Documents

Note: Please use the above button for attaching additional documents that will help define your public records request.

Also Note: You MUST press the "Submit Your Public Records Request" button to complete this form otherwise the form will be automatically deleted!

5/2/22, 12:21 PM PR - PR Request

### INSTRUCTIONS FOR REQUESTING RECORDS

(California Public Records Act, Govt. Code Sections 6250-6276.48)

- 1. In order to expedite your request, please fill out the form completely. Requests may also be submitted by phone at (909) 396-3700, by facsimile to (909) 396-3330, or by email to PublicRecordsRequests@aqmd.gov.
- 2. Requests must be for records prepared, owned, used, or retained by the District (Gov. Code Sec. 6252(e)). Requests should be for clearly identifiable records. The District is not required to create a new record in response to a request. The District will assist the requestor in making a request that describes reasonably identifiable records (Gov. Code Sec. 6253.1). Documents will not be provided if disclosure would infringe upon a copyright, trade secret, or is otherwise exempt in accordance with state law.
- 3. A search for facility records can only be conducted by one or all of the following:
- -- a) Facility Name, Address, or Identification Number
- -- b) Facility Application Number, or Permit to Operate Number; or
- -- c) Facility Notice of Violation/Notice to Comply Number.
- 4. You will be notified within ten (10) days whether your request seeks copies of disclosable public records prepared, owned, used, or retained by this agency. In some cases, the District may need an additional 14 days to respond. If so, you will be notified in writing. You will also be provided an estimated date of when the records will be made available.
- 5. Communications regarding your request, and any records, will be provided by email, unless specified otherwise.
- 6. If the search for records finds the records voluminous, you will be notified of the approximate number of pages and/or length of time it will take to process your request.
- 7. If the records you requested have been marked confidential by the source of the record, you will be notified and given the option of continuing with the District's Trade Secret process.
- 8. If your request is to review records, rather than receive copies, the District will notify you once the records are gathered, and arrangements will be made for your review.
- 9. The charge for the direct cost of duplication is as follows: Paper Copies, \$0.15/page each over 10 pages (first 10 pages are free); Copied CD's or flash drives, no charge; and Copied Audio Tapes, \$5.00 each. After a preliminary estimate, advance payment may be required.
- 10. If the request is for information in an electronic format, the requestor shall bear the cost of producing a copy of the record, including the cost to construct the record and the cost of programming and computer services necessary to produce a copy of the record, when either of the following applies: (1) the District would be required to produce a copy of an electronic record and the record is one that is produced only at otherwise regularly scheduled intervals, or (2) the request would require data compilation, extraction, or programming to produce the record. (Gov. Code Sec. 6253.9(b)). The transfer of gathered electronic records onto CD, DVD or flash drive typically costs \$10.00 each. An invoice will accompany your records when completed.

Note: For further information, please refer to the District's Guidelines for Implementing the California Public Records Act. The Guidelines are available in the lobby of the District Headquarters or on the District's web site at www.aqmd.gov.

Note: If you have questions pertaining to the submittal of a Public Records Act request, you may contact the Public Records Unit, (909) 396-3700, Tuesday through Friday, 7:00 a.m. to 5:30 p.m. Our Fax number is (909) 396-3330. Our email address is PublicRecordsRequests@aqmd.gov.

5/2/22, 12:22 PM PR - PR Request



PUBLIC RECORDS REQUEST FORM

Request Information (For Office Use Only)

**Date Stored** Time Stored

Public Record Request Nbr Public Record Request Tracking Nbr

**Attention Requestor** 

Please fill out this form completely. You may include an attachment to the form, if necessary.

Requestor Information

Requestor Name Shannon Castagno

Requestor Company **Environmental Support Services** 

Requestor Email\*

SHANNON@ENVIRONMENTALSUPPORTSERVICES.COM

**Requestor Phone** 

Requestor Address

1521 Beaver Tan Court

Requestor City

Requestor State

Requestor Zip Code

### Type of Requested Record(s).

REQUESTED RECORDS. Please be as specific as possible in describing the records you are seeking. The more specific you are, the easier it will be to determine if such records exist in District files. Please contact the Public Records Unit if you need assistance in identifying District records.

Note: Permits to Operate, Equipment Lists, Notices of Violation, Notices to Comply, and Emissions Summaries are available through SCAQMD's FIND page at http://www3.aqmd.gov/webappl/fim/prog/search.aspx (you need to copy and paste this link into your browser).

Please Enter a description of the records you are requesting here: \*

Applications (APPLS), Complaints, Permits to Operate (P/O), Site Inspection Reports (I/R), Equipment List Report (EQL), Emissions Summary, Notices of Violation (NOV), Notices to Comply (N/C)

Time Period of Documents Requested

Start Date\*

End Date \*

Requested Facility or Site Information (if applicable)

Note: You may only include one Facility or Site per Form.

Facility ID (if known)

Address

24512 Pioneer Avenue

Facility Name (if known)

City San Bernardino Zip Code

Requested Application or Permit List. (if applicable)

Please click the Add Button to the right to enter a Application/Permit Number

Authorization Letter Attachment (0)

Authorization Letter

Note: Please use the above button for attaching an Authorization Letter from the facility to release confidential information for your public records request.

Supplemental Attachments (0)

Supplemental Documents

Note: Please use the above button for attaching additional documents that will help define your public records request.

Also Note: You MUST press the "Submit Your Public Records Request" button to complete this form otherwise the form will be automatically deleted!

### INSTRUCTIONS FOR REQUESTING RECORDS

(California Public Records Act, Govt. Code Sections 6250-6276.48)

- 1. In order to expedite your request, please fill out the form completely. Requests may also be submitted by phone at (909) 396-3700, by facsimile to (909) 396-3330, or by email to PublicRecordsRequests@agmd.gov.
- 2. Requests must be for records prepared, owned, used, or retained by the District (Gov. Code Sec. 6252(e)). Requests should be for clearly identifiable records. The District is not required to create a new record in response to a request. The District will assist the requestor in making a request that describes reasonably identifiable records (Gov. Code Sec. 6253.1). Documents will not be provided if disclosure would infringe upon a copyright, trade secret, or is otherwise exempt in accordance with state law.
- 3. A search for facility records can only be conducted by one or all of the following:
- -- a) Facility Name, Address, or Identification Number
- -- b) Facility Application Number, or Permit to Operate Number; or
- -- c) Facility Notice of Violation/Notice to Comply Number.
- 4. You will be notified within ten (10) days whether your request seeks copies of disclosable public records prepared, owned, used, or retained by this agency. In some cases, the District may need an additional 14 days to respond. If so, you will be notified in writing. You will also be provided an estimated date of when the records will be made available.
- 5. Communications regarding your request, and any records, will be provided by email, unless specified otherwise.
- 6. If the search for records finds the records voluminous, you will be notified of the approximate number of pages and/or length of time it will take to process your request.
- 7. If the records you requested have been marked confidential by the source of the record, you will be notified and given the option of continuing with the District's Trade Secret process.
- 8. If your request is to review records, rather than receive copies, the District will notify you once the records are gathered, and arrangements will be made for your review.
- 9. The charge for the direct cost of duplication is as follows: Paper Copies, \$0.15/page each over 10 pages (first 10 pages are free); Copied CD's or flash drives, no charge; and Copied Audio Tapes, \$5.00 each. After a preliminary estimate, advance payment may be required.
- 10. If the request is for information in an electronic format, the requestor shall bear the cost of producing a copy of the record, including the cost to construct the record and the cost of programming and computer services necessary to produce a copy of the record, when either of the following applies: (1) the District would be required to produce a copy of an electronic record and the record is one that is produced only at otherwise regularly scheduled intervals, or (2) the request would require data compilation, extraction, or programming to produce the record. (Gov. Code Sec. 6253.9(b)). The transfer of gathered electronic records onto CD, DVD or flash drive typically costs \$10.00 each. An invoice will accompany your records when completed.

Note: For further information, please refer to the District's Guidelines for Implementing the California Public Records Act. The Guidelines are available in the lobby of the District Headquarters or on the District's web site at www.aqmd.gov.

Note: If you have questions pertaining to the submittal of a Public Records Act request, you may contact the Public Records Unit, (909) 396-3700, Tuesday through Friday, 7:00 a.m. to 5:30 p.m. Our Fax number is (909) 396-3330. Our email address is PublicRecordsRequests@aqmd.gov.

5/2/22, 12:23 PM PR - PR Request



PUBLIC RECORDS REQUEST FORM

Request Information (For Office Use Only)

**Date Stored** Time Stored

Public Record Request Nbr Public Record Request Tracking Nbr

**Attention Requestor** 

Please fill out this form completely. You may include an attachment to the form, if necessary.

Requestor Information

Requestor Name Shannon Castagno

Requestor Company **Environmental Support Services** 

Requestor Email\*

**Requestor Phone** 

SHANNON@ENVIRONMENTALSUPPORTSERVICES.COM

Requestor Address 1521 Beaver Tan Court Requestor City

Requestor State

Requestor Zip Code

### Type of Requested Record(s).

REQUESTED RECORDS. Please be as specific as possible in describing the records you are seeking. The more specific you are, the easier it will be to determine if such records exist in District files. Please contact the Public Records Unit if you need assistance in identifying District records.

Note: Permits to Operate, Equipment Lists, Notices of Violation, Notices to Comply, and Emissions Summaries are available through SCAQMD's FIND page at http://www3.aqmd.gov/webappl/fim/prog/search.aspx (you need to copy and paste this link into your browser).

Please Enter a description of the records you are requesting here: \*

Applications (APPLS), Complaints, Permits to Operate (P/O), Site Inspection Reports (I/R), Equipment List Report (EQL), Emissions Summary, Notices of Violation (NOV), Notices to Comply (N/C)

Time Period of Documents Requested

Start Date\*

End Date \*

Requested Facility or Site Information (if applicable)

Note: You may only include one Facility or Site per Form.

Facility ID (if known)

Address

788 East Orange Show Road

Facility Name (if known)

City San Bernardino Zip Code

Requested Application or Permit List. (if applicable)

Please click the Add Button to the right to enter a Application/Permit Number

Authorization Letter Attachment (0)

Authorization Letter

Note: Please use the above button for attaching an Authorization Letter from the facility to release confidential information for your public records request.

Supplemental Attachments (0)

Supplemental Documents

Note: Please use the above button for attaching additional documents that will help define your public records request.

Also Note: You MUST press the "Submit Your Public Records Request" button to complete this form otherwise the form will be automatically deleted!

### INSTRUCTIONS FOR REQUESTING RECORDS

(California Public Records Act, Govt. Code Sections 6250-6276.48)

- 1. In order to expedite your request, please fill out the form completely. Requests may also be submitted by phone at (909) 396-3700, by facsimile to (909) 396-3330, or by email to PublicRecordsRequests@aqmd.gov.
- 2. Requests must be for records prepared, owned, used, or retained by the District (Gov. Code Sec. 6252(e)). Requests should be for clearly identifiable records. The District is not required to create a new record in response to a request. The District will assist the requestor in making a request that describes reasonably identifiable records (Gov. Code Sec. 6253.1). Documents will not be provided if disclosure would infringe upon a copyright, trade secret, or is otherwise exempt in accordance with state law.
- 3. A search for facility records can only be conducted by one or all of the following:
- -- a) Facility Name, Address, or Identification Number
- -- b) Facility Application Number, or Permit to Operate Number; or
- -- c) Facility Notice of Violation/Notice to Comply Number.
- 4. You will be notified within ten (10) days whether your request seeks copies of disclosable public records prepared, owned, used, or retained by this agency. In some cases, the District may need an additional 14 days to respond. If so, you will be notified in writing. You will also be provided an estimated date of when the records will be made available.
- 5. Communications regarding your request, and any records, will be provided by email, unless specified otherwise.
- 6. If the search for records finds the records voluminous, you will be notified of the approximate number of pages and/or length of time it will take to process your request.
- 7. If the records you requested have been marked confidential by the source of the record, you will be notified and given the option of continuing with the District's Trade Secret process.
- 8. If your request is to review records, rather than receive copies, the District will notify you once the records are gathered, and arrangements will be made for your review.
- 9. The charge for the direct cost of duplication is as follows: Paper Copies, \$0.15/page each over 10 pages (first 10 pages are free); Copied CD's or flash drives, no charge; and Copied Audio Tapes, \$5.00 each. After a preliminary estimate, advance payment may be required.
- 10. If the request is for information in an electronic format, the requestor shall bear the cost of producing a copy of the record, including the cost to construct the record and the cost of programming and computer services necessary to produce a copy of the record, when either of the following applies: (1) the District would be required to produce a copy of an electronic record and the record is one that is produced only at otherwise regularly scheduled intervals, or (2) the request would require data compilation, extraction, or programming to produce the record. (Gov. Code Sec. 6253.9(b)). The transfer of gathered electronic records onto CD, DVD or flash drive typically costs \$10.00 each. An invoice will accompany your records when completed.

Note: For further information, please refer to the District's Guidelines for Implementing the California Public Records Act. The Guidelines are available in the lobby of the District Headquarters or on the District's web site at www.aqmd.gov.

Note: If you have questions pertaining to the submittal of a Public Records Act request, you may contact the Public Records Unit, (909) 396-3700, Tuesday through Friday, 7:00 a.m. to 5:30 p.m. Our Fax number is (909) 396-3330. Our email address is PublicRecordsRequests@aqmd.gov.

### shannon environmental supports ervices.com

From: mcard@aqmd.gov

**Sent:** Thursday, May 5, 2022 3:02 PM

**To:** shannon environmentalsupportservices.com

**Cc:** ob\_pr\_support\_docs@aqmd.gov

**Subject:** SCAQMD Public Records Request# 1411784, -- Completion Letter

Attachments: ATT00001.tif



Shannon Castagno

**Environmental Support Services** 

1521 Beaver Tan

Wake Forest, Nc 27587

Ref: Request for Records; Control No. 1411784, Received 5/3/2022

**RE:** APPL'S, P/O'S, EQL'S, NOV'S, N/C'S, COMPLAINTS, I/R'S & EMISSION SUM FOR 695, 707, 715, 755, 787, 807, 823 & 867 E NORMAN RD, SAN BERNARDINO, CA, FROM 1/1/1900-5/2/2022.

After a thorough search of this agency's records:

NO REQUESTED RECORDS WERE FOUND FOR THE ABOVE REFERENCED FACILITY OR FACILITY SITE.

Should you have any questions or need additional information, please do not hesitate to contact me at (909) 396-3700, Tuesday through Friday, between the hours of **8:00 a.m.** and **4:30 p.m.** 

Sincerely,

Michelle Card

For Colleen Paine

**Public Records Coordinator** 

Information Management

### shannon environmental supports ervices.com

From: mcard@aqmd.gov

**Sent:** Thursday, May 5, 2022 3:03 PM

**To:** shannon environmental supports ervices.com

**Cc:** ob\_pr\_support\_docs@aqmd.gov

**Subject:** SCAQMD Public Records Request# 1411785, -- Completion Letter

Attachments: ATT00001.tif



Shannon Castagno

**Environmental Support Services** 

1521 Beaver Tan

Wake Forest, Nc 27587

Ref: Request for Records; Control No. 1411785, Received 5/3/2022

RE: APPL'S, P/O'S, EQL'S, NOV'S, N/C'S, COMPLAINTS, I/R'S & EMISSION SUM FOR 24512 PIONEER AVE, SAN

BERNARDINO, CA,

After a thorough search of this agency's records:

NO REQUESTED RECORDS WERE FOUND FOR THE ABOVE REFERENCED FACILITY OR FACILITY SITE.

Should you have any questions or need additional information, please do not hesitate to contact me at (909) 396-3700, Tuesday through Friday, between the hours of **8:00 a.m.** and **4:30 p.m.** 

Sincerely,

Michelle Card

For Colleen Paine

**Public Records Coordinator** 

Information Management

From: mcard@aqmd.gov

**Sent:** Thursday, May 5, 2022 3:05 PM

**To:** shannon environmental supports ervices.com

**Cc:** ob\_pr\_support\_docs@aqmd.gov

**Subject:** SCAQMD Public Records Request# 1411786, -- Completion Letter



Shannon Castagno Environmental Support Services 1521 Beaver Tan Wake Forest, Nc 27587

Ref: Request for Records; Control No. 1411786, Received 5/3/2022

**RE:** APPL'S, P/O'S, EQL'S, NOV'S, N/C'S, COMPLAINTS, I/R'S & EMISSION SUM FOR 788 E ORANGE SHOW RD, SAN BERNARDINO, CA, FROM 1/1/1900-5/2/2022.

After a thorough search of this agency's records:

NO REQUESTED RECORDS WERE FOUND FOR THE ABOVE REFERENCED FACILITY OR FACILITY SITE.

Should you have any questions or need additional information, please do not hesitate to contact me at (909) 396-3700, Tuesday through Friday, between the hours of **8:00 a.m.** and **4:30 p.m.** 

Sincerely,

Michelle Card
For Colleen Paine
Public Records Coordinator
Information Management

## Appendix J

Request for Records Search to the Regional Water Quality Control Board – Santa Ana Region and Response Obtained from that Agency



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 2, 2022

Regional Water Quality Control Board Santa Ana Region 3737 Main Street, Ste 500 Riverside, CA 92501

Attention: LUST/WIP/SLIC/Site Mitigation Divisions

Dear Public Records Request,

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road APNs 028019202, 028019220, 028019219, 028019206, 028019207, 028020207, 0280202011, 028020209, 028019213, 028019210, 028020208, 028019209, 028019208, 028019205, 028019204, 028019212 & 028019211

San Bernardino, CA 92408 (See Attached Map)

I would like to set up an appointment to review this file **as soon as possible**. Anything you can do to expedite this request would be greatly appreciated. Please call me at (949) 429-3564. Thanks!

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com

From: WB-RB8-FileReview8 < FileReview8@waterboards.ca.gov>

**Sent:** Thursday, May 5, 2022 1:04 PM

**To:** shannon environmental supports ervices.com

**Subject:** RE: New Public Records Request

Good morning,

After careful review of our records, we show we have no files for the following site(s): 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road 24512 Pioneer Avenue 788 East Orange Show Road

Unfortunately, we do not use APN numbers or cross streets to maintain our files. We only use facility names and/or physical address numbers to locate files. If you can provide a numerical address or facility name, we can carry out your request.

If we can be of further assistance, please do not hesitate to contact us again.

Thank you, File Review Desk 3737 Main St. Suite 500 Riverside, CA 92501

From: shannon environmentalsupportservices.com < shannon@environmentalsupportservices.com >

Sent: Monday, May 2, 2022 9:07 AM

To: WB-RB8-FileReview8 < FileReview8@waterboards.ca.gov>

**Subject:** New Public Records Request

#### **EXTERNAL:**



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance
1521 Beaver Tan Court | Wake Forest, NC 27587
P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com
www.EnvironmentalSupportServices.com | EIN# 83-0533710

May 2, 2022

Regional Water Quality Control Board Santa Ana Region 3737 Main Street, Ste 500 Riverside, CA 92501 Attention: LUST/WIP/SLIC/Site Mitigation Divisions

Dear Public Records Request,

Please check for any files/information on the following site:

Site: 695, 707, 715, 755, 787, 807, 823 & 867 East Norman Road, 24512 Pioneer Avenue and 788 East Orange Show Road

I would like to set up an appointment to review this file **as soon as possible**. Anything you can do to expedite this request would be greatly appreciated. Please call me at (949) 429-3564. Thanks!

Sincerely,

**Environmental Support Services** 

Sham Curry Sham Carry Sham Carry

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

August 24, 2022

Project Name: San Bernardino

Geosyntec Consultants 2355 Northside Drive, Suite 250 San Diego, CA 92108

Attention: Jackie Hyman

Dear Ms. Hyman

Attached is the Environmental (Hazardous/Toxic Waste) Records Search Summary of the 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road ("San Bernardino") site located in San Bernardino, California. Environmental Support Services ("ESS") received the request on August 18, 2022 (See Appendix A). Should you have any questions regarding the summary, please call.

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com

### **Records Search Summary**

Company: Geosyntec Consultants

Project Name: San Bernardino

Attention: Jackie Hyman

Street Address of Property: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East

Orange Show Road

San Bernardino, CA 92408

APNs 028-017-201, -204, -211, -216, -217, -220, -221 &

-222

#### San Bernardino County Fire Department

E-mailed request: 8-18-22, Contact: Public Records Section

ESS submitted a request for a records search concerning the San Bernardino site to the Public Records Section, with the San Bernardino County Fire Department (See Appendix B). ESS requested information concerning the utilization, manufacture, storage and/or discharge of hazardous materials/waste, and any information concerning previous or ongoing site investigations/remediations pertaining to hazardous materials/waste. Christina Rivera, with that department informed ESS on August 22, 2022 that her department had no records for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix B).

#### **Department of Toxic Substances Control (DTSC) – Cypress Office**

E-mailed request: 8-18-22, Contact: Julie Chandler/Jone Barrio

Previous contacts with the DTSC have disclosed that this office only collects and stores information (such as treatment, storage and disposal of hazardous waste) concerning sites which have existing businesses, industries, etc. present. **ESS** requested that Ms. Chandler/Ms. Barrio, with the DTSC, check the file room records for any files/information concerning 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix C). Ms. Barrio, with that department informed **ESS** on August 23, 2022 that her department had no files/information concerning that site (See Appendix C).

#### **Department of Toxic Substances Control (DTSC) – Chatsworth Office**

E-mailed request: 8-18-22, Contact: Robert Hardison

Previous contacts with the DTSC have disclosed that this office only collects and stores information (such as treatment, storage and disposal of hazardous waste) concerning sites which have existing businesses, industries, etc. present. **ESS** requested that Mr. Castillo/Mr. Hardison, with the DTSC, check the file room records for any files/information concerning 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix D). Mr. Hardison, with that department informed **ESS** on August 22, 2022 that his department had no files/information concerning that site (See Appendix D).

#### Cal Fire - Office of the State Fire Marshal

On-line request: 8-18-22, Contact: Pubic Records Request

ESS requested that the Public Records Section, with Cal Fire - Office of the State Fire Marshal, check their records concerning the storage of hazardous materials/waste, pipelines and underground storage tanks with regards to the following: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix E) As of August 24, 2022, the Public Records Section had not completed ESS' request for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA. Should any information concerning the site surface, ESS will immediately forward it to Ms. Hyman at the Geosyntec Consultants office.

#### City of San Bernardino Fire Department

On-line request: 8-18-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the City of San Bernardino Fire Department, check their records concerning the storage of hazardous materials/waste and underground storage tanks with regards to the following: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix F). Sylvia Bautista, with that department informed ESS August 19, 2022 that the lead agency for sites in the City of San Bernardino would be the San Bernardino County Fire Department (See above) (See Appendix F).

#### City of San Bernardino Department of Public Works

On-line request: 8-18-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the City of San Bernardino Public Works Department, check their records for any information concerning industrial waste discharge permits or violations for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix G). As of August 24, 2022, the Public Records Section had not completed ESS' request for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA. Should any information concerning the site surface, ESS will immediately forward it to Ms. Hyman at the Geosyntec Consultants office.

#### City of San Bernardino Building Department

On-line request: 8-18-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the City of San Bernardino Building Department, provide the building records (all permits and certificates of occupancy) for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix H). As of August 24, 2022, the Public Records Section had not completed ESS' request for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA. Should any information concerning the site surface, ESS will immediately forward it to Ms. Hyman at the Geosyntec Consultants office.

#### **South Coast Air Quality Management District (SCAQMD)**

On-line request: 8-18-22, Contact: Public Records Section

ESS submitted a search request concerning active, inactive and sold files concerning 695, 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA to the Public Records Section at the SCAQMD (See Appendix I). As of August 24, 2022, the Public Records Section had not completed ESS' request for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA. Should any information concerning the site surface, ESS will immediately forward it to Ms. Hyman at the Geosyntec Consultants office.

#### Regional Water Quality Control Board (RWQCB) - Santa Ana Region

E-mailed request: 8-18-22, Contact: Public Records Section

ESS requested that the Public Records Section, with the RWQCB, provide the files for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA (See Appendix J). As of August 24, 2022, the Public Records Section had not completed ESS' request for 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA. Should any information concerning the site surface, ESS will immediately forward it to Ms. Hyman at the Geosyntec Consultants office.

Records Search completed by:

Shanna Castagna

Shannon Castagno

Project Manager

**Environmental Support Services** 

The information provided in this report was obtained by a comprehensive examination of public records, public information and public servant communications. The degree of care performed by **ESS** is equivalent to that exercised by environmental companies performing similar records searches.

## Appendix A

Environmental (Hazardous/Toxic Waste) Records Search Order Form

From: Jackie Hyman <JHyman@Geosyntec.com>

**Sent:** Thursday, August 18, 2022 5:39 PM

To:shannon environmentalsupportservices.comSubject:FW: Phase I Record Request - San Bernardino

Attachments: San Bernardino.pdf

See attached map.

#### Jackie Hyman

Professional Geosyntec Consultants, Inc. 2355 Northside Drive, Suite 250 San Diego, CA 92108 Office: 858.674.6559

Mobile: 626.609.9525

#### GEOSYNTEC | SIREM | SAVRON

Follow Us - LinkedIn | Twitter | Facebook | YouTube

From: Jackie Hyman

Sent: Thursday, August 18, 2022 2:29 PM

To: shannon environmental supports ervices.com < shannon@environmental supports ervices.com >

Subject: Phase I Record Request - San Bernardino

Hi Shannon,

Can you please submit requests for the properties at 24432 Pioneer Avenue and 648, 652, 668, 684, 706 East Orange Show Road, San Bernardino? See attached map for the parcel numbers and addresses. I know we are unlikely to have all the responses but can you please provide the report end of next week?

Project SC1256

Thanks,


#### Jackie Hyman

Professional Geosyntec Consultants, Inc. 2355 Northside Drive, Suite 250 San Diego, CA 92108

Office: 858.674.6559 Mobile: 626.609.9525

#### GEOSYNTEC | SIREM | SAVRON

Follow Us – <u>LinkedIn</u> | <u>Twitter</u> | <u>Facebook</u> | <u>YouTube</u>



## Appendix B

Request for Records Search to the San Bernardino County Fire Department and Response Obtained from that Agency

# ABOUR FIRE

#### **CUPA**

San Bernardino County Fire Protection District • Hazardous Materials Division 620 S. E St., San Bernardino, CA 92415-0153 • (909) 386-8468 FAX (909) 386-8460 hazmatrecords@sbcfire.org

# REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT

The main focus of a REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT is to determine whether there exists in San Bernardino County Fire Protection District (SBCFPD) any record relating to contamination or reports of spills at a particular site. An Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report should reveal whether there are any facilities at the site that are subject to current or past regulatory activity by SBCFPD, such as underground storage tanks, hazardous material handlers, hazardous waste generators, and CalARP facilities, as well as any reports of spills, incidents, complaints, or cleanup activity, which can be a useful tool in providing a history of compliance or non-compliance.

Once SBCFPD has completed its records search, an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report will be prepared and issued. Such report will detail all SBCFPD records associated with a particular site by type, date, location, and status (where applicable). All files identified in an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report can be made available for copies and/or review upon request.

If the completed records search reveals no SBCFPD record of hazardous material activity at the site, an Environmental Phase 1 Certified Hazardous Materials Records Search Finding Report will be issued, noting that "no records" were identified.

Please provide a specific site address or location description. If a situs address does not exist or cannot be found, list another type of location identifier such as Assessor Parcel Number (preferable), cross streets or intersections (e.g., NWC 5<sup>th</sup> Ave. & Main St.), and/or legal description. If possible, please attach a map to this request form.

SITE INFORMATION					
Property Owner or Business Name	Location (Site Address and/or Assessor Parcel No.)	City/Community			
	24432 Pioneer Avenue and 648, 652, 668, 684 & 706				
	East Orange Show Road	San Bernardino			
Please provide your name, the company you represent, and contact information below.					

REQUESTOR INFORMATION							
NAME		lividual,	leave blank)	COMPANY (If individual, leave blank)			
Shannon Castagno Projec		roject Manager		Environmental Support Services			
MAILING ADDRESS		CITY		STATE	ZIP CODE		
1521 Beaver Tan Ct.		Wake Forest		NC	27587		
FAX			EMAIL ADDRESS				
949-429-3564		Shannon@EnvironmentalSupportServices.com					
	FAX	Project	Project Mana CITY Wak	TITLE (If individual, leave blank)  Project Manager  CITY  Wake Forest  FAX  EMAIL ADDRESS	Project Manager Environmental Support Wake Forest  EMAIL ADDRESS  COMPANY (If individual, leave to the individual	TITLE (If individual, leave blank)  Project Manager  CITY  Wake Forest  EMAIL ADDRESS  COMPANY (If individual, leave blank)  Environmental Support Servi  STATE  NC	

So that we may provide better service, please check one or more of the boxes below which best describe how the findings of the Env. Audit Phase 1 Certified Hazardous Materials Records Search will be used and/or your relationship to the property in question.

Env. Hadit I have I contined Hazardous Materials records Sourch will be used and of your retailership to the property in question.							
PURPOSE OR RELATIONSHIP TO PROPERTY							
1. Phase I site assessment or due diligence AT THE SITE	7. Owner or operator of the facility or property						
2. Environmental professional involved with remediation <b>AT THE SITE</b>	8. Potential buyer						
3. Phase I site assessment or due diligence <b>NEARBY</b>	9. Real Estate Agent, Lender, Appraiser						
4. Environmental professional involved with remediation <b>NEARBY</b>	10. Pending escrow						
5. Proposed School Site (1/4 mi. search for AHM)	11. Proposed redevelopment						
6. Proposed Drinking Water Well	12. Legal or other reason:						
AGENCY USE							
Phase 1 Certified Record Search Finding Report issued://	Reference No:						
Phase 1 Certified "No Record" Finding Report issued://	Amount Paid:						
		Receipt No.:					
		Date:					

#### \*\* IMPORTANT -THIS PAGE MUST BE SIGNED PRIOR TO SUBMITTAL \*\*

DISCLAIMER: While all attempts are made to provide accurate, current, and reliable information, San Bernardino County Fire Protection District (further referred to as SBDFPD) recognizes the possibility of human error. Therefore, SBCFPD, its officers, employees, agents and volunteers, make no representations as to the accuracy, completeness or suitability of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report and provides an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report "as is," with no warranties, express or implied, including the implied warranty of fitness for a particular purpose. In no event shall SBCFPD be liable for any damages of any nature whatsoever, arising out of the issuance of a Certified Hazardous Materials Records Search Finding Report. SBCFPD therefore assumes no liability for damages incurred directly or indirectly as a result of any errors, omissions or discrepancies in a Certified Hazardous Materials Records Search Finding Report.

RELEASE AND INDEMNIFICATION: In consideration for the issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, I hereby release and forever discharge SBCFPD, its officers, employees, agents and volunteers from any and all claims, actions, losses, damages and/or liability in connection with SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, including, but not limited to, claims that may arise due to the active or passive negligence of SBCFPD, its officers, employees, agents and volunteers.

I am familiar with the provisions of California Civil Code Section 1542, which provides as follows:

"A general release does not extend to claims which the creditor does not know or suspect to exist in his or her favor at the time of executing the release, which if known by him or her must have materially affected his or her settlement with the debtor."

I hereby expressly waive any and all rights that I may have there under. I understand and acknowledge the significance and consequence of this specific waiver of California Civil Code Section 1542 and assume full responsibility for any injuries, damages, losses or liabilities that I may hereafter discover as possibly resulting from SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report.

In further consideration for SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report, I hereby agree, for myself, my heirs, administrators, executors and assigns, that I shall indemnify, defend (with counsel approved by County) and hold harmless SBCFPD, its officers, employees, agents and volunteers from any and all claims, demands, actions or suits arising out of or in connection with SBCFPD's issuance of an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report brought by any third party,

I have read the above terms and conditions, including the paragraphs entitled "DISCLAIMER" and "RELEASE AND INDEMNIFICATION", and by my signature below, I affirm that I understand these terms and conditions and accept them as part of my REQUEST FOR AN ENVIRONMENTAL AUDIT PHASE 1 CERTIFIED HAZARDOUS MATERIALS RECORDS SEARCH FINDING REPORT.

I hereby request an Environmental Audit Phase 1 Certified Hazardous Materials Records Search Finding Report for the location described on Page 1 of this application.

- ☐ I am including payment of the initial fee of \$136.00, for the first hour of research, by check or money order, payable to San Bernardino County Fire Protection District, or by credit card payment taken over the phone. I understand that research exceeding one hour will be billed at the rate of \$136.00 for each additional hour spent by SBCFPD in completing this request.
- ☐ I have faxed or emailed this request and will forward payment along with the original request form within 48 hours.

REQUESTOR'S SIGNATURE				
SIGNATURE OF REQUESTOR	DATE			
Shannon Castagno	8/18/22			

Rev. 05/06/2020

#### SAN BERNARDINO COUNTY FIRE PROTECTION DISTRICT

SAN COUPT SAN REFEARING CO

620 South "E" Street ● San Bernardino, CA 92415-0153 ● (909) 386-8401 ● Fax (909) 386-8460

Office of the Fire Marshal Hazardous Materials Division sbcfire.org

Daniel R. Munsey Fire Chief/Fire Warden

Michael A. Horton Fire Marshal/Deputy Fire Warden

August 22, 2022

22081802 San Bernardino RAL Environ Support Svcs

ENVIRONMENTAL SUPPORT SERVICES 1521 BEAVER TAN COURT WAKE FOREST, NC 27587

ATTENTION: SHANNON CASTAGNO

SUBJECT: CERTIFIED RECORD SEARCH FINDINGS

**24432 PIONEER AVENUE AND 652, 668, 684, 648, 706 EAST ORANGE SHOW** 

ROAD, SAN BERNARDINO, CALIFORNIA

APN #S: 0280-172-04-0000, 0280-172-20-0000, 0280-192-16-0000, 0280-172-11-0000,

 $0280 - 172 - 17 - 0000, \, 0280 - 172 - 22 - 0000, \, 0280 - 172 - 21 - 0000, \, 0280 - 172 - 01 - 0000$ 

This is to confirm that the OFM Hazardous Materials Division (HMD) has searched its records for any file(s) pertaining to the subject property, as described in your request, and finds that <u>no records</u> exist for the above site description(s).

Records maintained by OFM-HMD date back to mid-1980's. Records searched include:

- facilities with hazardous waste generator permits, hazardous materials handler permits, underground storage tank permits, universal waste permits, tiered permits, EPCRA facilities, RMP facilities, Cal ARP facilities, and/or waste recycling generators, including inactive and/or out of business records, as well as non-permitted facility actions;
- logs of permits issued for the removal, installation, and/or modification of underground storage tanks;
- records and databases pertaining to illicit dumping, spill reports and release notifications, and complaints;
- incidents responded to by the hazardous materials emergency response team;
- and sites undergoing remediation for contaminated soil and/or groundwater.



**Christina Rivera** 

Office Specialist
Office of the Fire Marshal
Hazardous Materials Division

## Appendix C

Request for Records Search to the Department of Toxic Substances Control - Cypress Office and Response Obtained from that Agency



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

August 18, 2022

Dept of Toxic Substances Control Cypress Office 5796 Corporate Avenue Cypress, CA 90630

Attention: Julie Johnson/Jone Barrio

Dear Julie/Jone,

Please check for any files/information on the following site:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road San Bernardino, CA
APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222
(See Attached Map)

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com





## Department of Toxic Substances Control



Meredith Williams, Acting Director 5796 Corporate Avenue Cypress, California 90630

Gavin Newsom
Governor

August 23, 2022

Shannon Castagno Enviro Support Services shannon@environmentalsupportservices.com

#### PR4-081822-01

4030, 4040, -4060 (even) Sorrento Valley Blvd., San Diego & 24432 Pioneer Ave., & 648, 652, 668, 684 & 706 E Orange Show Rd., San Bernardino & 028-017-201, -204, -211, 216, -217, -220, -221 & -222: Yes, for HWTS (Bold & underline are yes for HWTS).

#### Dear Requestor:

On Aug 18, 2022, the Department of Toxic Substances Control (DTSC) received your email of Aug 18, 2022, requesting records under the Public Records Act. After a thorough review of our files, <u>no site records</u> were found pertaining to the sites/facilities referenced above.

DTSC Generator information: DTSC Cypress Office does not house Generator/<u>HWTS</u> Records.

DTSC's Hazardous Waste Tracking System (<u>HWTS</u>) may have records that pertain to this request. This unit tracks toxic waste generators, transporters (manifests), and disposal facilities. If you are interested in this type of information, it can be identified by accessing the HWTS database at <a href="http://hwts.dtsc.ca.gov">http://hwts.dtsc.ca.gov</a>

. If you are interested in retrieving detailed reports, additional charges may apply. Please contact the HWTS unit by email at <a href="https://hwtsreports@dtsc.ca.gov">hwtsreports@dtsc.ca.gov</a> or by phone at (800) 618-6942 for further information. For copies of manifests, please send an email to <a href="mailto:mcr@dtsc.ca.gov">mcr@dtsc.ca.gov</a>.

A large number of our records are available on EnviroStor, an online database that provides non-confidential, public access to DTSCs data management system. It tracks our cleanup, permitting, enforcement, and investigation efforts at hazardous waste facilities and sites with known or suspected contamination issues. EnviroStor is available 24/7, 365 days a year. The data reflects the latest updates as they are entered in the system. Access it from your computer or smartphone, the local library – anywhere Internet access is available. Just go to <a href="https://www.envirostor.dtsc.ca.gov">www.envirostor.dtsc.ca.gov</a>. You'll find a step-by-step tour of EnviroStor under the "How to Use EnviroStor" menu on the website.

If you have any questions, would like further information regarding your request, please contact me, via email at jone.barrio@dtsc.ca.gov

Sincerely,

Jone Barrio

Jone Barrio - Regional Records Coordinator

## Appendix D

Request for Records Search to the Department of Toxic Substances Control - Chatsworth Office and Response Obtained from that Agency



# **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

August 18, 2022

Dept of Toxic Substances Control Chatsworth Office 9211 Oakdale Avenue Chatsworth, CA

Attention: Glenn Castillo/Robert Hardison

Dear Glenn/Robert,

Please check for any files/information on the following site:

Please check for any files/information on the following site:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road San Bernardino, CA
APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222
(See Attached Map)

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com





Jared Blumenfeld
Secretary for
Environmental Protection

## Department of Toxic Substances Control



Meredith Williams, Ph.D., Director 9211 Oakdale Avenue Chatsworth, California 91311

August 22, 2022

Shannon Castagno
Environmental Support Services
Shannon@EnvironmentalSupportServices.com

Public Records Request Number: PR3-081822-08

Locations: 24432 Pioneer Ave., San Bernardino, CA 92408

648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA 92408

APNs: 28-017-201, -204, -211, -216, -217, -220, -221 & -222

Dear Ms. Castagno:

On August 18, 2022, the Department of Toxic Substances Control (DTSC) received your email of the same date requesting records under the Public Records Act. After a thorough review of our files, no site records were found pertaining to the sites/facilities referenced above.

However, DTSC's Hazardous Waste Tracking System (HWTS) may have records that pertain to **684 East Orange Show Road**. This unit tracks toxic waste generators, transporters (manifests), and disposal facilities. If you are interested in this type of information, it can be identified by accessing the HWTS database at <a href="http://hwts.dtsc.ca.gov">http://hwts.dtsc.ca.gov</a>. If you are interested in retrieving detailed reports, additional charges may apply. Please contact the HWTS unit by email at <a href="https://hwtsreports@dtsc.ca.gov">hwtsreports@dtsc.ca.gov</a> or by phone at (800) 618-6942 for further information. For copies of manifests, please send an email to <a href="mailto:mcr@dtsc.ca.gov">mcr@dtsc.ca.gov</a>.

Many of our records are available on EnviroStor, an online database that provides non-confidential, public access to DTSC's data management system. It tracks our cleanup, permitting, enforcement, and investigation efforts at hazardous waste facilities and sites with known or suspected contamination issues. EnviroStor is available 24/7, 365 days a year. The data reflects the latest updates as they are entered in the system. Access it from your computer or smartphone, the local library – anywhere Internet access is available. Just go to <a href="www.envirostor.dtsc.ca.gov">www.envirostor.dtsc.ca.gov</a>. You'll find a step-by-step tour of EnviroStor under the "How to Use EnviroStor" menu on the website.

If you have any questions or would like further information regarding your request, please contact me at 818-717-6521 or via email at <a href="mailto:ChatsworthFileRoom@dtsc.ca.gov">ChatsworthFileRoom@dtsc.ca.gov</a>.

Sincerely,

Robert Hardison

Records Mgmt. Asst. Coordinator

## Appendix E

Request for Records Search to the Cal Fire – Office of the State Fire Marshal

From: CALFIRE PRA Records Center <calfire@govqa.us>

Sent: Thursday, August 18, 2022 6:49 PM

To:shannon environmentalsupportservices.comSubject:Public Records Request :: R005043-081822



RE: PUBLIC RECORDS REQUEST of 8/18/2022, Reference # R005043-081822

Dear Shannon Castagno,

Thank you for your interest in public records of CAL FIRE. Your request has been received and is being processed in accordance with the California Public Records Act, Government Code section 6250 et seq. Your request was received on August 18, 2022 and given the reference number R005043-081822 for tracking purposes.

Records Requested: Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA, APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222, (See Attached Map). ESS requests the following information concerning the subject site which your agency may have on file: 1. utilization, manufacture, storage, or discharge of hazardous materials/waste. 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste. 3. hazardous materials disclosures concerning the site. 4. pipelines. 5. information regarding underground storage tank present or previously found at the site. 6. Reportable Spills, Releases, Notices of Violations (NOVs) and any Environmental Reportable Issues.

Your request will be forwarded to the relevant CAL FIRE department(s) to locate the information you seek and to determine the volume and any costs that may be associated with satisfying your request. You will be contacted about the availability and/or provided with copies of the records in question. PLEASE NOTE: The California Public Records Act does not require a governmental body to create new information, to do legal research, or to answer questions.

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed.

**CAL FIRE** 

To monitor the progress or update this request please log into <u>CAL FIRE Records Center</u>



## Appendix F

Request for Records Search to the City of San Bernardino Fire Department and Response Obtained from that Agency

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

Sent: Thursday, August 18, 2022 6:44 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6446066 [3436353437356664]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request Location: 652 ORANGE SHOW RD

Description: Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

ESS requests the following information concerning the subject addresses which the fire department may have on file:

- 1. utilization, manufacture, storage, or discharge of hazardous materials/waste.
- 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste.
- 3. hazardous materials disclosures concerning the site.
- 4. information regarding underground storage tank present or previously found at the site.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6446066&access=3436353437356664">http://user.GovOutreach.com/sanbernardino/case.php?id=6446066&access=3436353437356664</a>

Thank you,
Office of the City Manager

From: Sylvia Bautista <Bautista\_Sy@sbcity.org>
Sent: Friday, August 19, 2022 10:41 AM

**To:** shannon environmental supports ervices.com

**Cc:** Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez; Telicia

Lopez

**Subject:** CPRA Response to 6446066 Caspagno, Shannon(2) 08-18-22

Dear Sir/Madam,

This letter is in response to your request for public records received on August 18, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 *et seq.* ("the Act"). You asked for the following records and information:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

ESS requests the following information concerning the subject addresses which the fire department may have on file:

- 1. utilization, manufacture, storage, or discharge of hazardous materials/waste.
- 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste.
- 3. hazardous materials disclosures concerning the site.
- 4. information regarding underground storage tank present or previously found at the site.

The City has received your request for documents pertaining to the above address. Please note any records pertaining to Fire or Hazard Material Removal or Fire Violations, you can contact the San Bernardino County Fire Department at: 620 South "E" Street, San Bernardino, CA 92415 the website <a href="https://sbcfire.org/publicrecords/">https://sbcfire.org/publicrecords/</a> The phone number is (909) 386-8401. Please note this is including Underground Storage Tanks (UST). Please be advised that the city will not have any of the Items 1-4 pertaining to the request provided.

#### Respectfully,



Sylvia Bautista

Records Management Specialist City of San Bernardino – Office of the City Clerk Office: 201 North "E" Street

Mail: 290 North "D" Street San Bernardino, California 92401 Direct: 909.384.5002 | x3215

Bautista sy@sbcity.org | www.sbcity.org

## Appendix G

Request for Records Search to the City of San Bernardino Public Works Department

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

Sent: Thursday, August 18, 2022 6:42 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6446063 [3264336662306561]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request Location: 652 ORANGE SHOW RD

Description: Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

ESS requests the following information concerning the subject addresses which the public works department may have on file:

- 1. copies of applications and permits for industrial waste discharge; and
- 2. copies of any and all violations concerning industrial waste discharge.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6446063&access=3264336662306561">http://user.GovOutreach.com/sanbernardino/case.php?id=6446063&access=3264336662306561</a>

Thank you,

Office of the City Manager

## Appendix H

Request for Records Search to the City of San Bernardino Building Department

From: San Bernardino Help Line <sanbernardino@user.govoutreach.com>

Sent: Thursday, August 18, 2022 6:46 PM

**To:** shannon environmental supports ervices.com

**Subject:** CRM: New Request # 6446070 [3238643865613335]

---If replying by email, enter your reply above this line---

Dear Shannon,

We appreciate the opportunity to assist you and assure you a positive experience with us.

The Problem you submitted was:

Request type: Public Records Request Location: 652 ORANGE SHOW RD

Description: Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

I hereby request copies of all building permits and certificates of occupancy for the above addresses.

You may add additional information to this request by:

- 1) Replying to this email,
- 2) Signing into the system, or
- 3) Going to: <a href="http://user.GovOutreach.com/sanbernardino/case.php?id=6446070&access=3238643865613335">http://user.GovOutreach.com/sanbernardino/case.php?id=6446070&access=3238643865613335</a>

Thank you,

Office of the City Manager

## Appendix I

Request for Records Search to the South Coast Air Quality Management District

From: PublicRecordsRequests@aqmd.gov
Sent: PublicRecordsRequests@aqmd.gov
Thursday, August 18, 2022 6:54 PM

**To:** shannon environmental supports ervices.com

**Subject:** SCAQMD Public Records Request Submittal Acknowledgement



Shannon Castagno Environmental Support Services 1521 Beaver Tan Court Wake Forest, Nc 27587

RE: Request for Records

Request: Applications (APPLS), Complaints, Permits to Operate (P/O), Site Inspection Reports (I/R), Equipment List Report (EQL), Emissions Summary, Notices of Violation (NOV), Notices to Comply (N/C)

Facility ID: Facility Name:

Address: 24432 PIONEER AVENUE

City: SAN BERNARDINO

Your request for records has been received by the Public Records Unit and will be assigned for processing. A Control Number will be issued for your request and should be referenced in all future communications and correspondence. Within 10 days of our receipt of your request, we will send you an email letting you know if we have the requested records, and how long it will take to provide them. Please send any follow up emails to the staff member that sends this email, and reference the request number.

Should you have any questions or need additional information, please do not hesitate to contact me at (909) 396-3700, Tuesday through Friday, between the hours of 8:00 a.m. 4:30 p.m.

Sincerely,

**COLLEEN PAINE** 

For Colleen Paine
Public Records Coordinator

1414590

From: PublicRecordsRequests@aqmd.gov
Sent: PublicRecordsRequests@aqmd.gov
Thursday, August 18, 2022 6:53 PM

**To:** shannon environmental supports ervices.com

Subject: SCAQMD Public Records Request Submittal Acknowledgement



Shannon Castagno Environmental Support Services 1521 Beaver Tan Court Wake Forest, Nc 27587

RE: Request for Records

Request: Applications (APPLS), Complaints, Permits to Operate (P/O), Site Inspection Reports (I/R), Equipment List Report (EQL), Emissions Summary, Notices of Violation (NOV), Notices to Comply (N/C)

Facility ID: Facility Name:

Address: 648, 652, 668, 684 & 706 EAST ORANGE SHOW ROAD

City: SAN BERNARDINO

Your request for records has been received by the Public Records Unit and will be assigned for processing. A Control Number will be issued for your request and should be referenced in all future communications and correspondence. Within 10 days of our receipt of your request, we will send you an email letting you know if we have the requested records, and how long it will take to provide them. Please send any follow up emails to the staff member that sends this email, and reference the request number.

Should you have any questions or need additional information, please do not hesitate to contact me at (909) 396-3700, Tuesday through Friday, between the hours of 8:00 a.m. 4:30 p.m.

Sincerely,

**COLLEEN PAINE** 

For Colleen Paine
Public Records Coordinator

1414588

## Appendix J

Request for Records Search to the Regional Water Quality Control Board – Santa Ana Region



## **Environmental Support Services**

Environmental Research & Due Diligence Compliance 1521 Beaver Tan Court | Wake Forest, NC 27587

P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com www.EnvironmentalSupportServices.com | EIN# 83-0533710

August 18, 2022

Regional Water Quality Control Board Santa Ana Region 3737 Main Street, Ste 500 Riverside, CA 92501

Attention: LUST/WIP/SLIC/Site Mitigation Divisions

Dear Public Records Request,

Please check for any files/information on the following sites:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road San Bernardino, CA
APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222
(See Attached Map)

I would like to set up an appointment to review this file **as soon as possible**. Anything you can do to expedite this request would be greatly appreciated. Please call me at (949) 429-3564. Thanks!

Sincerely,

**Environmental Support Services** 

Shannon Castagno Project Manager

Shannon@EnvironmentalSupportServices.com

#### shannon environmental supports ervices.com

From: CALFIRE PRA Records Center <calfire@govqa.us>

Sent: Thursday, August 25, 2022 4:13 PM

**To:** shannon environmental supports ervices.com

**Subject:** [Records Center] Public Records Request :: R005043-081822

--- Please respond above this line ---



RE: PUBLIC RECORDS REQUEST of August 18, 2022, Reference # R005043-081822

Dear Shannon Castagno,

CAL FIRE received a public information request from you on August 18, 2022. Your request mentioned:

"Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA, APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222, (See Attached Map).

ESS requests the following information concerning the subject site which your agency may have on file: 1. utilization, manufacture, storage, or discharge of hazardous materials/waste. 2. previous or on-going site investigations/remediations pertaining to hazardous materials/waste. 3. hazardous materials disclosures concerning the site. 4. pipelines. 5. information regarding underground storage tank present or previously found at the site. 6. Reportable Spills, Releases, Notices of Violations (NOVs) and any Environmental Reportable Issues."

CAL FIRE has reviewed its files and has determined there are no responsive documents to your request.

If you have any questions or wish to discuss this further, you may contact our office.

Sincerely, Ashley Miller Legal Analyst Sacramento - HQ - Legal Office

To monitor the progress or update this request please log into the <u>CALFIRE PRA Records Center</u>



#### shannon environmental supports ervices.com

From: Sylvia Bautista <Bautista\_Sy@sbcity.org>
Sent: Thursday, August 25, 2022 2:18 PM

**To:** shannon environmental supports ervices.com

**Cc:** Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez; Telicia

Lopez

**Subject:** CPRA Response for 6446070 Caspagno, Shannon (3) 08-18-22

**Attachments:** B0100150 668 E Orange Show Rd.pdf; B0302395 652 E Orange Show Rd.pdf; B0700174

648 E Orange Show rd.pdf; B2200829 706 E Orange Show Rd.pdf

#### Dear Sir/Madam,

This letter is in response to your request for public records received on August 18, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 et seq. ("the Act"). You asked to review the following:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

I hereby request copies of all building permits and certificates of occupancy for the above addresses.

The city has located documents responsive to the above request. Attached is an electronic copy of Building Permits for locations: 668 E. Orange Show Rd., 652 E. Orange Show Rd., 648 E. Orange Show Rd., and 706 E. Orange Show Rd. Please be advised that there are no other records pertaining to the other properties in question.

Please let me know if you have any questions. Thank you



Sylvia Bautista

Records Management Specialist
City of San Bernardino – Office of the City Clerk
Office: 201 North "E" Street

Mail: 290 North "D" Street San Bernardino, California 92401 Direct: 909.384.5002 | x3215

Bautista sy@sbcity.org | www.sbcity.org

025

Suite #: ??

Inspector Area:

Permit #:

B0100150

Reroof with Comp

Address: 668 E ORANGE SHOW RD

Parcel #: 0280172010000

Owner: PAYTON WENDELL W

Contractor: VALLEY ROOFING COMPANY

Date Issued: 01/19/2001

Permit Type: BLDG

Phone #:

Phone #: (909)795-3100

REROOF: REMOVE EXISTING 16 SQS. AND REPLACE WITH COMP.

SHINGLE

Shingles:

66.

Reroof with Built Up System: 0

Roof Sheeting Number of Sqs:

Reroof with Rolled Roofing: 0 Reroof with Tile Roofing: 0

????

## INSPECTION RECORD

Post in a safe, conspicuous place at front of job. Provide street address when calling for inspection. Have plans available on job at time of inspection.

- Building Inspection Division -

(909) 384-5071 - Office • (909) 384-5078 - Inspection Request
 Hours: Monday - Thursday — 7:30 a.m. to 5:30 p.m.
 Friday (Alternating) — 7:30 a.m. to 4:30 p.m.

Notice to Owner: Do Not Conceal Work Until Inspected and Signed Off by the Inspector.

Call for final inspection of every job. This permit will expire if work is suspended or abandoned for a period of 180 days.

CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structur	al			Electrica	al		
00010	Rough Grading			00070	Temp Power Pole		
00020	Setbacks	L		00060	Underground Electrical	4	
00030	Foundation/Ftgs.			00162	UFER		
00040	Slab Grade			00160	Rough Electrical	1/6	
00080	Pool Pre-Gunite		1	00275	Electrical Service		
00090	Pool Pre-Plaster			00165	Misc. Electrical		
00100	Masonry & Steel (1st lift)			Plumbin	ng		
00110	Masonry & Steel (2nd lift)			00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)			00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)			00230	Water Service		
00115	Roof Sheathing			00170	Rough Plumbing		
00120	Roof Covering			00260	Gas Piping/Air Test		
00130	Shear Nailing			00235	Misc. Plumbing		
00140	Framing			Mechan	ical		Ā.
00180	Insulation		9-5-3	00150	Rough Mechanical		
00190	Exterior Lath or Siding			00155	Misc. Mechanical		
00200	Stucco Scratch			Final Ins	spections		
00210	Stucco Brown			00310	Irrigation/Landscaping		
00240	Drywall			00410	Planning Requirements		
00150	T-Bar			00400	Engineering Dept. Final		
00125	Reroof			00420	Health Dept. Approval		
00320	Demolition			00415	Fire Dept. Approval		
00460	Misc.			00280	Final Electrical		
Other				00290	Final Plumbing		
00470	Mobile Home Install			00300	Final Mechanical		
00480	Awnings/Porches			00350	Final Construction		

Comments:			
		the second secon	

#### **Permittee Responsibility**

- · The project address must be visible from street, check address visibility prior to calling for inspections (UBC 502).
- City "approved" plans must be on project site, available for Building Inspectors examination (UBC 106.4). City Inspectors will
  not make inspection without approved plans. The project is to be built in accordance with the approved plans and applicable
  Code requirements (UBC 108).
- The Building Inspection Division must be called to make progress inspections (UBC 108).
- All work is to be inspected prior to covering; work covered without City Inspection must be uncovered at owner's/contractor's expense (UBC 108)
- The owner must obtain a Certificate of Occupancy from City prior to occupying the building or using the project (UBC 109).





## Development Services Department

**Permit Number** 

B0100150

(909) 384-5071 • Fax: (909) 384-5080 • www.san-bernardino.ca.us

300 North "D" Street, San Bernardino, CA 92418

#### REROOF PERMIT

Job Address: 668 E ORANGE SHOW RD ISSUED Status: Applied: 01/19/2001 Parcel: 0280172010000 Issued: Owner: PAYTON WENDELL W Phone: Address: 7241 LEEDOM DR HIGHLAND CA92346-5098 Phone: (909)795-3100 Contractor: VALLEY ROOFING COMPANY 494316 Address: 33481 ROSEMOND License: YUCAIPA, CA92399 Phone: Architect: License: Address: Engineer: Phone: License: Address: \*\*\*\*\*\*\* Building Information \*\*

Highwind: N

\*\*\*\*\*\*\* Description/Valuation \*\*\*\*\*\*\*\*

Type of Permit: REROOF: REMOVE EXISTING 16 SQS. AND REPLACE WITH COMP. SHINGLE

UNID

Building Permit: \$43.00
Strong Motion Res: \$0.50
Strong Motion Com: \$0.00
Building Issuance: \$15.00

Total Fees: \$58.50
Amount Received: \$58.50
Balance Due: \$0.00

\*\* Comments \*

**EXPIRATION:** This permit shall automatically expire and become void if work is not commenced within 180 days, or if work is suspended or abandoned for a period of 180 days. DEMOLITION PERMITS SHALL EXPIRE WITHIN 90 DAYS.

INSPECTIONS: In order for the work authorized under this permit to be considered legal, such work must comply with all applicable codes, and all required inspections and final approval must be obtained. Failure to obtain inspections and final approval will result in the expiration of this permit.

For Inspections Call: (909) 384-5078

### DECLARATIONS

I hereby af I have a of the work I have a is issued. In the control of the work Carrier Policy Nun I certify compensate comply with Applicant S WARNING CIVIL FINE 3706 OF THE LICENSE I hereby aff is in full for Contractor  CONSTR I hereby aff is in full for Contractor  CONSTR I hereby aff is in full for Contractor  CONSTR I hereby aff is in full for Contractor	UCTION LENDING AGENCY y affirm that there is a construction ame  BUILDER DECLARATION:	of the following disent to self-Insur- sation insurance, ace carrier and po- part for which this part if I should become the second of the sec	e for workers' com as required by sec licy number are:  ermit is issued, I si ne subject to the w N COVERAGE IS U N,000), IN ADDITIO	hall not emplo orkers' compe NLAWFUL AN IN TO THE COS h Section 7000	(This section need is valued at one his valued at one his yany person in any manner so as neation provisions of Section 3700  Date:	not be completed undred dollars (\$10 is to become subject of the Labor Code Coffine Labor Code Code Code Code Code Code Code Code	which this permit if the permit if the permit ion or less.) It to the workers' I shall forthwith OENALTIES AND OR IN SECTION In, and my license In the permit of the permi
profession. applicant fr Section 700 7031.5 by a I, as ow (Sec. 7044, work hims improveme I, as ow Code: The licensed pu I am ex Signature: Owner ID v	s Code: Any city or county which ror such permit to file a signed state 00) of Division 3 of the Business and any applicant for a permit subjects one of the property, or my employ. Business and Professions Code: Their or herself or through his or her ent is sold within one year of comparer of the property, am EXCLUSIV Contractors License Law does not a ursuant to the Contractors License empt under sec.	equires a permit iment that he or she professions Code the applicant to a sees with wages as a Contractors Lico own employees, idetion, the owner ELY CONTRACT apply to an owner Law.).	to construct, alter, the is licensed pursu.) or that he or she is a civil penalty of no their sole compenense Law does not provided that suchuilder will have thoulder will have the sole property who be a civil penalty will be a civil penalty with a civil penalty will be a civil penalty will be a civil penalty who be a civil penalty will be a civil penalty will be a civil penalty who be a civil penalty will be a civil penalty of not civil	improve, dem uant to the prov sexempt there of more than fi sation, WILL I apply to an ov the improvement the burden of p SED CONTRA uilds or improv siness and Pro	iolish, or repair any structure, privisions of the Contractors License from and the basis for the alleged ive hundred dollars (\$500).):  DO THE WORK, and the structur where of property who builds or imputs are not intended or offered for originating that he or she did not build the contracts to be seen and who contracts for offersions Code for this reason:  Date:  Expires:	or to its issuance, in Law (Chapter 9 (conservation, Any violet is not intended opproves thereon, and its sale. If, however lid or improve for p. Sec. 7044, Business or such projects with	also requires the ommencing with olation of Section or offered for sale d who does such the building or ourpose of sale.). and Professions h a contractor(s)
Will the	a/HAZ. MAT. DECLARATIOn the beany excavation (5) five or more building/tenant space be used to the same of the building/tenant space be used to the same of the building/tenant space be used to the building with all state laws and city of the building with all states and	ore feet in depth i	ny hazardous mate	erials?  Yes	s	t the information of	given is correct. I
the above-	described property for inspection particles of Legal Owner(s) and/or thorized Applicant		and the state of t		Date:	1-19-0	2/
CODE#	INSPECTION TYPE	DATE	INTITIALS	CODE#	INSPECTION TYPE	DATE	INTITIALS
Structural				Electrical			
00010	Rough Grading		1	00070	Temp Power Pole	1 2	3
00020	Setbacks	1 - 1		00060	Underground Electrical		
00030	Foundation/Ftgs.			00162	UFER	1	
00040	Slab Grade		-0	00160	Rough Electrical		
00080	Pool Pre-Gunite		1	00275	Electrical Service		
00090	Pool Pre-Plaster		No.	00165	Misc. Electrical	1 1	
00100	Masonry & Steel (1st lift)			Plumbing			
00110	Masonry & Steel (2nd lift)		(20 )	00050	Underground Plumbing		
00111	Masonry & Steel (3rd lift)		3/7	00220	Sewer/Sewage Disposal		
00112	Masonry & Steel (4th lift)		1 1 1 1 1 1 1 1	00230	Water Service		
00115	Roof Sheathing		- 5	00170	Rough Plumbing	S-MARINE IV	
00120	Roof Covering	- 14	- 6	00260	Gas Piping/Air Test	A WY AIR	/ i = 7
00130	Shear Nailing		100	00235	Misc. Plumbing	7 - ES	7:31
00140	Framing		20 0	Mechanical	I new Martin		
00180	Insulation			00150	Rough Mechanical		
00190	Exterior Lath or Siding	1 2	100	00155	Misc. Mechanical	2.43 1926	131 641 48

Final Inspections

Irrigation/Landscaping
Planning Requirements

Engineering Dept. Final Health Dept. Approval

Fire Dept. Approval

Final Electrical

Final Plumbing

Final Mechanical

Final Construction

00310

00410

00400

00420

00415

00280

00290

00300

00350

00200

00210

00240

00150

00125

00320

00460

00470

00480

Other

Stucco Scratch

Stucco Brown

Drywall

T-Bar

Reroof

Misc.

Demolition

Mobile Home Install

Awnings/Porches

8/23/22, 1:04 PM Details



Permit Number Type / Classification

File Date

Description

Status

B0302395 REHAB

RHAB:RES REHAB BLDG:Building 9/22/2003 FINAL

12 WINDOWS (7 ARE BEDROOM) MECHANICAL ADDED. Print Close

Address
Parcel Number
Legal Description

Address
052 E ORANGE SHOW RD
0280172020000
TR NO 2228 VALLEY TRUC

TR NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 57 EX ST \*\*\*\*\* 1-10-97 #97-009210 ST

Valuation \$0.00 Fees \$102.50 Payments \$102.50 Balance \$0.00

Balance

APPLICANT	DURAN, JOHN G

#### **Scheduled Inspections**

Records, 0 Total

Relationship

Date Inspection Type Description

Name

#### **Completed Inspections**

Records, 9 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
140	FRAMING AND VENTILATION	9/24/2003	13	Not Approved: Correction Written	CORRECTION
140	FRAMING AND VENTILATION	9/26/2003	13	Not Approved: Partial Approval	PARTIAL APPROVAL
140	FRAMING AND VENTILATION	10/2/2003	13	Approved: Approved	APPROVED
150	Rough Heating and Mechanical	10/29/2003	09	Not Approved: Correction Written	
190	LATH/STUCCO MESH	10/2/2003	13	Approved: Approved	APPROVED
300	FINAL MECHANICAL	6/17/2004	23	Not Approved: Correction Written	CORRECTION
300	FINAL MECHANICAL	6/29/2004	25	Approved: Approved	APPROVED
350	BUILDING FINAL	10/17/2003	13	Approved: Approved	APPROVED
350	BUILDING FINAL	6/29/2004	25	Approved: Approved	APPROVED

#### **Status**

Records, 0 Total

Appr	v Description 5	Status S	Status	Record By	Assign	Comment
ID		Date			to	

#### **Payments**

Records, 1 Total

Payment Date	Payment ID	Payment Amount	Payment Type
9/22/2003	T000024847	\$102.50	Cash

Close

8/23/22, 1:03 PM Details



Permit Number Type /

B0700174 REROOF

Classification

File Date

Description

Status

Res:Reroof Residential BLDG:Building 1/17/2007 FINAL REROOF COMP SHINGLES (20 SQS) Print Close Address Parcel Number Legal Description

684 E ORANGE SHOW RD 0280192180000

TRACT 2228 LOT 54 TR NO 2228 W 80 FT OF S 1/2 OF LOT 54 EX ST \*\*\*\*\* 12/23/96 #96-468841

Valuation \$0.00 \$95.50 Fees \$95.50

Payments Balance \$0.00

Relationship	Name
APPLICANT	ORTIZ ROOFING COMPANY
CONTRACTOR	ORTIZ ROOFING COMPANY

#### **Scheduled Inspections**

Records, 0 Total

Inspection Type Description

#### **Completed Inspections**

#### Records, 2 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
125	REROOF	1/22/2007	15	Approved: Approved	APPROVED
350	BUILDING FINAL	1/22/2007	15	Approved: Approved	APPROVED

#### **Status**

#### Records, 0 Total

Apprv	Description	Status	Status	Record By	Assign	Comment
ID		Date			to	

#### **Payments**

#### Records, 1 Total

Payment Date	Payment ID	Payment Amount	Payment Type
1/17/2007	T000051882	\$95.50	Check

Close

8/23/22, 1:03 PM Details



Permit Number Type /

B2200829 BLDG

Classification

E:ELECTRICAL ONLY BLDG:Building

File Date 2/16/2022 FINAL MPU 200Amp Status Description

Print Close

Address Parcel Number Legal Description

> Valuation Fees Payments Balance

706 E ORANGE SHOW RD 0280192210000

TRACT NO 2228 VALLEY TRUCK FARMS NO 4 S 1/2 LOT 53 EX ST \*\*\*\*\* 1-10-97 #97-009207

\$1,500.00 \$168.18 \$168.18 \$0.00

Relationship	Name
APPLICANT	A R ELECTRICAL & PLUMBING INC
CONTRACTOR	A R ELECTRICAL & PLUMBING INC

#### **Scheduled Inspections**

Records, 0 Total

Inspection Type Description

#### **Completed Inspections**

#### Records, 5 Total

Inspection Type	Inspection Description	Date	Inspector	Status	Inspector's Comment
160	ROUGH ELECTRICAL	3/30/2022	Houts	Not Approved: NOT READY	
160	ROUGH ELECTRICAL	3/31/2022	Houts	Approved: Approved	
280	FINAL ELECTRICAL	3/31/2022	Houts	Approved: Approved	
350	BUILDING FINAL	3/31/2022	Houts	Approved: Approved	
814	METER RESET ELECTRICAL	3/31/2022	Houts	Approved: Approved	200 amp single phase meter

#### **Status**

Records, 0 Total

Appr	v Description	Status	Status	Record By	Assign	Comment
ID		Date			to	

#### **Payments**

#### Records, 1 Total

Payment Date	Payment ID	Payment Amount	Payment Type
2/16/2022	T000186236	\$168.18	Credit Crd

Close

#### shannon environmental supports ervices.com

**From:** Sylvia Bautista <Bautista\_Sy@sbcity.org>

**Sent:** Friday, August 26, 2022 1:05 PM

**To:** shannon environmental supports ervices.com

Cc: Courtney Bowen; Diane Grant; Dianna Garcia; Genoveva Rocha; Perla Lopez; Telicia

Lopez

**Subject:** CPRA Response for 6446063 Caspagno, Shannon (1) 08-18-22

Dear Sir/Madam,

This letter is in response to your request for public records received on August 18, 2022, by the City of San Bernardino ("City") pursuant to the California Public Records Act, Government Code § 6250 et seq. ("the Act"). You asked to review the following:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706

East Orange Show Road San Bernardino, CA

APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222

(See Attached Map)

ESS requests the following information concerning the subject addresses which the public works department may have on file:

- 1. copies of applications and permits for industrial waste discharge; and
- 2. copies of any and all violations concerning industrial waste discharge.

Please be advised that the City of San Bernardino, at this time, does not have any responsive records pertaining to the location in question: : 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road, San Bernardino, CA and APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222. Please be advised that any waste discharge please check with the County of San Bernardino.

San Bernardino County - Official Website (sbcounty.gov)

Phone: 855-732-2575

San Bernardino Waste Public Works, http://www.sbcounty.gov/wsd/

Please let us know if you have any further questions. Thank you.



Sylvia Bautista

Records Management Specialist City of San Bernardino – Office of the City Clerk

Office: 201 North "E" Street Mail: 290 North "D" Street San Bernardino, California 92401 Direct: 909.384.5002 | x3215

Bautista\_sy@sbcity.org | www.sbcity.org

#### shannon environmental supports ervices.com

From: WB-RB8-FileReview8 < FileReview8@waterboards.ca.gov>

Sent: Thursday, August 25, 2022 2:35 PM

**To:** shannon environmental supports ervices.com

**Subject:** RE: New Public Records Request

Good morning,

After careful review of our records, we show we have no files for the following site(s):

24432 Pioneer Avenue 648, 652, 668, 684 & 706 East Orange Show Road In San Bernardino

Unfortunately, we do not use APN numbers or cross streets to maintain our files. We only use facility names and/or physical address numbers to locate files. If you can provide a numerical address or facility name, we can carry out your request.

If we can be of further assistance, please do not hesitate to contact us again.

Thank you, File Review Desk 3737 Main St. Suite 500 Riverside, CA 92501

From: shannon environmental supports ervices.com < shannon@environmental supports ervices.com >

Sent: Thursday, August 18, 2022 3:35 PM

To: WB-RB8-FileReview8 < FileReview8@waterboards.ca.gov>

**Subject:** New Public Records Request

#### **EXTERNAL:**



## Environmental Support Services

Environmental Research & Due Diligence Compliance
1521 Beaver Tan Court | Wake Forest, NC 27587
P) 949.429.3564 | F) 949.429.3563 | E) Shannon@EnvironmentalSupportServices.com
www.EnvironmentalSupportServices.com | EIN# 83-0533710

August 18, 2022

Regional Water Quality Control Board Santa Ana Region 3737 Main Street, Ste 500 Riverside, CA 92501

Attention: LUST/WIP/SLIC/Site Mitigation Divisions

Dear Public Records Request,

Please check for any files/information on the following sites:

Site: 24432 Pioneer Avenue and 648, 652, 668, 684 & 706 East Orange Show Road San Bernardino, CA
APNs 028-017-201, -204, -211, -216, -217, -220, -221 & -222
(See Attached Map)

I would like to set up an appointment to review this file **as soon as possible**. Anything you can do to expedite this request would be greatly appreciated. Please call me at (949) 429-3564. Thanks!

Sincerely, **Support Services** 

Shannon Castagno
Project Manager
Shannon@EnvironmentalSupportServices.com

## APPENDIX E Site Visit Photographs

Client: Hillwood Enterprises, L.P Project Number: SC1256

Site Name: Gateway South Building 9 Assemblage | Site Location: San Bernardino, California 92408

### Photograph 1

**Date:** 09 May 2022

**Direction:** South

Comments: View of the front residential property at 867 Norman Road. A modular office is visible in the background.



### Photograph 2

**Date:** 09 May 2022

**Direction:** South

Comments: View of a manufactured office building occupied by Geerlings Heavy Equipment Rental located on the south portion of the 867 Norman Road property.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 3

**Date:** 09 May 2022

**Direction:** East

Comments: View of the equipment storage yard for Geerlings Heavy Equipment Rental at the 867 Norman Road property.



### Photograph 4

**Date:** 09 May 2022

**Direction:** South

**Comments:** View of two 55-gallon drums of diesel engine oil at the 867 Norman Road property.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 5

**Date:** 09 May 2022

**Direction:** West

Comments: View of engine parts stored in the south portion of the 867 Norman Road property.



### Photograph 6

**Date:** 09 May 2022

**Direction:** Northwest

Comments: View of construction equipment storage in the north portion of the 823 Norman Road property. Geosyntec was unable to access this property during the Site reconnaissance.



Client: Hillwood Enterprises, L.P Project Number: SC1256

Site Name: Gateway South Building 9 Assemblage | Site Location: San Bernardino, California 92408

#### Photograph 7

**Date:** 09 May 2022

**Direction:** Southwest

Comments: View of aggregate piles of fill dirt and broken concrete located on the south portion of the 823 Norman Road property.



### Photograph 8

**Date:** 09 May 2022

**Direction:** South

Comments: View of the office building and employee/customer parking lot for American Tow Group at 807 Norman Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256


**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 9

**Date:** 09 May 2022

**Direction:** North

Comments: View of the vehicle storage lot at American Tow Group. Staining is visible on the concrete in the foreground.



### Photograph 10

**Date:** 09 May 2022

**Direction:** East

Comments: View of an unused potential wash pad located in the southern portion of the American Tow Group property. A drain was observed in the trench in the foreground. No major staining was observed, and the concrete appeared to be in good condition.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 11

**Date:** 09 May 2022

**Direction:** West

Comments: View of a cellular tower located on a vacant lot at the property identified by APN: 028-020-208.



### Photograph 12

**Date:** 09 May 2022

**Direction:** North

Comments: View of the truck yard and an empty Conex box located at the properties identified by APNs: 028-019-208 and 028-019-209.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 13

**Date:** 09 May 2022

**Direction:** Southwest

**Comments:** View of the front residential property at 755 Norman Road.



## Photograph 14

**Date:** 09 May 2022

**Direction:** Southwest

Comments: View of debris, discarded, ASTs and drums stored in the yard of 755 Norman Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 15

**Date:** 09 May 2022

**Direction:** West

**Comments:** Typical view of debris located in the yard of 755 Norman Road.



## Photograph 16

**Date:** 09 May 2022

**Direction:** Northeast

Comments: View of an unlabeled AST stored on a trailer in the south portion of the yard at 755 Norman Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 17

**Date:** 09 May 2022

**Direction:** North

Comments: View of the maintenance canopy and typical view of storage at the 755 Norman Road property.



### Photograph 18

**Date:** 09 May 2022

**Direction:** Southwest

Comments: View of a canopy for performing maintenance of vehicles at the property identified by APN: 028-192-05.



Client: Hillwood Enterprises, L.P Project Number: SC1256


**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 19

**Date:** 09 May 2022

**Direction: Southwest** 

Comments: View of hazardous materials storage beneath the canopy at the property identified by APN: 028-192-05. Five gallon buckets of transmission fluid and diesel engine oil were observed. Absorbent had been applied over areas with minor staining



#### Photograph 20

**Date:** 09 May 2022

**Direction: Southeast** 

Comments: View of vehicle and trailer storage on the south side of the property identified by APN: 028-192-05.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 21

**Date:** 09 May 2022

**Direction:** South

Comments: View of the property located at the APN: 028-019-204 and occupied by a roofing contractor. This property was inaccessible during the Site reconnaissance.



### Photograph 22

**Date:** 09 May 2022

**Direction:** North

Comments: View of storage on the south side of the property located at the APN: 028-019-204. This area was observed from the adjoining fence line and was inaccessible.



Client: Hillwood Enterprises, L.P Project Number: SC1256

Site Name: Gateway South Building 9 Assemblage | Site Location: San Bernardino, California 92408

#### Photograph 23

**Date:** 09 May 2022

**Direction:** East

Comments: Typical view of manhole covers for a septic tank located on residential properties. This tank is located on the property at 755 Norman Road.



### Photograph 24

**Date:** 09 May 2022

**Direction:** Southwest

Comments: View of an aboveground septic tank located on the residential property at 707 Norman Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 25

**Date:** 09 May 2022

**Direction:** South

Comments: View of a barricade in the south portion of the yard at 707 Norman Road.
Geosyntec did not have access to this area during

the Site reconnaissance.



### Photograph 26

**Date:** 09 May 2022

**Direction:** South

**Comments:** View of the residential home at 707 Norman Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 27

**Date:** 09 May 2022

**Direction:** South

**Comments:** View of the yard at 707 Norman Road



## Photograph 28

**Date:** 09 May 2022

**Direction:** South

Comments: Typical view of the yard located south of the residence at 695 Norman Road. A large pile of vegetation and debris is visible on the left.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 29

**Date:** 09 May 2022

**Direction:** North

**Comments:** View of a vehicle maintenance yard at 788 Orange Show

Road.



### Photograph 30

**Date:** 09 May 2022

**Direction:** North

**Comments:** View of staining observed in the yard at 788 Orange Show

Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 31

**Date:** 09 May 2022

**Direction:** N/A

Comments: Typical view of hazardous materials storage within the yard at 788 Orange Show Road. Containers of transmission fluid, wallpaper paste, paint, oil, degreasers were observed in several plastic baskets.



#### Photograph 32

**Date:** 09 May 2022

**Direction:** East

Comments: Typical view of vacant lots located at the properties identified by APNs: 028-019-211, 028-019-212 and 028-019-213. Chopped wood piles are visible in the background.



Client: Hillwood Enterprises, L.P Project Number: SC1256

Site Name: Gateway South Building 9 Assemblage | Site Location: San Bernardino, California 92408

### Photograph 1

**Date:** 05 August 2022

**Direction:** North

Comments: View of the front residential property 684 East Orange Show Road. The property appears to be vacant.



### Photograph 2

**Date:** 05 August 2022

**Direction:** South

**Comments:** View of the residential property yard located at 668 East Orange Show Road.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 3

**Date:** 05 August 2022

**Direction:** West

**Comments:** Typical view of the residential yard located at 652 East Orange Show Road.



## Photograph 4

**Date:** 05 August 2022

**Direction:** North

Comments: Significant oil stain observed in the residential yard located at 24432 Pioneer Avenue.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 5

**Date:** 05 August 2022

**Direction:** North

Comments: View of motor oil containers stored in the residential yard located at 24432 Pioneer Avenue.



### Photograph 6

**Date:** 05 August 2022

**Direction:** Southeast

Comments: Photo of an empty 55 gallon stained drum located northeast of the APN: 0280-172-21.



Client: Hillwood Enterprises, L.P Project Number: SC1256

Site Name: Gateway South Building 9 Assemblage | Site Location: San Bernardino, California 92408

### Photograph 7

**Date:** 05 August 2022

**Direction:** Southeast

Comments: Photo of an empty 55 gallon stained drum located northwest the APN: 0280-172-21.



### Photograph 8

**Date:** 05 August 2022

**Direction:** Southeast

**Comments:** View of a portable concrete storage tank located east of APN:

0280-172-21.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

### Photograph 9

**Date:** 05 August 2022

**Direction:** North

**Comments:** Typical view of pipe stored/disposed at APNs: 0280-172-21, 0280-172-22, and 0280-172-17.



### Photograph 10

**Date:** 05 August 2022

**Direction:** Northeast

**Comments:** Minor oil stain on soil located west of APN: 0280-172-17.



Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 11

**Date:** 05 August 2022

**Direction:** North

**Comments:** Empty drums located north of APN: 0280-172-17.



### Photograph 12

**Date:** 05 August 2022

**Direction:** Northeast

**Comments:** View of the yard located at 706 East Orange Show Road.



## GEOSYNTEC CONSULTANTS Photographic Record

Client: Hillwood Enterprises, L.P Project Number: SC1256

**Site Name:** Gateway South Building 9 Assemblage | **Site Location:** San Bernardino, California 92408

#### Photograph 13

**Date:** 05 August 2022

**Direction:** South

**Comments:** View of the yard located at 706 East Orange Show Road.



#### Photograph 14

**Date:** 05 August 2022

**Direction:** Southwest

**Comments:** View of the yard located at 706 East Orange Show Road.



# APPENDIX F Soil Sample Analytical Data

										Sa	mple Identifica	tion						
Constituent	Units	RL	Screening Level <sup>1</sup>	SP1-S	SP2-E	SP3-N	SP4-W	HA-1	HA-2	HA-3	HA-4	HA-5	HA4-220805	EX-N-220805	EX-S-220805	EX-E-220805	EX-W-220805	EX-220805
			Sample Date	7/8/2022	7/8/2022	7/8/2022	7/8/2022	7/8/2022	7/8/2022	7/8/2022	7/8/2022	7/8/2022	8/5/2022	8/5/2022	8/5/2022	8/5/2022	8/5/2022	8/5/2022
Total Petroleum Hydrocarbons (TPI	H); EPA Method	1 8015M*																
C10-C28 (DRO)	mg/kg	10	1,200	460	640	ND	ND	ND	900	13,000	290	340	2,300	29	27	ND	19	15
C28-C44 (ORO)	mg/kg	20	180,000	1,600	2,500	720	490	ND	830	5,800	180	290	1,300	ND	ND	ND	ND	ND
Metals; EPA Method 6010B/7471A*	,		I.														ı	
Antimony	mg/kg	3.0	470	ND	ND	ND	ND	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Arsenic	mg/kg	1.0	12**	4.4	3.9	3.6	3.9	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Barium	mg/kg	1.0	220,000	100	68	80	88	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Chromium	mg/kg	1.0	1,800,000	16	99	22	24	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Cobalt	mg/kg	0.5	350	7.8	4.8	8.2	9.1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Copper	mg/kg	1.0	47,000	20	16	21	23	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Lead	mg/kg	1.0	320	11	12	7.9	8.8	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Molybdenum	mg/kg	1.0	5,800	ND	1.6	ND	ND	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Nickel	mg/kg	1.0	11,000	15	11	11	15	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Vanadium	mg/kg	1.0	5,800	37	66	50	55	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Zinc	mg/kg	5.0	350.000	54	44	44	51	NE	NF.	NE	NF	NE	NE.	NE	NE.	NE.	NE	NE.

Notes

\* Only Control Board (SFRWQCB), Environmental Screening Levels (ESLs); Commercial/Industrial Shallow Soil Exposure, 2019 (Rev. 2).



Enthalpy Analytical 931 West Barkley Ave Orange, CA 92868 (714) 771-6900

enthalpy.com

Lab Job Number: 465469

Report Level: II

Report Date: 07/29/2022

#### **Analytical Report** *prepared for:*

Jackie Hyman GeoSyntec Consultants San Diego 2355 Northside Drive Suite 250 San Diego, CA 92108

Location: GWS-9

Authorized for release by:

Patty Mata, Project Manager patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105



## **Sample Summary**

Jackie Hyman GeoSyntec Consultants San Diego

2355 Northside Drive

Suite 250

San Diego, CA 92108

Lab Job #: 465469 Location: GWS-9

Date Received: 07/08/22

Sample ID	Lab ID	Collected	Matrix
SP1-S	465469-001	07/08/22 11:30	Soil
SP2-E	465469-002	07/08/22 11:25	Soil
SP-3N	465469-003	07/08/22 11:22	Soil
SP-4W	465469-004	07/08/22 11:20	Soil
HA-1	465469-005	07/08/22 12:05	Soil
HA-2	465469-006	07/08/22 12:25	Soil
HA-3	465469-007	07/08/22 12:55	Soil
HA-4	465469-008	07/08/22 13:05	Soil
HA-5	465469-009	07/08/22 13:33	Soil



#### Case Narrative

GeoSyntec Consultants San Diego 2355 Northside Drive Suite 250 San Diego, CA 92108

Location: GWS-9 Date Received: 07/08/22

Lab Job Number: 465469

This data package contains sample and QC results for nine soil samples, requested for the above referenced project on 07/08/22. The samples were received cold and intact. Revised report to include additional metals results that were requested.

#### TPH-Extractables by GC (EPA 8015M):

- Many samples were diluted due to the dark and viscous nature of the sample extracts. Extract color and/or viscosity are used as indicators of possible matrix interference. Elevated reporting limits were due to the necessary dilutions.
- · No other analytical problems were encountered.

#### Pesticides (EPA 8081A):

Jackie Hyman

- SP1-S (lab # 465469-001) was diluted due to the color of the sample extract. Extract color is used as an indicator of possible matrix interference. Elevated reporting limits were due to the necessary dilution.
- SP2-E (lab # 465469-002), SP-3N (lab # 465469-003), and SP-4W (lab # 465469-004) were diluted due to the dark color of the sample extracts. Extract color is used as an indicator of possible matrix interference. Elevated reporting limits were due to the necessary dilutions.
- No other analytical problems were encountered.

#### PCBs (EPA 8082):

- A number of samples were diluted due to the dark color of the sample extracts. Extract color is used as an indicator of possible matrix interference. Elevated reporting limits were due to the necessary dilutions.
- No other analytical problems were encountered.

#### Metals (EPA 6010B and EPA 7471A):

- Low recoveries were observed for antimony in the MS/MSD for batch 292612; the parent sample was not a project sample, the LCS was within limits, and the associated RPD was within limits.
- Low recoveries were observed for antimony in the MS/MSD of HA-3 (lab # 465469-007); the LCS was within limits. High RPD was also observed for antimony; this analyte was not detected at or above the RL in the associated
- No other analytical problems were encountered.

	V I I	I n	<del> </del>	Chain of Custody Record	ody Recor	٥	Turn A	round Tin	Turn Around Time (rush by advanced notice only)	anced notice o	( <u>Ş</u>
FINITALF	ПA	LFI	Lab No:	9	6501A	الخق	Standard:	1	5 Day:	3 Day:	
		I C A L	Page:	-	of	1 2	2 Day:		1 Day:	Custom TAT:	
Enthalpy Analytical - Orange 931 W. Barkley Avenue, Orange, CA 92868	<b>al - Orange</b> ange, CA 92868		Matrix:		Solid rinking Wate oduct SEA =	Wate SD = Sediment SEA = Sea Water	= M	Preservatives: $Na_2S_2O_3$ 2 = HCl $4 = H_2SO_4$ 5 = NaOH	servatives: 1 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> 2 = HCl 3 = HNO <sub>3</sub> $4 = H_2$ SO <sub>4</sub> 5 = NaOH 6 = Other	= Sample Receipt Temps	ot Temp:
Phone 714-771-6900	9069		NS SI	SW=Swab T=T	T=Tissue WP=V	WP = Wipe O = Other	ıer			(lab use only)	lly)
CUSTOMER INFORMATION		PROJI	PROJECT INFORMATION	MATION		7	Analysis Request	est	Test Inst	Test Instructions / Comments	ints /
علامك						13L 1 3010 1108	100°				
.ö.	-	me:	L CM2		06.	1_ 1960	وكمن	G			Ž Ø
Address: (1)	Steecon's	. Proj. #:	20.K		7(	19	ey »	<b>उ</b> ट		\	
A A A Address	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		W	9	;	200	مدن	8		\	
Phone: 626-609-9525		Ì	1 1 V 2 Purcond	1601 Jan 120ma	<u> </u>	ZOW	18	₩/ =	_		
Fax:		Sampled By:	Suchie hey	19.00	Yorch Bolomin F	778 War	308	<b>?</b> 1	<u>_</u>		
Sample ID	Sampling Date	Sampling	Matrix	Container No. / Size	Э# <u>Н</u>	THE	80)	NOCO	_		
1 501.5	7/8/22	1130	5	-	* TLE X	×	×				
2 582.E		1125	-		2	χ	×				
3 58-3N		1122			_	×	х х				7:08
4 SP-4W		1120			Ŷ	x X	X				
5 HA-1		12.05		_		X		×			
- (		1325			^	<b>X</b> .		×			į
7 HA-3		1255				X		x			
7-AH 8	_	1305		-	×			X			
10 14:5	<b>~</b>	CC C.	>	<b>}</b>	×  >			x			, K
	gnature			Print Name	1	   	Company / Title	itle		Date / Time	T
<sup>1</sup> Relinquished By:		3	Loucet Br	Do Lanie	<u>  Š</u>	Degrapatec	lacely at	. <i>F</i> v.	7/8/3022	11.58	
<sup>1</sup> Received By:	Ma				9	3			787	<b>,</b>	
<sup>2</sup> Relinquished By:	9 00										
<sup>2</sup> Received By:											
<sup>3</sup> Relinquished By:											
<sup>3</sup> Received By:					$\dashv$						



#### SAMPLE ACCEPTANCE CHECKLIST

Section 1				
Client: Geosyntec Consultants	Project: GWS9			
Date Received: 7/8/22	Sampler's Name Present:	✓Yes	No	
Section 2				
Sample(s) received in a cooler?  Yes, How many? 1	NO (skip section 2)		e Temp (°C) (No Cooler)	
Sample Temp (°C), One from each cooler: #1: 6.4	#2: #3:		(NO COOICI)	
(Acceptance range Is < 6°C but not frozen (for Microbiology samples, accepta			for sample	s collected
the same day as sample receipt to have a higher temperato	ure as long as there is evidence that co	oling has beg	un.)	
Shipping Information:		****		
Section 3		<del></del>		
Was the cooler packed with: VIce Ice Packs	Bubble Wrap Styre	ofoam		
Paper None	Other			
Cooler Temp (°C): #1: <u>4.1</u> #2:	#3:	#4:		
Section 4		YES	NO	N/A
Was a COC received?		V		
Are sample IDs present?		~		
Are sampling dates & times present?		V		
Is a relinquished signature present?	,	<b>V</b>		
Are the tests required clearly indicated on the COC?		<b>V</b>		
Are custody seals present?			~	
If custody seals are present, were they intact?				~
Are all samples sealed in plastic bags? (Recommended for		<b>'</b>		
Did all samples arrive intact? If no, indicate in Section 4 b		<b>'</b>		
Did all bottle labels agree with COC? (ID, dates and times		<b>'</b>		
Were the samples collected in the correct containers for	the required tests?	<b>'</b>		
Are the containers labeled with the correct preserve	atives?			~
Is there headspace in the VOA vials greater than 5-6 mm	in diameter?			~
Was a sufficient amount of sample submitted for the req	uested tests?	<b>V</b>		
Section 5 Explanations/Comments				
Section 6				
For discrepancies, how was the Project Manager notified				
	Email (email sent to,	/on):	/	
Project Manager's response:				
	_			
Completed By:	Date: 7(8/M			

Enthalpy Analytical, a subsidiary of Montrose Environmental Group ,inc.
931 W. Barkley Ave, Orange, CA 92868 • T: (714) 771-6900 • F: (714) 538-1209
www.enthalpy.com/socal
Sample Acceptance Checklist – Rev 4, 8/8/2017



Patty Mata <patty.mata@enthalpy.com>

#### [EXTERNAL] RE: GWS-9 - Enthalpy Data (465469)

1 message

Jackie Hyman < JHyman@geosyntec.com> To: "patty.mata@enthalpy.com" <patty.mata@enthalpy.com> Fri, Jul 22, 2022 at 1:03 PM

Hello Patty,

Could you please run sample HA-3 for Title 22 metals?

Thanks,

#### Jackie Hyman

**Professional** 

Geosyntec Consultants, Inc.

2355 Northside Drive, Suite 250

San Diego, CA 92108

Office: 858.674.6559

Mobile: 626.609.9525

GEOSYNTEC | SIREM | SAVRON

Follow Us - LinkedIn | Twitter | Facebook | YouTube

From: Patty Mata <patty.mata@enthalpy.com>

Sent: Monday, July 18, 2022 5:42 PM

To: Jackie Hyman < JHyman@Geosyntec.com> Subject: GWS-9 - Enthalpy Data (465469)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe. If you have any suspicion, please confirm with the sender verbally that this email is authentic. If you suspect fraud, click "Phish Alert Report."

Hi Jackie,



Jackie Hyman GeoSyntec Consultants San Diego 2355 Northside Drive Suite 250 San Diego, CA 92108

Lab Job #: 465469 Location: GWS-9 Date Received: 07/08/22

Sample ID: SP1-S Lab ID: 465469-001 Collected: 07/08/22 11:30

465469-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.6	0.88	292612	07/11/22	07/12/22	KLN
Arsenic	4.4		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Barium	100		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Beryllium	ND		mg/Kg	0.44	0.88	292612	07/11/22	07/18/22	KLN
Cadmium	ND		mg/Kg	0.44	0.88	292612	07/11/22	07/12/22	KLN
Chromium	16		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Cobalt	7.8		mg/Kg	0.44	0.88	292612	07/11/22	07/12/22	KLN
Copper	20		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Lead	11		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Molybdenum	1.6		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Nickel	15		mg/Kg	0.88	0.88	292612	07/11/22	07/18/22	KLN
Selenium	ND		mg/Kg	2.6	0.88	292612	07/11/22	07/12/22	KLN
Silver	ND		mg/Kg	0.44	0.88	292612	07/11/22	07/12/22	KLN
Thallium	ND		mg/Kg	2.6	0.88	292612	07/11/22	07/12/22	KLN
Vanadium	37		mg/Kg	0.88	0.88	292612	07/11/22	07/12/22	KLN
Zinc	54		mg/Kg	4.4	0.88	292612	07/11/22	07/18/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	292953	07/13/22	07/14/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
DRO C10-C28	460		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
ORO C28-C44	1,600		mg/Kg	400	20	292945	07/14/22	07/14/22	MES
Surrogates	1,000		mg/rtg	Limits	20	232343	07/14/22	07/14/22	IVILO
n-Triacontane		DO	%REC	70-130	20	292945	07/14/22	07/14/22	MES
Method: EPA 8081A									
Prep Method: EPA 3546									
alpha-BHC	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
beta-BHC	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
gamma-BHC	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
delta-BHC	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Heptachlor	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
ricpiacinoi			ug/itg	31	10	232002	01/10/22	01/17/22	11111



		- ,							
465469-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Heptachlor epoxide	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endosulfan I	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Dieldrin	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
4,4'-DDE	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endrin	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endosulfan II	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endosulfan sulfate	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
4,4'-DDD	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endrin aldehyde	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Endrin ketone	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
4,4'-DDT	ND		ug/Kg	51	10	292882	07/13/22	07/14/22	TRN
Methoxychlor	ND		ug/Kg	100	10	292882	07/13/22	07/14/22	TRN
Toxaphene	ND		ug/Kg	1,000	10	292882	07/13/22	07/14/22	TRN
Chlordane (Technical)	ND		ug/Kg	510	10	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
TCMX		DO	%REC	23-120	10	292882	07/13/22	07/14/22	TRN
Decachlorobiphenyl		DO	%REC	24-120	10	292882	07/13/22	07/14/22	TRN
Method: EPA 8082									
Prep Method: EPA 3546									
Aroclor-1016	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1221	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1232	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1242	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1248	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1254	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1260	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1262	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1268	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
Decachlorobiphenyl (PCB)	77%		%REC	19-121	2	292882	07/13/22	07/14/22	TRN



Sample ID: SP2-E Lab ID: 465469-002 Collected: 07/08/22 11:25

465469-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.94	292612	07/11/22	07/12/22	KLN
Arsenic	3.9		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Barium	68		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Beryllium	ND		mg/Kg	0.47	0.94	292612	07/11/22	07/18/22	KLN
Cadmium	ND		mg/Kg	0.47	0.94	292612	07/11/22	07/12/22	KLN
Chromium	99		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Cobalt	4.8		mg/Kg	0.47	0.94	292612	07/11/22	07/12/22	KLN
Copper	16		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Lead	12		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Molybdenum	1.6		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Nickel	11		mg/Kg	0.94	0.94	292612	07/11/22	07/18/22	KLN
Selenium	ND		mg/Kg	2.8	0.94	292612	07/11/22	07/12/22	KLN
Silver	ND		mg/Kg	0.47	0.94	292612	07/11/22	07/12/22	KLN
Thallium	ND		mg/Kg	2.8	0.94	292612	07/11/22	07/12/22	KLN
Vanadium	66		mg/Kg	0.94	0.94	292612	07/11/22	07/12/22	KLN
Zinc	44		mg/Kg	4.7	0.94	292612	07/11/22	07/18/22	KLN
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	292953	07/13/22	07/14/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	200	20	292945	07/14/22	07/15/22	MES
DRO C10-C28	640		mg/Kg	200	20	292945	07/14/22	07/15/22	MES
ORO C28-C44	2,500		mg/Kg	400	20	292945	07/14/22	07/15/22	MES
Surrogates				Limits					
n-Triacontane		DO	%REC	70-130	20	292945	07/14/22	07/15/22	MES
Method: EPA 8081A Prep Method: EPA 3546									
alpha-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
beta-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
gamma-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
delta-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Heptachlor	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Aldrin	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Heptachlor epoxide	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endosulfan I	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Dieldrin	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDE	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endrin	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endosulfan II	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN



		- ,			_				
465469-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Endosulfan sulfate	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDD	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endrin aldehyde	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endrin ketone	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDT	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Methoxychlor	ND		ug/Kg	100	10	292882	07/13/22	07/14/22	TRN
Toxaphene	ND		ug/Kg	1,000	10	292882	07/13/22	07/14/22	TRN
Chlordane (Technical)	ND		ug/Kg	500	10	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
TCMX		DO	%REC	23-120	10	292882	07/13/22	07/14/22	TRN
Decachlorobiphenyl		DO	%REC	24-120	10	292882	07/13/22	07/14/22	TRN
Method: EPA 8082									
Prep Method: EPA 3546									
Aroclor-1016	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1221	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1232	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1242	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1248	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1254	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1260	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1262	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1268	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
Decachlorobiphenyl (PCB)	89%		%REC	19-121	2	292882	07/13/22	07/14/22	TRN



Sample ID: SP-3N Lab ID: 465469-003 Collected: 07/08/22 11:22

465469-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	292612	07/11/22	07/12/22	KLN
Arsenic	3.6		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Barium	80		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Beryllium	ND		mg/Kg	0.48	0.96	292612	07/11/22	07/18/22	KLN
Cadmium	ND		mg/Kg	0.48	0.96	292612	07/11/22	07/12/22	KLN
Chromium	22		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Cobalt	8.2		mg/Kg	0.48	0.96	292612	07/11/22	07/12/22	KLN
Copper	21		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Lead	7.9		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Molybdenum	ND		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Nickel	11		mg/Kg	0.96	0.96	292612	07/11/22	07/18/22	KLN
Selenium	ND		mg/Kg	2.9	0.96	292612	07/11/22	07/12/22	KLN
Silver	ND		mg/Kg	0.48	0.96	292612	07/11/22	07/12/22	KLN
Thallium	ND		mg/Kg	2.9	0.96	292612	07/11/22	07/12/22	KLN
Vanadium	50		mg/Kg	0.96	0.96	292612	07/11/22	07/12/22	KLN
Zinc	44		mg/Kg	4.8	0.96	292612	07/11/22	07/18/22	KLN
Method: EPA 7471A Prep Method: METHOD	N.D.					222252	07/40/00	07/44/00	ODIM
Mercury	ND		mg/Kg	0.15	1.1	292953	07/13/22	07/14/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
DRO C10-C28	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
ORO C28-C44	720		mg/Kg	400	20	292945	07/14/22	07/14/22	MES
Surrogates				Limits					
n-Triacontane		DO	%REC	70-130	20	292945	07/14/22	07/14/22	MES
Method: EPA 8081A Prep Method: EPA 3546									
alpha-BHC	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
beta-BHC	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
gamma-BHC	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
delta-BHC	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Heptachlor	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Aldrin	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Heptachlor epoxide	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Endosulfan I	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Dieldrin	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
4,4'-DDE	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Endrin	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Endosulfan II	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN



465469-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Endosulfan sulfate	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
4,4'-DDD	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Endrin aldehyde	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Endrin ketone	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
4,4'-DDT	ND		ug/Kg	49	9.8	292882	07/13/22	07/14/22	TRN
Methoxychlor	ND		ug/Kg	98	9.8	292882	07/13/22	07/14/22	TRN
Toxaphene	ND		ug/Kg	980	9.8	292882	07/13/22	07/14/22	TRN
Chlordane (Technical)	ND		ug/Kg	490	9.8	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
TCMX		DO	%REC	23-120	9.8	292882	07/13/22	07/14/22	TRN
Decachlorobiphenyl		DO	%REC	24-120	9.8	292882	07/13/22	07/14/22	TRN
Method: EPA 8082									
Prep Method: EPA 3546									
Aroclor-1016	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1221	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1232	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1242	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1248	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1254	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1260	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1262	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Aroclor-1268	ND		ug/Kg	98	2	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
Decachlorobiphenyl (PCB)	99%		%REC	19-121	2	292882	07/13/22	07/14/22	TRN



Sample ID: SP-4W Lab ID: 465469-004 Collected: 07/08/22 11:20

465469-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.2	1.1	292612	07/11/22	07/12/22	KLN
Arsenic	3.9		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Barium	88		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Beryllium	ND		mg/Kg	0.53	1.1	292612	07/11/22	07/18/22	KLN
Cadmium	ND		mg/Kg	0.53	1.1	292612	07/11/22	07/12/22	KLN
Chromium	24		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Cobalt	9.1		mg/Kg	0.53	1.1	292612	07/11/22	07/12/22	KLN
Copper	23		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Lead	8.8		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Molybdenum	ND		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Nickel	15		mg/Kg	1.1	1.1	292612	07/11/22	07/18/22	KLN
Selenium	ND		mg/Kg	3.2	1.1	292612	07/11/22	07/12/22	KLN
Silver	ND		mg/Kg	0.53	1.1	292612	07/11/22	07/12/22	KLN
Thallium	ND		mg/Kg	3.2	1.1	292612	07/11/22	07/12/22	KLN
Vanadium	55		mg/Kg	1.1	1.1	292612	07/11/22	07/12/22	KLN
Zinc	51		mg/Kg	5.3	1.1	292612	07/11/22	07/18/22	KLN
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	292953	07/13/22	07/14/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
DRO C10-C28	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
ORO C28-C44	490		mg/Kg	400	20	292945	07/14/22	07/14/22	MES
Surrogates				Limits					
n-Triacontane		DO	%REC	70-130	20	292945	07/14/22	07/14/22	MES
Method: EPA 8081A Prep Method: EPA 3546									
alpha-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
beta-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
gamma-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
delta-BHC	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Heptachlor	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Aldrin	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Heptachlor epoxide	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endosulfan I	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Dieldrin	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
						000000	07/40/00	07/44/00	TDN
4,4'-DDE	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDE Endrin	ND ND		ug/Kg ug/Kg	50 50	10	292882	07/13/22	07/14/22	TRN



		•							
465469-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Endosulfan sulfate	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDD	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endrin aldehyde	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Endrin ketone	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
4,4'-DDT	ND		ug/Kg	50	10	292882	07/13/22	07/14/22	TRN
Methoxychlor	ND		ug/Kg	100	10	292882	07/13/22	07/14/22	TRN
Toxaphene	ND		ug/Kg	1,000	10	292882	07/13/22	07/14/22	TRN
Chlordane (Technical)	ND		ug/Kg	500	10	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
TCMX		DO	%REC	23-120	10	292882	07/13/22	07/14/22	TRN
Decachlorobiphenyl		DO	%REC	24-120	10	292882	07/13/22	07/14/22	TRN
Method: EPA 8082									
Prep Method: EPA 3546									
Aroclor-1016	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1221	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1232	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1242	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1248	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1254	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1260	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1262	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Aroclor-1268	ND		ug/Kg	100	2	292882	07/13/22	07/14/22	TRN
Surrogates				Limits					
Decachlorobiphenyl (PCB)	91%		%REC	19-121	2	292882	07/13/22	07/14/22	TRN



Sample ID: HA-1 Lab ID: 465469-005 Collected: 07/08/22 12:05

465469-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemis
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
DRO C10-C28	ND		mg/Kg	200	20	292945	07/14/22	07/14/22	MES
ORO C28-C44	ND		mg/Kg	400	20	292945	07/14/22	07/14/22	MES
Surrogates				Limits					
n-Triacontane		DO	%REC	70-130	20	292945	07/14/22	07/14/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Freon 12	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Chloromethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Vinyl Chloride	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Bromomethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Chloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Trichlorofluoromethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Acetone	ND		ug/Kg	100	1	293019	07/15/22	07/15/22	TCN
Freon 113	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Methylene Chloride	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
MTBE	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
2-Butanone	ND		ug/Kg	100	1	293019	07/15/22	07/15/22	TCN
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
2,2-Dichloropropane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Chloroform	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Bromochloromethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloropropene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Carbon Tetrachloride	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Benzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Trichloroethene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloropropane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Bromodichloromethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Dibromomethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
4-Methyl-2-Pentanone	ND		ug/Kg	8.2	1	293019	07/15/22	07/15/22	TCN
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Toluene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1,2-Trichloroethane	ND		ug/Kg	5.0		293019	07/15/22	07/15/22	TCN



	Alle	11 y 313	i iCSGit	3 101	-100	<del>1</del> 00			
465469-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,3-Dichloropropane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Tetrachloroethene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Dibromochloromethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2-Dibromoethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Chlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Ethylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
m,p-Xylenes	ND		ug/Kg	10	1	293019	07/15/22	07/15/22	TCN
o-Xylene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Styrene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Bromoform	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Isopropylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Propylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Bromobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
2-Chlorotoluene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
4-Chlorotoluene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
tert-Butylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
sec-Butylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
n-Butylbenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Hexachlorobutadiene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Naphthalene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/Kg	15	1	293019	07/15/22	07/15/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Xylene (total)	ND		ug/Kg	5.0	1	293019	07/15/22	07/15/22	TCN
Surrogates				Limits					
Dibromofluoromethane	103%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane-d4	101%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
Toluene-d8	102%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
Bromofluorobenzene	105%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN



Sample ID: HA-2 Lab ID: 465469-006 Collected: 07/08/22 12:25

465469-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemis
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	292945	07/14/22	07/14/22	MES
DRO C10-C28	900		mg/Kg	20	2	292945	07/14/22	07/14/22	MES
ORO C28-C44	830		mg/Kg	40	2	292945	07/14/22	07/14/22	MES
Surrogates				Limits					
n-Triacontane	91%		%REC	70-130	2	292945	07/14/22	07/14/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B						000010	07/15/00	07/15/00	TON
3-Chloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Freon 12	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Vinyl Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromomethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichlorofluoromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Acetone	ND		ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
Freon 113	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Methylene Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
MTBE	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
trans-1,2-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2-Butanone	ND		ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
cis-1,2-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2,2-Dichloropropane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroform	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromochloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,1-Trichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Carbon Tetrachloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Benzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloropropane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromodichloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Dibromomethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
4-Methyl-2-Pentanone	ND		ug/Kg	8.0	0.98	293019	07/15/22	07/15/22	TCN
cis-1,3-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Toluene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
trans-1,3-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,2-Trichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,2-1110110101011111111	טוו		ug/Ng	4.3	0.50	233013	07/13/22	07/13/22	1011



	7111		110	700	TUU			
465469-006 Analyte	Result	Qual Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,3-Dichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Tetrachloroethene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Dibromochloromethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dibromoethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,1,2-Tetrachloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Ethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
m,p-Xylenes	ND	ug/Kg	9.8	0.98	293019	07/15/22	07/15/22	TCN
o-Xylene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Styrene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromoform	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Isopropylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,2,2-Tetrachloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Propylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,3,5-Trimethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2-Chlorotoluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
4-Chlorotoluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
tert-Butylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,4-Trimethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
sec-Butylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
para-Isopropyl Toluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,3-Dichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,4-Dichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
n-Butylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,4-Trichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Hexachlorobutadiene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Naphthalene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
cis-1,4-Dichloro-2-butene	ND	ug/Kg	14	0.98	293019	07/15/22	07/15/22	TCN
trans-1,4-Dichloro-2-butene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Xylene (total)	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Surrogates		- 3, - 3	Limits			·		
Dibromofluoromethane	102%	%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane-d4	99%	%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN
Toluene-d8	103%	%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN



Sample ID: HA-3 Lab ID: 465469-007 Collected: 07/08/22 12:55

465469-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.6	0.85	293896	07/28/22	07/29/22	SBW
Arsenic	2.9		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Barium	95		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Beryllium	ND		mg/Kg	0.43	0.85	293896	07/28/22	07/29/22	SBW
Cadmium	ND		mg/Kg	0.43	0.85	293896	07/28/22	07/29/22	SBW
Chromium	26		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Cobalt	8.8		mg/Kg	0.43	0.85	293896	07/28/22	07/29/22	SBW
Copper	20		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Lead	17		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Molybdenum	1.8		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Nickel	18		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Selenium	ND		mg/Kg	2.6	0.85	293896	07/28/22	07/29/22	SBW
Silver	ND		mg/Kg	0.43	0.85	293896	07/28/22	07/29/22	SBW
Thallium	ND		mg/Kg	2.6	0.85	293896	07/28/22	07/29/22	SBW
Vanadium	45		mg/Kg	0.85	0.85	293896	07/28/22	07/29/22	SBW
Zinc	140		mg/Kg	4.3	0.85	293896	07/28/22	07/29/22	SBW
Method: EPA 7471A Prep Method: METHOD  Mercury	ND		mg/Kg	0.14	1	293904	07/28/22	07/29/22	TNN
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	250	25	292945	07/14/22	07/18/22	MES
DRO C10-C28	13,000		mg/Kg	250	25	292945	07/14/22	07/18/22	MES
ORO C28-C44	5,800		mg/Kg	500	25	292945	07/14/22	07/18/22	MES
Surrogates				Limits					
n-Triacontane		DO	%REC	70-130	25	292945	07/14/22	07/18/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Freon 12	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Vinyl Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromomethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichlorofluoromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Acetone	ND		ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
Freon 113	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Methylene Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
MTBE	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN



	Alle	aiysis nesuit	5 101	405	403			
465469-007 Analyte	Result	Qual Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2-Butanone	ND	ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
cis-1,2-Dichloroethene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2,2-Dichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroform	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromochloromethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,1-Trichloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloropropene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Carbon Tetrachloride	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Benzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichloroethene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromodichloromethane	ND ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Dibromomethane	ND ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
4-Methyl-2-Pentanone	ND ND	ug/Kg	8.0	0.98	293019	07/15/22	07/15/22	TCN
							07/15/22	TCN
cis-1,3-Dichloropropene	ND ND	ug/Kg	4.9	0.98	293019	07/15/22 07/15/22	07/15/22	TCN
Toluene		ug/Kg	4.9	0.98	293019			
trans-1,3-Dichloropropene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,2-Trichloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,3-Dichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Tetrachloroethene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Dibromochloromethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dibromoethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,1,2-Tetrachloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Ethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
m,p-Xylenes	ND	ug/Kg	9.8	0.98	293019	07/15/22	07/15/22	TCN
o-Xylene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Styrene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromoform	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Isopropylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,2,2-Tetrachloroethane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichloropropane	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Propylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,3,5-Trimethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2-Chlorotoluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
4-Chlorotoluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
tert-Butylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,4-Trimethylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
sec-Butylbenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
para-Isopropyl Toluene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,3-Dichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,4-Dichlorobenzene	ND	ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN



465469-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichlorobenzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,4-Trichlorobenzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Hexachlorobutadiene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Naphthalene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichlorobenzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/Kg	14	0.98	293019	07/15/22	07/15/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Xylene (total)	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Surrogates				Limits					
Dibromofluoromethane	106%		%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane-d4	102%		%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN
Toluene-d8	100%		%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN
Bromofluorobenzene	114%		%REC	70-145	0.98	293019	07/15/22	07/15/22	TCN



Sample ID: HA-4 Lab ID: 465469-008 Collected: 07/08/22 13:05

Method: EPA 8015M Prep Method: EPA 3580								
<u>'</u>								
GRO C8-C10	ND	mg/Kg	10	1	292945	07/14/22	07/15/22	MES
DRO C10-C28	290	mg/Kg	10	1	292945	07/14/22	07/15/22	MES
ORO C28-C44	180	mg/Kg	20	1	292945	07/14/22	07/15/22	MES
Surrogates			Limits					
n-Triacontane	102%	%REC	70-130	1	292945	07/14/22	07/15/22	MES
Method: EPA 8260B								
Prep Method: EPA 5030B								
3-Chloropropene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Freon 12	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Chloromethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Vinyl Chloride	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Bromomethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Chloroethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Trichlorofluoromethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Acetone	ND	ug/Kg	100	1	293019	07/15/22	07/15/22	TCN
Freon 113	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Methylene Chloride	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
MTBE	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
trans-1,2-Dichloroethene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
2-Butanone	ND	ug/Kg	100	1	293019	07/15/22	07/15/22	TCN
cis-1,2-Dichloroethene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
2,2-Dichloropropane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Chloroform	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Bromochloromethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1,1-Trichloroethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1-Dichloropropene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Carbon Tetrachloride	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Benzene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Trichloroethene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloropropane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Bromodichloromethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Dibromomethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
4-Methyl-2-Pentanone	ND	ug/Kg	8.2	1	293019	07/15/22	07/15/22	TCN
cis-1,3-Dichloropropene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Toluene	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
trans-1,3-Dichloropropene	ND	ug/Kg	5.1	<u>'</u> 1	293019	07/15/22	07/15/22	TCN
1,1,2-Trichloroethane	ND	ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN



		,							
465469-008 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,3-Dichloropropane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Tetrachloroethene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Dibromochloromethane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2-Dibromoethane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Chlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Ethylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
m,p-Xylenes	ND		ug/Kg	10	1	293019	07/15/22	07/15/22	TCN
o-Xylene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Styrene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Bromoform	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Isopropylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2,3-Trichloropropane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Propylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Bromobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,3,5-Trimethylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
2-Chlorotoluene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
4-Chlorotoluene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
tert-Butylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2,4-Trimethylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
sec-Butylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
para-Isopropyl Toluene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,3-Dichlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,4-Dichlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
n-Butylbenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2-Dichlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2,4-Trichlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Hexachlorobutadiene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Naphthalene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
1,2,3-Trichlorobenzene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/Kg	15	1	293019	07/15/22	07/15/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Xylene (total)	ND		ug/Kg	5.1	1	293019	07/15/22	07/15/22	TCN
Surrogates				Limits					
Dibromofluoromethane	104%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane-d4	104%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
Toluene-d8	97%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
Bromofluorobenzene	100%		%REC	70-145	1	293019	07/15/22	07/15/22	TCN
-									



Sample ID: HA-5 Lab ID: 465469-009 Collected: 07/08/22 13:33

465469-009 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemis
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	292945	07/14/22	07/14/22	MES
DRO C10-C28	340		mg/Kg	10	1	292945	07/14/22	07/14/22	MES
ORO C28-C44	290		mg/Kg	20	1	292945	07/14/22	07/14/22	MES
Surrogates				Limits					
n-Triacontane	89%		%REC	70-130	1	292945	07/14/22	07/14/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
· ·	ND		a/l/a	4.0	0.00	202010	07/15/22	07/15/22	TCN
3-Chloropropene			ug/Kg	4.9	0.98	293019			
Freon 12	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Vinyl Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromomethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichlorofluoromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Acetone	ND		ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
Freon 113	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Methylene Chloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
MTBE	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
trans-1,2-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2-Butanone	ND		ug/Kg	98	0.98	293019	07/15/22	07/15/22	TCN
cis-1,2-Dichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
2,2-Dichloropropane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Chloroform	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromochloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1,1-Trichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,1-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Carbon Tetrachloride	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Benzene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Trichloroethene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,2-Dichloropropane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Bromodichloromethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Dibromomethane	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
4-Methyl-2-Pentanone	ND		ug/Kg	7.9	0.98	293019	07/15/22	07/15/22	TCN
cis-1,3-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
Toluene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
trans-1,3-Dichloropropene	ND		ug/Kg	4.9	0.98	293019	07/15/22	07/15/22	TCN
1,0 2.00100000000	. 10		~ 9′ · •9	1.0	5.50		5.7.5, <b>LL</b>	J., . J, LL	



		,		_					
465469-009 Analyte	Result	Qual U	nits F	L D	)F	Batch	Prepared	Analyzed	Chemist
1,3-Dichloropropane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Tetrachloroethene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Dibromochloromethane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2-Dibromoethane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Chlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,1,1,2-Tetrachloroethane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Ethylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
m,p-Xylenes	ND	ug	/Kg 9	8.0	98	293019	07/15/22	07/15/22	TCN
o-Xylene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Styrene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Bromoform	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Isopropylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,1,2,2-Tetrachloroethane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichloropropane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Propylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Bromobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,3,5-Trimethylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
2-Chlorotoluene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
4-Chlorotoluene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
tert-Butylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2,4-Trimethylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
sec-Butylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
para-Isopropyl Toluene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,3-Dichlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,4-Dichlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
n-Butylbenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2-Dichlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2-Dibromo-3-Chloropropane	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2,4-Trichlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Hexachlorobutadiene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Naphthalene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
1,2,3-Trichlorobenzene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
cis-1,4-Dichloro-2-butene	ND	ug	/Kg 1	4 0.9	98	293019	07/15/22	07/15/22	TCN
trans-1,4-Dichloro-2-butene	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Xylene (total)	ND	ug	/Kg 4	9 0.9	98	293019	07/15/22	07/15/22	TCN
Surrogates			Limi	S					
Dibromofluoromethane	101%	%F	REC 70-14	5 0.9	98	293019	07/15/22	07/15/22	TCN
1,2-Dichloroethane-d4	98%	%F	REC 70-14	5 0.9	98	293019	07/15/22	07/15/22	TCN
Toluene-d8	104%	%F	REC 70-14	5 0.9	98	293019	07/15/22	07/15/22	TCN
Bromofluorobenzene	108%	%F	REC 70-14	5 0.9	98	293019	07/15/22	07/15/22	TCN

DO Diluted Out

ND Not Detected



Type: Blank Lab ID: QC999335 Batch: 292612

Matrix: Soil Method: EPA 6010B Prep Method: EPA 3050B

QC999335 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	07/11/22	07/11/22
Arsenic	ND		mg/Kg	1.0	07/11/22	07/11/22
Barium	ND		mg/Kg	1.0	07/11/22	07/11/22
Beryllium	ND		mg/Kg	0.50	07/11/22	07/11/22
Cadmium	ND		mg/Kg	0.50	07/11/22	07/11/22
Chromium	ND		mg/Kg	1.0	07/11/22	07/11/22
Cobalt	ND		mg/Kg	0.50	07/11/22	07/11/22
Copper	ND		mg/Kg	1.0	07/11/22	07/11/22
Lead	ND		mg/Kg	1.0	07/11/22	07/11/22
Molybdenum	ND		mg/Kg	1.0	07/11/22	07/11/22
Nickel	ND		mg/Kg	1.0	07/11/22	07/11/22
Selenium	ND		mg/Kg	3.0	07/11/22	07/11/22
Silver	ND		mg/Kg	0.50	07/11/22	07/11/22
Thallium	ND		mg/Kg	3.0	07/11/22	07/11/22
Vanadium	ND		mg/Kg	1.0	07/11/22	07/11/22
Zinc	ND		mg/Kg	5.0	07/11/22	07/11/22

Type: Lab Control Sample Lab ID: QC999336 Batch: 292612

Matrix: Soil Method: EPA 6010B Prep Method: EPA 3050B

QC999336 Analyte	Result	Spiked	Units	Recovery Qual	Limits
Antimony	99.60	100.0	mg/Kg	100%	80-120
Arsenic	103.0	100.0	mg/Kg	103%	80-120
Barium	105.3	100.0	mg/Kg	105%	80-120
Beryllium	102.0	100.0	mg/Kg	102%	80-120
Cadmium	102.6	100.0	mg/Kg	103%	80-120
Chromium	105.3	100.0	mg/Kg	105%	80-120
Cobalt	106.6	100.0	mg/Kg	107%	80-120
Copper	98.77	100.0	mg/Kg	99%	80-120
Lead	107.4	100.0	mg/Kg	107%	80-120
Molybdenum	104.3	100.0	mg/Kg	104%	80-120
Nickel	106.2	100.0	mg/Kg	106%	80-120
Selenium	90.13	100.0	mg/Kg	90%	80-120
Silver	46.83	50.00	mg/Kg	94%	80-120
Thallium	104.3	100.0	mg/Kg	104%	80-120
Vanadium	100.3	100.0	mg/Kg	100%	80-120
Zinc	105.5	100.0	mg/Kg	106%	80-120



Type: Matrix Spike Lab ID: QC999337 Batch: 292612

Matrix (Source ID): Soil (465433-015) Method: EPA 6010B Prep Method: EPA 3050B

		Source Sample						
QC999337 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	41.56	ND	98.04	mg/Kg	42%	*	75-125	0.98
Arsenic	99.89	2.388	98.04	mg/Kg	99%		75-125	0.98
Barium	134.1	34.60	98.04	mg/Kg	101%		75-125	0.98
Beryllium	97.58	0.1692	98.04	mg/Kg	99%		75-125	0.98
Cadmium	97.22	ND	98.04	mg/Kg	99%		75-125	0.98
Chromium	112.4	12.86	98.04	mg/Kg	102%		75-125	0.98
Cobalt	100.7	3.544	98.04	mg/Kg	99%		75-125	0.98
Copper	100.4	4.372	98.04	mg/Kg	98%		75-125	0.98
Lead	100.6	1.646	98.04	mg/Kg	101%		75-125	0.98
Molybdenum	96.62	0.9806	98.04	mg/Kg	98%		75-125	0.98
Nickel	101.4	3.850	98.04	mg/Kg	100%		75-125	0.98
Selenium	85.81	ND	98.04	mg/Kg	88%		75-125	0.98
Silver	44.40	ND	49.02	mg/Kg	91%		75-125	0.98
Thallium	97.94	ND	98.04	mg/Kg	100%		75-125	0.98
Vanadium	123.0	25.03	98.04	mg/Kg	100%		75-125	0.98
Zinc	116.6	19.37	98.04	mg/Kg	99%		75-125	0.98

Type: Matrix Spike Duplicate Lab ID: QC999338 Batch: 292612

Matrix (Source ID): Soil (465433-015) Method: EPA 6010B Prep Method: EPA 3050B

		Source Sample							RPD	
QC999338 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Antimony	48.32	ND	108.7	mg/Kg	44%	*	75-125	5	41	1.1
Arsenic	109.4	2.388	108.7	mg/Kg	98%		75-125	1	35	1.1
Barium	147.9	34.60	108.7	mg/Kg	104%		75-125	2	20	1.1
Beryllium	105.6	0.1692	108.7	mg/Kg	97%		75-125	2	20	1.1
Cadmium	106.4	ND	108.7	mg/Kg	98%		75-125	1	20	1.1
Chromium	122.8	12.86	108.7	mg/Kg	101%		75-125	0	20	1.1
Cobalt	110.0	3.544	108.7	mg/Kg	98%		75-125	1	20	1.1
Copper	109.6	4.372	108.7	mg/Kg	97%		75-125	1	20	1.1
Lead	109.0	1.646	108.7	mg/Kg	99%		75-125	2	20	1.1
Molybdenum	104.8	0.9806	108.7	mg/Kg	96%		75-125	2	20	1.1
Nickel	111.3	3.850	108.7	mg/Kg	99%		75-125	1	20	1.1
Selenium	94.06	ND	108.7	mg/Kg	87%		75-125	1	20	1.1
Silver	48.88	ND	54.35	mg/Kg	90%		75-125	1	20	1.1
Thallium	107.2	ND	108.7	mg/Kg	99%		75-125	1	20	1.1
Vanadium	132.3	25.03	108.7	mg/Kg	99%		75-125	1	20	1.1
Zinc	128.6	19.37	108.7	mg/Kg	101%		75-125	1	20	1.1



Type: Blank Lab ID: QC1003210 Batch: 293896

Matrix: Soil Method: EPA 6010B Prep Method: EPA 3050B

QC1003210 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	07/28/22	07/29/22
Arsenic	ND		mg/Kg	1.0	07/28/22	07/29/22
Barium	ND		mg/Kg	1.0	07/28/22	07/29/22
Beryllium	ND		mg/Kg	0.50	07/28/22	07/29/22
Cadmium	ND		mg/Kg	0.50	07/28/22	07/29/22
Chromium	ND		mg/Kg	1.0	07/28/22	07/29/22
Cobalt	ND		mg/Kg	0.50	07/28/22	07/29/22
Copper	ND		mg/Kg	1.0	07/28/22	07/29/22
Lead	ND		mg/Kg	1.0	07/28/22	07/29/22
Molybdenum	ND		mg/Kg	1.0	07/28/22	07/29/22
Nickel	ND		mg/Kg	1.0	07/28/22	07/29/22
Selenium	ND		mg/Kg	3.0	07/28/22	07/29/22
Silver	ND		mg/Kg	0.50	07/28/22	07/29/22
Thallium	ND		mg/Kg	3.0	07/28/22	07/29/22
Vanadium	ND		mg/Kg	1.0	07/28/22	07/29/22
Zinc	ND		mg/Kg	5.0	07/28/22	07/29/22

Type: Lab Control Sample Lab ID: QC1003211 Batch: 293896

Matrix: Soil Method: EPA 6010B Prep Method: EPA 3050B

QC1003211 Analyte	Result	Spiked	Units	Recovery Qual	Limits
Antimony	90.55	100.0	mg/Kg	91%	80-120
Arsenic	101.1	100.0	mg/Kg	101%	80-120
Barium	100.6	100.0	mg/Kg	101%	80-120
Beryllium	90.61	100.0	mg/Kg	91%	80-120
Cadmium	98.41	100.0	mg/Kg	98%	80-120
Chromium	100.7	100.0	mg/Kg	101%	80-120
Cobalt	107.7	100.0	mg/Kg	108%	80-120
Copper	93.10	100.0	mg/Kg	93%	80-120
Lead	105.8	100.0	mg/Kg	106%	80-120
Molybdenum	99.62	100.0	mg/Kg	100%	80-120
Nickel	104.8	100.0	mg/Kg	105%	80-120
Selenium	87.79	100.0	mg/Kg	88%	80-120
Silver	51.02	50.00	mg/Kg	102%	80-120
Thallium	100.0	100.0	mg/Kg	100%	80-120
Vanadium	100.1	100.0	mg/Kg	100%	80-120
Zinc	105.7	100.0	mg/Kg	106%	80-120



Type: Matrix Spike Lab ID: QC1003212 Batch: 293896
Matrix (Source ID): Soil (465469-007) Method: EPA 6010B Prep Method: EPA 3050B

		Source Sample						
QC1003212 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	42.83	1.571	84.75	mg/Kg	49%	*	75-125	0.85
Arsenic	92.47	2.938	84.75	mg/Kg	106%		75-125	0.85
Barium	180.2	95.09	84.75	mg/Kg	100%		75-125	0.85
Beryllium	76.70	0.3293	84.75	mg/Kg	90%		75-125	0.85
Cadmium	87.03	ND	84.75	mg/Kg	103%		75-125	0.85
Chromium	109.8	26.16	84.75	mg/Kg	99%		75-125	0.85
Cobalt	95.85	8.843	84.75	mg/Kg	103%		75-125	0.85
Copper	107.2	19.58	84.75	mg/Kg	103%		75-125	0.85
Lead	102.1	16.75	84.75	mg/Kg	101%		75-125	0.85
Molybdenum	84.53	1.823	84.75	mg/Kg	98%		75-125	0.85
Nickel	101.1	17.59	84.75	mg/Kg	99%		75-125	0.85
Selenium	77.91	ND	84.75	mg/Kg	92%		75-125	0.85
Silver	44.54	ND	42.37	mg/Kg	105%		75-125	0.85
Thallium	85.36	1.756	84.75	mg/Kg	99%		75-125	0.85
Vanadium	132.6	45.36	84.75	mg/Kg	103%		75-125	0.85
Zinc	240.1	138.7	84.75	mg/Kg	120%		75-125	0.85

Type: Matrix Spike Duplicate Lab ID: QC1003213 Batch: 293896

Matrix (Source ID): Soil (465469-007) Method: EPA 6010B Prep Method: EPA 3050B

		Source Sample							RPD	
QC1003213 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Antimony	27.78	1.571	84.75	mg/Kg	31%	*	75-125	43*	41	0.85
Arsenic	96.79	2.938	84.75	mg/Kg	111%		75-125	5	35	0.85
Barium	190.3	95.09	84.75	mg/Kg	112%		75-125	5	20	0.85
Beryllium	81.12	0.3293	84.75	mg/Kg	95%		75-125	6	20	0.85
Cadmium	90.73	ND	84.75	mg/Kg	107%		75-125	4	20	0.85
Chromium	114.4	26.16	84.75	mg/Kg	104%		75-125	4	20	0.85
Cobalt	100.5	8.843	84.75	mg/Kg	108%		75-125	5	20	0.85
Copper	109.9	19.58	84.75	mg/Kg	107%		75-125	2	20	0.85
Lead	107.6	16.75	84.75	mg/Kg	107%		75-125	5	20	0.85
Molybdenum	89.52	1.823	84.75	mg/Kg	103%		75-125	6	20	0.85
Nickel	105.4	17.59	84.75	mg/Kg	104%		75-125	4	20	0.85
Selenium	79.23	ND	84.75	mg/Kg	93%		75-125	2	20	0.85
Silver	46.97	ND	42.37	mg/Kg	111%		75-125	5	20	0.85
Thallium	89.28	1.756	84.75	mg/Kg	103%		75-125	4	20	0.85
Vanadium	138.1	45.36	84.75	mg/Kg	109%		75-125	4	20	0.85
Zinc	239.3	138.7	84.75	mg/Kg	119%		75-125	0	20	0.85
-		•		•				•	•	



Type:	Blank	Lab ID:	QC1000369	Batch:	292953
Matrix:	Miscell.	Method:	EPA 7471A	Prep Method:	METHOD

QC1000369 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	07/13/22	07/14/22

Type: Lab Control Sample Lab ID: QC1000370 Batch: 292953

Matrix: Miscell. Method: EPA 7471A Prep Method: METHOD

QC1000370 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.8248	0.8333	mg/Kg	99%		80-120

Type: Matrix Spike Lab ID: QC1000371 Batch: 292953

Matrix (Source ID): Soil (465165-005) Method: EPA 7471A Prep Method: METHOD

Source Sample

QC1000371 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Mercury	0.9918	0.07387	0.9434	mg/Kg	97%		75-125	1.1

Type: Matrix Spike Duplicate	Lab ID: QC1000372	Batch: 292953
Matrix (Source ID): Soil (465165-005)	Method: EPA 7471A	Prep Method: METHOD

		Source								
		Sample							RPD	
QC1000372 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Mercury	0.9671	0.07387	0 9259	ma/Ka	96%		75-125	1	20	11

Type: Blank	Lab ID: QC1003246	Batch: 293904
Matrix: Soil	Method: EPA 7471A	Prep Method: METHOD

QC1003246 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND	•	mg/Kg	0.14	07/28/22	07/29/22

Type: Lab Control Sample	Lab ID: QC1003247	Batch: 293904
Matrix: Soil	Method: EPA 7471A	Prep Method: METHOD

QC1003247 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.7808	0.8333	mg/Kg	94%		80-120



Type: Matrix Spike Lab ID: QC1003248 Batch: 293904

Matrix (Source ID): Soil (465469-007) Method: EPA 7471A Prep Method: METHOD

Source

		Sample						
QC1003248 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Mercury	0.8671	ND	0.9434	mg/Kg	92%		75-125	1.1

Type: Matrix Spike Duplicate Lab ID: QC1003249 Batch: 293904

Matrix (Source ID): Soil (465469-007) Method: EPA 7471A Prep Method: METHOD

Source

		Sample							RPD	
QC1003249 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Mercury	0.8606	ND	0.9091	mg/Kg	95%		75-125	3	20	1.1

Type: Blank Lab ID: QC1000339 Batch: 292945

Matrix: Soil Method: EPA 8015M Prep Method: EPA 3580

QC1000339 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	07/14/22	07/14/22
DRO C10-C28	ND		mg/Kg	10	07/14/22	07/14/22
ORO C28-C44	ND		mg/Kg	20	07/14/22	07/14/22
Surrogates				Limits		
n-Triacontane	108%		%REC	70-130	07/14/22	07/14/22

Type: Lab Control Sample Lab ID: QC1000340 Batch: 292945

Matrix: Soil Method: EPA 8015M Prep Method: EPA 3580

QC1000340 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	246.2	250.0	mg/Kg	98%		76-122
Surrogates						_
n-Triacontane	9.481	10.00	mg/Kg	95%		70-130

Type: Matrix Spike Lab ID: QC1000341 Batch: 292945

Matrix (Source ID): Soil (465469-001) Method: EPA 8015M Prep Method: EPA 3580

Source

		Sample						
QC1000341 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	673.5	459.5	250.0	mg/Kg	86%		62-126	20
Surrogates								
n-Triacontane	11.51		10.00	mg/Kg		DO	70-130	20



Type: Matrix Spike Duplicate Lab ID: QC1000342 Batch: 292945

Matrix (Source ID): Soil (465469-001) Method: EPA 8015M Prep Method: EPA 3580

		Source Sample							RPD	
QC1000342 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Diesel C10-C28	616.2	459.5	250.0	mg/Kg	63%		62-126	9	35	20
Surrogates										
n-Triacontane	19.67		10.00	mg/Kg		DO	70-130			20



Type: Blank Lab ID: QC1000159 Batch: 292882

QC1000159 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Method: EPA 8081A						
Prep Method: EPA 3546						
alpha-BHC	ND		ug/Kg	4.9	07/13/22	07/14/22
beta-BHC	ND		ug/Kg	4.9	07/13/22	07/14/22
gamma-BHC	ND		ug/Kg	4.9	07/13/22	07/14/22
delta-BHC	ND		ug/Kg	4.9	07/13/22	07/14/22
Heptachlor	ND		ug/Kg	4.9	07/13/22	07/14/22
Aldrin	ND		ug/Kg	4.9	07/13/22	07/14/22
Heptachlor epoxide	ND		ug/Kg	4.9	07/13/22	07/14/22
Endosulfan I	ND		ug/Kg	4.9	07/13/22	07/14/22
Dieldrin	ND		ug/Kg	4.9	07/13/22	07/14/22
4,4'-DDE	ND		ug/Kg	4.9	07/13/22	07/14/22
Endrin	ND		ug/Kg	4.9	07/13/22	07/14/22
Endosulfan II	ND		ug/Kg	4.9	07/13/22	07/14/22
Endosulfan sulfate	ND		ug/Kg	4.9	07/13/22	07/14/22
4,4'-DDD	ND		ug/Kg	4.9	07/13/22	07/14/22
Endrin aldehyde	ND		ug/Kg	4.9	07/13/22	07/14/22
Endrin ketone	ND		ug/Kg	4.9	07/13/22	07/14/22
4,4'-DDT	ND		ug/Kg	4.9	07/13/22	07/14/22
Methoxychlor	ND		ug/Kg	9.8	07/13/22	07/14/22
Toxaphene	ND		ug/Kg	98	07/13/22	07/14/22
Chlordane (Technical)	ND		ug/Kg	49	07/13/22	07/14/22
Surrogates				Limits		
TCMX	92%		%REC	23-120	07/13/22	07/14/22
Decachlorobiphenyl	98%		%REC	24-120	07/13/22	07/14/22
Method: EPA 8082						
Prep Method: EPA 3546						
Aroclor-1016	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1221	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1232	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1242	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1248	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1254	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1260	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1262	ND		ug/Kg	49	07/13/22	07/14/22
Aroclor-1268	ND		ug/Kg	49	07/13/22	07/14/22
Surrogates				Limits		
Decachlorobiphenyl (PCB)	90%		%REC	19-121	07/13/22	07/14/22



Type: Lab Control Sample Lab ID: QC1000284 Batch: 292882

Matrix: Soil Method: EPA 8081A Prep Method: EPA 3546

QC1000284 Analyte	Result	Spiked	Units	Recovery Qual	Limits
alpha-BHC	49.30	50.00	ug/Kg	99%	22-129
beta-BHC	49.56	50.00	ug/Kg	99%	28-125
gamma-BHC	48.88	50.00	ug/Kg	98%	22-128
delta-BHC	48.77	50.00	ug/Kg	98%	24-131
Heptachlor	48.34	50.00	ug/Kg	97%	18-124
Aldrin	44.46	50.00	ug/Kg	89%	23-120
Heptachlor epoxide	48.55	50.00	ug/Kg	97%	26-120
Endosulfan I	48.65	50.00	ug/Kg	97%	25-126
Dieldrin	46.57	50.00	ug/Kg	93%	23-124
4,4'-DDE	46.98	50.00	ug/Kg	94%	28-121
Endrin	52.76	50.00	ug/Kg	106%	25-127
Endosulfan II	50.02	50.00	ug/Kg	100%	29-121
Endosulfan sulfate	48.25	50.00	ug/Kg	97%	30-121
4,4'-DDD	50.81	50.00	ug/Kg	102%	26-120
Endrin aldehyde	43.41	50.00	ug/Kg	87%	10-120
Endrin ketone	50.16	50.00	ug/Kg	100%	28-125
4,4'-DDT	50.04	50.00	ug/Kg	100%	22-125
Methoxychlor	52.77	50.00	ug/Kg	106%	28-130
Surrogates					
TCMX	40.07	50.00	ug/Kg	80%	23-120
Decachlorobiphenyl	48.57	50.00	ug/Kg	97%	24-120



Type: Matrix Spike Lab ID: QC1000285 Batch: 292882

Matrix (Source ID): Soil (465469-004) Method: EPA 8081A Prep Method: EPA 3546

		Source Sample						
QC1000285 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
alpha-BHC	48.84	ND	50.00	ug/Kg	98%		46-120	10
beta-BHC	51.66	ND	50.00	ug/Kg	103%		41-120	10
gamma-BHC	49.08	ND	50.00	ug/Kg	98%		41-120	10
delta-BHC	51.62	ND	50.00	ug/Kg	103%		38-123	10
Heptachlor	52.77	ND	50.00	ug/Kg	106%		39-120	10
Aldrin	48.71	ND	50.00	ug/Kg	97%		34-120	10
Heptachlor epoxide	52.49	ND	50.00	ug/Kg	105%		43-120	10
Endosulfan I	50.99	ND	50.00	ug/Kg	102%		45-120	10
Dieldrin	47.25	ND	50.00	ug/Kg	95%		45-120	10
4,4'-DDE	50.94	ND	50.00	ug/Kg	102%		34-120	10
Endrin	55.82	ND	50.00	ug/Kg	112%		40-120	10
Endosulfan II	51.63	ND	50.00	ug/Kg	103%		41-120	10
Endosulfan sulfate	49.16	ND	50.00	ug/Kg	98%		42-120	10
4,4'-DDD	49.13	ND	50.00	ug/Kg	98%		41-120	10
Endrin aldehyde	43.63	ND	50.00	ug/Kg	87%		30-120	10
Endrin ketone	56.60	ND	50.00	ug/Kg	113%		45-120	10
4,4'-DDT	57.00	ND	50.00	ug/Kg	114%		35-127	10
Methoxychlor	69.43	ND	50.00	ug/Kg		DO	42-136	10
Surrogates								
TCMX	45.59		50.00	ug/Kg		DO	23-120	10
Decachlorobiphenyl	60.83		50.00	ug/Kg		DO	24-120	10



Type: Matrix Spike Duplicate Lab ID: QC1000286 Batch: 292882

Matrix (Source ID): Soil (465469-004) Method: EPA 8081A Prep Method: EPA 3546

		Source Sample							RPD	
QC1000286 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
alpha-BHC	48.98	ND	50.00	ug/Kg	98%		46-120	0	30	10
beta-BHC	48.61	ND	50.00	ug/Kg	97%		41-120	6	30	10
gamma-BHC	50.03	ND	50.00	ug/Kg	100%		41-120	2	30	10
delta-BHC	51.71	ND	50.00	ug/Kg	103%		38-123	0	30	10
Heptachlor	52.33	ND	50.00	ug/Kg	105%		39-120	1	30	10
Aldrin	48.33	ND	50.00	ug/Kg	97%		34-120	1	30	10
Heptachlor epoxide	53.81	ND	50.00	ug/Kg	108%		43-120	2	30	10
Endosulfan I	51.99	ND	50.00	ug/Kg	104%		45-120	2	30	10
Dieldrin	46.36	ND	50.00	ug/Kg	93%		45-120	2	30	10
4,4'-DDE	49.60	ND	50.00	ug/Kg	99%		34-120	3	30	10
Endrin	54.62	ND	50.00	ug/Kg	109%		40-120	2	30	10
Endosulfan II	51.28	ND	50.00	ug/Kg	103%		41-120	1	30	10
Endosulfan sulfate	51.29	ND	50.00	ug/Kg	103%		42-120	4	30	10
4,4'-DDD	49.50	ND	50.00	ug/Kg	99%		41-120	1	30	10
Endrin aldehyde	45.02	ND	50.00	ug/Kg	90%		30-120	3	30	10
Endrin ketone	56.52	ND	50.00	ug/Kg	113%		45-120	0	30	10
4,4'-DDT	58.83	ND	50.00	ug/Kg	118%		35-127	3	30	10
Methoxychlor	76.55	ND	50.00	ug/Kg		DO	42-136		30	10
Surrogates										
TCMX	49.29		50.00	ug/Kg		DO	23-120			10
Decachlorobiphenyl	60.09		50.00	ug/Kg		DO	24-120			10

Type: Lab Control Sample	Lab ID: QC1000287	Batch: 292882
Matrix: Soil	Method: EPA 8082	Prep Method: EPA 3546

QC1000287 Analyte	Result	Spiked	Units	Recovery Qu	ual Limits
Aroclor-1016	498.3	500.0	ug/Kg	100%	14-150
Aroclor-1260	469.2	500.0	ug/Kg	94%	10-150
Surrogates					
Decachlorobiphenyl (PCB)	34.15	50.00	ug/Kg	68%	19-121



Type: Matrix Spike Lab ID: QC1000288 Batch: 292882

Matrix (Source ID): Soil (465321-001) Method: EPA 8082 Prep Method: EPA 3546

Source Sample

		Sample						
QC1000288 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Aroclor-1016	546.6	ND	500.0	ug/Kg	109%		42-127	2
Aroclor-1260	487.3	ND	500.0	ug/Kg	97%		38-130	2
Surrogates								
Decachlorobiphenyl (PCB)	33.44		50.00	ug/Kg	67%		19-121	2

Type: Matrix Spike Duplicate Lab ID: QC1000289 Batch: 292882

Matrix (Source ID): Soil (465321-001) Method: EPA 8082 Prep Method: EPA 3546

Source

	Sample								RPD	
QC1000289 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Aroclor-1016	414.6	ND	500.0	ug/Kg	83%		42-127	27	30	2
Aroclor-1260	410.8	ND	500.0	ug/Kg	82%		38-130	17	30	2
Surrogates										
Decachlorobiphenyl (PCB)	28.19		50.00	ug/Kg	56%		19-121			2

Type: Lab Control Sample Lab ID: QC1000590 Batch: 293019

Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

QC1000590 Analyte	Result	Spiked	Units	Recovery Qual	Limits
1,1-Dichloroethene	50.12	50.00	ug/Kg	100%	70-131
MTBE	44.42	50.00	ug/Kg	89%	69-130
Benzene	49.49	50.00	ug/Kg	99%	70-130
Trichloroethene	53.96	50.00	ug/Kg	108%	70-130
Toluene	53.45	50.00	ug/Kg	107%	70-130
Chlorobenzene	51.51	50.00	ug/Kg	103%	70-130
Surrogates					
Dibromofluoromethane	51.01	50.00	ug/Kg	102%	70-130
1,2-Dichloroethane-d4	48.92	50.00	ug/Kg	98%	70-145
Toluene-d8	52.04	50.00	ug/Kg	104%	70-145
Bromofluorobenzene	53.80	50.00	ug/Kg	108%	70-145



Type: Lab Control Sample Duplicate Lab ID: QC1000591 Batch: 293019

Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

								RPD
QC1000591 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	51.54	50.00	ug/Kg	103%		70-131	3	33
MTBE	45.77	50.00	ug/Kg	92%		69-130	3	30
Benzene	50.48	50.00	ug/Kg	101%		70-130	2	30
Trichloroethene	52.87	50.00	ug/Kg	106%		70-130	2	30
Toluene	51.49	50.00	ug/Kg	103%		70-130	4	30
Chlorobenzene	50.49	50.00	ug/Kg	101%		70-130	2	30
Surrogates								
Dibromofluoromethane	51.81	50.00	ug/Kg	104%		70-130		
1,2-Dichloroethane-d4	49.65	50.00	ug/Kg	99%		70-145		
Toluene-d8	51.46	50.00	ug/Kg	103%		70-145		
Bromofluorobenzene	53.27	50.00	ug/Kg	107%		70-145		



Type: Blank Lab ID: QC1000594 Batch: 293019
Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

QC1000594 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	07/15/22	07/15/22
Freon 12	ND		ug/Kg	5.0	07/15/22	07/15/22
Chloromethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Vinyl Chloride	ND		ug/Kg	5.0	07/15/22	07/15/22
Bromomethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Chloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Trichlorofluoromethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Acetone	ND		ug/Kg	100	07/15/22	07/15/22
Freon 113	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1-Dichloroethene	ND		ug/Kg	5.0	07/15/22	07/15/22
Methylene Chloride	ND		ug/Kg	5.0	07/15/22	07/15/22
MTBE	ND		ug/Kg	5.0	07/15/22	07/15/22
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1-Dichloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
2-Butanone	ND		ug/Kg	100	07/15/22	07/15/22
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	07/15/22	07/15/22
2,2-Dichloropropane	ND		ug/Kg	5.0	07/15/22	07/15/22
Chloroform	ND		ug/Kg	5.0	07/15/22	07/15/22
Bromochloromethane	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1,1-Trichloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1-Dichloropropene	ND		ug/Kg	5.0	07/15/22	07/15/22
Carbon Tetrachloride	ND		ug/Kg	5.0	07/15/22	07/15/22
1,2-Dichloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Benzene	ND		ug/Kg	5.0	07/15/22	07/15/22
Trichloroethene	ND		ug/Kg	5.0	07/15/22	07/15/22
1,2-Dichloropropane	ND		ug/Kg	5.0	07/15/22	07/15/22
Bromodichloromethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Dibromomethane	ND		ug/Kg	5.0	07/15/22	07/15/22
4-Methyl-2-Pentanone	ND		ug/Kg	8.1	07/15/22	07/15/22
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	07/15/22	07/15/22
Toluene	ND		ug/Kg	5.0	07/15/22	07/15/22
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1,2-Trichloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
1,3-Dichloropropane	ND		ug/Kg	5.0	07/15/22	07/15/22
Tetrachloroethene	ND		ug/Kg	5.0	07/15/22	07/15/22
Dibromochloromethane	ND		ug/Kg	5.0	07/15/22	07/15/22
1,2-Dibromoethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Chlorobenzene	ND		ug/Kg	5.0	07/15/22	07/15/22
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	07/15/22	07/15/22
Ethylbenzene	ND		ug/Kg	5.0	07/15/22	07/15/22
m,p-Xylenes	ND		ug/Kg	10	07/15/22	07/15/22
o-Xylene	ND		ug/Kg	5.0	07/15/22	07/15/22



QC1000594 Analyte	Result	Qual Units	RL	Prepared	Analyzed
Styrene	ND	ug/Kg	5.0	07/15/22	07/15/22
Bromoform	ND	ug/Kg	5.0	07/15/22	07/15/22
Isopropylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,1,2,2-Tetrachloroethane	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2,3-Trichloropropane	ND	ug/Kg	5.0	07/15/22	07/15/22
Propylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
Bromobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,3,5-Trimethylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
2-Chlorotoluene	ND	ug/Kg	5.0	07/15/22	07/15/22
4-Chlorotoluene	ND	ug/Kg	5.0	07/15/22	07/15/22
tert-Butylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2,4-Trimethylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
sec-Butylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
para-Isopropyl Toluene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,3-Dichlorobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,4-Dichlorobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
n-Butylbenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2-Dichlorobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2,4-Trichlorobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
Hexachlorobutadiene	ND	ug/Kg	5.0	07/15/22	07/15/22
Naphthalene	ND	ug/Kg	5.0	07/15/22	07/15/22
1,2,3-Trichlorobenzene	ND	ug/Kg	5.0	07/15/22	07/15/22
cis-1,4-Dichloro-2-butene	ND	ug/Kg	15	07/15/22	07/15/22
trans-1,4-Dichloro-2-butene	ND	ug/Kg	5.0	07/15/22	07/15/22
Xylene (total)	ND	ug/Kg	5.0	07/15/22	07/15/22
Surrogates			Limits		
Dibromofluoromethane	103%	%REC	70-130	07/15/22	07/15/22
1,2-Dichloroethane-d4	99%	%REC	70-145	07/15/22	07/15/22
Toluene-d8	100%	%REC	70-145	07/15/22	07/15/22
Bromofluorobenzene	101%	%REC	70-145	07/15/22	07/15/22

Value is outside QC limits

DO Diluted Out

ND Not Detected



Enthalpy Analytical 931 West Barkley Ave Orange, CA 92868 (714) 771-6900

enthalpy.com

Lab Job Number: 466967

Report Level: II

Report Date: 08/12/2022

### **Analytical Report** *prepared for:*

Jackie Hyman GeoSyntec Consultants San Diego 2355 Northside Drive Suite 250 San Diego, CA 92108

Location: GWS #9, SC1256

Authorized for release by:

Patty Mata, Project Manager patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105



## **Sample Summary**

Jackie Hyman Lab Job #: 466967

GeoSyntec Consultants San Diego Location: GWS #9, SC1256

2355 Northside Drive Date Received: 08/05/22

Suite 250

San Diego, CA 92108

Sample ID	Lab ID	Collected	Matrix
EX_N-220805	466967-001	08/05/22 10:43	Soil
EX_S-220805	466967-002	08/05/22 10:32	Soil
EX_E-220805	466967-003	08/05/22 10:39	Soil
EX_W-220805	466967-004	08/05/22 10:35	Soil
EX_220805	466967-005	08/05/22 10:50	Soil
HA-4-220805	466967-006	08/05/22 13:40	Soil



### **Case Narrative**

GeoSyntec Consultants San Diego

2355 Northside Drive

Suite 250

San Diego, CA 92108

Jackie Hyman

Lab Job Number: 466967

Location: GWS #9, SC1256

Date Received: 08/05/22

This data package contains sample and QC results for six soil samples, requested for the above referenced project on 08/05/22. The samples were received cold and intact.

### TPH-Extractables by GC (EPA 8015M):

No analytical problems were encountered.

### Volatile Organics by GC/MS (EPA 8260B):

No analytical problems were encountered.

	CATTUA		>	ਰ	Chain of Custody Record	ody Reco	ē,	Turn /	Around Ti	Turn Around Time (rush by advanced notice only)	anced notice	(Şin
			<u> </u>	Lab No:	7	でので	~	Standard	3	5 Dav	3 Day:	
	ANALYI	U	A A	Page:	-	<b>b</b>		2 Dav:		1 Day:	Oustom TAT:	
Enth	Enthalpy Analytical - Orange			Matrix:	Matrix: A = Air, W = Water, SeaW = Sea Water, DW =	Vater, Seav	V = Sea Wat	er, DW =				ipt Temp:
931 W.	931 W. Barkley Avenue, Orange, CA 92868	368		Drinking	Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices feelid) 1 = Other matrices (collection)	Wipe, S = S	oil, O = Oil, I	M = Other	$1 = Na_2 >_2 O_3$ $2 = HCI$ $4 = H_2 SO_4$ $5 = NaOH$	= $Ma_2 S_2 O_3$ Z = HCI 3 = HNO <sub>3</sub> = $H_2 SO_4$ 5 = NaOH 6 = Other		ر 2
	Phone 714-771-6900			IIIdr	ices (soud), i	- Other m	arrices (aqui	(snoa			(lab use only)	only)
CUSTOMER	CUSTOMER INFORMATION		PROJEC	PROJECT INFORMATION	MATION		(	Analysis Request	rest	Test insi	Test Instructions / Comments	ents
Company:	scounte Counttents.	Quote #:		1			চণ	51		0		
Report To: Sachie	ie Mariaman	Proj. Name:	1	しまりか	2		Ø	798		· Tota	Supply 1	
Email:	Dati man Baronnile. ( An	Proj. #:	7	20,0	56		5n	YJS		Les ado	Ling	
Address: 16644 tx	16644 vel. Demander De Gustrol P.O. #:	) P.O. #:	12	1			noly	297 287		anly	anlyn.	
Com Bi	(C. ), CA.	Address:	98	17/1g	S67 F Momen Ad CR	(A)	ا المارد المارد المارد	28 VV				
Phone: $626$	626-609-9525	Global ID:	-			1	h/S	Hd P27				
Fax:	ĺ	Sampled By:	: Source &		Delatamine	المرابع	108 108	- -2 ~¥°				
Sample ID	Sampling		Sampling n	Matrix	Container No.	Pres.	Vd.	16H 6				· · ·
1 EX-N-22	220805 815/22		1043	~	_	ř.	X					
2 EX-5	220805	10	355				X					
。 (で)	220865	0	1039				X					
KX-XX	220805	7	255	_			X					
CX - 22	0805		050				X					
6 HA-4-	220805	5	340	>	۲	⊋		X				
~ «												
0 0		-	+									
10												
	Signature	2		Print Name	Name		ರ	Company / Title	ite		Date / Time	
<sup>1</sup> Relinquished By:	( well)		x or ox	10 x	Depot Dung min	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Bernet	Les long	Jr. 37	41612.	1/450	
<sup>1</sup> Received By:		0		2	3		2			NOICE	1	(
<sup>2</sup> Relinquished By:												
<sup>2</sup> Received By:												
<sup>3</sup> Relinquished By:						-						
<sup>3</sup> Received By:												



### **SAMPLE ACCEPTANCE CHECKLIST**

Section 1			****	
Client: Geosyntec SD	Project:GWS #9			
Date Received: 8/5/22	Sampler's Name Present:	<b>∠</b> Yes	No	
Section 2				
Sample(s) received in a cooler?	NO (skip section 2)	-	Temp (°C) No Cooler)	:
Sample Temp (°C), One from each cooler: #1: 10.0				.
(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptan the same day as sample receipt to have a higher temperatu				s collected
Shipping Information:		my mus beg		
Section 3				
Was the cooler packed with:	Bubble Wrap Styrofo	oam		
Cooler Temp (°C): #1: 5.2 #2:	#3:	#4:		
Section 4		YES	NO	N/A
Was a COC received?		1		
Are sample IDs present?		1		
Are sampling dates & times present?		1		
Is a relinquished signature present?		V		
Are the tests required clearly indicated on the COC?		7		
Are custody seals present?			V	
If custody seals are present, were they intact?				V
Are all samples sealed in plastic bags? (Recommended for	r Microbiology samples)			V
Did all samples arrive intact? If no, indicate in Section 4 be	elow.	V		
Did all bottle labels agree with COC? (ID, dates and times)		V		
Were the samples collected in the correct containers for t	he required tests?	V		
Are the containers labeled with the correct preserva	tives?			V
Is there headspace in the VOA vials greater than 5-6 mm i	n diameter?			V
Was a sufficient amount of sample submitted for the requ	ested tests?	V		
Section 5 Explanations/Comments				
Section 6	Vowbal Pressure	D - 4 - 1000		
For discrepancies, how was the Project Manager notified?	Email (email sent to/o			
Project Manager's response:				
Carlos Charles	nata: 8/5/22			

Enthalpy Analytical, a subsidiary of Montrose Environmental Group ,Inc.
931 W. Barkley Ave, Orange, CA 92868 • T: (714) 771-6900 • F: (714) 538-1209

www.enthalpy.com/socal

Sample Acceptance Checklist – Rev 4, 8/8/2017



Jackie Hyman GeoSyntec Consultants San Diego 2355 Northside Drive Suite 250 San Diego, CA 92108

Lab Job #: 466967 Location: GWS #9, SC1256 Date Received: 08/05/22

Sample ID: EX_N-220805	ected: 08/05/22 10:43
------------------------	-----------------------

Matrix: Soil

466967-001 Analyte	Result	Qual	Units	RI		DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M										_
Prep Method: EPA 3580										
DRO C10-C28	29		mg/Kg	10	)	1	294521	08/08/22	08/08/22	MES
Surrogates				Limits	3					
n-Triacontane	92%		%REC	70-130	)	1	294521	08/08/22	08/08/22	MES

Sample ID: EX\_S-220805 Lab ID: 466967-002 Collected: 08/05/22 10:32

Matrix: Soil

466967-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									_
Prep Method: EPA 3580									
DRO C10-C28	27		mg/Kg	20	2	294521	08/08/22	08/08/22	MES
Surrogates				Limits					
n-Triacontane	89%		%REC	70-130	2	294521	08/08/22	08/08/22	MES

Sample ID: EX\_E-220805 Lab ID: 466967-003 Collected: 08/05/22 10:39

Matrix: Soil

466967-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									_
Prep Method: EPA 3580									
DRO C10-C28	ND		mg/Kg	10	1	294521	08/08/22	08/08/22	MES
Surrogates				Limits					
n-Triacontane	80%		%REC	70-130	1	294521	08/08/22	08/08/22	MES

Matrix: Soil

466967-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
DRO C10-C28	19		mg/Kg	10	1	294521	08/08/22	08/08/22	MES
Surrogates				Limits					
n-Triacontane	72%		%REC	70-130	1	294521	08/08/22	08/08/22	MES



Sample ID: EX\_220805 Lab ID: 466967-005 Collected: 08/05/22 10:50

Matrix: Soil

466967-005 Analyte	Result	Qual Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M								_
Prep Method: EPA 3580								
DRO C10-C28	15	mg/K	10	1	294521	08/08/22	08/08/22	MES
Surrogates			Limits					
n-Triacontane	87%	%RE	70-130	1	294521	08/08/22	08/08/22	MES



Sample ID: HA-4-220805 Lab ID: 466967-006 Collected: 08/05/22 13:40

Matrix: Soil

466967-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemis
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	100	10	294686	08/10/22	08/12/22	MES
DRO C10-C28	2,300		mg/Kg	100	10	294686	08/10/22	08/12/22	MES
ORO C28-C44	1,300		mg/Kg	200	10	294686	08/10/22	08/12/22	MES
Surrogates				Limits					
n-Triacontane	98%		%REC	70-130	10	294686	08/10/22	08/12/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Freon 12	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Chloromethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Vinyl Chloride	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Bromomethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Chloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Trichlorofluoromethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Acetone	ND		ug/Kg	100	1	294512	08/08/22	08/08/22	ILK
Freon 113	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1-Dichloroethene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Methylene Chloride	ND		ug/Kg	20	1	294512	08/08/22	08/08/22	ILK
MTBE	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1-Dichloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
2-Butanone	ND		ug/Kg	100	1	294512	08/08/22	08/08/22	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
2,2-Dichloropropane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Chloroform	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Bromochloromethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1-Dichloropropene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Carbon Tetrachloride	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2-Dichloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Benzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Trichloroethene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2-Dichloropropane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Bromodichloromethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Dibromomethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Toluene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1,2-Trichloroethane	ND ND		ug/Kg	5.0		294512	08/08/22	08/08/22	ILK



		,							
466967-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,3-Dichloropropane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Tetrachloroethene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Dibromochloromethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2-Dibromoethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Chlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Ethylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
m,p-Xylenes	ND		ug/Kg	10	1	294512	08/08/22	08/08/22	ILK
o-Xylene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Styrene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Bromoform	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Isopropylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Propylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Bromobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
2-Chlorotoluene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
4-Chlorotoluene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
tert-Butylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
sec-Butylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
n-Butylbenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Hexachlorobutadiene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Naphthalene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Xylene (total)	ND		ug/Kg	5.0	1	294512	08/08/22	08/08/22	ILK
Surrogates				Limits					
Dibromofluoromethane	102%		%REC	70-145	1	294512	08/08/22	08/08/22	ILK
1,2-Dichloroethane-d4									
1,2-Diciliordeliane-04	97%		%REC	70-145	1	294512	08/08/22	08/08/22	ILK
Toluene-d8	97% 99%		%REC	70-145 70-145	1	294512 294512	08/08/22 08/08/22	08/08/22 08/08/22	ILK ILK

ND Not Detected



Type:	Blank	Lab ID:	QC1005194	Batch:	294521
Matrix:	Soil	Method:	EPA 8015M	Prep Method:	EPA 3580

QC1005194 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
DRO C10-C28	ND		mg/Kg	10	08/08/22	08/08/22
Surrogates				Limits		
n-Triacontane	88%		%REC	70-130	08/08/22	08/08/22

Type: Lab Control Sample	Lab ID: QC1005195	Batch: 294521
Matrix: Soil	Method: EPA 8015M	Prep Method: EPA 3580

QC1005195 Analyte	Result	Spiked	Units	Recovery Qual	Limits
Diesel C10-C28	243.3	250.0	mg/Kg	97%	76-122
Surrogates					
n-Triacontane	8.625	10.00	mg/Kg	86%	70-130

Type: Matrix Spike	Lab ID: QC1005196	Batch: 294521
Matrix (Source ID): Soil (466931-004)	Method: EPA 8015M	Prep Method: EPA 3580

### Source

		Sample						
QC1005196 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	237.8	1.108	250.0	mg/Kg	95%		62-126	1
Surrogates								
n-Triacontane	8.288		10.00	mg/Kg	83%		70-130	1

Type: Matrix Spike	e Duplicate Lab ID:	QC1005197	Batch: 2	94521
Matrix (Source ID): Soil (466931	I-004) Method:	EPA 8015M	Prep Method: E	PA 3580

		Source Sample							RPD	
QC1005197 Analyte	Result	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Diesel C10-C28	228.0	1.108	250.0	mg/Kg	91%		62-126	4	35	1
Surrogates										
n-Triacontane	8.113		10.00	mg/Kg	81%		70-130			1

Type: Blank	Lab ID: QC1005607	Batch: 294686
Matrix: Soil	Method: EPA 8015M	Prep Method: EPA 3580

QC1005607 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	08/09/22	08/11/22
DRO C10-C28	ND		mg/Kg	10	08/09/22	08/11/22
ORO C28-C44	ND		mg/Kg	20	08/09/22	08/11/22
Surrogates				Limits		
n-Triacontane	109%		%REC	70-130	08/09/22	08/11/22



Type: Lab Control Sample Lab ID: QC1005608 Batch: 294686

Matrix: Soil Method: EPA 8015M Prep Method: EPA 3580

QC1005608 Analyte	Result	Spiked	Units	Recovery Qual	Limits
Diesel C10-C28	284.4	250.0	mg/Kg	114%	76-122
Surrogates					
n-Triacontane	10.95	10.00	mg/Kg	109%	70-130

Type: Matrix Spike Lab ID: QC1005609 Batch: 294686

Matrix (Source ID): Soil (466976-001) Method: EPA 8015M Prep Method: EPA 3580

Source Sample QC1005609 Analyte **Units** Recovery Result Result **Spiked** Qual Limits DF Diesel C10-C28 247.3 17.44 250.0 mg/Kg 92% 62-126 1 Surrogates 8.550 n-Triacontane 10.00 mg/Kg 86% 70-130

Type: Matrix Spike Duplicate Lab ID: QC1005610 Batch: 294686

Matrix (Source ID): Soil (466976-001) Method: EPA 8015M Prep Method: EPA 3580

Source RPD Sample Result **RPD** QC1005610 Analyte Result **Spiked** Units Recovery Qual Limits Lim DF Diesel C10-C28 248.9 17.44 250.0 93% 62-126 35 1 mg/Kg Surrogates n-Triacontane 8.792 10.00 mg/Kg 88% 70-130 1



Type: Blank Lab ID: QC1005103 Batch: 294512
Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

QC1005103 Analyte	Result	Qual Units	RL	Prepared	Analyzed
3-Chloropropene	ND	ug/Kg	5.0	08/08/22	08/08/22
Freon 12	ND	ug/Kg	5.0	08/08/22	08/08/22
Chloromethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Vinyl Chloride	ND	ug/Kg	5.0	08/08/22	08/08/22
Bromomethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Chloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Trichlorofluoromethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Acetone	ND	ug/Kg	100	08/08/22	08/08/22
Freon 113	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1-Dichloroethene	ND	ug/Kg	5.0	08/08/22	08/08/22
Methylene Chloride	ND	ug/Kg	20	08/08/22	08/08/22
MTBE	ND	ug/Kg	5.0	08/08/22	08/08/22
trans-1,2-Dichloroethene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1-Dichloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
2-Butanone	ND	ug/Kg	100	08/08/22	08/08/22
cis-1,2-Dichloroethene	ND	ug/Kg	5.0	08/08/22	08/08/22
2,2-Dichloropropane	ND	ug/Kg	5.0	08/08/22	08/08/22
Chloroform	ND	ug/Kg	5.0	08/08/22	08/08/22
Bromochloromethane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1,1-Trichloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1-Dichloropropene	ND	ug/Kg	5.0	08/08/22	08/08/22
Carbon Tetrachloride	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2-Dichloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Benzene	ND	ug/Kg	5.0	08/08/22	08/08/22
Trichloroethene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2-Dichloropropane	ND	ug/Kg	5.0	08/08/22	08/08/22
Bromodichloromethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Dibromomethane	ND	ug/Kg	5.0	08/08/22	08/08/22
4-Methyl-2-Pentanone	ND	ug/Kg	5.0	08/08/22	08/08/22
cis-1,3-Dichloropropene	ND	ug/Kg	5.0	08/08/22	08/08/22
Toluene	ND	ug/Kg	5.0	08/08/22	08/08/22
trans-1,3-Dichloropropene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1,2-Trichloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,3-Dichloropropane	ND	ug/Kg	5.0	08/08/22	08/08/22
Tetrachloroethene	ND	ug/Kg	5.0	08/08/22	08/08/22
Dibromochloromethane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2-Dibromoethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Chlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1,1,2-Tetrachloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
Ethylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
m,p-Xylenes	ND	ug/Kg	10	08/08/22	08/08/22
o-Xylene	ND	ug/Kg	5.0	08/08/22	08/08/22



QC1005103 Analyte	Result	Qual Units	RL	Prepared	Analyzed
Styrene	ND	ug/Kg	5.0	08/08/22	08/08/22
Bromoform	ND	ug/Kg	5.0	08/08/22	08/08/22
Isopropylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,1,2,2-Tetrachloroethane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2,3-Trichloropropane	ND	ug/Kg	5.0	08/08/22	08/08/22
Propylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
Bromobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,3,5-Trimethylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
2-Chlorotoluene	ND	ug/Kg	5.0	08/08/22	08/08/22
4-Chlorotoluene	ND	ug/Kg	5.0	08/08/22	08/08/22
tert-Butylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2,4-Trimethylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
sec-Butylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
para-Isopropyl Toluene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,3-Dichlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,4-Dichlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
n-Butylbenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2-Dichlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2,4-Trichlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
Hexachlorobutadiene	ND	ug/Kg	5.0	08/08/22	08/08/22
Naphthalene	ND	ug/Kg	5.0	08/08/22	08/08/22
1,2,3-Trichlorobenzene	ND	ug/Kg	5.0	08/08/22	08/08/22
cis-1,4-Dichloro-2-butene	ND	ug/Kg	5.0	08/08/22	08/08/22
trans-1,4-Dichloro-2-butene	ND	ug/Kg	5.0	08/08/22	08/08/22
Xylene (total)	ND	ug/Kg	5.0	08/08/22	08/08/22
Surrogates			Limits		
Dibromofluoromethane	98%	%REC	70-130	08/08/22	08/08/22
1,2-Dichloroethane-d4	98%	%REC	70-145	08/08/22	08/08/22
Toluene-d8	97%	%REC	70-145	08/08/22	08/08/22
Bromofluorobenzene	101%	%REC	70-145	08/08/22	08/08/22



Type: Lab Control Sample Lab ID: QC1005104 Batch: 294512

Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

QC1005104 Analyte	Result	Spiked	Units	Recovery Qual	Limits
1,1-Dichloroethene	45.65	50.00	ug/Kg	91%	70-131
MTBE	46.24	50.00	ug/Kg	92%	69-130
Benzene	49.12	50.00	ug/Kg	98%	70-130
Trichloroethene	49.66	50.00	ug/Kg	99%	70-130
Toluene	50.28	50.00	ug/Kg	101%	70-130
Chlorobenzene	49.51	50.00	ug/Kg	99%	70-130
Surrogates					
Dibromofluoromethane	51.59	50.00	ug/Kg	103%	70-130
1,2-Dichloroethane-d4	47.54	50.00	ug/Kg	95%	70-145
Toluene-d8	49.71	50.00	ug/Kg	99%	70-145
Bromofluorobenzene	51.13	50.00	ug/Kg	102%	70-145

Type: Lab Control Sample Duplicate Lab ID: QC1005105 Batch: 294512

Matrix: Soil Method: EPA 8260B Prep Method: EPA 5030B

								RPD
QC1005105 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	44.14	50.00	ug/Kg	88%		70-131	3	33
MTBE	47.27	50.00	ug/Kg	95%		69-130	2	30
Benzene	47.43	50.00	ug/Kg	95%		70-130	4	30
Trichloroethene	47.23	50.00	ug/Kg	94%		70-130	5	30
Toluene	47.04	50.00	ug/Kg	94%		70-130	7	30
Chlorobenzene	47.09	50.00	ug/Kg	94%		70-130	5	30
Surrogates								
Dibromofluoromethane	52.18	50.00	ug/Kg	104%		70-130		
1,2-Dichloroethane-d4	48.07	50.00	ug/Kg	96%		70-145		
Toluene-d8	49.06	50.00	ug/Kg	98%		70-145		
Bromofluorobenzene	52.51	50.00	ug/Kg	105%		70-145		

ND Not Detected

# APPENDIX G Soil Vapor Sample Analytical Data



July 11, 2022

Jackie Hyman Geosyntec Consultants, Inc. 2355 Northside Drive, Suite 250 San Diego, CA 92108

Dear Jackie:

This letter presents the results of the soil vapor investigation conducted by Optimal Technology (Optimal), for Geosyntec Consultants, Inc. on July 8, 2022. The study was performed at 807 E. Norman Rd., San Bernardino, California.

Optimal was contracted to perform a soil vapor survey at this site to screen for possible chlorinated solvents and aromatic hydrocarbons. The primary objective of this soil vapor investigation was to determine if soil vapor contamination is present in the subsurface soil.

### **Gas Sampling Method**

Gas sampling was performed by hydraulically pushing soil gas probes to a depth of 5.0 feet below ground surface (bgs). An electric rotary hammer drill was used to drill a 1.0-inch diameter hole through the overlying surface to allow probe placement when required. The same electric hammer drill was used to push probes in areas of resistance during placement.

At each sampling location, an electric vacuum pump set to draw 0.2 liters per minute (L/min) of soil vapor was attached to the probe and purged prior to sample collection. Vapor samples were obtained in gas-tight syringes by drawing the sample through a luer-lock connection which connects the sampling probe and the vacuum pump. Samples were immediately injected into the gas chromatograph/purge and trap after collection. New tubing was used at each sampling point to prevent cross contamination.

All analyses were performed on a laboratory grade Agilent model 6890N gas chromatograph equipped with an Agilent model 5973N Mass Spectra Detector and Tekmar LSC 3100 Purge and Trap. A Restek column using helium as the carrier gas was used to perform all analysis. All results were collected on a personal computer utilizing Agilent's MS and chromatographic data collection and handling system.

### **Quality Assurance**

#### 5-Point Calibration

The initial five-point calibration consisted of 20, 50, 100, 200 and 500 ul injections of the calibration standard. A calibration factor on each analyte was generated using a best fit line method using the Agilent data system. If the r<sup>2</sup> factor generated from this line was not greater than 0.990, an additional five-point calibration would have been performed. Method reporting limits were calculated to be 1-1000 micrograms per cubic meter (ug/m<sup>3</sup>) for the individual compounds.

A daily calibration check was performed using a pre-mixed standard supplied by Scotty Analyzed Gases. The standard contained common halogenated solvents and aromatic hydrocarbons (see Table 1). The individual compound concentrations in the standards ranged between 0.025 nanograms per microliter (ng/ul) and 0.25 ng/ul.

#### TABLE 1

Dichlorodifluoromethane	Carbon Tetrachloride	Chloroethane
Trichlorofluoromethane	1,2-Dichloroethane	Benzene
1,1-Dichloroethene	Trichloroethene	Toluene
Methylene Chloride	1,1,2-Trichloroethane	Ethylbenzene
trans-1,2-Dichloroethene	Tetrachloroethene	m-/p-Xylene
1,1-Dichloroethane	Chloroform	o-Xylene
cis-1,2-Dichloroethene	1,1,1,2-Tetrachloroethane	Vinyl Chloride
1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	Freon 113
4-Methyl-2-Pentanone	Cyclohexane	Acetone
Chlorobenzene	2-Butanone	Isobutane

### Sample Replicates

A replicate analysis (duplicate) was run to evaluate the reproducibility of the sampling system and instrument. The difference between samples did not vary more than 20%.

### Equipment Blanks

Blanks were run at the beginning of each workday and after calibrations. The blanks were collected using an ambient air sample. These blanks checked the septum, syringe, GC column, GC detector and the ambient air. Contamination was not found in any of the blanks analyzed during this investigation. Blank results are given along with the sample results.

### Tracer Gas Leak Test

A tracer gas was applied to the soil gas probes at each point of connection in which ambient air could enter the sampling system. These points include the top of the sampling probe where the tubing meets the probe connection and the surface bentonite seals. Isobutane was used as the tracer gas. No Isobutane was found in any of the samples collected.

#### Purge Volume

The standard purge volume of three volumes was purged in accordance with the July 2015 DTSC/RWQCB Advisory for Active Soil Gas Investigations.

### Shut-in Test

A shut-in test was conducted prior to purging or sampling each location to check for leaks in the above-ground sampling system. The system was evaluated to a minimum measured vacuum of 100 inches of water. The vacuum gauge was calibrated and sensitive enough to indicate a water pressure change of at least 0.5 inches.

### Scope of Work

To achieve the objective of this investigation a total of 14 vapor samples were collected from 13 locations at the site. Sampling depths, vacuum readings, purge volume and sampling volumes are given on the analytical results page. All the collected vapor samples were analyzed on-site using Optimal's mobile laboratory.

### **Subsurface Conditions**

Subsurface soil conditions at this site offered sampling flows at 0" water vacuum.

#### **Results**

During this vapor investigation, one sample contained 54 ug/m<sup>3</sup> of Tetrachloroethene (PCE). None of the other compounds listed in Table 1 above were detected above the listed reporting limits. A complete table of analytical results is included with this report.

#### Disclaimer

All conclusions presented in this letter are based solely on the information collected by the soil vapor survey conducted by Optimal Technology. Soil vapor testing is only a subsurface screening tool and does not represent actual contaminant concentrations in either the soil and/or groundwater. We enjoyed working with you on this project and look forward to future projects. If you have any questions, please contact me at (877) 764-5427.

Sincerely,

Attila Baly Project Manager



### **SOIL VAPOR RESULTS**

Site Name: 807 E. Norman Rd., San Bernardino, CA

Lab Name: Optimal Technology

Date: 7/8/22

Analyst: A. Baly Collector: A. Baly Inst. ID: Agilent 6890NF

SAMPLE ID
Sampling Depth (Ft.)
Purge Volume (ml)
Vacuum (in. of Water)
Injection Volume (ul)
Dilution Factor

BLANK-1	SV-1	SV-2	SV-3	SV-4	SV-5	SV-6	SV-7
N/A	5.0	5.0	5.0	5.0	5.0	5.0	5.0
N/A	1,500	1,500	1,500	1,500	1,500	1,500	1,500
N/A	0	0	0	0	0	0	0
100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	1	1	1	1	1	1	1

COMPOUND	REP. LIMIT
Dichlorodifluoromethane	1000
Chloroethane	1000
Trichlorofluoromethane	1000
Freon 113	1000
Methylene Chloride	30
1,1-Dichloroethane	50
Chloroform	4
1,1,1-Trichloroethane	1000
Carbon Tetrachloride	2
1,2-Dichloroethane	3
Trichloroethene (TCE)	10
1,1,2-Trichloroethane	5
Tetrachloroethene (PCE)	10
1,1,1,2-Tetrachloroethane	10
1,1,2,2-Tetrachloroethane	1
Vinyl Chloride	1
Acetone	1000
1,1-Dichloroethene	1000
trans-1,2-Dichloroethene	1000
2-Butanone (MEK)	1000
cis-1,2-Dichloroethene	200
Cyclohexane	1000
Benzene	3
4-Methyl-2-Pentanone	1000
Toluene	1000
Chlorobenzene	1000
Ethylbenzene	30
m/p-Xylene	1000
o-Xylene	1000
TPH-g	5000
Isobutane (Tracer Gas)	1000

| CONC (ug/m³) |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |
| ND           |

Note: ND = Below Listed Reporting Limit



### **SOIL VAPOR RESULTS**

Site Name: 807 E. Norman Rd., San Bernardino, CA

Lab Name: Optimal Technology

Date: 7/8/22

Analyst: A. Baly Collector: A. Baly Inst. ID: Agilent 6890NF

SAMPLE ID					
Sampling Depth (Ft.)					
Purge Volume (ml)					
Vacuum (in. of Water)					
Injection Volume (ul)					
Dilution Factor					

SV-8	SV-9	SV-10	SV-11	SV-12	SV-13	SV-13 Dup	
5.0	5.0	5.0	5.0	5.0	5.0	5.0	
1,500	1,500	1,500	1,500	1,500	1,500	1,500	
0	0	0	0	0	0	0	
100,000	100,000	100,000	100,000	100,000	100,000	100,000	
1	1	1	1	1	1	1	

COMPOUND	REP. LIMIT
Dichlorodifluoromethane	1000
Chloroethane	1000
Trichlorofluoromethane	1000
Freon 113	1000
Methylene Chloride	30
1,1-Dichloroethane	50
Chloroform	4
1,1,1-Trichloroethane	1000
Carbon Tetrachloride	2
1,2-Dichloroethane	3
Trichloroethene (TCE)	10
1,1,2-Trichloroethane	5
Tetrachloroethene (PCE)	10
1,1,1,2-Tetrachloroethane	10
1,1,2,2-Tetrachloroethane	1
Vinyl Chloride	1
Acetone	1000
1,1-Dichloroethene	1000
trans-1,2-Dichloroethene	1000
2-Butanone (MEK)	1000
cis-1,2-Dichloroethene	200
Cyclohexane	1000
Benzene	3
4-Methyl-2-Pentanone	1000
Toluene	1000
Chlorobenzene	1000
Ethylbenzene	30
m/p-Xylene	1000
o-Xylene	1000
TPH-g	5000
Isobutane (Tracer Gas)	1000

CONC (ug/m <sup>3</sup> )	CONC (ug/m³)	CONC (ug/m³)	CONC (ug/m <sup>3</sup> )	CONC (ug/m <sup>3</sup> )	CONC (ug/m³)	CONC (ug/m³)	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
54	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	
ND	ND	ND	ND	ND	ND	ND	

Note: ND = Below Listed Reporting Limit



### CHAIN OF CUSTODY FORM

Page: 1 of 1

Site Name/Number						PO# / Project Ref#			
Site Address	807 E. Norman	Rd., San Be	ernardino, C	4	-				
Company Name									
Contact Person(s):					Phone#		Email:		
Comments:									
Comments.									
				TESTS REC	UIRED (plea	se mark wit	h an "X")		
Sample	Sampling	Date	Time	Soil Gas	Soil Gas	Soil Gas	,		
Identification	Device	Collected	Collected	Mod 8260B	Mod 8021B	Mod 8015	Notes		
BLANK-1	Syringe	7/8/22	7:08 AM	Х					
SV-1	Syringe	7/8/22	7:32 AM	Х					
SV-2	Syringe	7/8/22	7:58 AM	х					
SV-3	Syringe	7/8/22	8:21 AM	х					
SV-4	Syringe	7/8/22	8:45 AM	х					
SV-5	Syringe	7/8/22	9:08 AM	х					
SV-6	Syringe	7/8/22	9:32 AM	Х					
SV-7	Syringe	7/8/22	9:56 AM	х					
SV-8	Syringe	7/8/22	10:20 AM	Х					
SV-9	Syringe	7/8/22	10:43 AM	х					
SV-10	Syringe	7/8/22	11:10 AM	х					
SV-11	Syringe	7/8/22	11:36 AM	х					
SV-12	Syringe	7/8/22	11:58 AM	х					
SV-13	Syringe	7/8/22	12:22 PM	х					
SV-13 Dup	Syringe	7/8/22	12:22 PM	х					
Collected & Tested by:	1			l					
	All I								
-	Allila Box								
	$\cup$								